970

Section **A** for the entry of Daily

AIR MINISTRY.—MET

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGISTER

1 .

970

FURNEAUX PELHAM

1931- 1939

480206

Kept at Furneux Pelham

in the County of Herts

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule s… …the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·13	·04	·14	–	·02	–	·02	·05	–	–	–	1
2	·09	·06	–	·18	·06	–	·03	–	·43	–	·01	·08	2
3	·04	–	–	·32	·52	–	–	·09	1·19	–	–	·09	3
4	–	·01	–	·11	·02	–	·01	·61	·06	–	·04	–	4
5	–	–	–	·07	·07	·48	–	·30	·37	–	–	·42	5
6	–	·16	–	·01	–	·18	–	–	–	·22	·37	–	6
7	–	·08	–	–	–	·02	·16	·97	–	·01	·16	·02	7
8	·04	·10	·03	–	–	·04	–	·64	–	–	·01	–	8
9	–	·02	·07	·01	–	·12	·02	·04	·08	–	·31	·02	9
10	·01	·14	·01	–	–	·02	·11	·26	–	·01	·32	–	10
11	·19	·37	–	–	–	–	–	–	·04	–	·01	–	11
12	–	·03	–	–	–	–	–	–	–	–	–	·01	12
13	–	–	–	–	–	–	–	·05	·23	–	–	–	13
14	·05	·15	–	–	–	–	·86	·52	–	–	·01	–	14
15	·05	·02	–	·27	·14	–	·18	·09	–	–	–	–	15
16	–	·14	–	·14	·23	·03	–	·42	–	–	–	·02	16
17	·01	–	–	·34	·28	–	·12	·02	·08	·02	–	–	17
18	·04	·11	–	·31	–	·26	·01	·24	–	–	·57	–	18
19	·05	–	–	·49	–	·12	·24	·06	–	–	·01	–	19
20	–	·01	–	·06	–	–	·24	·35	–	–	–	·02	20
21	·02	–	–	–	·66	–	–	·03	·04	–	·01	–	21
22	·10	–	–	·07	–	–	–	–	·05	–	–	–	22
23	·24	·02	–	·02	·54	·32	–	–	·15	–	·13	·05	23
24	–	–	–	·46	·10	·02	·05	–	·05	·03	–	·02	24
25	·14	–	–	·30	·04	–	·87	–	·01	–	·04	·01	25
26	–	·01	–	·30	–	–	·92	–	·02	–	·15	–	26
27	·17	·43	–	·01	–	–	·23	–	–	–	·32	–	27
28	·12	·21	–	·02	·06	–	–	–	–	·06	·01	·07	28
29	·15	×	–	·18	·05	–	·10	–	–	·27	–	·06	29
30	·06	×	–	–	·10	–	·01	·07	–	–	–	–	30
31	·18	×	–	×	–	×	–	·04	×	–	×	–	31
TOTAL	1·75	2·20	·15	3·81	2·87	1·63	4·16	4·82	2·85	·62	2·48	·89	YEAR'S TOTAL 2 28·~~3~~3
*Days with ·01 in. or more.	19	19	4	21	14	12	17	19	15	7	17	13	177
*Days with ·04 in. or more.	16	12	2	17	13	7	12	16	13	3	10	6	127

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) G W Bindon

[P.T.O.

970

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Furneux Pelham

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·13	·04	·14	–	·02	–	·02	·05	–	–	–	1
2	·09	·06	–	·18	·06	–	·03	–	·43	–	·01	·08	2
3	·04	–	–	·32	·52	–	–	·09	1·19	–	–	·09	3
4	–	·01	–	·11	·02	–	·01	·61	·06	–	·04	–	4
5	–	–	–	·07	·07	·48	–	·30	·37	–	–	·42	5
6	–	·16	–	·01	–	·18	–	–	–	·22	·37	–	6
7	–	·08	–	–	–	·02	·16	·97	–	·01	·16	·02	7
8	·04	·10	·03	–	–	·04	–	·64	–	–	·01	–	8
9	–	·02	·07	·01	–	·12	·02	·04	·08	–	·31	·02	9
10	·01	·14	·01	–	–	·02	·11	·26	–	·01	·32	–	10
11	·19	·37	–	–	–	–	–	–	·04	–	·01	–	11
12	–	·03	–	–	–	–	–	–	–	–	–	·01	12
13	–	–	–	–	–	–	–	·05	·23	–	–	–	13
14	·05	·15	–	–	–	–	·86	·52	–	–	·01	–	14
15	·05	·02	–	·27	·14	–	·18	·09	–	–	–	–	15
16	–	·14	–	·14	·23	·03	–	·42	–	–	–	·02	16
17	·01	–	–	·34	·28	–	·12	·02	·08	·02	–	–	17
18	·04	·11	–	·31	–	·26	·01	·24	–	–	·57	–	18
19	·05	–	–	·49	–	·12	·24	·06	–	–	·01	–	19
20	–	·01	–	·06	–	–	·24	·35	–	–	–	·02	20
21	·02	–	–	–	·66	–	–	·03	·04	–	·01	–	21
22	·10	–	–	·07	–	–	–	–	·05	–	–	–	22
23	·24	·02	–	·02	·54	·32	–	–	·15	–	·13	·05	23
24	–	–	–	·46	·10	·02	·05	–	·05	·03	–	·02	24
25	·14	–	–	·30	·04	–	·87	–	·01	–	·04	·01	25
26	–	·01	–	·30	–	–	·92	–	·02	–	·15	–	26
27	·17	·43	–	·01	–	–	·23	–	–	–	·32	–	27
28	·12	·21	–	·02	·06	–	–	–	–	·06	·01	·07	28
29	·15	×	–	·18	·05	–	·10	–	–	·27	–	·06	29
30	·06	×	–	–	·10	–	·01	·07	–	–	–	–	30
31	·18	×	–	×	–	×	–	·04	×	–	×	–	31
TOTAL	[illegible]	2·20	·15	3·81	2·87	1·63	4·16	4·82	2·85	·62	2·48	·89	YEAR'S TOTAL 2 28·33
*Days with ·01 in. or more.	19	19	4	21	14	12	17	19	15	7	17	13	177
*Days with ·04 in. or more.	16	12	2	17	13	7	12	16	13	3	10	6	127

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) G W Bindloss

[P.T.O.

Station No 970

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Furneux Pelham

in the County of Herts

Diameter of Funnel of Gauge ~~12~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·03	–	·10	·82	·04	·01	·21	·03	·17	·01	·01	1
2	·01	–	–	·07	·05	–	·08	–	·23	·13	·02	·13	2
3	–	–	–	·28	·18	–	–	–	·14	·02	–	–	3
4	·01	–	–	–	–	–	–	·06	–	–	·14	–	4
5	·18	·01	·09	–	·06	·02	·22	–	·09	–	–	–	5
6	·43	–	·04	–	·02	–	–	–	·08	–	–	–	6
7	·03	–	·13	·03	·01	–	·12	–	·01	–	–	·03	7
8	–	·02	·08	·03	–	–	–	–	·04	·17	–	–	8
9	·03	–	–	·05	·70	–	–	–	–	·14	–	–	9
10	·30	·03	·01	·10	·05	–	–	–	·05	·05	·02	–	10
11	–	·05	·01	·10	·03	·01	·31	·67	·05	–	·07	–	11
12	·05	–	–	·05	·04	–	–	·01	–	·21	·03	–	12
13	·03	–	–	}·21	·01	–	·10	–	·02	·05	·04	·01	13
14	·07	·01	–		–	–	–	·01	–	·05	·02	–	14
15	–	·01	–	·06	·03	–	–	–	–	·13	–	–	15
16	·12	–	–	·22	·59	–	·02	–	–	–	–	–	16
17	–	–	–	–	–	–	·12	–	–	·06	·01	–	17
18	–	–	–	–	·01	–	·08	–	·10	–	–	–	18
19	–	·01	–	–	–	–	–	–	·01	·16	·02	–	19
20	–	–	–	·15	·17	–	·10	·21	·02	·76	·17	–	20
21	–	–	·02	·10	·40	–	–	·51	–	·29	–	·03	21
22	·01	–	·46	–	·01	–	·10	–	·24	·18	·27	–	22
23	–	·16	–	–	–	–	–	–	·05	·70	·05	·07	23
24	–	·01	–	·04	–	–	·10	–	·06	·02	·29	–	24
25	–	–	–	–	–	–	·66	–	·01	·36	·08	·01	25
26	–	–	·01	·31	·08	–	·07	–	·06	·01	–	–	26
27	–	–	·33	·10	·66	–	·23	–	·01	·02	·16	–	27
28	–	–	·18	·01	·20	–	·77	–	–	·31	–	–	28
29	–	–	·19	·01	–	–	–	1·54	·02	·34	·03	–	29
30	–	×	·15	·05	·03	·63	–	–	·08	·17	·17	·15	30
31	–	×	·02	×	–	×	·06	·05	×	–	×	·02	31
TOTAL	1·37	·34	1·72	2·07	4·15	·70	3·15	3·27	1·40	4·50	1·60	·46	YEAR'S TOTAL 24·73
*Days with ·01 in. or more.	13	10	14	20	21	4	17	9	21	23	18	9	179
*Days with ·04 in. or more.	7	2	9	16	13	2	15	7	13	19	10	3	116

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) G W Bindloss

[P.T.O.

File No. 2276/30

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Furneux Pelham

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·16	·07	–	–	–	–	–	–	–	·05	–	1
2	·28	–	·25	–	·06	–	–	–	–	–	·01	–	2
3	–	·17	·07	–	·01	–	–	–	–	–	–	–	3
4	·17	–	·10	–	–	–	–	–	–	–	·04	–	4
5	·03	·05	·15	–	·35	–	–	–	–	–	–	–	5
6	–	·08	·04	–	·56	–	–	–	–	·03	06	–	6
7	·16	·10	–	–	·13	–	–	–	–	·11	02	–	7
8	·08	–	·04	–	·09	–	·13	–	–	–	–	–	8
9	–	–	–	–	·05	–	·13	–	–	·01	·11	–	9
10	–	–	–	–	·01	·14	·52	–	–	·10	–	–	10
11	·07	–	–	–	–	·04	·03	·25	–	–	·03	–	11
12	–	–	–	·01	–	·07	–	·01	·25	–	–	·03	12
13	·04	–	–	–	·15	·07	·21	–	·01	–	·15	–	13
14	–	–	–	–	·04	·01	–	·11	–	·08	·30	·02	14
15	·34	–	·12	–	–	·07	·17	·05	–	·01	·12	–	15
16	·09	–	·62	–	–	·24	–	–	·01	·03	·06	–	16
17	·04	–	·25	–	–	·06	–	·01	·01	–	·02	–	17
18	–	·16	·13	–	–	·10	–	–	–	–	·01	–	18
19	–	·11	·34	·02	–	·22	–	–	·31	–	–	–	19
20	–	–	·01	·19	–	·51	–	–	·04	–	·01	·01	20
21	–	·12	–	–	–	·04	–	·02	·47	–	–	–	21
22	–	–	–	–	–	·38	–	·32	·13	·15	·01	–	22
23	–	–	–	·09	·27	–	–	·01	·55	–	·01	–	23
24	–	·13	–	·08	·14	·02	–	–	·44	·04	·08	–	24
25	–	·06	–	·22	·04	·01	–	–	–	·05	02	·08	25
26	–	·56	–	·02	–	·07	–	–	·17	·09	–	·08	26
27	–	–	–	–	·94	–	·01	–	·11	·15	–	·05	27
28	–	–	–	–	–	–	–	–	–	·67	–	·05	28
29	–	×	–	·35	·02	–	–	–	–	·27	–	·01	29
30	·17	×	·01	–	–	–	–	–	·02	·08	–	·16	30
31	·06	×	·05	×	–	×	–	·08	×	·05	×	–	31
TOTAL	1·55	1·70	2·25	·98	2·86	2·05	1·20	·86	2·52	1·92	1·11	·49	YEAR'S TOTAL 19·49
*Days with ·01 in. or more.	13	11	15	8	15	16	7	9	13	16	18	9	150
*Days with .04 in. or more.	11	11	13	5	12	13	5	5	9	12	9	5	110

40-9999

*See Instruction 2 (*f*) on other side.

O M

(*Signed*) G W Bindloss

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Furneux Pelham
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	–	–	–	–	·24	·01	–	–	·37		1
2	·08	–	·09	–	–	–	–	–	·56	·16	–	·09		2
3	·01	·04	–	·12	–	–	–	–	–	·17	–	·02		3
4	·10	–	·02	–	–	–	–	–	–	·09	·09	·35		4
5	–	–	·21	–	–	–	–	·02	–	–	·01	·20		5
6	·01	·01	·15	–	·28	·19	–	·16	–	·13	–	·45		6
7	–	·02	–	–	–	·08	–	–	–	·03	–	·12		7
8	–	–	–	–	·15	–	–	·09	·02	–	·14	–		8
9	·02	–	·03	–	–	–	–	·05	–	–	·57	·32		9
10	–	–	·11	·12	–	–	–	·01	–	·01	·58	–		10
11	·23	–	·19	·05	–	–	·03	·03	–	–	·01	·12		11
12	·03	·01	·09	–	–	–	·04	·14	–	–	·12	–		12
13	·42	–	·08	·01	–	–	·55	·13	–	–	·02	·06		13
14	·01	–	·32	·01	–	·10	–	·03	–	·06	·25	·21		14
15	·01	–	·08	–	·03	–	–	–	·01	·02	·06	·11		15
16	·15	–	·15	–	–	–	–	·01	–	·05	·01	–		16
17	·01	–	–	–	·02	–	–	·02	–	·16	·04	·06		17
18	·16	·01	–	·14	–	–	·11	–	–	–	–	·06		18
19	–	–	·10	·06	–	·14	–	–	·13	–	–	·13		19
20	–	–	·40	–	–	–	·01	–	–	–	–	–		20
21	–	–	·03	·04	–	·07	–	·03	–	·03	–	–		21
22	–	–	–	–	–	–	·01	·12	·22	–	–	–		22
23	–	–	–	·28	–	·22	–	·31	·01	–	–	·04		23
24	–	·01	·06	·11	–	·09	·17	–	·25	–	–	–		24
25	·03	·06	–	·10	–	·53	–	–	–	·02	·01	·28		25
26	·06	·01	–	·22	–	·02	·03	–	·04	·01	–	·14		26
27	·10	–	–	·10	–	·12	–	–	–	·05	–	·27		27
28	–	06	–	·18	–	·22	–	·88	–	–	·05	·44		28
29	–	×	–	–	–	–	·03	·08	·13	–	·01	·03		29
30	·08	×	–	–	–	–	–	·01	–	–	–	·03		30
31	·04	×	–	×	–	×	·04		×	·30	×	·05		31
TOTAL	1·60	·23	2·11	1·54	·48	1·78	1·02	2·36	1·38	1·29	1·97	3·95	Year's Total 19·71	
*Days with ·01 in. or more.	19	9	16	14	4	11	10	18	10	15	15	23	164	
*Days with ·04 in. or more.	11	3	13	12	2	10	5	10	6	9	9	19	109	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) G W Bindloss

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Furneux Pelham

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·06	–	·06	–	·06	·20	–	·03	·03	·06	·02		1
2	·12	–	–	·04	–	[illegible]	–	–	·07	·14	·04	–		2
3	–	·20	·16	·19	–	·17	–	–	·20	·38	·13	–		3
4	–	–	–	·16	–	·01	–	–	·12	·35	–	–		4
5	–	·44	·06	·11	–	·47	·03	–	·22	–	·02	–		5
6	·13	–	–	·29	–	·30	–	–	–	–	–	–		6
7	·20	–	–	·49	–	·05	–	–	–	–	·82	·08		7
8	–	·01	·02	·11	–	–	–	–	–	·25	·05	·12		8
9	–	–	–	·10	–	·59	–	–	–	·80	·10	·02		9
10	–	·01	–	·30	–	·02	–	–	–	–	·06	·05		10
11	·17	–	–	·03	–	·02	–	–	–	·04	·11	–		11
12	–	·01	–	–	–	·11	–	·04	–	–	·14	–		12
13	·10	·10	–	·21	·23	·05	–	–	–	–	–	–		13
14	–	–	–	·11	·18	·03	–	–	–	–	·05	·10		14
15	–	·15	–	·29	·02	·20	–	–	·06	–	·08	·19		15
16	–	·13	·06	·04	–	·28	–	–	·11	·03	·58	·14		16
17	–	–	–	·01	–	·13	–	–	–	–	·58	–		17
18	–	–	–	·29	·12	·06	·17	–	·34	·06	–	–		18
19	–	–	–	·07	·63	·13	·05	–	·08	·03	·17	·06		19
20	·02	·06	–	·07	·15	·11	·09	–	·05	–	·03	–		20
21	·03	·20	·01	–	–	–	–	–	·01	·02	·15	–		21
22	–	·02	·19	–	–	–	–	·22	·54	–	·01	–		22
23	·02	–	·12	–	–	–	–	·13	–	–	–	–		23
24	·05	·29	–	–	–	–	–	·02	·49	–	–	·38		24
25	·16	·22	–	·19	–	·49	–	–	–	–	·01	·13		25
26	·43	–	–	–	–	–	–	·11	·13	·03	–	·41		26
27	·02	·36	–	·01	·03	–	–	–	·17	–	·15	·28		27
28	–	–	–	–	–	–	–	–	·06	·03	·01	·15		28
29	·01	×	–	–	–	–	–	–	·43	–	–	·13		29
30	·06	×	·01	·41	·03	–	–	·54	·07	·07	·25	·20		30
31	–	×	–	×	–	×	–	–	×	·32	×	·27		31
TOTAL	1·72	2·26	·63	3·58	1·39	3·28	·54	1·06	3·18	2·58	3·60	2·73	Year's Total 26·55 ✓	
*Days with ·01 in. or more.	15	15	8	22	8	19	5	6	18	15	22	17	170	
*Days with .04 in. or more.	10	11	5	19	5	15	4	5	16	9	17	15	131	

† Spare column, no entries required.

(*Signed*) G W Bindloss

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Furneaux Pelham The Brewery.

in the County of Herts

COPY BY B.R.O.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·21	·08	·32		·07	·12	·02	-	—	·07	·15		1
2	·02	·03	·02	·02		·29	·37	·11	-	—	·06	·21		2
3		·02			·01	·45	·01		·01	—	18	·02		3
4			·06		·01	·02			·38	—	—	·03		4
5	·08	·01	·02					·02	·42	—	·08	·09		5
6	·10					·12		·12	·08	-	·04	—		6
7	·31		·04			·02	·63	·03	·01	·04	·01	—		7
8	·19		·02						·01	—	·17	·22		8
9	·25		·03		·02		·58		·02	·05		·01		9
10	·02						·23	·21	·08	·01	-	—		10
11				·04			·24	·06	-	—	·55	—		11
12				·10		·18	·34		·20	—	·72	·10		12
13				·01		·54	·08		-	—	07	·08		13
14		·11				·03	·41		·02	·07	·07	·45		14
15		·05					·52		-	—	-	·01		15
16	·30	·04					·02		·01	—	·42	·10		16
17	·10	·45			·08				-	·01	·09	·12		17
18		·04				·08	·05		-	·04	·03	·06		18
19	·30					·38		·02	-	·05	-	—		19
20	·01	·15		·26			·02		1·95	—	-	—		20
21				·13	·02	·91			·50	—	-	—		21
22	·11	·42	·02		·20	·01	·14		-	—	-	·17		22
23		·01		·09			·08		-	·09	·02	—		23
24	·10	·18					·24		·08	·22	-	—		24
25	·15	·01	·08	·13		·22	·20		·18	·02	-	·03		25
26		·10	·15	·04			·03		·05	·09	·04	·01		26
27	·04	·04		·07					·25	·12	-	—		27
28	·68		·08			·48	·13		·01	—	-	·07		28
29	·11	·21	·04			·07	·04		-	·04	·14	·01		29
30	·07	✕			·14	·24	·05		·02	·15	·01	—		30
31	·66	✕	·17	✕	·03	✕	·19		✕	·44	✕	·15		31
TOTAL	3·70	2·08	·81	1·21	·51	4·11	4·72	·59	4·28	1·44	2·77	2·09	Year's Total 28·31	✓
* Days with .01 in. or more.	20	17	13	11	8	17	23	8	19	15	18	20	189	✓
* Days with .04 in. or more.	17	12	8	9	3	13	19	4	11	12	14	13	135	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 2090.

REGISTER OF RAINFALL IN 1937.

Kept at Furneaux Pelham, The Brewery

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Mar 20 adj by Sam Stns 1

Nov. 29-30 adjusted by mon. Stns for L.C.

Dec – "

T C

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	–	·02		–	–	–	–	·04	–	·93	·58		1
2	–	·06		·31	–	–	–	–	·02	–	·01	·16		2
3	–	·08	·06		–	–	–	–	–	–	–	·08		3
4	·09	·23			·03	–	–	·02	–	–	–	·39		4
5	·18	·02	·19		–	–	·03	–	–	·04	–	·39		5
6	·04	–	·11		·08	–	·08	–	–	–	·04	–		6
7	–	·68	·34	·11	·14	–	–	–	·03	–	·03	–		7
8	–	·04			·06	·08	–	–	–	–	·15	·10		8
9	–	–	·02	·25	·30	–	·17	–	·11	–	–	– ·06		9
10	·05	·02	·60	·06	·05	·37	·03	·01	–	–	·05	~~·33~~ ·27		10
11	–	–	·25		·31	–	·01	·02	·01	·01	–	·11		11
12	·12	·36	·06		·22	·53	·01	–	·20	–	–	·02		12
13	·10	·09	·26		·01	·33	–	·01	·02	–	–	·92		13
14	·02	·03	·46	·16	–	·01	–	·48	·10	–	·01	·07		14
15	·05	·05		·08	–	·03	2·04	–	·17	–	–	·02		15
16	·06	·10	·20	·63	–	–	–	·09	·09	–	–	·07		16
17	·32	·01	·11	·47	–	–	–	–	·56	–	·12	·01		17
18	·21	·10	·02	·02	·21	–	–	–	·02	–	·19	–		18
19	·03	·10	·05	·05	·03	·22	·06	–	·12	·03	·02	–		19
20	·34	–	·04	·36	·61	–	–	–	·12	–	–	–		20
21	·22	·30		·04	–	–	·10	·04	–	–	·01	·03		21
22	·26	·03			·02	·30	·01	–	–	·37	·19	·02		22
23	·28	–	·06		–	–	·20	–	–	·66	·01	·01		23
24	·40	·35	·01		·01		–	–	·13	·10	–	–		24
25	·06	·25			·05	–	–	–	·08	·29	–	·03		25
26	–	·19	·10		·14	–	–	–	–	·01	–	–		26
27	–	·11		·28	–	–	–	–	·08	·40	–	–		27
28	–	·04		·01	–	·01	–	–	–	·02	–	·01		28
29	·05	–			–	·03	–	–	–	·05	~~–~~ ·10	·08		29
30	·27				–	·02	–	–	–	–	~~·26~~ ·16	–		30
31	·31				–		–	–		·03		·05		31
TOTAL	3·70	3·24	2·96	2·83	2·27	1·93	2·74	·67	1·90	2·01	2·02	J. 3·48	Year's Total 29·75	✓
* Days with .01 in. or more.	22	22	19	14	16	11	11	7	17	12	1~~4~~5	22	18~~7~~8	✓
* Days with .04 in. or more.	20	17	15	12	11	6	6	3	12	7	~~8~~9	1~~4~~3	13~~1~~2	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

adjusted by [illegible] for L.C
[illegible] adjusted for snow

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Furneaux Pelham† The Brewery.
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 300 ft.

T.L. LC

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	–	–			·10	·01	–	·08	·01	–	·05		1
2	·16	–	–	·03	·02	·07	·27	–	–	·14	–	·02		2
3	–	–	–		·13		·06	–	·11	·55	·04	–		3
4	·05	–	–				–	–	–	·14	–	·08		4
5	·01	–	–				·19	–	·01	·08	·01	–		5
6	·04	–	–				·03	·07	·42	–	–	–		6
7	·02	–	–				·15	·12	–	36	–	·03		7
8	·15	–	–				·12	·02	·01	·10	·01	–		8
9	·04	–	–				·03	·02	–	–	–	·54		9
10	–	·02	–			·01	·05	·23	–	–	–	·05		10
11	33	–	–				–	–	–	·01	·12	·04		11
12	·19	·05	–				–	·21	–	35	–	·01		12
13	·08	·22	–				–	–	–	–	·05	·09		13
14	~~·30~~ ·22	·06	–		·24		·01	–	·05	–	·01	·01		14
15	·07	·01	–				·09	–	–	·15	·01	·13		15
16	·25	·01	·02				·02	–	–	·02	·01	·58		16
17	–	·07	–		·45		·18	–	–	·05	–	–		17
18	·06	–	–		·16		·01	–	·05	·03	·32	·01		18
19	–	–	–	·03	·01		–	·06	10	–	·15			19
20	–	–	–		·01		–	–	·01	–	·43	(·05)		20
21	–	·01	–				–	·19	·03	–	·01	(·33)		21
22	·01	–	–			·01	–	·01	–	–	·20	(·26)		22
23	–	·01	–	·01			–	–	–	–	–	~~·11~~		23
24	–	–	·12	·05	·01		–	–	1·59	–	·09	(·05)		24
25	·08	·02	·12	·03	·11		·02	–	·04	·02	58			25
26	·25	·16	·14	·01			–	·04	·11	·24	–	(·42)	✓	26
27	·13	·05	–	–	·23	·28	·32	·01	·94	·18	·37	–		27
28	·11	·03	–	·02	·50	·05	–	·12	·04	–	·03	–		28
29	·47	–	–	·04	·15		–	·01	·02	–	·09	·27		29
30	·02	✕	–	·01	·07		–	–	·01	·05	·38	·02		30
31	·14	✕	–	✕	·08	✕	–	–	✕	·14	✕	·35		31
TOTAL	2·95	·72	·40	·23	2·17	·52	1·56	1·11	3·65	2·62	2·91	3·39	Year's Total 22·23	✓ ✓
* Days with .01 in. or more.	~~22~~ 23	13	4	9	14	6	16	13	17	18	19	21	173	✓ ✓
* Days with .04 in. or more.	~~18~~ 19	6	3	2	10	4	9	8	11	13	12	15	112	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. W. Bindloss

P.T.O.

† Station formerly called Furneaux Pelham (The Brewery) Gauge moved ¼ ml. W. 30.8.38

adjusted by [illegible] to LC.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 970

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

L C

Kept at Furneaux Pelham

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

Copy by B.R.O.

Oct amended to agree with observer's total

Nov. & Dec. estimated with Inc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	·24	·23	–	·05	·01	·72	·01				1
2	·07	·01	–	–	·01	–	·01	·44	·97	–				2
3	·56	–	–	·10	–	–	–	·37	–	–				3
4	·04	·01	·18	·13	–	–	–	✓ ·87	–	·29				4
5	–	–	–	·59	·02	–	·01	✓ ·41	–	·06				5
6	·42	–	–	·05	–	–	·15	·02	–	·02				6
7	·05	·01	–	–	–	–	–	–	–	·13				7
8	–	·02	·11	–	–	–	·10	·04	–	·09				8
9	·01	·03	–	–	–	–	–	·05	–	·44				9
10	·17	–	–	–	–	·46	–	·10	–	·01				10
11	–	–	·28	–	–	–	–	–	·05	·05				11
12	–	·01	–	–	·01	·25	–	–	·11	·01				12
13	–	–	·03	–	–	·06	·02	–	·06	1·01				13
14	·47	–	–	·03	·20	·03	–	–	·18	·25				14
15	·25	–	·02	·01	·43	·14	–	–	·25	1·10				15
16	·27	–	·20	·04	·08	·16	–	–	–	·10				16
17	·16	·02	·02	·10	·07	–	1·36	–	–	~~·10~~ –				17
18	·22	–	·05	–	–	·16	·10	–	·01	·24				18
19	·23	–	·04	–	–	·07	·10	–	–	·22				19
20	·13	–	–	–	–	·69	·44	·31	–	–				20
21	·03	–	·32	–	–	·25	·26	–	·05	~~·04~~ –				21
22	·12	·25	·09	–	–	–	·05	–	·04	–				22
23	·05	–	·01	·08	–	–	·10	–	–	·15				23
24	·09	·01	·02	·10	–	·01	·08	–	–	·01				24
25	1·31	·08	·06	·02	–	–	–	·01	–	–				25
26	~~1·51~~ 30	–	·02	·05	–	–	–	–	–	·34				26
27	–	·02	·09	~~·11~~ ·06	–	–	·02	–	–	·21				27
28	–	·17	·07	·02	–	·02	·07	–	–	·36				28
29	–	–	–	·64	–	–	·01	–	–	·28				29
30	–	✕	–	·50	–	·01	–	–	–	·01				30
31	–	✕	–	✕	–	✕	·08	–	✕	–	✕			31
TOTAL	4·86	·64	1·61	2·76	1·05	2·31	3·01	2·63	2·44	5·39	(4·00)	(1·30)	Year's Total	(32·00)
* Days with .01 in. or more.	21	12	14	~~16~~ 17	8	13	18	11	10	~~25~~ 23	18	11		(179)
* Days with .04 in. or more.	18	3	11	~~12~~ 13	5	9	13	8	9	17	15	8		(129)

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X Buntingford (Wyddi

970/5

BUNTINGFORD WYDDIAL

1933 - 1940

780206

Section **A** for the entry of Daily

AIR MINISTRY.—M

ALL ORGANIZATION.

Station No. 970/5

FORM 1090.

REGISTE

33. Herts/3

Kept at Wyddial (near Bu

in the County of Hertfordsh

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							Gauge installed & readings started July 20th 1933	—	—	0.01	—	—	1
2								—	—	—	0.07	—	2
3								—	—	—	—	—	3
4								—	—	—	0.10	—	4
5								—	—	—	—	—	5
6								—	—	0.03	0.07	—	6
7								—	—	0.08	0.01	Trace	7
8								—	—	0.02	—	—	8
9								—	—	0.05	0.16	—	9
10								—	—	0.06	—	—	10
11								0.08	—	—	0.04	—	11
12								—	0.30	—	—	—	12
13								—	0.05	0.02	0.15	—	13
14								0.20	—	0.07	0.50	0.02	14
15								0.05	—	0.04	0.03	—	15
16								—	—	0.11	0.03	—	16
17								—	0.06	—	0.02	—	17
18								—	—	—	0.01	—	18
19								—	0.27	—	Trace	0.01	19
20							—	—	—	—	0.01	Trace	20
21							—	0.05	0.46	—	Trace	Trace	21
22							—	0.41	—	0.14	0.01	—	22
23							—	—	0.55	Trace	0.05	—	23
24							—	—	0.31	Trace	0.07	—	24
25							—	—	—	—	—	0.07	25
26							—	—	0.23	0.14	0.02	0.08	26
27							Trace	—	0.05	0.10	—	0.01	27
28							—	—	0.01	0.69	—	0.03	28
29							—	—	—	0.27	—	Trace	29
30		X					0.03	—	—	0.03	—	0.13	30
31		X		X		X	—	0.09	X	0.03	X	—	31
TOTAL							insuff	0.88 ✓	2.29 ✓	1.89 ✓	1.35 ✓	0.35 ✓	YEAR'S TOTAL insuff
*Days with ·01 in. or more.							-	6	10	17	17	7	-
*Days with ·04 in. or more.							-	6	9	11	9	3	-

40-9999

*See Instruction 2 (*f*) on other side,

M D N

(Signed) Ben Bonworth Engineer

X Lee Conservancy Catchment Board X

P.T.O.

X Buntingford (Wyddi

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 970/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Herts/3.

Kept at Wyddial (near Buntingford)

in the County of Hertfordshire

cf 970 971

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								—	—	0·01	—	—	1
2								—	—	—	0·07	—	2
3								—	—	—	—	—	3
4								—	—	—	0·10	—	4
5								—	—	—	—	—	5
6								—	—	0·03	0·07	—	6
7								—	—	0·08	0·01	Trace	7
8								—	—	0·02	—	—	8
9								—	—	0·05	0·16	—	9
10								—	—	0·06	—	—	10
11								0·08	—	—	0·04	—	11
12								—	0·30	—	—	—	12
13								—	0·05	0·02	0·15	—	13
14								0·20	—	0·07	0·50	0·02	14
15								0·05	—	0·04	0·03	—	15
16								—	—	0·11	0·03	—	16
17								—	0·06	—	0·02	—	17
18								—	—	—	0·01	—	18
19								—	0·27	—	Trace	0·01	19
20							—	—	—	—	0·01	Trace	20
21							—	0·05	0·46	—	Trace	Trace	21
22							—	0·41	—	0·14	0·01	—	22
23							—	—	0·55	Trace	0·05	—	23
24							—	—	0·31	Trace	0·07	—	24
25							—	—	—	—	—	0·07	25
26							—	—	0·23	0·14	0·02	0·08	26
27							Trace	—	0·05	0·10	—	0·01	27
28							—	—	0·01	0·69	—	0·03	28
29							—	—	—	0·27	—	Trace	29
30		X					0·03	—	—	0·03	—	0·13	30
31		X		X		X	—	0·09	X	0·03	X	—	31
TOTAL							incomp	0·88	2·29	1·89	1·35	0·35	YEAR'S TOTAL incomp
*Days with ·01 in. or more.							–	6	10	17	17	7	–
*Days with ·04 in. or more.							–	6	9	11	9	3	–

Gauge installed & readings started July 20 1933

40-9999

*See Instruction 2 (*f*) on other side.

M D N

(Signed) Ben Hownorth Engineer

P.T.O.

X Lee Conservancy Catchment Board X

BUNTING FORD (WYDDIAL)　　244081/33

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 970/5

111/Hert/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Comp 1933

V.G. print

Kept at Wyddial (near Buntingford).

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·05	—	—	—	/	/	—	0·20	Trace	0·03	—	0·33		1
2	0·09	—	0·09	—	0·01	/	—	—	0·56	0·10	—	0·09		2
3	0·01	0·11	—	0·14	/	/	—	—	—	0·21	—	0·01		3
4	0·09	0·01	0·02	—	Trace	/	—	—	—	0·11	0·07	0·37		4
5	Trace	—	0·11	—	Trace	/	—	0·02	—	Trace	Trace	0·15		5
6	Trace	—	0·10	—	0·30	0·18	—	0·15	—	0·12	—	0·45		6
7	—	0·02	—	0·02	/	0·03	—	0·04	—	Trace	—	0·12		7
8	—	—	—	—	0·13	/	—	0·04	0·03	—	0·14	0·03		8
9	0·01	—	0·02	0·02	/	/	—	0·03	—	0·03	0·46	0·19		9
10	0·01	—	0·26	0·11	/	/	—	0·04	—	Trace	0·77	0·01		10
11	0·24	—	0·19	0·03	/	/	0·05	0·05	—	—	0·03	0·14		11
12	Trace	0·01	0·05	—	/	/	0·02	0·24	—	—	0·04	0·01		12
13	0·31	—	0·05	0·03	/	/	1·20	0·14	—	Trace	0·02	0·07		13
14	0·02	—	0·28	—	0·02	/	—	0·01	—	0·07	0·21	0·16		14
15	0·01	—	0·10	—	0·01	/	—	—	0·02	0·02	0·08	0·14		15
16	0·12	0·01	0·16	—	/	/	—	—	—	0·09	0·01	Trace		16
17	0·01	—	—	0·13	0·01	/	Trace	0·06	—	0·14	0·01	0·10		17
18	0·09	—	—	0·21	/	/	0·04	—	Trace	—	—	0·03		18
19	—	—	0·10	0·07	/	0·18	—	—	0·11	0·01	Trace	0·02		19
20	—	—	0·27	0·02	/	/	—	—	Trace	—	—	Trace		20
21	—	—	0·02	0·03	/	0·13	Trace	0·02	—	0·01	—	0·01		21
22	—	—	—	—	/	Trace	—	0·06	0·17	—	—	—		22
23	—	—	—	0·23	/	0·18	0·02	0·17	—	—	Trace	0·03		23
24	—	0·01	0·05	0·33	/	0·10	0·24	—	0·12	—	—	—		24
25	0·08	0·14	—	0·10	/	0·42	—	—	—	0·01	—	0·25		25
26	0·03	0·01	—	0·23	/	0·02	Trace	—	0·02	0·01	—	0·19	/	26
27	0·04	0·02	—	0·01	/	0·13	—	—	—	0·01	Trace	0·27		27
28	—	0·08	—	0·37	/	0·53	—	0·81	—	—	—	0·40		28
29	—	×	—	—	/	—	0·01	0·07	0·15	—	0·07	0·03		29
30	0·13	×	—	—	/	—	—	0·20	0·02	0·01	0·02	0·04		30
31	—	×	—	×	/	×	0·17	0·06	×	~~0·47~~	×	0·08		31
TOTAL	1·34	0·42	1·87	2·08	0·51	1·90	1·75	2·41	1·20	1·45	1·93	3·72	Year's Total 20·58	
*Days with ·01 in. or more.	17	10	16	17	6	10	8	19	9	17	13	27	169	
*Days with ·04 in. or more.	10	3	13	10	3	8	5	15	5	8	8	18	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) ~~[illegible]~~

OM　Lee Conservancy Catchment Bd.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 970/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1094

REGISTER OF RAINFALL IN 1935.

Kept at Wyddial, nr. Buntingford

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·45	0·05	—	0·03	—	0·14	0·25	—	0·02	0·02	0·25	0·03		1
2	0·13	—	—	0·06	—	—	—	—	0·02	0·15	0·07	—		2
3	0·01	0·25	0·14	0·07	—	0·01	—	—	0·40	0·71	0·10	—		3
4	—	—	—	0·21	—	0·04	—	—	0·24	0·18	0·01	—		4
5	—	0·41	0·05	0·12	—	0·19	0·02	—	0·16	—	0·01	—		5
6	0·06	0·01	—	0·25	—	0·29	—	—	—	—	0·01	0·01		6
7	0·12	—	—	0·46	—	0·04	—	—	—	0·01	0·95	0·07		7
8	0·01	—	—	0·11	—	—	—	—	—	0·19	0·04	0·11		8
9	—	—	—	0·12	—	0·52	—	—	—	0·90	0·15	0·05		9
10	Trace	0·03	—	—	—	0·01	—	—	—	—	Trace	0·04		10
11	0·19	—	—	—	—	0·05	—	—	—	0·04	0·16	0·01		11
12	—	0·02	—	—	—	0·25	—	0·03	0·01	—	0·15	—		12
13	0·11	0·09	—	0·32	0·29	0·02	—	—	—	—	0·01	—		13
14	Trace	—	—	—	0·23	0·03	—	—	0·02	—	0·06	0·05		14
15	—	0·15	—	0·29	0·03	0·10	—	—	0·15	—	0·11	0·17		15
16	Trace	0·04	0·01	0·01	—	0·15	—	—	0·05	0·02	0·44	0·18		16
17	Trace	—	0·01	0·02	—	0·10	—	—	0·03	—	0·67	—		17
18	—	—	—	0·34	0·02	0·09	0·11	—	0·30	0·05	—	Trace		18
19	—	—	—	0·04	0·60	0·16	0·07	—	0·09	0·04	0·10	0·09		19
20	0·04	0·04	—	0·05	0·35	0·05	0·03	—	0·02	—	0·01	—		20
21	0·03	0·25	—	—	—	—	—	—	Trace	0·04	0·11	—		21
22	—	0·03	0·14	—	—	—	—	0·21	0·70	—	Trace	—		22
23	—	0·02	0·10	—	—	—	—	0·13	—	—	—	0·02		23
24	0·11	0·30	—	—	—	—	—	0·02	0·44	—	Trace	0·23		24
25	0·15	0·13	0·01	0·25	—	0·65	—	—	—	—	Trace	0·08		25
26	0·52	—	—	0·01	—	—	—	0·18	0·13	0·04	—	0·41		26
27	0·05	0·28	—	0·01	0·18	—	—	—	0·20	Trace	0·14	0·19		27
28	—	—	—	—	—	—	—	Trace	0·16	Trace	Trace	0·11		28
29	—		0·01	—	—	—	—	—	0·55	0·02	0·03	0·10		29
30	0·07	×	0·01	0·34	0·06		—	0·52	—	0·03	0·26	0·19		30
31	—	×	—	×	—	×	—	—	×	0·33	×	0·20		31
TOTAL	2·05	2·10	0·48	3·11	1·76	2·89	0·48	1·09	3·69	2·77	3·84	2·34	Year's Total 2660	
*Days with ·01 in. or more.	15	16	9	20	8	19	5	6	19	16	22	20	175	
*Days with ·04 in. or more.	12	11	3	15	6	15	3	4	13	11	16	16	125	

† Spare column, no entries required.

(Signed)

40-9999

*See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 97015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1936.

Kept at Wyddial, nr. Buntingford

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·22	0·21	0·21	0·27	–	0·04	0·06	0·01	–	–	0·10	0·01		1
2	0·01	0·03	0·01	0·02	–	0·28	0·38	0·06	–	–	0·11	0·20		2
3	0·01	0·01	Trace	–	–	0·12	0·01	–	0·16	–	0·15	0·06		3
4	–	–	0·05	–	0·01	0·13	–	–	0·22	0·01	0·09	0·05		4
5	0·08	–	0·01	–	–	–	–	0·02	0·22	–	–	0·08		5
6	0·17	–	–	–	–	0·13	–	0·18	0·09	TRACE	0·06	–		6
7	0·26	–	0·03	–	–	0·02	0·63	0·02	0·03	0·02	0·01	–		7
8	0·17	–	0·01	–	–	–	–	–	–	–	0·12	0·21		8
9	0·22	–	0·04	–	0·04	–	0·83	–	0·11	–	–	–		9
10	0·03	–	Trace	0·03	–	Trace	0·28	0·20	0·07	–	–	–		10
11	–	–	–	0·03	–	–	0·26	0·01	Trace	–	0·40	–		11
12	–	–	–	0·14	Trace	0·31	0·36	–	0·23	–	0·86	0·09		12
13	–	–	–	0·01	–	0·40	Trace	–	–	0·03	0·12	0·05		13
14	–	0·12	–	–	–	0·04	0·56	–	–	0·04	0·01	0·23		14
15	–	0·07	–	–	–	Trace	0·26	–	Trace	–	Trace	0·04		15
16	0·31	0·03	–	–	0·01	–	0·01	–	Trace	–	0·52	0·01		16
17	0·08	0·41	–	–	–	0·10	–	–	–	–	0·15	0·07		17
18	–	0·03	–	–	–	0·08	0·07	–	–	0·04	Trace	0·06		18
19	0·26	0·05	Trace	0·03	–	0·44	–	0·04	–	0·04	–	–		19
20	0·04	0·09	–	0·23	–	0·04	0·04	–	1·71	Trace	–	–		20
21	–	–	–	0·11	Trace	1·02	–	–	0·33	–	–	–		21
22	0·09	0·31	0·03	0·02	0·21	0·03	0·14	–	–	–	–	0·12		22
23	–	–	Trace	0·09	Trace	–	0·04	–	–	0·10	–	–		23
24	0·13	0·14	–	–	Trace	0·23	0·11	–	0·03	0·23	–	–		24
25	0·09	0·01	0·11	0·11	–	Trace	0·22	–	0·20	0·02	Trace	0·05		25
26	–	0·10	0·12	0·03	–	–	0·03	–	0·03	0·04	0·04	0·01		26
27	0·02	Trace	0·01	0·03	–	–	–	–	0·30	0·12	–	–		27
28	0·82	0·02	0·04	–	–	0·92	0·28	–	0·01	–	–	0·05		28
29	0·04	0·18	0·07	–	–	0·10	0·02	–	–	0·04	0·16	0·01		29
30	0·06	×	–	–	0·23	0·32	0·08	–	–	0·24	–	–		30
31	0·58	×	0·16	×	0·02	×	0·20	Trace	×	0·72	×	0·24		31
													Year's Total.	
TOTAL	3·69	1·81	0·90	1·15	0·52	4·75	4·87	0·54	3·74	1·69	2·90	1·64	28·20	
* Days with .01 in. or more.	21	16	14	14	6	19	22	8	15	14	15	19	183	
* Days with .04 in. or more.	17	10	8	6	3	17	18	4	11	10	13	15	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 970/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Buntingford, Wyddial

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·14	0·01	0·02	0·07	–	–	–	–	0·02	–	0·87	0·40		1
2	–	0·03	0·02	0·20	–	–	–	–	–	–	Trace	0·14		2
3	–	0·08	–	–	–	–	–	–	0·08	–	Trace	0·05		3
4	0·09	0·32	–	–	0·01	–	–	–	–	–	–	0·53		4
5	0·14	0·02	0·15	–	–	–	0·05	–	–	–	Trace	0·20		5
6	0·02	–	0·40	–	0·07	–	0·12	–	–	–	0·03	–		6
7	–	0·51	–	0·10	0·05	–	0·01	–	0·03	–	–	–		7
8	–	0·02	–	–	0·02	0·08	–	–	–	–	0·15	0·08		8
9	–	–	–	0·23	0·26	–	0·16	–	0·11	–	–	0·07		9
10	0·05	–	0·41	–	0·04	0·34	0·04	–	–	–	0·04	0·26		10
11	–	–	0·31	–	0·32	–	–	–	–	0·01	–	0·10		11
12	0·09	0·44	0·07	–	0·26	0·65	0·01	0·10	0·24	Trace	–	0·20		12
13	0·10	–	0·30	–	0·03	0·60	–	0·02	0·04	–	–	0·67		13
14	0·01	0·07	0·33	0·21	–	0·02	–	0·50	0·03	–	–	0·02		14
15	0·13	0·04	–	0·09	–	–	2·04	–	0·39	–	–	0·04		15
16	0·06	0·12	0·25	0·78	–	–	–	0·08	0·09	–	–	0·03		16
17	0·36	0·01	0·12	0·58	–	0·01	–	–	0·38	–	0·10	–		17
18	0·52	0·09	–	0·02	0·24	Trace	–	–	0·11	–	0·20	0·01		18
19	0·05	0·06	0·05	0·03	0·03	0·20	0·03	–	0·20	0·01	0·03	–		19
20	0·30	–	–	0·44	0·61	0·04	–	Trace	0·08	–	–	–		20
21	0·19	0·33	0·15	0·03	0·02	–	0·09	0·02	–	–	–	Trace		21
22	0·26	0·02	–	0·02	–	0·15	0·01	–	–	0·64	0·19	0·01		22
23	0·24	–	–	–	–	–	0·16	–	–	0·70	–	–		23
24	0·52	0·26	–	–	–	–	–	–	0·13	0·20	–	–		24
25	0·03	0·34	0·02	–	0·24	–	–	–	0·03	0·25	–	–		25
26	–	0·14	0·18	–	0·16	–	–	Trace	–	–	–	0·02		26
27	–	0·13	–	0·23	–	–	–	–	0·01	0·56	–	0·01		27
28	–	0·04	–	0·02	–	0·01	–	Trace	–	0·05	–	0·03		28
29	0·05		–	–	–	Trace	–	–	–	0·05	0·08	0·04		29
30	0·22		–	–	–	–	–	–	–	–	0·11	–		30
31	0·28		–		–		–	–		0·03		0·10		31
TOTAL	3·85	3·08	2·78	3·05	2·36	2·10	2·72	0·72	1·97	2·50	1·80	3·01	Year's Total 29·94	✓
* Days with .01 in. or more.	22	21	15	15	15	10	11	5	16	10	10	21	171	✓
* Days with .04 in. or more.	19	15	12	10	10	7	7	3	11	7	8	14	123	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 970/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ~~Buntingford~~, Wyddial

in the County of ~~Hertfordshire~~

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

" Ground " Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	–	–	·01	·09	·02	–	·04	–	–	·03		1
2	·23	–	–	·04	·01	·02	·15	–	–	·15	–	·02		2
3	·04	–	–	–	·08	–	·02	–	·10	·46	·02	–		3
4	·04	–	–	–	–	–	·03	–	–	·14	–	·06		4
5	·04	–	–	–	–	–	·15	–	–	·13	–	–		5
6	·02	–	–	–	–	–	·04	·01	·39	·15	–	–		6
7	·02	–	–	–	–	–	·02	·15	·01	·26	–	·01		7
8	·17	–	–	–	–	–	·06	·01	–	·10	–	–		8
9	·06	·01	–	–	–	–	·02	·01	–	–	–	·50		9
10	–	Trace	Tr.	–	–	–	·04	·40	–	–	–	·06		10
11	·33	Trace	–	–	–	–	·02	–	·01	–	·09	·03		11
12	·14	·02	–	–	–	–	Trace	·13	–	·38	·04	–		12
13	·04	·11	–	–	–	–	–	·02	–	–	·05	·10		13
14	·14	Trace	–	–	·18	–	–	–	·12	–	–	·07		14
15	·04	Trace	–	–	–	–	·06	–	–	·14	–	~~·30~~ ·20	(·20)	15
16	·21	·03	–	–	–	–	·02	–	–	·03	·01	·30		16
17	–	·04	–	–	·48	–	·14	–	–	·05	–	–		17
18	–	–	–	–	·11	–	–	–	·12	–	·35	–		18
19	·02	–	–	–	·01	–	–	·06	·05	–	·12	–		19
20	–	Trace	–	–	–	–	–	–	·01	–	·52	–		20
21	–	–	–	–	–	–	–	·02	·02	–	–	·54		21
22	·03	–	–	–	–	·01	–	–	–	–	·15	·32		22
23	–	–	–	·03	–	–	–	–	–	–	·05	–		23
24	–	–	·14	·06	·01	–	–	–	·88	–	·06	·04		24
25	·07	·02	·08	·01	·02	–	·03	–	·01	–	·60	·18		25
26	·17	·14	·12	–	–	–	–	·02	·10	·27	–	·07	✓	26
27	·09	·04	–	·01	·11	·25	·30	·01	·81	·35	·42	–		27
28	·16	·04	–	Trace	·61	·03	–	·25	·20	–	·03	·02		28
29	·48		–	·01	·14	–	–	–	–	–	·09	·23		29
30	Trace	✕	–	·04	·03	·06	–	–	·03	·05	·25	·02		30
31	·15	✕	–	✕	·11	✕	–	–	✕	·13	✕	·33		31
TOTAL	2·73	·45	·34	·20	1·91	0·46	1·12	1·09	2·90	2·79	2·85	3·13	Year's Total 19·97	✓ ✓
* Days with .01 in. or more.	23	9	3	7	14	6	16	12	16	15	16	20	157	✓ ✓
* Days with .04 in. or more.	19	5	3	3	8	3	8	5	10	14	13	14	105	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 970/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Buntingford, Wyddial

in the County of Hertfordshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....410.......ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·28	·22	–	–	·02	1·72	–	–	Trace		1
2	·05	–	–	–	·01	–	·10	·37	1·29	·06	·01	–		2
3	·16	–	–	·13	–	–	–	·43	–	–	·23	·25		3
4	–	–	·17	·28	–	–	·01	·60	–	·31	·03	·02		4
5	–	–	–	·45	·02	–	Trace	·69	–	·14	·33	–		5
6	·42	–	–	–	–	–	·26	·04	–	–	·16	·19		6
7	·07	·01	–	–	–	–	–	–	–	·05	·05	·11		7
8	–	·04	·11	–	–	–	·07	·25	–	·20	·11	·34		8
9	–	·02	–	–	–	–	–	·04	–	·27	–	·16		9
10	·24	–	–	–	–	·30	–	·14	Trace	–	–	–		10
11	–	–	·28	–	–	·01	–	–	·03	·10	–	·01		11
12	–	–	–	–	·02	·10	–	–	·05	–	–	–		12
13	–	–	·02	–	–	·13	·07	–	·04	·88	–	–		13
14	·33	–	·01	·01	·28	·04	·02	–	·23	·16	·29	–		14
15	·22	–	·01	·03	·41	·23	–	–	·11	1·01	·03	–		15
16	·27	–	·19	·01	·16	·15	–	–	Trace	·04	·28	–		16
17	·11	·01	·04	·10	·29	–	·24	–	Trace	–	·03	–		17
18	·19	–	·07	–	–	·11	·12	–	·05	·24	·56	–		18
19	·23	–	–	–	–	·06	·01	–	–	·34	–	·01		19
20	·13	–	–	–	–	·15	·38	·28	–	–	–	·02		20
21	·03	–	·33	–	–	·28	·13	·03	·10	–	–	–		21
22	·10	·21	·09	–	–	Trace	·04	–	·03	–	·07	–		22
23	·03	–	–	·10	–	·01	·03	–	Trace	·13	·48	–		23
24	·08	Trace	·07	·01	–	–	·07	–	–	·01	–	–		24
25	1·10	·07	·08	·08	–	–	–	·09	–	–	·35	·02		25
26	·12	–	·05	·06	–	–	–	–	–	·37	·52	·04		26
27	·02	·03	·09	·07	–	–	–	–	–	·23	–	–		27
28	·02	·19	·06	·10	–	·02	·05	–	–	·40	·13	·09		28
29	–		·04	·50	–	–	·01	–	–	·22	·04	–		29
30	–		–	·74	–	·04	–	–	–	–	Trace	–		30
31	–		–		–		·14	·41		–		–		31
TOTAL	3·92	·58	1·71	2·95	1·41	1·63	1·75	3·39	3·65	5·16	3·70	1·26	Year's Total 31·11	
* Days with .01 in. or more.	20	8	17	16	8	14	17	13	10	19	18	12	172	
* Days with .04 in. or more.	17	4	14	12	5	11	12	11	8	18	14	7	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 970/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

January corrected for snow
May 27–31st est'd from nearby stn.

244081 / 33

Kept at Buntingford, Wyddial
in the County of Hertford
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	·10	–		1
2	–	–	–	·25	–	–	·03	–	–	·24	1·05	–		2
3	–	·12	·02	·35	–	–	–	–	–	·10	·66	·03		3
4	–	·12	–		–	–	·17	–	–	·19	·60	·03		4
5	–	–	–	–	·01	–		–	–	–	·39	·02		5
6	·20	·08	–	–	·04	–	·33	–	–	·10	·23	–		6
7	·21	·13	–	–	·04	–	·05	–	·11	–	–	–		7
8	–	–	–	–	–	–	·09	–	–	·16	–	·28		8
9	–	–	–	–	–	–	–	·04	·02	·02	·27	·35		9
10	–	–	–	–	–	·03	·70	–	–	–				10
11	–	–	–	·03	–	–	–	–	–	–	·79	·04		11
12	–	–	·01	–	–	–	·02	–	·04	·01	·05	·21		12
13	–	–	·64	–	–	·01	–	–	·10	–	1·21			13
14	–	–	1·13	·09	·07	–	–	Trace	–	Trace	–			14
15	–	–		·03	·08	·07	·76	–	–	–	·13			15
16	·08	·04		·02	–			–	·11	·79	·41	·16		16
17	–	–		–	–	–	·01	–	–	–	·18			17
18	–	·44	·17	·42	–	–	–	·03	–	·06	·15			18
19	–	·10	–	·04	–	–	·11	–	12					19
20	–	–	·05	–	–	–	·09	·01	–		·02	–		20
21	·10	·01	–	–	·02	–		Trace	–	·07	·37	–		21
22	~~·21~~	–	·02	–	·13	·19	–	·04	·12	–	–	–		22
23	–	·18	–	·30	·17		–	·01		Trace	·05	·01		23
24	–	·01	–		–	–	·12	–		–	Trace	·01		24
25	–	–	·27	–	–	–	·48	–		–	–			25
26	(·70) ~~·20~~	·03	·42	·01	·52	·03	·29	–		–	·01	·24		26
27	·40	·09	–	–	·32	–	·12	Trace		Trace	–			27
·83 28	·17	–	–	·01	·04	–	–	–	·01	–	–			28
29	–	–	–	–	·02	–	–	–		–	–			29
30	·02	☒	–	·10	–	–	–	–	–	·08	–	·05		30
31	·04	☒	–	☒	–	☒	–	–	☒	·59	☒	–		31
TOTAL	(1·92) ~~1·42~~	1·35	2·73	1·65	1·46	0·33	3·37	·13	·63	2·41	6·67	1·43	Year's Total 24·08	
* Days with .01 in. or more.	9	12	? 11	? 14	12	? 7	? 16	5	8	13 ?	20 ?	15	1~~8~~42	
* Days with .04 in. or more.	8	9	? 8	? 9	9	? 2	? 13	2	6	10	17 ?	9	102	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

√ √ √

971

Section **A** for the entry of Daily

AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

971

THERFIELD RECTORY

1931 - 1940

REGISTER

931.

Kept at Therfield Rect

in the County of Hertfords

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

50

00.

THE MORNING MEASUREME DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		029	003	005	004	013		002	005				1
2	008	010		022			003	002	048			004	2
3	003			025	047			046	092		001	007	3
4		004		005			004	033	005		012		4
5				010	007	037	012	025	008			037	5
6		013		002		007					051		6
7					001	001		059		029	015	003	7
8	003	008	005			008		037		006	003		8
9		003	006	005		014	005	001	012		039	003	9
10	001	012	001			002	012	034			024		10
11	020	013				001			004		003		11
12		001		003			005	004	024				12
13	002	001					043	008					13
14	005	007			003		117	044					14
15	006	008		030	014		026	024			002	009	15
16	001	012		014	021	002		069	004				16
17		002		041	032		017	009	010	002			17
18	004	008		025	001	013		019			046		18
19	006			049		015	046	003	011				19
20		001		009			018	033			001		20
21	004				066			004	003				21
22	016								005		001		22
23	024	004		001	043	014			002		015	006	23
24				039	012	003	005		007				24
25	007			030	011		092				003	001	25
26		001		020			074				014		26
27	015	045			005		005				023		27
28	014	014		002	001					008	002	014	28
29	013			005			010			023	001	005	29
30	016	×			008			014					30
31	018	×		×		×			×		×		31
TOTAL	1.86	1.96	015	3.42	2.76	1.30	4.94	4.60	2.40	0.68	2.56	089	YEAR'S TOTAL 27.52
*Days with ·01 in. or more.	20	20	4	20	16	13	17	20	15	5	18	10	178
*Days with ·04 in. or more.	15	14	2	16	12	8	16	16	13	4	9	7	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. R. Humphreys.

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Therfield Rectory.
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 512 ft.

150
400.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		029	003	005	004	013		002	005				1
2	008	010		022			003	002	048			004	2
3	003			025	047			046	092		001	007	3
4		004		005			004	033	005		012		4
5				010	007	037	012	025	008			037	5
6		013		002		007					051		6
7					001	001		059		029	015	003	7
8	003	008	005			008		037		006	003		8
9		003	006	005		014	005	001	012		039	003	9
10	001	012	001			002	012	034			024		10
11	020	013				001			004		003		11
12		001		003			005	004	024				12
13	002	001					043	008					13
14	005	007			003		117	044					14
15	006	008		030	014		026	024			002	009	15
16	001	012		014	021	002		059	004				16
17		002		041	032		017	009	010	002			17
18	004	008		025	001	013		019			046		18
19	006			049		015	046	003	011				19
20		001		009			018	033			001		20
21	004				066			004	003				21
22	016								005		001		22
23	024	004		001	043	014			002		015	006	23
24				039	012	003	005		007				24
25	007			030	011		092				003	001	25
26		001		020			074				014		26
27	015	045			005		005				023		27
28	014	014		002	001					008	002	014	28
29	013			005			010			023	001	005	29
30	016	×			008			014					30
31	018	×		×		×			×		×		31
TOTAL	1.86	1.96	0.15	3.42	2.76	1.30	4.94	4.60	2.40	0.68	2.56	0.89	YEAR'S TOTAL 27.52
*Days with ·01 in. or more.	20	20	4	20	16	13	17	20	15	5	18	10	178
*Days with ·04 in. or more.	15	14	2	16	12	8	16	16	13	4	9	7	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. R. Humphreys.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Therfield Rectory

in the County of Herts

Diameter of Funnel of Gauge 5 in. Hicks

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 512 ft.

150

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	006	005		005	078	008	010	030	008	028		004	1
2				017	011			002	020	004	003	010	2
3				041	032				005	004			3
4											028		4
5	013	003			017	001	020		008			001	5
6	035		009		003		002		007				6
7	003		017	004	001		005		001				7
8		001	006	004					009	018		002	8
9	003			001	054					019			9
10	030	002		011	008	001			007	003	004		10
11		002		010	005			057		007	007		11
12	004				007			002	001	026	004		12
13	008	004		016	002		012		001	001	006	002	13
14	014	002		005	002					009	003		14
15		003		008	005		004	001		014			15
16	017		001	032	045								16
17				001			013			011	001		17
18							005		035				18
19		001							001	016			19
20				006	003		004	050		062	006		20
21			003	024	049		001	078		043		003	21
22			043		006		009		022	008	025		22
23		009			002				009	059	003	006	23
24				002			028		002	004	039		24
25		002			005		022		015	036	007		25
26				036	016		004		007				26
27			033	010	082		023		001	003	014		27
28			020	001	058	001	023			023			28
29	002		022	003	013	011		050	002	036	004	001	29
30	001	×	005	001	003	068		009	003	015	015	014	30
31		×	006	×	015	×			×		×	003	31
TOTAL	1.36	0.34	1.65	2.38	5.22	0.90	1.85	2.79	1.64	4.49	1.69	0.46	YEAR'S TOTAL 24.77
*Days with ·01 in. or more.	12	11	11	21	25	6	16	9	20	23	16	10	180
*Days with ·04 in. or more.	8	3	~~10~~ 9	15	18	3	14	6	12	20	12	4	~~xxx~~ 124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. R. Humphreys.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Copy by B.R.O. 150 400

Kept at Royston, Therfield Rectory

in the County of Hertfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·16	·11								·08		1
2	·21		·23		·05								2
3		·17	·10		·04								3
4	·08		·14		·02						·05		4
5	·02		·11		·32								5
6		·08	·02		·76					·04	·06	·02	6
7	·06	·10			·16					·05			7
8	·12		·08		·09		·06						8
9					·04		·12			·03	·19		9
10						·11	·22			·19			10
11	·07				·03	·03	·03	·19		·02	·03		11
12						·22			·37				12
13	·03				·08	·09	·16		·06		·17		13
14					·04	·01		·05		·29	·41	·03	14
15	·18		·04				·04	·04			·13		15
16			·57		·02	·17			·01	·05	·07		16
17	·17		·17			·16			·05		·05		17
18	·07	·23	·02			·08					·01		18
19	·04	·02	·08			·02			·28		·01	·02	19
20			·03	·07		·27	·02		·03		·01		20
21		·05				·01		·08	·56				21
22								·65	·03	·16	·06		22
23				·19		·03		·02	·82		·01		23
24		·15		·10	·13	·10			·18		·06		24
25		·17		·28	·04	·71				·02	·02	·07	25
26		·67		·03	·11	·07			·27	·07	·02	·17	26
27					·13				·14	·10		·02	27
28		·01			·05					·58		·03	28
29				·29						·16		·02	29
30	·16	×	·04				·03		·02	·02		·11	30
31	·03	×	·07	×		×		·09	×	·04	×		31
													YEAR'S TOTAL
TOTAL	1·29	1·81	1·81	·96	2·11	2·08	·68	1·12	2·82	1·82	1·44	·49	18·43
*Days with ·01 in. or more.	14	11	15	6	17	15	8	7	13	15	18	9	148
*Days with .04 in. or more.	11	9	12	5	14	10	5	6	9	11	11	3 ~~4~~	106

40-9999

*See Instruction 2 (*f*) on other side, D M

(*Signed*) H. R. Humphreys Esq.

P.T.O.

Ex. by cards.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Therfield Rectory
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 512 ft.

150
400
T.L.

Compare with cards.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07							·21	·02			·27		1
2	·12		·09					·02	·57	·11		·14		2
3	·02	·09		·16						·35				3
4	·1~~8~~2	·05	·03		·01					·15	·10	·34		4
5			·06	·01	·01	·01		·01				·17		5
6			·09	·02	·35	·13		·03		·12		·38		6
7	·03	·02				·05		·06		·03		·13		7
8					·14			·07	·03		·10	·02		8
9			·02	·04				·05			·41	·29		9
10	·01		·20	·11				·05			·79			10
11	·28		·22	·04			·02	·17			·02	·13		11
12	·01		·13				·01	·17			·05	·04		12
13	·30		·05	·02			1·64	·16			·02	·08		13
14	·02		·29		·02					·09	·21	·15		14
15			·04		·07				·07		·12	·11		15
16	·12	·01			·03					·09	·01			16
17	·01		·19					·05		·12	·03	·13		17
18	·14			·34			·10					·03		18
19			·08	·11					·13			·02		19
20			·22	·02					·04					20
21			·03	·06		·09		·06		·04				21
22								·06	·18					22
23				·19		·19		·07				·04		23
24		·01	·06	·14		·08	·19		·14					24
25	·07	·16		·12		·42				·03		·21		25
26	·05			·28		·02				·01		·18		26
27	·05	·05		·06		·14						·27		27
28		·08		·19		·68		·79			·03	·42		28
29							·07	·12	·11		·14	·01		29
30	·11	×										·03		30
31		×		×		×		·01	×	·45	×	·08		31
TOTAL	1·53	·47	1·80	1·91	0·63	1·81	2·03	2·16	1·29	1·59	2·03	3·67	Year's Total. 20·92	
* Days with .01 in. or more.	17	8	16	17	7	10	6	18	9	12	13	24	157	
* Days with .04 in. or more.	11	5	13	13	3	8	4	14	7	9	8	19	114	

40-9999 Copied from the Hertfordshire Natl. His. Soc. Sheets

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) H. R. Humphreys

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Copied in
17.0.7
10/2/36
B.

Kept at Therfield Rectory
in the County of Herts
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 512 ft.

Lat. 52°N
Long.

150
400
TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·41	·03		·03		·11	·23		·01	·05	·14	·03		1
2	·10	-	·02	·04						·12	·04			2
3	-	·28	·22	·08		·05			·27	·56	·10			3
4	-	-		·21		·04			·33	·59				4
5	-	·49	·06	·07		·22	·02		·14		·02			5
6	·07	-		·27		·23					·03			6
7	·30	-		·38		·01				·04	·88	·08		7
8	-	-		·16						·15	·07	·12		8
9	-	-		·13		·40				·61	·13	·03		9
10	-	·03		·09		·01					·05			10
11	·18	-				·03	·01			·03	·21	·05		11
12	-	·03				·29		·04	·01		·22			12
13	·09	·10		·24	·24						·01			13
14	-	-		·01	·17	·04					·07	·06		14
15	-	·13		·30		·06			·54		·14	·07		15
16	-	·02	·01	·01		·10			·11	·04	·56	·13		16
17	-	-		·01		·09			·01		·64			17
18	-	-		·31	·03	·05	·22		·23	·06				18
19		-		·05	·52	·17	·23		·05	·02	·10	·05		19
20	·05	·11		·07	·17	·07	·24		·04		·02			20
21	·01	·18								·03	·12			21
22	-	-	·13					·06	·41					22
23	·01	·02	·11					·25						23
24	·08	·29	·01					·02	·49			·23		24
25	·10	·11		·27		·64						·04		25
26	·25	·01		·01				·14	·14	·03		·44		26
27	·03	·21			·14				·16		·14	·27		27
28	-	-							·05	·02		·07		28
29	·01	✕	·02						·92		·02	·16		29
30	·06	✕		·25	·05			·57	·01	·01	·31	·22		30
31	-	✕		✕		✕		·01	✕	·43	✕	·19		31
													Year's Total	
TOTAL	1·75	2·04	·58	2·96	1·32	2·61	·95	1·09	3·92	2·79	4·02	2·24	26·27	✓
* Days with .01 in. or more.	15	15	8	21	7	18	6	7	18	16	22	17	170	
* Days with .04 in. or more.	11	9	4	16	6	15	4	5	14	10	17	15	126	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) H. R. HUMPHREYS Esq [P.T.O.

COPY FOR OFFICIAL USE.

Sect | **A** | for the entry of Daily Observations.

Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

TL

Copy by B.R.O.

100
400
150

Kept at Royston Therfield Rectory
in the County of Herts
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level..................ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·19	·29	29		03	·12	01	-	—	·05	·13		1
2	·03	·02		·03		·16	·62	09	T	·01	·13	·19		2
3						·15			·04	—	·18	·04		3
4			·06			·06			·19	·02	·04	·08		4
5	·10	·02						·03	·13	—	·03	·02		5
6	·16					12		·14	·09	·01	·03	·01		6
7	·35		·02			·04	·56		·01	—	·01	-		7
8	·20		·04		·02					·02	·19	·22		8
9	·24		·03		·05		·83		·04	—	-	·01		9
10					·01	·03	·18	·15	·12	·02	-	-		10
11				·07			24	·06		—	·49	-		11
12				·19		·35	·42		·30	—	·95	·10		12
13				·07		·59	·04			·04	·11	·08		13
14		16				·09	·39			·03	·01	·28		14
15		·04					·43		08	—	-	·06		15
16	·32	·04					·05			—	·52	-		16
17	·03	·47			·20	·02				—	·19	·08		17
18		·09				·20	·08			·05	·02	-		18
19	·26	·07		·02		·29		·05		·03	-	-		19
20	·03	·08		·31			·03		1·09	—	-	-		20
21				·15	·01	84	·01		·23	—	-	-		21
22	·09	·34	·03	·01	·23	·03	·16			—	-	·14		22
23				·10	·01		·05			·09	·02	-		23
24	·12	·29					·01		·08	·20	-	·01		24
25	·11	·02	·13	·15		·22	·24		·20	·03	·05	·05		25
26		·13	·14	·02			·10		·04	·05	·01	-		26
27	·02	01	·02	·15			·01		·28	·13	-	-		27
28	·57		·04			1·22	·66			—	-	·08		28
29	·08	·11	·06			·12	·02			·03	·16	·01		29
30	·05	✕			·21	·36	·11			·28	·02	—		30
31	·56	✕	·15	✕	·10	✕	·17		✕	·67	✕	·17		31
TOTAL	3·52	2·08	1·01	1·56	·84	4·92	5·53	·53	2·92	1·71	3·21	1·76	Year's Total 29·59 ✓	
* Days with .01 in. or more.	19	16	12	13	9	19	24	7	15	17	20	19	190 ✓	
* Days with .04 in. or more.	15	12	8	9	5	15	19	5	14	8	12	14	136 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

✓

(*Signed*) ....✓..........✓.......................... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

100

150

400

Kept at Royston, Therfield Rectory

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T.L

T.V

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	–	·04	–			–	–	·04	–	·70	·47		1
2	–	·04	·01	·26			–	–	·08	–	–	·14		2
3	–	·06	·01	–			–	–	–	–	–	·04		3
4	·09	·18	–	–	·02		–	·04	–	–	–	·24		4
5	·11	·03	·22	–			·04	–	–	–	·02	·36		5
6	·03	–	·58	–	·10		·14	–	–	–	·05	–		6
7	–	·56	·04	·07	·09		·03	–	·01	–	–	·06		7
8	–	·03	–	–		·10	–	–	–	–	·24	·08		8
9	–	–	–	·23	·31		·17	·01	·13	–	–	·15		9
10	·03	·01	·47	·22	·05	·43	·02	–	–	–	·02	·30		10
11	–	–	·31	–	·43		–	–	–	–	–	·10		11
12	·10	·30	·17	–	·30	·72	–	·07	·21	·02	–	·13		12
13	·13	·10	·20	·01	·06	1·05	–	·19	·13	–	–	·71		13
14	·04	·02	·54	·17		·04	–	·68	·02	–	–	–		14
15	·07	·04	–	·10		·01	2·05	–	·14	–	–	·04		15
16	·18	·10	·27	·73			–	·10	·12	–	–	·04		16
17	·40	–	·27	·54		·07	–	–	·27	–	·08	·01		17
18	·55	·11	·01	·05	·25		–	–	·02	–	·22	–		18
19	·08	·08	·08	·06	·04	·21	·76	–	·40	–	·08	–		19
20	·30	–	–	·39	·67	·13	–	–	·17	–	–	–		20
21	·17	·35	·19	·04			·10	–	–	–	–	·04		21
22	·28	·02	–	–	·02	·08	·04	–	–	·52	·18	·01		22
23	·23	–	·11	–	·08		·19	–	–	·94	·01	–		23
24	·45	·34	–	–			·08	–	·13	·11	–	–		24
25	·04	·33	–	–	·58		–	–	·04	·27	–	–		25
26	–	·14	·09	–	·12		–	·01	–	·05	–	–		26
27	–	·16	–	·21			–	–	–	·71	·01	–		27
28	–	·05	–	·03			–	–	–	·07	–	·07		28
29	·09	–	–	–		·03	–	–	–	·05	·06	·03		29
30	·25	✕	–	–		·02	–	–	–	–	·09	–		30
31	·26	✕	–	✕		✕	–	–	✕	·05	✕	·06		31
TOTAL	4·06	3·05	3·61	2·91	3·12	2·89	3·62	1·10	1·91	2·79	1·76	3·08	Year's Total 33·90	✓ ✓
* Days with .01 in. or more.	22	21	18	15	15	12	11	7	15	10	13	20	179	✓ ✓
* Days with .04 in. or more.	20	16	15	12	13	9	9	5	12	9	9	17	146	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

adjusted by num. Stas for L.C.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1050

REGISTER OF RAINFALL IN 1938

Kept at Royston, Therfield Rectory.
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 512 ft.

LC T450

100 Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–			·15	·01		·02	·02	–	·04		1
2	·16	–	–	·04	·04	·05	·23		–	·18	–	·01		2
3	·01	–	–		·10		·08		·08	·49	·04	–		3
4	·06	–	–				–		–	·24	–	·09		4
5	·01	–	–				·18		·01	·09	–	–		5
6	·03	–	–				·05	·04	·32	·05	–	–		6
7	·02	–	–				·02	·10	·07	·35	–	·01		7
8	·17	–	–				·27	·01	·03	·13	–	–		8
9	·08	–	–			·01	·06	–	–	–	–	·56		9
10	–	·02	·01			·02	·08	·29	–	–	–	·05		10
11	·36	–	–				·01	–	–	–	·13	·03		11
12	·12	·04	–				·04	·60	–	·39	·02	–		12
13	·01	·02	–				–	·01	–	–	·06	·11		13
14	·12	–	–		·17		–	–	·08	–	–	·02		14
15	·04	–	–				·06	–	–	·10	–	·13		15
16	·21	·03	–				·05	–	–	·02	·01	·41		16
17	–	·07	–		·49		·09	–	–	·03	–	–		17
18	·04	–	–		·27		·01	–	·03	–	·28	–		18
19	–	–	–		·02		–	·08	·06	–	·13	–		19
20	–	–	–				–	–	·01	–	·48	–		20
21	–	–	–				–	·11	·02	–	–	·81		21
22	–	–	–				–	–	–	–	·21	·32		22
23	–	–	–	·10			–	–	–	–	·03	–		23
24	–	–	·14	·06	·02		–	–	·67	–	·06	–		24
25	·11	·04	·11		·03		·01	·01	·01	·04	·54	–		25
26	·07	·13	·12				–	–	·09	·21	–	·33		26
27	·07	·03	–	·02	·13	·20	·20	–	·81	·15	·38	–		27
28	·24	·02	–		·54	·06	–	·31	·16	–	·04	·02		28
29	·47	X	–	·04	·21		–	–	–	–	·12	·23		29
30	·17	X	–	·02		·12	–	–	·08	·04	·16	·09		30
31	–	X	–	X	·09	X	–	–	X	·14	X	·29		31
TOTAL	2·62	·40	·38	·28	2·11	·61	1·45	1·56	2·55	2·67	2·69	3·55	Year's Total 20·87	
* Days with .01 in. or more.	22	9	4	6	12	7	17	10	17	17	16	18	155	
* Days with .04 in. or more.	17	4	3	4	9	5	12	7	10	14	13	13	111	

* See Instruction 3 (f) on other side.

1·56

† Spare column, no entries required.

(Signed) H. R. Humphreys

[P.T.O.

Jan. 25th + 26th adjusted by [illegible] LC

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Royston Therfield Rectory

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 512 ft.

100 LC 150

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	·27	·26	–	-18	–	·35	–	–	–		1
2	·04	–	–	–	–	–	·01	·34	·46 ✓	·03	·03	–		2
3	·41	–	–	·10	–	–	–	·71	–	·02	·21	·17		3
4	·04	–	·18	·23	–	–	·02	·18 ✓	–	·19	·05	·03		4
5	–	–	–	·48	·04	–	–	·76 ✓	–	·18	·22	·06		5
6	·33	–	–	·05	–	–	·18 ✓	·02	–	–	·07	·01		6
7	·06	·02	–	–	–	–	–	·04	–	·12	·12	·11		7
8	–	·03	·09	–	–	–	·08	·10	–	·09	·04	·32		8
9	·02	·03	–	–	–	–	–	·07	–	·33	·02	·17		9
10	·21	– ✓	–	–	–	·32	–	·38	·02	–	–	–		10
11	–	–	·32	–	·02	–	–	–	·04	·04	–	·02		11
12	–	·05	–	–	·01	·41	–	–	·02	–	–	–		12
13	–	–	·02	·01	–	·04	·04	–	·06	·75	–	·01		13
14	·33	–	–	–	·51	·01	·03	–	·04	·24	·17	·01		14
15	·42	–	·03	–	·77	·20	·01	–	·05	1·13	–	·02		15
16	·28	–	·37	·02	·13	·42	·03	–	·01	·10	·33	–		16
17	·16	·01	·02	·10	18	–	·18	–	–	·02 ✓	·03	–		17
18	·25	–	·04	–	–	·19	·13	–	·04	·18	·52	–		18
19	·26	–	·01	–	–	·11	·02	–	–	·30	–	·02		19
20	·10	–	–	–	–	·19	·60	·31 ✓	–	–	–	·03		20
21	·08	–	·35	–	–	·29	·29	·05	·24	–	–	–		21
22	·11	·18	·07	–	–	–	·05	–	·05	–	·08	–		22
23	·04	–	·02	·15	–	·02	–	–	–	·13	·53	·02		23
24	·03	·02	·07	·01	–	–	·08	–	–	·02	·01	–		24
25	·52	·06	·18	·07	–	–	–	·13	–	–	·28	·02		25
26	·97 ✓	–	·03	·08	–	–	–	–	–	·27	·57	·07		26
27	–	·02	·17	·11	–	–	·03	–	·03	·14	·10	–		27
28	·10	·19	·12	·02	–	·01	–	–	–	·17	·12	–		28
29	–		–	·67	–	–	·02	–	–	·39	–	–		29
30	–	✕	–	·69	01	·10	–	–	–	–	·02	–		30
31	–	✕	–	✕	–	✕	·18	·01	✕	–	✕	–		31
TOTAL	4·79	·61	2·09	3·06	1·93	2·31	2·16	3·10	1·41	4·84	3·52	1·09	Year's Total ~~27.71~~	30.91 ✓
* Days with .01 in. or more.	22	10	17	16	9	13	19	13	13	21	20	16	~~181~~	189 ✓
* Days with .04 in. or more.	19	4	11	12	6	10	11	11	9	17	15	6	~~119~~	131 ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 971

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

BRITISH RAINFALL ORGANIZATION.

100 150

Kept at Royston Therfield Rectory

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 512 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	03	-	-	·01	-	-	-	-	-	·11	-		1
2	-	-	-	·15	-	-	·008	-	-	·13	·81	-		2
3	-	21	-	·21		-	-	-	-	·19	·61	·02		3
4	-	·11	-	·14	-	-	·020	-	-	·19	·78	·02		4
5	-	02	-	-	-	-	·014	-	-	·02	·43	·03		5
6	·13	·12	-	-	·14	-	044	-	-	·09	·25	-		6
7	·39	·08	-	-	·07	-	003	-	·02	-	·01	·01		7
8	-	-	-	-	-	-	007	-	-	·12	-	·23		8
9	-	-	-	·01	-	-	-	·01	·03	-	·11	·12		9
10	-	-	·06	-	-	·01	055	·02	-	·06	·18	·18		10
11	-	-	-	·05	-	·04	-	-	-	-	·61	·09		11
12	-	·06	·04	-	-	-	003	-	·06	-	·04	-		12
13	-	-	·96	·06	-	-	-	·02	·11	-	1·09	-		13
14	-	-	·13	·12	·09	-	-	·04	-	-	-	·20		14
15	-	-	·05	-	·14	·04	·012	-	·04	-	·05	-		15
16	0·05	·10	19	01	-	·05	·065	-	·09	·72	·52	-		16
17	-	-	53	-	-	-	·006	-	-	-	·20	-		17
18	-	44	20	44	-	-	-	·06	-	·06	·02	·14		18
19	-	·12	08	·10	-	-	·004	-	·07	-	·11	·06		19
20	-	·02	-	·02	-	·02	·006	·03	-	-	·04	-		20
21	·04	-	-	-	·03	-	·021	-	-	·11	·40	-		21
22	·03	-	·04	-	·13	·23	-	·01	·24	-	-	-		22
23	-	·12	-	·11	·12	·02	{0·19}	·08	-	-	·11	·01		23
24	-	-	-	·20	-	-		-	-	·02	·01	-		24
25	-	-	·35		-	-	052	-	-	-	-	-		25
26	(·80) ~~12~~	·05	38	·01	·25	·02	0·14	-	-	-	-	-		26
27	·20	·11	-	·03	·26	-	0·21	·01	-	-	·02	-		27
28	(27) ~~95~~	-	-	-	·06	-	-	-	-	-	-	-		28
29	-	-	·08	-	·07	-	-	-	-	-	-	·23		29
30	·03	✕	-	·10	-	-	-	-	-	·11	-	·08		30
31	·05	✕	-	✕	-	✕	-	-	✕	·59	✕	-		31
													Year's Total	
TOTAL	1·99	1·59	3·09	1·76	1·37	·43	3·74	·28	·66	2·41	6·51	1·42	25·25	
* Days with .01 in. or more.	10	14	13	16	12	8	18	9	8	13	22	14	157	
* Days with .04 in. or more.	8	11	13	11	10	4	16	3	6	11	18	9	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rev. H. R. Humphreys [P.T.O.

972

Section **A** for the entry of Dai

AIR MINISTRY.—

INFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTE

1931.

972

OFFLEY SCHOOL HOUSE

1931 - 1940

780206

Kept at Offley School

2

in the County of Hertf

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM

S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·08	·08	·07	–	–	·07	–	–	–	1
2	–	·15	–	·36	–	–	·04	–	·35	–	–	·06	2
3	–	–	–	·14	·43	–	–	·02	·67	–	·02	·11	3
4	–	·06	–	·09	·03	–	·18	·50	·17	–	·21	–	4
5	–	–	–	·15	·04	·47	·05	·04	·07	–	·02	–	5
6	–	·14	–	·04	–	·11	–	–	–	·23	·54	–	6
7	–	–	–	–	–	–	·21	·27	–	–	·18	·03	7
8	·11	·05	·07	–	–	·10	·02	·80	–	–	·03	–	8
9	–	·05	–	·03	–	·13	·01	·01	·04	·02	·35	–	9
10	–	–	–	–	–	·02	·13	·20	–	–	·30	–	10
11	·11	·45	–	–	–	–	–	–	·06	–	·13	–	11
12	–	·03	–	·03	–	–	–	–	·31	–	·13	–	12
13	·02	–	–	–	–	–	·23	·01	–	–	–	–	13
14	·03	·08	–	–	·03	·01	1·36	·32	–	–	·02	–	14
15	–	·01	–	·12	·08	–	·33	·23	–	–	·01	·07	15
16	·02	·11	–	·10	·26	·03	–	·42	–	–	–	–	16
17	–	·02	–	·19	·18	·01	·08	–	·23	·02	·52	–	17
18	·04	·15	–	·21	·01	·18	·06	·25	–	–	·01	–	18
19	·05	–	–	·53	–	·24	·19	–	·11	–	·01	–	19
20	–	–	–	·09	–	–	·14	·18	–	–	–	–	20
21	–	–	–	·08	·82	–	–	–	–	–	–	–	21
22	·18	–	–	–	–	–	–	–	·05	–	–	–	22
23	·21	·02	–	·02	·01	·04	–	–	·05	–	·17	·03	23
24	–	–	–	·25	·29	·01	·05	–	·03	–	–	–	24
25	–	–	–	·40	·10	–	·45	–	–	·02	·06	–	25
26	–	–	–	·28	·03	–	·82	–	–	–	·20	–	26
27	·11	·39	–	·02	·06	–	·06	–	–	–	·22		27
28	·10	·13	–	·02	·06	–	–	–	–	–	·01	·07	28
29	·05	–	–	·07	–	–	·07	–	–	·24	–	–	29
30	·09	X	–	–	–	–	–	·09	–	–	–	–	30
31	·11	X	–	X	–	X	–	–	X	–	X	–	31
TOTAL	1·23	1·84	·07	3·29	2·46	1·42	4·48	3·34	2·21	·53	3·14	·37	YEAR'S TOTAL 24·38
*Days with ·01 in. or more.	14	15	1	22	16	13	19	14	13	5	20	6	158
*Days with ·04 in. or more.	11	11	1	17	10	8	17	11	12	2	12	4	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. W. Mears

P.T.O.

972

Section **A** for the entry of Dai

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Offley School House

in the County of Hertford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 526 ft.

Station No 972

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·08	·08	·07	-	-	·07	-	-	-	1
2	-	·15	-	·36	-	-	·04	-	·35	-	-	·06	2
3	-	-	-	·14	·43	-	-	·02	·67	-	·02	·11	3
4	-	·06	-	·09	·03	-	·18	·50	·17	-	·21	-	4
5	-	-	-	·15	·04	·47	·05	·04	·07	-	·02	-	5
6	-	·14	-	·04	-	·11	-	-	-	·23	·54	-	6
7	-	-	-	-	-	-	·21	·27	-	-	·18	·03	7
8	·11	·05	·07	-	-	·10	·02	·80	-	-	·03	-	8
9	-	·05	-	·03	-	·13	·01	·01	·04	·02	·35	-	9
10	-	-	-	-	-	·02	·13	·20	-	-	·30	-	10
11	·11	·45	-	-	-	-	-	-	·06	-	·13	-	11
12	-	·03	-	·03	-	-	-	-	·31	-	·13	-	12
13	·02	-	-	-	-	-	·23	·01	-	-	-	-	13
14	·03	·08	-	-	·03	·01	1·36	·32	-	-	·02	-	14
15	-	·01	-	·12	·08	-	·33	·23	-	-	·01	·07	15
16	·02	·11	-	·10	·26	·03	-	·42	-	-	-	-	16
17	-	·02	-	·19	·18	·01	·08	-	·23	·02	·52	-	17
18	·04	·15	-	·21	·01	·18	·06	·25	-	-	·01	-	18
19	·05	-	-	·53	-	·24	·19	-	·11	-	·01	-	19
20	-	-	-	·09	-	-	·14	·18	-	-	-	-	20
21	-	-	-	·08	·82	-	-	-	-	-	-	-	21
22	·18	-	-	-	-	-	-	-	·05	-	-	-	22
23	·21	·02	-	·02	·01	·04	-	-	·05	-	·17	·03	23
24	-	-	-	·25	·29	·01	·05	-	·03	-	-	-	24
25	-	-	-	·40	·10	-	·45	-	-	·02	·06	-	25
26	-	-	-	·28	·03	-	·82	-	-	-	·20	-	26
27	·11	·39	-	·02	·06	-	·06	-	-	-	·22		27
28	·10	·13	-	·02	·06	-	-	-	-	-	·01	·07	28
29	·05	-	-	·07	-	-	·07	-	-	·24	-	-	29
30	·09	×	-	-	-	-	-	·09	-	-	-	-	30
31	·11	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	1·23	1·84	·07	3·29	2·46	1·42	4·48	3·34	2·21	·53	3·14	·37	YEAR'S TOTAL 24·38
*Days with ·01 in. or more.	14	15	1	22	16	13	19	14	13	5	20	6	158
*Days with ·04 in. or more.	11	11	1	17	10	8	17	11	12	2	12	4	116

40-9999

(Signed) C. W. Mears

[P.T.O.

*See Instruction 2 (*f*) on other side.

972

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 972

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Offley School House

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 526 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·06	–	·08	1·19	·02	·14	·24	·04	·25	–	·01	1
2	·01	–	–	·20	·10	–	–	–	·18	·09	–	·17	2
3	–	–	–	·10	·40	–	–	–	·04	–	–	–	3
4	–	–	–	–	–	–	–	–	–	–	·20	–	4
5	·15	–	·03	·01	·02	–	·14	–	·10	–	–	–	5
6	·46	–	·03	–	·06	–	·03	–	·09	–	–	–	6
7	–	–	·14	·12	–	–	–	–	·01	–	–	–	7
8	–	·01	–	–	–	–	–	–	·22	·14	–	–	8
9	·09	·03	–	·10	·58	–	–	–	–	–	–	–	9
10	·25	·01	–	·11	·03	–	–	–	·02	·03	·02	–	10
11	–	·03	–	·10	·02	·03	·15	–	–	–	·07	–	11
12	·05	–	–	–	·12	–	·01	·39	–	·38	·03	–	12
13	·05	·03	–	·15	–	–	·03	–	–	·06	·08	·03	13
14	·15	–	–	·06	–	–	–	–	–	·04	·02	–	14
15	–	–	–	·09	·39	–	–	–	–	·10	–	–	15
16	·16	–	–	·35	·19	–	–	–	–	–	–	–	16
17	–	–	–	·01	–	–	·08	–	–	·07	–	–	17
18	–	–	–	–	–	–	·01	–	·24	–	·04	–	18
19	–	·01	–	–	–	–	–	–	–	·13	–	–	19
20	–	–	–	·15	·01	–	–	1·52	–	·62	·04	–	20
21	·02	–	·07	·30	·66	–	–	·72	–	–	–	–	21
22	–	–	·30	–	·02	–	·13	–	·49	–	·30	·02	22
23	–	·09	·02	–	·01	–	–	–	·10	·58	–	·06	23
24	–	–	–	–	–	–	·65	–	·22	·05	·22	–	24
25	–	–	–	–	–	–	·25	–	–	·38	·04	–	25
26	–	–	–	·36	·11	–	·05	–	–	–	–	–	26
27	–	–	·41	·11	·61	–	·19	–	–	·06	·16	–	27
28	–	–	·17	·02	·31	·14	·59	–	–	·13	–	–	28
29	·02	–	·24	–	·12	·36	–	·17	·02	·26	·08	–	29
30	–	×	·15	·12	·02	·14	–	·02	·05	·11	·21	·16	30
31	·06	×	–	×	·02	×	·02	–	×	–	×	·04	31
TOTAL	1·53	·27	1·56	2·54	4·99	·69	2·47	3·06	1·82	3·48	1·51	·49	YEAR'S TOTAL 24·41
*Days with ·01 in. or more.	13	8	10	19	21	5	15	6	14	18	14	7	150
*Days with .04 in. or more.	10	2	7	16	13	3	10	5	11	17	11	4	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C W. Mears

[P.T.O.

972

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1933

At Offley C.E. School

In the County of Hertfordshire

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 526 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·61				
FEB.	1·91				
MAR.	1·62				
APRIL	·98				
MAY	1·76				
JUNE	2·50				
JULY	·91				
AUG.	·71				
SEPT.	2·25				
OCT.	1·36				
NOV.	1·46				
DEC.	·30				
Total	17·37				

Signature Thomas Halliwell

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

T. Halliwell
Offley C.E. School, Offley, Hitchin, Herts

Hour of observation by the clock—in Winter 9 a.m in Summer 9 a.m.

Nearest Railway Station Hitchin Distance 4 miles Direction from gauge E.

Nearest Parish Church at Offley Distance ½ ml. Direction from gauge S

Nature of objects nearest to gauge	Garden.	School	Shed.	Hedge.
Heights of objects	Open	25 ft.	7 ft.	4 ft. 6"
Distances ..	for 150 yds	16 yds.	10 yds.	5 yds.
Directions from gauge ..	N.	S.	E.	W.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r|} 17 \\ 18 \end{array}\right\}\cdot 14 \,|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

COPY FOR OFFICIAL USE. File No. 322610/34

Section **A** for the entry of Daily Observations. Station No. 972.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at OFFLEY C.E.School.

in the County of Hertford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 526 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	–	·35	–	–	–	–	·15	–	–	·37	–		1
2	–	–	–	–	·04	–	–	–	–	–	–	–		2
3	·04	–	–	–	–	–	–	–	–	·11	–	·41		3
4	·23	–	·04	–	–	–	–	–	–	·44	–	·02		4
5	–	·18	–	–	–	–	–	–	–	·18	–	·26		5
6	·21	–	·04	–	·25	–	–	–	–	–	–	·20		6
7	–	–	·08	–	–	·23	–	–	–	–	·15	·42		7
8	–	–	–	–	·07	·10	–	–	–	·20	–	–		8
9	·11	–	–	–	–	–	–	–	–	–	·14	–		9
10	–	–	–	·16	–	–	–	–	·74	–	–	·58		10
11	–	–	–	·10	–	–	–	–	–	–	–	–		11
12	·08	–	·44	–	–	–	–	–	–	–	·98	·13		12
13	–	·03	·11	–	–	–	·55	·52	·02	–	–	·05		13
14	–	–	·06	–	–	–	–	–	–	·06	·10	·35		14
15	–	·03	·36	–	·06	–	–	–	–	–	·36	·21		15
16	–	–	·03	·01	·03	–	–	–	·25	·19	·08	–		16
17	–	–	·17	–	–	–	–	–	·10	–	–	·13		17
18	–	–	–	·22	–	–	·09	–	–	–	–	·20		18
19	·12	–	–	·02	–	·15	–	–	–	–	·03	·05		19
20	–	–	·15	–	–	–	·09	–	·13	–	–	·05		20
21	–	–	·20	–	–	·12	–	–	–	–	–	–		21
22	–	–	·04	–	–	–	–	–	–	·10	–	–		22
23	–	–	·01	·07	–	–	–	–	·20	–	–	–		23
24	–	–	–	·15	–	·21	·33	–	·15	–	–	–		24
25	–	–	–	·13	–	·15	–	–	·03	·02	–	–		25
26	–	·18	·08	·19	–	·01	–	–	–	–	–	·29		26
27	–	–	·05	·22	–	·06	–	·47	–	–	–	·13		27
28	–	–	–	–	–	·17	–	–	–	–	–	·44		28
29	–	–	–	–	–	–	·07	–	–	·04	–	·16		29
30	–	×	–	·13	–	–	–	–	·18	·02	·13	–	–	30
31	–	×	–	×	–	×	·03	·80	×	·04	×	·06		31
TOTAL	1·06	·42	2·21	1·40	·45	1·20	1·16	1·94	1·80	1·40	2·34	4·14	Year's Total. 19·52	
* Days with .01 in. or more.	~~7~~	~~4~~	~~16~~	~~11~~	~~5~~	~~9~~	~~6~~	* Period from Aug. 28 to Sept 10 – Away on holiday.		~~11~~	~~9~~	~~19~~	~~96~~	
* Days with .04 in. or more.	~~7~~	~~2~~	~~14~~	~~9~~	~~4~~	~~8~~	~~5~~			~~9~~	~~8~~	~~18~~	~~8 94~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~J. Halliwell~~

[P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 972.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at OFFLEY C.E. SCHOOL.
in the County of HERTFORD.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 526. ft.

File No. 322610/34.

Circ sent 20/3/19
Note added on Circ.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: WD ·21.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·025	-	·10	-	-	-	·03	-	·53	·26		1
2	·32	-	-	·025	-	-	·03	-	-	-	-	-		2
3	·02	-	-	-	-	·09	-	·02	·22	·19	·175	-		3
4	-	·43	·065	·02	-	-	-	-	·62	·355	·09	-		4
5	-	-	-	·15	-	·045	-	-	·22	·04	-	-		5
6	-	·90	·085	-	-	·11	-	-	-	-	·025	-		6
7	·05	·045	-	-	-	·35	-	-	-	-	·03	-		7
8	-	-	-	·71	-	·01	-	·02	-	·04	1·045	-		8
9	·05	-	-	·16	-	-	-	-	-	·21	·19	·20		9
10	-	-	-	·23	-	·50	-	-	-	·80	·04	·04		10
11	-	·02	-	·14	-	-	-	-	-	-	-	·04		11
12	·20	-	-	-	-	-	1·18	·03	-	·03	·24	-		12
13	-	·025	-	-	-	·34	-	-	-	-	·18	-		13
14	·145	·135	-	-	·22	·05	-	-	·005	-	-	-		14
15	-	-	-	·21	·12	·03	-	-	-	-	·28	-		15
16	-	·18	-	·36	·035	-	-	-	·135	-	·30	·20		16
17	-	-	-	·06	-	·44	-	-	·175	·05	-	·17		17
18	-	·08	-	·03	-	·11	-	-	-	-	1·11	·03		18
19	-	-	-	·33	-	·17	·29	-	·35	-	-	·01		19
20	-	-	-	·08	·82	·08	-	-	·08	-	·165	-		20
21	·035	·115	-	·045	·23	·07	·32	-	-	·085	·045	-		21
22	·01	·215	-	·025	-	-	-	-	·06	-	·12	-		22
23	-	-	-	·025	-	-	-	·62	·35	-	-	-		23
24	·015	-	·29	-	-	-	-	·12	-	-	-	-		24
25	·08	·405	-	-	-	-	-	-	·38	-	-	·41		25
26	-	·08	-	·25	-	·34	-	·18	-	-	·02	-		26
27	-	·045	-	-	-	-	-	-	·115	-	-	·53		27
28	·23	·26	-	-	·39	-	-	·05	·09	·045	·12	-		28
29	-	-	-	-	·04	-	-	-	·75	-	-	·315		29
30	·025	×	-	-	-	-	-	·67	·11	-	·01	-		30
31	·04	× ·025	-	× ·10	·19	×	-	·04	×	·025	× ·26	·53		31
TOTAL	1·22	2·96 ~~2·935~~	·44 ~~·465~~	2·95 ~~2·85~~	2·04 ~~2·145~~	2·74 ~~2·735~~	1·82	·03 1·78 ~~1·75~~	3·66 ~~3·69~~	·53 2·40 ~~1·87~~	4·44 ~~4·715~~	·21 2·68 ~~2·735~~	Year's Total. 29·13 ~~[illegible]~~	
* Days with .01 in. or more.	13 ✓	1~~4~~5	3 ~~4~~	1~~7~~8	~~9~~ 8	15	4	~~9~~10	~~15~~ 14	~~11~~12	19 ✓	12 ✓	~~14~~	
* Days with .04 in. or more.	8 ✓	12 ✓	3 ✓	1~~2~~3	~~8~~7	13	3	6	14	~~9~~ 10	15 ✓	10 ✓	~~113~~	114

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thomas Halliwell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Offley C.E. School, Hitchin

in the County of Hertfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 526 ft.

File No. 32 2610/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·36	·22	·14	-	·065	·63	·13	-	-	·62	-		1
2	·09	·18	-	·275	-	-	·09	·01	-	-	·03	·08		2
3	-	·025	·015	·025	-	·30	·78	·09	-	-	·88	·05		3
4	-	-	-	-	-	·03	-	-	-	-	·30	-		4
5	-	-	·09	-	-	·26	-	-	·42	-	-	-		5
6	·11	-	·035	-	-	-	-	·02	·10	-	·09	·11		6
7	·13	-	-	-	·37	·165	-	·15	·14	·02	·04	-		7
8	·24	-	-	-	-	-	·125	-	·02	·04	-	·21		8
9	·21	-	·055	-	-	-	-	-	·02	-	·15	-		9
10	·365	-	·085	-	-	-	·555	-	·095	·02	-	-		10
11	·03	-	-	-	-	-	·21	-	·11	·04	-	-		11
12	-	-	-	·12	-	-	·22	·05	-	-	·60	·18		12
13	-	-	-	·16	-	·55	·355	-	-	-	·65	·12		13
14	-	-	-	·20	-	·65	·01	·02	·22	·03	·08	·35		14
15	-	-	-	-	-	·05	·655	-	·08	·16	-	-		15
16	-	-	-	-	-	-	·58	-	·05	-	-	·07		16
17	-	·16	-	-	-	-	-	-	-	-	·44	·12		17
18	-	-	-	-	-	·31	-	-	-	-	·14	·03		18
19	-	·26	-	-	-	-	·12	-	-	·02	-	-		19
20	·63	·30	-	·125	-	·13	-	·22	-	·05	-	-		20
21	-	-	-	·165	-	·36	·055	-	·48	-	-	-		21
22	-	·20	-	·15	·075	·785	-	-	·46	-	-	-		22
23	-	·33	·09	·01	·31	·04	·155	-	-	-	-	·15		23
24	·11	-	-	·11	·005	-	·09	-	-	-	-	·02		24
25	-	·355	-	-	-	-	-	-	·10	·31	-	-		25
26	·17	-	·16	·11	-	·185	·11	-	·18	-	-	-		26
27	-	·175	·22	-	-	·065	-	-	·05	·14	-	-		27
28	·03	-	-	-	-	-	-	-	·15	-	-	·15		28
29	·47	·18	·095	-	-	·175	·175	-	·02	-	-	·04		29
30	·255	✕	·06	-	-	·105	·02	-	-	·04	·20	-		30
31	·04	✕	-	✕	·14	✕	·10	-	✕	-	✕	·08		31 "d"
TOTAL	3·09	2·525	1·125	1·59	·90	4·225	5·035	·69	2·695	·87	4·22	1·76	Year's Total 28·725	28·73
* Days with .01 in. or more.	15	11	11	12	4	17	19	8	17	11	13	15	153	
* Days with .04 in. or more.	13	10	9	10	4	16	17	5	14	7	12	13	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. Halliwell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Offley C.E. School

in the County of Hertfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 526 ft.

File no.
322610/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·055"

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·28	·05	-	-	-	-	-	·04	-	·04	·10		1
2	-	-	-	·42	-	-	-	-	·10	-	·59	·56		2
3	-	-	-	-	-	-	-	-	-	-	-	·17		3
4	-	·09	·07	·16	·01	-	-	-	-	-	-	·105		4
5	·09	·25	-	-	-	-	·03	-	-	-	-	·63		5
6	·10	-	-	-	·15	-	·17	-	-	-	·02	-		6
7	·07	-	·24	-	-	-	·03	-	·02	·03	·06	-		7
8	-	·62	·12	-	·06	-	-	-	-	-	-	-		8
9	-	·08	-	-	·20	·10	- -	-	·15	-	·15	-		9
10	-	-	-	-	·07	-	·25	-	-	-	·02	·37		10
11	-	-	·38	-	-	·28	·01	-	-	-	-	·34		11
12	-	-	·40	-	-	-	-	-	·10	·02	-	·02		12
13	·15	·32	·05	-	·915	·56	-	·05	·06	-	-	·14		13
14	·12	·08	-	·20	-	·45	-	·40	-	-	-	·42		14
15	·10	-	·73	·16	-	·11	1·50	·75	·11	-	-	-		15
16	·08	·05	·41	-	-	·01	-	·14	·26	-	-	·02		16
17	·18	·08	·15	-	-	·02	-	-	1·09	-	·09	·04		17
18	·48	-	-	-	-	-	-	-	-	-	-	-		18
19	·46	·12	·07	-	-	-	-	-	·40	-	·37	-		19
20	-	-	-	-	-	·31	-	-	·13	·01	·03	·025		20
21	·36	-	·15	-	·80	-	-	·08	-	·03	-	-		21
22	·14	·32	-	-	-	·40	·08	-	-	·01	-	·04		22
23	·15	·07	·12	-	·09	-	-	-	-	·41	·15	·025		23
24	·25	-	·04		·52	-	-	-	·195	·74	-	-		24
25	·24	·32	-	-	-	-	-	-	·04	·20	-	-		25
26	-	·34	·08	-	·64	-	-	-	-	·25	-	-		26
27	-	·22	·02	·19	·18	-	-	-	-	·10	-	·025		27
28	-	·31	-	·04	-	-	-	-	-	·98	·035	-		28
29	-	-	-	-	-	·09	-	-	-	·09	-	·07		29
30	·05	✕	-	-	-	·04	-	-	-	·06	·08	·06		30
31	·38	✕	-	✕	-	✕	-	-	✕	-	✕	-		31
TOTAL	3·68	3·55	3·08	1·17	3·635	2·37	2·07	1·42	2·70 2·695	2·93	1·635	3·16	Year's Total 31·395	✓ ✓
* Days with .01 in. or more.	~~18~~	~~16~~	~~16~~	~~6~~	~~11~~	~~11~~	~~7~~	~~5~~	~~13~~	~~13~~	~~12~~	~~18~~	~~146~~	✓ ✓ "
* Days with .04 in. or more.	18.	16	15	6	10	9	4	5	12	8	8	13	124	✓ ✓

d'

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thomas Halliwell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at OFFLEY C.E. SCHOOL

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 526 ft.

File No. 322610/34.

WD

Viewed

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·055	·165	-	-	·055	·145	·15	-	-	·055	·145	·155		1
2	-	-	-	-	-	·235	-	-	·01	·01	-	·06		2
3	·14	-	-	-	·02	·04	·04	-	-	·20	-	·01		3
4	-	-	-	-	·14	-	·07	-	·03	·63	·03			4
5	·085	-	-	-	-	·03	-	-	-	·27	-	·145		5
6	·01	-	-	·005	-	-	·92	·015	·005	·21	-			6
7	·035	-	-	-	-	-	·03	·075	·11	·04	-	·01		7
8	·02	-	-	-	-	-	·135	·09	·04	·35	-	·025		8
9	·145	-	-	-	-	-	·48	·67	·065	·14	-			9
10	·10	-	-	-	-	-	·045	·45	-	-	-	·68		10
11	·01	·06	Trace	-	-	·01	·06	·235	-	-	-	·02		11
12	·33	-	-	-	-	-	·01	-	·01	-	·115	·01		12
13	·175	-	-	-	-	-	·02	·73	-	·40	·005	·01		13
14	·02	·085	-	-	-	-	-	·01	-	·005	·06	·12		14
15	·18	-	-	-	·04	-	-	-	·07	-	·02	·02		15
16	·08	-	-	-	-	-	·12	-	-	·085	-	·18		16
17	·22	-	-	-	·01	-	-	·01	-	·05	·025	·135		17
18	-	·10	-	-	·38	-	·29	-	·015	·04	-			18
19	·05	-	-	-	·11	-	-	-	·05	-	·37			19
20	-	-	-	-	-	-	-	·09	·095	-	·16			20
21	-	-	-	-	-	-	-	-	·02	-	·45			21
22	-	-	-	-	-	-	-	·06	·02	-	-	·65		22
23	-	-	-	-	-	-	-	·01	·01	-	·24	·35		23
24	-	-	-	·035	-	-	-	-	-	-	·05			24
25	-	-	·185	-	·015	-	-	-	·27	-	·05			25
26	·085	-	·13	·01	·02	-	·015	·21	·01	·03	·56			26
27	·22	-	·09	-	-	-	-	-	·70	·22	-	·05		27
28	·075	·20	-	-	·10	·20	·21	·02	·44	-	·37			28
29	·09		-	-	·78	·09	-	·46	·05	-	·045	·04		29
30	·35		-	Trace	·225	-	-	·01	·01	-	·12	·185		30
31	·165		-	·05	·085	·15	-	-	·05	·93	·15	·08		31
TOTAL	~~2·475~~ 2·59	~~0·61~~ ·45	·405 1	~~0·05~~ 0·10	~~1·98~~ 2·07 ·75	0·75	~~2·595~~ 2·45	3·145 5	~~1·43~~ 1·48	~~2·765~~ 2·86	2·84	2·945 ·16	Year's Total ~~21·955~~ 22·07	✓ ✓
* Days with .01 in. or more.	21 ✓	54	3 ✓	24	13 ✓	7 ✓	14 ~~15~~	16 ✓	21 ~~19~~	16 ✓	16 ✓	20 ✓	155 ~~153~~	✓ ✓
* Days with .04 in. or more.	17 ✓	54	3 ✓	01	9 ✓	5 ✓	10 ~~X~~	10 ✓	11 ~~10~~	13 ✓	13 ✓	13 ✓	109 ✓	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Thomas Halliwell
Headmaster.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at OFFLEY C.E. SCHOOL

in the County of HERTFORDSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 526 ft.

File No.
322610/34.

W.E.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
nil

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	-	·18	-	·50	-	·14	·21	-	-	-	·05		1
2	·04	-	-	·30	·24	-	·055	·09	·21	-	-	-		2
3	·04	-	-	-	-	-	-	·39	·34	-	·03	-		3
4	·36	-	-	·09	-	-	-	·42	-	-	-	·215		4
5	-	-	·25	·26	-	-	·01	·135	-	·215	·33	·03		5
6	-	-	-	·27	·12	-	·02	·83	-	·15	·15	·22		6
7	·61	-	·045	·085	-	-	·22	·045	-	-	·08	-		7
8	·02	·035	-	-	-	-	·035	·055	-	-	·135	·14		8
9	-	·045	·11	-	-	-	·045	·15	-	·235	·15	·35		9
10	-	-	-	-	-	-	-	·07	-	·34	·01	·15		10
11	·21	-	-	-	-	·40	-	·20	-	-	-	-		11
12	-	-	·25	-	·01	·19	-	-	·05	·075	-	-		12
13	-	-	-	-	·015	·09	-	-	·07	-	-	-		13
14	-	-	·01	-	-	·035	-	-	·09	·78	-	-		14
15	·59	-	·015	·02	·31	-	·055	-	·08	-	·19	-		15
16	·40	·005	-	·01	·65	·21	·17	-	·10	·82	·01	-		16
17	·23	-	·11	·115	·09	·34	·075	-	·005	·04	·34	-		17
18	·20	-	·03	·045	·04	-	·49	-	-	-	-	-		18
19	·25	·01	·04	-	-	·16	·12	-	·03	·09	·41	-		19
20	·26	-	-	-	-	·04	·15	-	-	·13	-	-		20
21	·17	-	-	-	-	·51	·31	1·71	-	-	-	-		21
22	-	·02	·20	-	-	·30	·25	·34	·10	-	-	-		22
23	·16	·25	·09	-	-	·03	·055	-	-	-	·08	-		23
24	·085	-	-	·10	-	·015	·09	-	·115	·095	-	-		24
25	-	-	·03	-	-	-	-	-	-	·05	-	-		25
26	·63	·08	·23	-	-	-	-	·08	-	-	·37	·09		26
27	-	-	·03	·03	-	-	-	·02	-	·105	·49	-		27
28	-	-	·15	·035	-	-	·035	-	-	·09	·11	-		28
29	-	-	·12	-	-	-	-	-	-	·17	·135	-		29
30	-	✕	-	·67	-	-	·17	·07	-	·20	-	-		30
31	-	✕ ·18	-	✕ ·50	-	✕ 14	·03 21	-	✕	-	✕ 05	-		31
TOTAL	4·26 ~~4·415~~	·63 ~~·435~~	1·73 ~~1·91~~	2·55 ~~2·05~~	1·47 ~~1·915~~	2·45 2·32	2·59 ~~2·505~~	4·62 ~~4·825~~	1·18 ~~1·19~~	3·63 ~~3·645~~	3·06 ~~3·00~~	1·19 ~~1·245~~	Year's Total ~~29·515~~	29·36
* Days with .01 in. or more.	16 ~~17~~	7 ~~6~~	~~17~~ 16	~~13~~ 14	~~9~~ 8	13 ~~12~~	20	15 ~~16~~	10	16	17 ~~16~~	7 8	~~160~~	159
* Days with .04 in. or more.	15 ~~16~~	4 ~~3~~	~~12~~ 11	9 10	~~7~~ 6	10 ~~9~~	15	14 ~~15~~	9	16.	14 ~~13~~	6 ~~7~~	~~131~~	130

† Spare column, no entries required.

(*Signed*) Thomas Halliwell

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at OFFLEY C.E. SCHOOL

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 526 ft.

File No. 322610/34 Snow WD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·07	–	–	·065	–	–	–	–	–	·63	–		1
2	–	·06	–	–	–	–	–	–	–	–	·115	–		2
3	–	·06	–	·08	–	–	·06	–	–	·10	1·33	–		3
4	·21	·18	–	·17	–	–	–	–	–	·21	·50	·03		4
5	–	·06	–	·19	–	–	·02	–	–	·18	·74	·05		5
6	–	–	–	–	–	–	–	–	–	·01	·40	·03		6
7	·15	·13	–	–	·03	–	·345	–	–	·07	·24	–		7
8	·28	·145	–	·02	·075	–	·125	–	·05	–	–	–		8
9	–	–	–	·01	–	–	–	–	–	·13	·03	·23		9
10	–	–	–	–	–	·04	–	–	·02	–	·11	–		10
11	–	–	–	–	–	–	·385	–	–	–	·18	·13		11
12	–	–	–	·045	–	·12	–	–	–	–	·66	·13		12
13	–	–	·05	–	–	–	·07	–	·02	·075	·01	–		13
14	–	·065	·93	–	–	–	–	–	–	–	·95	–		14
15	–	–	·13	–	·01	–	–	–	·03	·045	–	–		15
16	–	–	·10	–	·185	–	·185	–	·045	–	·25	·195		16
17	·10	·11	·20	–	–	·03	·52	–	·09	·85	·67	·03		17
18	–	–	·57		–	–	·005	–	–	–	·45	–		18
19	·015	·41	·27	·305	–	–	–	–	–	·08	·05	·13		19
20	–	·12	·06	·27	–	–	·05	–	·05	·01	·12	·05		20
21	–	·02	·05	·02	–	·005	·085	–	–	·025	·045	–		21
22	–	–	·01	–	·22	·42	–	·01	–	·04	·31	–		22
23	–	–	·025	–	·33	·12	–	–	·53	–	–	–		23
24	–	·145	·04	·06	·27	–	–	–	–	·035	·07	·02		24
25	– x	–	–	·06	–	–	·14	–	–	–	–	–		25
26	– x	–	·37	–	·01	–	·27	–	–	–	–	–		26
27	– x	·08	·185	–	·19	·04	·29	–	–	–	–	–		27
28	– ✓	·165	–	·185	·60	–	·08	·02	–	·015	–	–		28
29	1·23	·07	–	–	·105	–	–	–	–	–	–	·01		29
30	– ✓	✕	·075	–	·19	–	–	–	–	–	–	·22		30
31	·07 x	✕	–	✕	–	✕	–	–	✕	·15	✕	·03		31
TOTAL	~~1·985~~ 2·06	1·8~~0~~2	3·06~~5~~7	·065 ~~1·415~~ 1·48	2·281	·775	2·63	·03	·835	·63 ~~2·325~~ 2·66	~~7·86~~ 7·23	1·28	Year's Total 26·075	
* Days with .01 in. or more.	11 ~~6~~	~~16~~ 15	15	~~12~~ 13	~~13~~ 12	6	14	2	8	~~16~~ 17	~~21~~ 20	14	14~~3~~7	
* Days with .04 in. or more.	8 ~~5~~	~~15~~ 14	13	~~8~~ 10	~~10~~ 9	5	13.	–	5	~~11~~ 12	~~19~~ 18	8	11~~3~~5	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thomas Halliwell

P.T.O.

Gov A
HITCHIN (OFFLEY

942/3

HITHIN OFFLEY PLACE

1937 - 1940

780206

Section **A** **for the entry of**
AIR MINISTR

Station No. 972/3
RAINFALL ORGANIZATION

FORM 1090

REGIS 1937

Kept at Offley Place
in the County of HERT.
Diameter of Funnel of Gauge S.
Height of top of Gauge above Grou
,, Ground ,, Sea

cur.
23/2.

THE MORNING MEASURE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	–	·05	–				~~·04~~	·04		·72	·64		1
2	·	·08	–	·42					·10			·22		2
3	·	·09	·07	–								·19		3
4	·90	·25	–	·16								·31		4
5	·10	·05	·17	–	·02							·29		5
6	·07	–	·24	–	·12		·18			·02				6
7	–	·62	·12	·			·04		·02			·		7
8	–	·08	–	·10		·04					·28	·10		8
9	–	–	–	–	·30	·02	·18		·14			·28		9
10	–	–	·38	·18		·28	·09					·30		10
11	–	·	·41	·05	·76							·04		11
12	·15	·32	·05	–	·28	·22	·04		·10			·06		12
13	·12	·80	·20	–	·04	·78		·05	·06			·54		13
14	·10	–	·73	·22 ~~·39~~				·40	·04					14
15	·08	·05	–	·12 ~~·23~~		·14	1·72	·64	·12					15
16	·18	·15	·41	·68 ~~·12~~				·14	·19			·20		16
17	·43	–	·15	·38 ~~·68~~					1·25		·10	·03		17
18	·46	·06	–	·05 ~~·40~~	·15						·41			18
19	·07	·12	·07	·06 ~~·38~~		·21			·39			·02		19
20	·36	–	–	·48 ~~·42~~	·71	·12			·12					20
21	·14	·32	·15	·03 ~~·36~~	·04		·05	·08				·04		21
22	·25	·07	–		·08	·35				·40	·18	·05		22
23	·26	–	·12		·50					·78				23
24	·38	·34	·04				·22		·17	·14				24
25	–	·32	–		·62				·06	·28		·03		25
26	–	·22	·08		·32					·08				26
27	–	·31	·02	·16					·03	1·02				27
28	–			·05						·08		·06		28
29	·05					·09				·09	·09	·02		29
30	·38	✕				·03					·10			30
31	·28	✕		✕		✕			✕	·05	✕	·05		31
TOTAL	5·04 ~~4·23~~	4·25 ~~3·53~~	3·46 ✓	3·14	3·94 ✓	2 2·88	2·52 ✓	1·31 ✓	2·83 ✓	2·94 ✓	1·88 ✓	3·47 ✓	Year's Total ~~27·49~~	37·06 ~~36·55~~ ✓
* Days with .01 in. or more.	20	18	18	15	13	11	8	5	15	10	7	20	160	✓ GB
* Days with .04 in. or more.	20	18	17	14	12	9	8	5	13	9	7	16	148	✓

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A W Acland

[P.T.O.

A.W. Acland ESQ

Circ A
HITCHIN (OFFLEY PL

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Offley Place Hitchin
in the County of HERTFORD
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft. 9" in.
,, Ground ,, Sea Level 520 ft.

Circ D sent
29/1/38. CHR.
Query sent 23/2.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	-	·05	-				~~·04~~	·04		·72	·64		1
2	·	·08	-	·42					·10			·22		2
3	-	·09	·07	-				„				·19		3
4	·90	·25	-	·16								·31		4
5	·10	·05	·17	-	·02							·29		5
6	·07	-	·24	-	·12		·18			·02				6
7	-	·62	·12	·			·04		·02			·		7
8	-	·08	-	·10		·04					·28	·10		8
9	-	-	-	-	·30	·02	·18		·14			·28		9
10	-	-	·38	·18		·28	·09					·30		10
11	-	·	·41	·05	·76							·04		11
12	·15	·32	·05	-	·28	·22	·04		·10			·06		12
13	·12	·80	·20	-	·04	·78		·05	·06			·54		13
14	·10	-	·73	·22 ~~·39~~				·40	·04					14
15	·08	·05	-	·12 ~~·23~~		·14	1·72	·64	·12					15
16	·18	·15	·41	·68 ~~·12~~				·14	·19			·20		16
17	·43	-	·15	·38 ~~·68~~					1·25		·10	·03		17
18	·46	·06	-	·05 ~~·40~~	·15						·41			18
19	·07	·12	·07	·06 ~~·38~~		·21			·39			·02		19
20	·36	-	-	·48 ~~·42~~	·71	·12			·12					20
21	·14	·32	·15	·03 ~~·36~~	·04		·05	·08				·04		21
22	·25	·07	-		·08	·35				·40	·18	·05		22
23	·26	-	·12		·50					·78				23
24	·38	·34	·04				·22		·17	·14				24
25	-	·32			·62				·06	·28		·03		25
26	-	·22	·08		·32					·08				26
27	-	·31	·02	·16					·03	1·02				27
28	-			·05						·08		·06		28
29	·05					·09				·09	·09	·02		29
30	·38	×				·03					·10			30
31	·28	×		×		×			×	·05	×	·05		31
TOTAL	5·04 ~~4·23~~	4·25 ~~3·53~~	3·46	3·14	3·94	2 2·88	2·52	1·31	2·83	2·94	1·88	3·47	Year's Total ~~27·49~~	37·06 ~~36·53~~
* Days with .01 in. or more.	20	18	18	15	13	11	8	5	15	10	7	20	160	
* Days with .04 in. or more.	20	18	17	14	12	9	8	5	13	9	7	16	148	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A W Acland

X A.W. Acland ESQ X

[P.T.O.

X HITCHIN (OFFLEY PLACE) X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 972/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

1937 [illegible]
73 11 27/38

Kept at Offley Place
in the County of Hertfordshire
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground.....ft.....in. } as before.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf of 1 day.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03											·06		1
2	·25				·03	·19	·03		·03	↑ ·08		·02		2
3					·15	·06	·09			·21	·06			3
4	·09								·02	·64	·02	·06		4
5	·					·03	1·00			·17		·07		5
6	·03							·08		·31				6
7	·02						·18	·09	·14			·02		7
8	·15						·35	·76	·03	·37				8
9	·08						·08	·46	·10	·10		·68		9
10	·	·06					·06	·26				·03		10
11	·31										·10	~~·03~~		11
12	·22	·05					·03	·94		·34				12
13	·03				·04					·05	·08	·11		13
14	·18	·04							·05			~~·11~~		14
15	·04						·12			·09		·24		15
16	·27	·05					·05			·05		·15 ~~·24~~		16
17	·	·09			·46				·02	·03		~~·15~~		17
18	·04				·12		·16		·08	·02	·36			18
19								·09			·20			19
20									·10					20
21								·08			·36	·65		21
22								·03				·45		22
23				·03					·02		·26			23
24			·16						·28		·10			24
25	·09		·18		·04			·23		·04	·57			25
26	·24	·18	·10				·01	·03	·11	·22		·35		26
27	·08	·04			·19	·19			·40	·09	·38			27
28	·12	·02			·67	·07	·20	·45	·12		·04	·04		28
29	·40				·23			·04			·09	·18		29
30	·02	✕		·04	·08	·15				·03	·21			30
31	·18	✕		✕	·12	✕			✕	·11	✕	·26		31 d
TOTAL	2·87	·53	·44	·07	2·13	·69	2·36	3·54	1·50	2·95	2·83	3·37	Year's Total 23·28	#
* Days with .01 in. or more.	21	8	3	2	11	6	13	13	14	18	14	16	139	#
* Days with .04 in. or more.	16	7	3	1	10	5	10	11	9	15	13	13	113	#

Pmm
GB
10/3/39

* See Instruction 3 (f) on other side.

○

† Spare column, no entries required.

(Signed) A. W. Acland
X A.W. ACLAND ESQ X

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 972/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Days

Kept at OFFLEY PLACE N, HITCHIN

in the County of HERTS,

Diameter of Funnel of Gauge 1·6 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 536 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	—	—	0·31	0·38	—	0·04	0·09	0·22	—	—	—		1
2	—	—	—	—	—	—	—	0·34	0·36	—	0·03	—		2
3	0·47	—	—	0·10	—	—	—	0·53	—	—	0·16	0·29		3
4	0·08	—	0·25	0·26	—	—	—	0·18	—	0·21	—	—		4
5	—	—	—	0·27	0·11	—	—	0·91	—	0·20	0·36	—		5
6	0·42	—	0·06	0·15	—	—	0·34	0·03	—	—	0·08	—		6
7	0·09	—	—	—	—	—	—	0·08	—	—	—	0·06		7
8	—	0·04	0·15	—	—	—	0·10	0·22	—	0·10	—	0·38		8
9	0·02	0·05	—	—	—	—	—	0·06	—	0·52	0·20	0·15		9
10	0·20	—	—	—	—	0·41	—	0·16	—	—	—	—		10
11	—	—	0·27	—	—	0·21	—	—	—	0·05	—	—		11
12	—	—	—	—	—	0·09	—	—	0·10	—	—	—		12
13	—	—	—	—	—	0·03	—	—	0·08	—	—	—		13
14	0·52	—	—	0·01	0·32	—	0·05	—	0·06	1·22	0·20	—		14
15	0·20	—	—	—	0·79	0·21	0·17	—	—	—	—	—		15
16	0·44	—	0·14	0·11	0·09	0·35	0·08	—	0·11	0·05	0·35	—		16
17	0·18	0·02	0·02	0·07	0·05	—	0·63	—	—	—	—	—		17
18	0·37	—	—	—	—	0·27	0·12	—	—	—	0·43	—		18
19	0·24	—	—	—	—	—	0·15	—	—	0·29	0·23	—		19
20	0·08	—	—	—	—	0·46	0·45	2·25	—	0·01	—	—		20
21	0·15	—	0·27	—	—	0·28	0·55	0·37	0·11	—	—	—		21
22	0·05	0·26	0·08	—	—	0·06	0·04	—	0·12	—	—	—		22
23	0·10	—	—	0·10	—	0·02	0·07	—	—	0·09	0·75	—		23
24	0·30	—	—	0·02	—	—	—	—	—	—	—	—		24
25	0·35	0·08	0·24	0·02	—	—	—	0·02	—	—	0·38	—		25
26	0·41	—	—	0·02	—	—	—	—	—	—	0·53	0·28		26
27	—	—	0·20	0·05	—	—	—	—	—	0·28	0·11	—		27
28	0·03	0·21	0·12	—	—	—	—	0·10	—	0·31	0·12	0·09		28
29	—	—	—	0·66	—	—	0·18		—	—	0·03	—		29
30	—		—	0·71	—	0·14	0·05		—	—	—	—		30
31	—		—		—		0·23			—		—		31
TOTAL	4·73	0·66	1·80	2·86	1·74	2·53	3·25	5·34	1·26	3·33	3·96	1·25	Year's Total 32·71	
* Days with .01 in. or more.	3	1	1	4	NILL	2	—	2	—	1	2	—	16	"d"
* Days with .04 in. or more.	18	5	10	11	6	10	16	12	8	11	13	6	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

R.W. Acland Esq

(Signed) H. Hound

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 972/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Offley Place Nr Hitchin

in the County of Hertfordshire

Diameter of Funnel of Gauge 15 in. 5

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 564 ft.

Supv

Days Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											0·12	0·04		1
2				0·09						0·14	1·44			2
3		SNOW 0·32 RAIN		0·17						0·22	0·58	0·05		3
4				0·22						0·19	0·74			4
5		0·15									0·44	0·08		5
6		0·14			0·03		0·50			0·09	0·25			6
7	0·45	0·12			0·07		0·12					0·25		7
8										0·15		0·17		8
9											0·11	0·07		9
10							0·47			0·07	0·22			10
11						0·18					0·82	0·14		11
12		SNOW 0·05	0·04	0·08			0·03		0·03					12
13			0·66								0·17			13
14			0·48	0·10						0·04		0·19		14
15					0·20		0·30				0·28			15
16	SNOW 0·08						0·61		0·15	0·02	0·71			16
17		SNOW 0·36	0·68								0·56			17
18	SNOW 0·02		0·36	0·44								0·15		18
19		0·14	0·13	0·28			0·07		0·07		0·18			19
20		0·04		0·05						0·09	0·03			20
21	SNOW 0·09		0·05		0·24		0·10				0·40			21
22					0·35	0·38			0·57					22
23		0·18			0·28	0·30				0·12	0·05			23
24			0·45											24
25							0·12							25
26		0·08	0·22		0·10		0·29							26
27		0·17		0·20	0·62		0·28	0·05						27
28		0·05			0·12		0·08							28
29	SNOW 1·05		0·06		0·24							0·47		29
30										0·15		0·03		30
31										0·71				31 d
TOTAL	1·69	1·73	3·03	1·62	2·05	0·86	2·97	0·05	0·82	2·99	8·10	1·64	Year's Total 27·55	
* Days with .01 in. or more.	19	14	14	9	10	4	12	1	4	14	20	13	[illegible]	~~125~~
* Days with .04 in. or more.	25 9	14	10	9	9	3	11	1	3	12	16	10	[illegible]	106

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. A. Bound Head Gdr. [P.T.O.

973

Section **A** for the entry of Daily

AIR MINISTRY.—M

NFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER

93**1** .

973

GRAVELEY RECTORY

1931 - 1932

Kept at Graveley Rectory

in the County of Herts

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME **DAY.**

780206

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				04		06		02	05				1
2	04	10	-	23	05	02	07	-	61				2
3	-	-	-	01	61	-	-	-	1.01	-	04	23	3
4	-	-	-	03	01	-	04	62			13	-	4
5	-	-	-	15	05	55	-	14	10	02	03	42	5
6	-	19	-	-	-	19	-	-	-	24	.64	-	6
7	-	·02	03	07	-	09	-	14	-	-	·17 17	.05	7
8	-	07	09 Snow	-	-	07	-	77	-	-	.08	-	8
9	-	04	07	05	-	10	-	-	12	-	47	04	9
10	07	13	-	-	-	04	-	24	-	.02	22	04	10
11	17	37	-	-	-	-	18	-	05	-	04	-	11
12	02	02	-	-	-	-	-	-	29	-	-	-	12
13	-	04	-	-	-	-	24	·11	-	-	-	15	13
14	-	-	-	-	-	-	1.26	47	03	-	03	-	14
15	02	10	-	21	13	-	30	27	-	-	03	-	15
16	07	04	-	11	24	-	-	79	-	-	-	-	16
17	-	11	-	23	17	-	13	02	20	-	-	-	17
18	05	09		37		14	-	21	-	03	53	-	18
19	07	-	-	53	-	39	23	.07	10	-	02	-	19
20	-	02	-	27	-	02	14	31	0	-	-		20
21		-	-	02	83	-	-	07	04	-	01	-	21
22	17	-	-	-	03	-	-	-	-	-	03	10	22
23	33	03	-	.03	37	32	-	-	09	01	17	-	23
24	03	-	-	31	10	06	04		05		.01	02	24
25	64	02		41	11	-	74	-	-	-	07	-	25
26	-	-	-	28	02	-	86		02		16	-	26
27	14	44	-	04	-	-	14	-	-	03	27	-	27
28	09	15			06	-	-	-	-	24	01	09	28
29	07	-	-	14	-	-	19	-	-	.01	04		29
30	15	X	-	-	05	-	-	0.9	-	-	-		30
31	18	X	-	X	-	X	-	04	X	-	X		31
TOTAL	1.71	1.98	·19	3.53	2.81	2.05	4.56	4.38	2.76	·60	20 3.~~18~~	1·14 1.14	YEAR'S TOTAL 28.91 ~~28.89~~
*Days with ·01 in. or more.	~~8~~17	~~5~~18	~~x~~3	~~x~~20	~~4~~15	~~8~~13	14	~~8~~17	~~x~~14	~~8~~8	~~8~~22	x9	~~40~~ 170
*Days with ·04 in. or more.	~~13~~14	13	2	~~14~~16	~~11~~12	11	14	15	~~12~~11	2	~~15~~14	8	~~129~~ 132

40-9999

(Signed) R E C Walker [P.T.O.

*See Instruction 2 (*f*) on other side.

973

Section **A** **for the entry of Daily** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Graveley Rectory

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 325 ft.

B/A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				04		06		02	05				1
2	04	10	-	23	05	02	07	-	61				2
3	-	-	-	01	61	-	-	-	1.01	-	04	23	3
4	-	-	-	03	01	-	04	62			13	-	4
5	-	-	-	15	05	55	-	14	10	02	03	42	5
6	-	19	-	-	-	19	-	-	-	24	.64	-	6
7	-	02	03	07	-	09	-	14	-	-	17	.05	7
8	-	07	09 Snow	-	-	07	-	77	-	-	.08	-	8
9	-	04	07	05	-	10	-	-	12	-	47	04	9
10	07	13	-	-	-	04	-	24	-	.02	22	04	10
11	17	37	-	-	-	-	18	-	05	-	04	-	11
12	02	02	-	-	-	-	-	-	29	-	-	-	12
13	-	04	-	-	-	-	24	.11	-	-	-	15	13
14	-	-	-	-	-	-	1.26	47	03	-	03	-	14
15	02	10	-	21	11	-	30	27	-	-	03	-	15
16	07	04	-	11	24	-	-	79	-	-	-	-	16
17	-	11	-	23	17	-	13	02	20	-	-	-	17
18	05	09		37		14	-	21	-	03	53	-	18
19	07	-	-	53	-	39	23	.07	10	-	02	-	19
20	-	02	-	27	-	02	14	31	-	-	-		20
21		-	-	02	83	-	-	07	04	-	.01	-	21
22	17	-	-	-	03	-	-	-	-	-	03	10	22
23	33	03	-	.03	37	32	-	-	09	01	17	~	23
24	03	-	-	31	10	06	04		05		.01	02	24
25	64	02		41	11	-	74	-	-	-	07	-	25
26	-	-	-	28	02	-	86		02		16	-	26
27	14	44	-	04	-	-	14	-	-	03	27	-	27
28	09	15			06	-	-	-	-	24	01	09	28
29	07	-	-	14	-	-	19	-	-	.01	04		29
30	15	×	-	-	05	-	-	0.9	-	-	-		30
31	18	×	-	×	-	×	-	04	×	-	×		31
TOTAL	1.71 ✓	1.98 ✓	·19 ✓	3.53 ✓	2.81 ✓	2.05 ✓	4.56 ✓	4.38 ✓	2.76 ✓	·60 ✓	20 3.~~18~~	1·14 2·14 ✓	YEAR'S TOTAL 28.91 ~~28.69~~
*Days with ·01 in. or more.	~~8~~17	~~5~~18	x3	~~x~~20	~~4~~15	~~8~~13	14	~~8~~17	~~x~~14	~~8~~8	~~8~~22	x9	~~40~~ 170
*Days with ·04 in. or more.	~~13~~14	13 ✓	2 ✓	~~14~~16	~~11~~12	11 ✓	14 ✓	15 ✓	~~12~~11	2 ✓	~~15~~14	8 ✓	~~129~~ 132

40-9999

(Signed) R E C Walker [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 973

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Graveley Rectory
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	08	-	09	92	09	05	-	09	20	-	05	1
2	02	-	-	02	18	-	18	-	14	12	-	23	2
3	-	-	.	31	33	-	-	-	14	-	-	.	3
4	-	03	-	-	-	-	-	-	-	-	17	-	4
5	07	04	04	-	08	-	15	03	09	-	-	-	5
6	58	-	03	-	09	-	03	-	12	-	-	-	6
7	04	-	12	07	05	-	-	-	02	-	-	-	7
8	-	-	02	06	-	-	-	-	09	-	-	-	8
9	12	-	-	-	53	-	-	-	-	05	-	-	9
10	33	02	07	16	05	-	-	-	-	03	-	-	10
11	-	05	-	19	03	12	02	72	01	02	06	-	11
12	10	-	-	04	10	-	-	04	-	26	05	-	12
13	-	-	-	12	-	.	.06	-	-	05	24	08	13
14	24	04	-	13	03	-	-	-	-	08	02	-	14
15	63	-	-	09	03	-	03	01	.	13	-	02	15
16	14	-	-	29	15	.	-	-	-	06	-	01	16
17	-	-	-	04	-	.	23	.	-	-	-	-	17
18	-	-	-	-	-	-	-	.	26	15	-	-	18
19	-	-	-	-	-	-	-	-	-	-	01	03	19
20	-	-	-	15	-	.	-	39	01	66	-	01	20
21	-	-	-	33	63	-	-	38	-	37	06	04	21
22	02	02	47	-	05	-	21	-	27	17	44	-	22
23	-	12	-	-	03	-	.	-	08	61	03	08	23
24	01	03	-	04	-	-	27	-	02	05	23	-	24
25	-	03	-	01	-	-	17	-	12	37	13	02	25
26	-	-	.07	33	.09	04	.07		03	-	-	-	26
27	-	-	44	12	72	-	21	-	03	07	-	-	27
28	-	-	28	02	27	-	68	-	02	27	13	-	28
29	-	-	24	08	09	20	02	29	04	36	08	-	29
30	01	×	21	-	05	62	-	-	03	07	25	15	30
31	-	×	-	×	-	×	03	-	×	05	×	05	31
TOTAL	1.8~~8~~0	.46	1.99	2.6~~8~~9	4.50	1.07	2.41	1.86	1.61	4.20	1.90	.77	YEAR'S TOTAL 25.26
*Days with ·01 in. or more.	~~6~~ 14	~~5~~ 10	~~2~~ 11	~~3~~ 21	~~4~~ 21	5	~~4~~ 16	~~2~~ 7	19 ~~8~~	22	14 ~~3~~	12 ~~5~~	~~17~~ 2
*Days with .04 in. or more.	9	5	9	18	17	5	~~12~~ 11	5	11	20	~~10~~ 11	7	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. E. C. Walker

[P.T.O.

974

974

HITCHIN NEWLANDS

1931- 1935

780206

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE

93/ .

Kept at Newlands, Hi

in the County of Herts

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

" Ground " Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·02	·05	·14			·05				1
2	·06	·08		·31			·05		·41			·04	2
3	·03			·11	·52			·02	·82		·03	·14	3
4		·04		·04			·04	·57	·17		·16		4
5				·16	·03	·38	·15	·07	·07		·01	·41	5
6		·11		·04		·08				·23	·56		6
7						·07	·92	·27			·10	·03	7
8	·01	·04	·08			·04	·01	·58		·02	·04	·01	8
9		·03		·03		·12	·01	·01	·04		·31	·01	9
10	·02	·11				·02	·15	·22			·22		10
11	·10	·39							·03		·03		11
12		·03		·02				·01	·29				12
13	·02						·31	·09					13
14	·03	·09			·03	·01	1·23	·33			·02		14
15	·03	·03		·14	·11		·31	·21			·02	·04	15
16	·01	·14		·11	·24	·01		1·03	·02				16
17		·02		·24	·20	·02	·10	·02	·25	·01			17
18	·03	·10		·20	·02	·14	·03	·21			·55		18
19	·03			·49		·47	·17	·03	·07				19
20		·01		·08			·13	·27	·01	·01			20
21	·02			·01	·82			·03	·02				21
22	·17			·04	·01				·03				22
23	·26	·01			·34	·22			·04		18	·03	23
24	·01			·23	·12	·03	·05		·03				24
25	·02			·42	·04		·44				·05	·01	25
26		·02		·24	·02		·79						26
27	·13	·43		·02	·03		·07				·44		27
28	·09	·13			·03						·01	·10	28
29	·06			·14			·07			·22	·01		29
30	·11	×						·05					30
31	·16	×		×	·01	×		·02	×	~~·49~~	×		31
TOTAL	1·40	1·87	·08	3·09	2·62	1·75	5·03	4·04	2·35	·49	2·74	·82	YEAR'S TOTAL 26·28
*Days with ·01 in. or more.	21	19	1	21	17	14	19	19	16	5	17	10	179
*Days with ·04 in. or more.	9	12	1	16	9	9	16	12	10	2	10	5	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) F. Ransom [P.T.O.

974

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Newlands, Hitchin
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 271 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·02	·05	·14			·05				1
2	·06	·08		·31			·05		·41			·04	2
3	·03			·11	·52			·02	·82		·03	·14	3
4		·04		·04			·04	·57	·17		·16		4
5				·16	·03	·38	·15	·07	·07		·01	·41	5
6		·11		·04		·08				·23	·56		6
7						·07	·92	·27			·10	·03	7
8	·01	·04	·08			·04	·01	·58		·02	·04	·01	8
9		·03		·03		·12	·01	·01	·04		·31	·01	9
10	·02	·11				·02	·15	·22			·22		10
11	·10	·39							·03		·03		11
12		·03		·02				·01	·29				12
13	·02						·31	·09					13
14	·03	·09			·03	·01	1·23	·33			·02		14
15	·03	·03		·14	·11		·31	·21			·02	·04	15
16	·01	·14		·11	·24	·01		1·03	·02				16
17		·02		·24	·20	·02	·10	·02	·25	·01			17
18	·03	·10		·20	·02	·14	·03	·21			·55		18
19	·03			·49		·47	·17	·03	·07				19
20		·01		·08			·13	·27	·01	·01			20
21	·02			·01	·82			·03	·02				21
22	·17			·04	·01				·03				22
23	·26	·01			·34	·22			·04		18	·03	23
24	·01			·23	·12	·03	·05		·03				24
25	·02			·42	·04		·44				·05	·01	25
26		·02		·24	·02		·79						26
27	·13	·43		·02	·03		·07				·44		27
28	·09	·13			·03						·01	·10	28
29	·06			·14			·07			·22	·01		29
30	·11	✕						·05					30
31	·16	✕		✕	·01	✕		·02	✕	~~·47~~	✕		31
TOTAL	1·40	1·87	·08	3·09	2·62	1·75	5·03	4·04	2·35	·49	2·74	·82	YEAR'S TOTAL 26·28
*Days with ·01 in. or more.	21	19	1	21	17	14	19	19	16	5	17	10	179
*Days with ·04 in. or more.	9	12	1	16	9	9	16	12	10	2	10	5	111

40-9999

(Signed) F. Ransom

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 974

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Newlands, Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 271 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·05		·09	1·08	·03	·11	·25	·07	·20		·03	1
2	·02			·16	·10				·16	·09	·03	·17	2
3				·13	·34			·02	·08	[illegible]			3
4				·02							·19		4
5	·12		·02		·02		·14		·08				5
6	·52		·03	·02	·09		·02		·09				6
7	·02		·11	·12	·03				·02				7
8		·02	·04	·05					·13	·11		·01	8
9	·07	·02		·03	·48					·07			9
10	·24	·02	·02	·13	·04				·03	·02	·01		10
11		·03		·16	·02	·04	·11	·54		·03	·05		11
12	·06			·01	·10			·06	·01	·25	·03		12
13	·07	·02		·17	·01		·03			·05	·05	·01	13
14	·17	·02		·06							·01		14
15				·09	·19		·04			·14			15
16	·16			·27	·24								16
17				·02			·13			·06			17
18							·04		·33				18
19		·01							·02	·13	·02		19
20				·14	·01		·01	·46		·44	·04		20
21			·03	·16	·61			1·35		·38	·34	·04	21
22			·33		·04		·12		·41	·11			22
23		·07	·04						·10	·60	·01	·09	23
24		·03		·01			·52		·03	·06	·31		24
25							·18		·19	·41	·07		25
26			·03	·34	·11		·04					·01	26
27			·42	·10	·63		·21		·09	·06	·18		27
28			·27	·01	·25	·35	·51			·18	·01		28
29			·31	·03	·37	·02	·01	·18	·03	·32	·08		29
30	·02	×	·15		·11	·61		·02	·06	·09	·25	·15	30
31		×	·01	×	·02	×	·02		×		×	·05	31
TOTAL	1·60	·29	1·81	2·32	4·89	1·05	2·24	2·86	1·93	4·00	1·68	·56	YEAR'S TOTAL 25·23
*Days with ·01 in. or more.	12	10	14	23	22	5	17	8	18	21	17	9	176
*Days with .04 in. or more.	9	2	8	15	16	3	12	6	12	19	19	5	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 974

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Newlands, Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 271 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·18	·10								·03			1
2	·27		·23		·02									2
3		·16	·13		·02						·01			3
4	·13	·01	·11		·11						·06			4
5	·02	·01	·15		·24									5
6		·10	·04		·44					·12	·06	·02		6
7	·04	·11			·04					·04	·01			7
8	·08	·01	·10		·05		·02							8
9					·13		·11			·04	·18			9
10		·04			·01	·04	·14			·21				10
11	·07					·06	·03	·11		·01				11
12					·01	·08			·38			·01		12
13	·02				·15	·11	·19		·05		·17			13
14								·03		·22	·53			14
15	·35		·03				·24	·05		·04	·17			15
16	·05		·55		·02	·15	·14			·07	·03			16
17	·04	·01	·28			·04	·02		·06		·02			17
18	·02	·09	·05			·06					·01			18
19		·04	·19			·11			·18			·03		19
20		·01	·01	·12		·12			·03		·02			20
21		·01				·07		·07	·41	·01				21
22						·05		·36		·13	·04			22
23				·17					·47		·01			23
24		·34		·11	·05	·12			·25		·08			24
25		·27		·35	·01	·09			·03		·03	·10		25
26		·47		·02	·03	·15			·21	·10	·01	·09		26
27					·61				·15	·11		·06		27
28					·03				·02	·35		·03		28
29				·25			·07			·09				29
30	·13	×					·05			·03		·07		30
31	·07	×	·03	×		×		·18	×	·08	×			31
TOTAL	1·41	1·86	2·00	1·22	1·97	1·25	1·03	·75	2·24	1·65	1·47	·41	Year's Total 17·26	
*Days with ·01 in. or more.	14	16	14	6	17	14	10	6	12	16	18	8	151	
*Days with .04 in. or more.	11	10	11	5	9	14	7	5	9	13	8	4	106	

40-9999

*See Instruction 2 (*f*) on other side. D

† Spare column, no entries required.

(*Signed*) F. Rawson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 974

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Newlands, Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 271 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·14	·04	·01	·01	·26		1
2	·09		·05		·02				·60	·11		·16		2
3	·01	·10		·12						·72		·02		3
4	·07	·03	·02							·20	·10	·28		4
5			·09		·03			·03			·01	·22		5
6			·08	·02	·51	·15		·02		·13		·41		6
7	·02					·07		·15		·04		·16		7
8					·08			·04	·03		·12	·02		8
9	·01		·02					·02			·74	·42		9
10	·02		·13	·10				·06			·31			10
11	·32		·24	·03				·01			·04	·07		11
12	·01		·02					·30			·01	·04		12
13	·43		·03	·01			·49	·11			·06	·27		13
14	·03		·40		·03					·07	·28	·19		14
15	·02		·08		·04				·06	·02	·09	·22		15
16	·15		·20		·02					·11	·01	·02		16
17	·01								·02	·07		·24		17
18	·14			·24			·04					·05		18
19			·14	·05		·23						·12		19
20			·22	·01		·02	·03							20
21			·04	·03		·09		·05		·12				21
22								·09	·19					22
23				·22		·12		·06	·01			·06		23
24		·01	·07	·24		·03	·42		·12					24
25	·11	·21		·15		·14						·27		25
26	·07	·01	·04	·14		·01			·02	·03		·14		26
27	·01	·15		·01		·11				·01		·26		27
28		·16		·34		·13		·72			·03	·33		28
29							·03	·10	·09	·01	·13			29
30	·09	×								·02		·05		30
31	·02	×		×		×			×	·29	×	·11		31
													Year's Total.	
TOTAL	1·69	·67	1·87	1·71	·73	1·10	1·01	1·88	1·18	1·96	1·94	4·39	20·13	
* Days with .01 in. or more.	20	7	17	15	7	11	5	15	10	16	14	25	162	
* Days with .04 in. or more.	11	4	13	9	3	8	3	11	6	10	9	22	109	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) F. Ransom

P.T.O.

Copy from original record.

~~COPY FOR OFFICIAL USE.~~

Section **A** for the entry of Daily Observations. Station No. 974

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hitchin, Newlands

in the County of Hertfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

December word. for W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24			·02		·06	·02		·03	·01	·11	·28		1
2	·02		·01	·01						·16	·04			2
3		·52	·08	·09		·16		·03	·10	·56	·10			3
4				·18		·06			·49	·08				4
5		·93	·07	·17		·21			·20		·02			5
6	·07	·01	·01	·27		·31					·03			6
7	·04			·38		·03				·03	1·22	·02		7
8				·15				·02		·29	·06	·11		8
9				·20		·36				·90	·09	·08		9
10		·01		·13							·06	·02		10
11	·23					·05				·03	·23	·05		11
12		·03				·43		·03			·30			12
13	·11	·13		·20	·23	·03					·03			13
14					·17	·02					·19			14
15		·17		·41	·03	·07			·13		·25	·06		15
16		·07	·02	·06		·35			·15	·03	·65	·19		16
17				·04		·09					·57	·13		17
18				·36	·22	·21	·09		·37	·05	·01			18
19	·01				·44	·09	·31		·05	·01	·09			19
20	·03	·12		·11	·36	·05	·17		·08		·03	·05		20
21		·21								·01	·11			21
22		·02	·20					·05	·43		·02			22
23	·01	·02	·16					·59						23
24	·07	·40	·02					·05	·36			·03		24
25	·18	·13		·26		·40						·29		25
26	·20	·05		·01				·18	·11	·03	·10	·11		26
27	·06	·25			·16				·07	·01		·41		27
28		·15			·01			·02	·15	·01		·26		28
29	·01								·88			·04		29
30	·03	X		·10	·15			·57		·02	·28	·21		30
31		X		X		X		·02	X	·55	X	·24		31
TOTAL	1·31	3·22	·57	3·15	1·77	2·98	·59	1·56	3·60	2·78	59 4·~~21~~	·16 2·~~58~~ ·46	Year's Total. 58 28·~~42~~	
* Days with .01 in. or more.	15	17	8	19	9	18	4	10	15	17	3 2~~2~~	18	3 17~~2~~	
* Days with .04 in. or more.	9	12	4	16	7	15	3	5	14	7	7 1~~6~~	15	4 12~~3~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) The ~~Late~~ F. Ransom Esq.

[P.T.O.

974/5

974/5
HITCHIN
CHILTERN RD.
1931- 1933
780206

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE **93**1.

Kept at HITCHI

in the County of HERT

last published 1925

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.04	0.01	0.02	0.05	0.09	—	—	0.05	—	—	—	1
2	0.04	0.07	—	0.30	—	trace	—	trace	0.38	—	—	0.03	2
3	0.02	trace	—	0.10	0.49	—	—	0.04	0.70	—	0.02	0.09	3
4	—	0.04	—	0.06	—	—	0.13	0.51	0.01	—	0.16	trace	4
5	—	—	—	0.12	0.03	0.34	0.11	0.05	0.08	—	trace	0.28	5
6	—	0.11	—	0.04	—	0.09	—	—	—	0.21	0.57	—	6
7	—	—	—	—	—	0.09	1.33	0.26	—	—	0.10	0.02	7
8	0.01	0.05	0.09	trace	—	0.06	—	0.42	—	0.01	0.02	—	8
9	—	0.06	trace	0.02	—	0.08	0.01	0.01	0.01	trace	0.29	trace	9
10	0.01	0.07	trace	—	—	0.02	0.13	0.19	trace	—	0.20	0.01	10
11	0.08	0.33	—	—	—	trace	—	—	0.03	—	0.04	—	11
12	—	0.03	—	0.02	—	—	—	0.01	0.26	—	—	—	12
13	—	—	—	—	—	—	0.29	0.05	—	—	—	—	13
14	0.04	0.07	—	—	0.04	0.01	1.38	0.31	—	—	0.01	—	14
15	0.02	0.01	—	0.19	0.11	trace	0.29	0.19	—	—	0.01	—	15
16	0.01	0.12	—	0.10	0.22	0.02	—	0.56	0.02	—	—	—	16
17	trace	—	—	0.21	0.19	0.03	0.12	0.03	0.26	0.01	—	—	17
18	0.03	0.10	—	0.24	0.01	0.16	0.01	0.21	—	—	0.50	—	18
19	0.03	—	—	0.48	—	0.50	0.09	0.01	0.07	—	trace	—	19
20	0.01	0.02	—	0.05	—	—	0.15	0.25	—	0.01	—	—	20
21	0.01	trace	—	trace	0.77	—	—	0.02	0.02	—	—	—	21
22	0.14	—	—	0.01	0.01	—	—	—	0.05	—	trace	—	22
23	0.25	0.01	—	0.03	0.35	0.37	—	—	0.03	—	0.15	0.03	23
24	—	—	—	0.25	0.10	0.02	0.05	—	0.02	—	—	—	24
25	0.02	—	—	0.38	0.04	—	0.46	—	trace	—	0.04	—	25
26	—	0.01	—	0.20	0.01	—	0.77	—	trace	—	0.16	—	26
27	0.11	0.44	—	0.01	0.04	—	0.09	—	—	—	0.22	—	27
28	0.08	0.16	—	trace	0.02	—	—	—	—	0.01	0.01	0.10	28
29	0.05	—	—	0.23	0.01	—	0.06	—	—	0.20	0.01	trace	29
30	0.12	×	—	—	0.01	—	0.01	0.06	—	—	—	—	30
31	0.11	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1.19	1.74	0.10	3.06	2.50	1.87	5.48	3.18	1.99	0.45	2.51	0.56	YEAR'S TOTAL 24.63
*Days with ·01 in. or more.	20	18	2	21	18	14	18	18	15	6	17	7	174
*Days with ·04 in. or more.	10	13	1	15	11	9	15	13	8	2	11	3	111

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Alfred Latchmore

P.T.O.

Late NP.

974/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at HITCHIN (Chilter Rd)
in the County of HERTFORD

Resumed. last published 1925

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 297 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0.06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.04	0.01	0.02	0.05	0.09	—	—	0.05	—	—	—	1
2	0.04	0.07	—	0.30	—	trace	—	trace	0.38	—	—	0.03	2
3	0.02	trace	—	0.10	0.49	—	—	0.04	0.70	—	0.02	0.09	3
4	—	0.04	—	0.06	—	—	0.13	0.51	0.01	—	0.16	trace	4
5	—	—	—	0.12	0.03	0.34	0.11	0.05	0.08	—	trace	0.28	5
6	—	0.11	—	0.04	—	0.09	—	—	—	0.21	0.57	—	6
7	—	—	—	—	—	0.09	1.33	0.26	—	—	0.10	0.02	7
8	0.01	0.05	0.09	trace	—	0.05	—	0.42	—	0.01	0.02	—	8
9	—	0.06	trace	0.02	—	0.08	0.01	0.01	0.01	trace	0.29	trace	9
10	0.01	0.07	trace	—	—	0.02	0.13	0.19	trace	—	0.20	0.01	10
11	0.08	0.33	—	—	—	trace	—	—	0.03	—	0.04	—	11
12	—	0.03	—	0.02	—	—	—	0.01	0.26	—	—	—	12
13	—	—	—	—	—	—	0.29	0.05	—	—	—	—	13
14	0.04	0.07	—	—	0.04	0.01	1.38	0.31	—	—	0.01	—	14
15	0.02	0.01	—	0.19	0.11	trace	0.29	0.19	—	—	0.01	—	15
16	0.01	0.12	—	0.10	0.22	0.02	—	0.56	0.02	—	—	—	16
17	trace	—	—	0.21	0.19	0.03	0.12	0.03	0.26	0.01	—	—	17
18	0.03	0.10	—	0.24	0.01	0.16	0.01	0.21	—	—	0.50	—	18
19	0.03	—	—	0.48	—	0.50	0.09	0.01	0.07	—	trace	—	19
20	0.01	0.02	—	0.05	—	—	0.15	0.25	—	0.01	—	—	20
21	0.01	trace	—	trace	0.77	—	—	0.02	0.02	—	—	—	21
22	0.14	—	—	0.01	0.01	—	—	—	0.05	—	trace	—	22
23	0.25	0.01	—	0.03	0.35	0.37	—	—	0.03	—	0.15	0.03	23
24	—	—	—	0.25	0.10	0.02	0.05	—	0.02	—	—	—	24
25	0.02	—	—	0.38	0.04	—	0.46	—	trace	—	0.04	—	25
26	—	0.01	—	0.20	0.01	—	0.77	—	trace	—	0.16	—	26
27	0.11	0.44	—	0.01	0.04	—	0.09	—	—	—	0.22	—	27
28	0.08	0.16	—	trace	0.02	—	—	—	—	0.01	0.01	0.10	28
29	0.05	—	—	0.23	0.01	—	0.06	—	—	0.20	0.01	trace	29
30	0.12	×	—	—	0.01	—	0.01	0.06	—	—	—	—	30
31	0.11	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1.19	1.74	0.10	3.06	2.50	1.87	5.48	3.18	1.99	0.45	2.51	0.56	YEAR'S TOTAL 24.63
*Days with ·01 in. or more.	20	18	2	21	18	14	18	18	15	6	17	7	174
*Days with ·04 in. or more.	10	13	1	15	11	9	15	13	8	2	11	3	111

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Alex Latchmore

Late NP.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 974/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HITCHIN

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 297 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	0.04	—	0.06	0.88	0.04	0.16	0.15	0.06	0.26	trace	0.03	1
2	0.01	—	—	0.16	0.12	trace	—	trace	0.16	0.08	0.01	0.14	2
3	—	—	—	0.17	0.33	—	—	—	0.06	—	—	—	3
4	trace	0.01	—	0.02	—	—	—	—	—	—	0.17	—	4
5	0.15	0.01	0.03	—	0.03	trace	0.14	—	0.08	—	—	—	5
6	0.39	—	0.02	0.01	0.06	—	0.02	—	0.07	—	—	—	6
7	0.01	—	0.11	0.07	0.02	trace	—	—	0.01	0.01	—	—	7
8	—	0.01	0.02	0.05	—	—	—	—	0.11	0.10	—	—	8
9	0.05	0.02	—	0.03	0.47	—	—	—	—	0.07	—	—	9
10	0.17	0.03	0.02	0.11	0.04	0.01	—	—	0.02	0.02	0.01	—	10
11	—	0.03	—	0.15	0.02	0.07	0.09	0.48	0.01	0.02	0.06	0.01	11
12	0.03	—	—	0.01	0.09	trace	—	0.03	—	0.26	0.02	—	12
13	0.05	0.02	—	0.17	0.01	—	0.02	—	0.01	0.05	0.05	0.01	13
14	0.17	0.02	—	0.03	0.01	—	trace	—	—	0.05	0.01	—	14
15	trace	0.01	—	0.08	0.09	—	0.03	0.01	—	0.10	—	—	15
16	0.17	—	trace	0.24	0.20	—	—	—	—	—	—	—	16
17	—	—	—	0.01	—	—	0.18	—	—	0.06	—	—	17
18	trace	—	—	—	trace	—	0.03	—	0.24	—	—	—	18
19	—	trace	—	—	—	—	—	—	0.01	0.13	0.01	trace	19
20	trace	—	—	0.11	0.01	—	0.01	0.86	—	0.61	0.03	trace	20
21	—	—	0.03	0.15	0.56	—	—	0.93	—	0.40	—	0.03	21
22	—	—	0.28	—	0.03	—	0.15	—	0.40	0.12	0.32	—	22
23	—	0.07	0.03	—	0.01	—	—	—	0.09	0.57	0.01	0.06	23
24	—	0.01	—	0.01	—	—	0.43	—	0.01	0.04	0.23	trace	24
25	—	trace	—	—	—	0.02	0.17	—	0.26	0.35	0.05	trace	25
26	—	trace	0.02	0.32	0.11	—	0.05	—	—	0.01	—	—	26
27	—	—	0.38	0.09	0.64	—	0.18	—	0.10	0.04	0.14	—	27
28	—	—	0.25	trace	0.34	0.33	0.54	—	—	0.17	—	—	28
29	0.01	—	0.29	0.02	0.29	0.01	0.01	0.14	0.02	0.22	0.07	—	29
30	0.01	×	0.12	—	0.16	0.47	—	0.01	0.05	0.05	0.21	0.13	30
31	—	×	0.01	×	0.01	×	—	—	×	—	×	0.03	31
TOTAL	1.28	0.27	1.61	2.07	4.53	0.95	2.21	2.61	1.77	3.79	1.40	0.44	YEAR'S TOTAL 22.93
*Days with ·01 in. or more.	13	12	14	22	24	7	16	8	19	24	16	8	183
*Days with .04 in. or more.	8	2	6	14	15	4	10	5	12	20	9	3	108

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Alfred Latchmore

P.T.O,

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 974/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 298 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.15	0.09	trace	—	—	—	—	—	trace	0.02	—	1
2	0.24	—	0.16	—	0.02	—	—	—	—	trace	—	—	2
3	trace	0.13	0.10	—	0.01	—	—	—	—	—	—	—	3
4	0.07	trace	0.08	—	0.12	—	—	—	—	—	0.06	—	4
5	0.02	trace	0.13	—	0.22	—	—	—	—	—	0.06	—	5
6	—	0.08	0.04	—	0.44	—	—	—	—	0.11	—	0.02	6
7	0.05	0.09	—	—	0.02	—	—	—	—	0.04	—	—	7
8	0.04	—	0.08	—	0.05	—	0.02	—	—	0.01	—	—	8
9	—	—	—	—	0.11	—	0.10	—	—	0.03	0.19	—	9
10	—	0.03	—	—	trace	0.06	0.09	—	—	0.16	trace	—	10
11	0.07	—	—	—	trace	0.04	0.04	0.11	—	trace	—	—	11
12	—	—	—	—	0.01	0.08	0.01	—	0.42	—	—	0.02	12
13	0.02	—	—	—	0.18	0.11	0.15	—	0.04	—	0.15	—	13
14	—	—	—	—	trace	0.01	trace	0.01	—	0.26	0.50	0.02	14
15	0.32	—	0.03	—	—	—	0.40	0.03	—	0.03	0.11	—	15
16	0.04	—	0.33	—	0.01	0.15	0.04	—	—	0.06	0.02	—	16
17	0.04	—	0.24	—	—	0.05	0.01	—	0.05	—	0.01	—	17
18	—	0.12	0.04	—	—	0.10	—	—	—	—		—	18
19	—	0.06	0.16	trace	—	0.15	—	—	0.19	—	—	0.07	19
20	—	trace	trace	0.12	—	0.08	trace	—	trace	—	0.01	—	20
21	—	0.01	—	—	—	0.03	—	0.07	0.39	0.01	trace	—	21
22	—	—	—	—	—	trace	—	0.38	—	0.09	0.03	—	22
23	—	—	—	0.15	—	—	—	—	0.54	trace	0.02	—	23
24	—	0.31	—	0.10	0.05	0.07	—	—	0.04	trace	0.07	—	24
25	—	0.24	—	0.35	0.03	0.25	—	—	0.02	—	0.04	0.07	25
26	—	0.48	—	0.01	0.01	0.19	—	—	0.14	0.09	—	0.08	26
27	—	—	—	—	0.63	—	—	—	0.08	0.06	—	0.03	27
28	—	trace	—	—	0.01	—	—	—	0.01	0.31	—	0.02	28
29	0.09	×	—	0.47	—	—	0.03	—	—	0.10	—	trace	29
30	0.12	×	0.02	—	—	—	0.02	—	trace	0.01	—	0.05	30
31	0.03	×	0.03	×	—	×	—	0.13	×	0.05	×	—	31
TOTAL	1.23	1.70	1.53	1.20	1.92	1.37	0.91	0.73	1.92	1.42	1.29	0.32	YEAR'S TOTAL 15.54
*Days with ·01 in. or more.	14	11	14	6	16	14	11	6	11	16	14	9	142
*Days with .04 in. or more.	11	9	11	5	8	12	6	4	9	11	8	3	97

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) .... [P.T.O.

Section **A** for the entry of Da

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGISTE

93/ .

975

HITCHIN

HIGH DOWN

1931 - 40

740206

975

Kept at High Down

in the County of Herts

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

ary ·08 in. for March 9th.

arch

shewn in Red.

days

Struck 23/2/32.

6/2/32

THE MORNING MEASUREM ... **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·07	tr	·08	·04	·06	—	—	·07	—	—	—	1
2	·05	·10	—	·31	·01	tr	·03	—	·38	·01	tr	·04	2
3	·02	·01	—	·11	·43	—	—	·01	·75	—	·04	·11	3
4	—	·06	—	·09	·03	—	·08	·55	·12	—	·23	tr	4
5	—	tr	—	·12	·11	·40	·10	·03	·05	—	·03	·36	5
6	—	·13	—	·05	·01	·58	—	—	tr	·23	·52	tr	6
7	—	·01	—	tr	—	·05	1·65	·29	—	·01	·13	·03	7
8	·02 snow	·04	—	·01	tr	·07	·01	·79	—	·02	·04	tr	8
9	tr	·06	·08 ~~·80~~	tr	—	·12	—	·01	—	·01	·26	·01	9
10	·02	·08	·02 ~~·20~~	·02	—	·04	·26	·21	—	—	·33 th: hail snow	tr	10
11	·11	·24	·11	tr	—	·01	—	tr	·04	·01 fog thunder	·32	tr	11
12	·01	·04 snow	—	·02	—	—	·04	·02	·29	—	·01	tr	12
13	·01 snow	tr	—	—	}	tr	·14	·04	·01	—	tr	tr	13
14	·03	·12	—	—	·02	·02	1·25	·32	—	—	·03	—	14
15	·02	·02	—	·14	·07	—	·23	·22	—	tr mist	·02	·04	15
16	·01	·16 snow	—	·10	·24	·03	tr	·24	·02	—	—	—	16
17	tr	·03	—	·21	·25	—	·12	·07	·22	tr	·01	—	17
18	·04	·11	—	·18	·01	·17	·03	·22	—	—	·48	—	18
19	·03	·01	—	·25	—	·14	·16	·03	·09	—	·01	tr	19
20	·01	·01 sleet	—	·03	tr	·01	·13	·19	—	·03	·01	tr	20
21	·01	·01	·02	·02	·85	—	·01	·01	·02	—	tr	—	21
22	·19	tr	—	·03	·01	—	—	—	·03	—	tr	—	22
23	·26	·02	—	tr	·31	·31	—	—	·01	—	·16	·03	23
24	·01	tr	—	·22	·15	·03	·05	—	·02	—	·01	·01	24
25	·01	tr	—	·38	·03	—	·45	—	—	·01 hail rain	·05	·01	25
26	—	·02	—	·20	·01	tr	·74	tr Dew	—	—	·18	—	26
27	·11	·42	—	·02	·05	—	·08	—	—	—	·18	—	27
28	·10	·10 snow	—	·01	·01	—	tr	—	—	·01	·06	·15	28
29	·06	—	—	·12	·01	—	·08	—	—	·22	·02	·01	29
30	·09	×	—	·01	·01	—	·01	·06	—	—	·01	—	30
31	·08	×	—	×	—	×	—	·01	×	—	×	—	31 26·47
TOTAL	1·35	1·87	~~1·18~~ ·23	2·73	2·66	2·04	5·65	3·32	2·12	·56	3·14	·80	YEAR'S TOTAL ~~27·37~~
*Days with ·01 in. or more.	24	23	4	24	21	15	21	19	15	19	24	11	210
*Days with ·04 in. or more.	11	14	2	15	10	10	16	12	7	2	14	6	~~120~~ 119

40-9999

(*Signed*) Ellen Pollard

P.T.O.

*See Instruction 2 (*f*) on other side.

975

Section **A** for the entry of Dai

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at High Down Hitchin

in the County of Herts:

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 421·374 ft.

906 sent 18/2/32, suggesting ·08 in. for March 9th.

Observer's amendments are shown in Red. See March and day 23/2/32.

6/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·07	tr	·08	·04	·06	—	—	·07	—	—	—	1
2	·05	·10	—	·31	·01	tr	·03	—	·38	·01	tr	·04	2
3	·02	·01	—	·11	·43	—	—	·01	·75	—	·04	·11	3
4	—	·06	—	·09	·03	—	·08	·55	·12	—	·23	tr	4
5	—	tr	—	·12	·11	·40	·10	·03	·05	—	·03	·36	5
6	—	·13	—	·05	·01	·58	—	—	tr	·23	·52	tr	6
7	—	·01	—	tr	—	·05	1·65	·29	—	·01	·13	·03	7
8	·02 snow	·04	—	·01	tr	·07	·01	·79	—	·02	·04	tr	8
9	tr	·06	~~·80~~ ·08	tr	—	·12	—	·01	—	·01	·26	·01	9
10	·02	·08	~~·20~~ ·02	·02	—	·04	·26	·21	—	—	·33 thi hail snow	tr	10
11	·11	·24	·11	tr	—	·01	—	tr	·04	·01 fog thunder	·32	tr	11
12	·01	·04 snow	—	·02	—	—	·04	·02	·29	—	·01	tr	12
13	·01 snow	tr	—	—	}	tr	·14	·04	·01	—	tr	tr	13
14	·03	·12	—	—	·02 }	·02	1·25	·32	—	—	·03	—	14
15	·02	·02	—	·14	·07	—	·23	·22	—	tr mist	·02	·04	15
16	·01	·16 snow	—	·10	·24	·03	tr	·24	·02	—	—	—	16
17	tr	·03	—	·21	·25	—	·12	·07	·22	tr	·01	—	17
18	·04	·11	—	·18	·01	·17	·03	·22	—	—	·48	—	18
19	·03	·01	—	·25	—	·14	·16	·03	·09	—	·01	tr	19
20	·01	·01 sleet	—	·03	tr	·01	·13	·19	—	·03	·01	tr	20
21	·01	·01	·02	·02	·85	—	·01	·01	·02	—	tr	—	21
22	·19	tr	—	·03	·01	—	—	—	·03	—	tr	—	22
23	·26	·02	—	tr	·31	·31	—	—	·01	—	·16	·03	23
24	·01	tr	—	·22	·15	·03	·05	—	·02	—	·01	·01	24
25	·01	tr	—	·38	·03	—	·45	—	—	·01 hail rain	·05	·01	25
26	—	·02	—	·20	·01	tr	·74	tr Dew	—	—	·18	—	26
27	·11	·42	—	·02	·05	—	·08	—	—	—	·18	—	27
28	·10	·10 snow	—	·01	·01	—	tr	—	—	·01	·06	·15	28
29	·06	—	—	·12	·01	—	·08	—	—	·22	·02	·01	29
30	·09	✕	—	·01	·01	—	·01	·06	—	—	·01	—	30
31	·08	✕	—	✕	—	✕	—	·01	✕	—	✕	—	31 26.47
TOTAL	1·35	1·87	~~1·13~~ ·23	2·73	2·66	2·04	5·65	3·32	2·12	·56	3·14	·80	YEAR'S TOTAL ~~27·37~~
*Days with ·01 in. or more.	24	23	4	24	21	15	21	19	15	10	24	11	21[illegible]
*Days with ·04 in. or more.	11	14	2	15	10	10	16	12	~~6~~ 7	2	14	6	~~120~~ 119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ellen Pollard

[P.T.O.

167173/32

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at High Down Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 421·374 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·04	—	·10	·90	·03	·12	·16	·05	·28	·01	·02	1
2	·01	tr	—	·19	·08	·01	—	·01	·19	·09	·03	·15	2
3	tr	tr	—	·09	·25	—	—	·01	·06	·01	·01	·01	3
4	tr	tr	—	·01	tr	—	—	—	tr	—	·17	·01	4
5	·14	tr	·04	—	·02	—	·14	—	·09	—	·01	·01	5
6	·25	tr	·03	·01	·03	—	·04	—	·10	—	—	·02	6
7	·03	tr	·11	·17	tr	—	·01	—	·01	·03	—	·01	7
8	·01	·01	·03	·07	—	—	—	—	·22	·12	—	·01	8
9	·07	·03 snow	tr	·03	·49	—	—	—	tr	·03	—	—	9
10	·31	·01 snow	·01 snow	·12	·05	·11	—	—	·02	·03	·01 fog	—	10
11	·02	·03 snow	—	·15 snow sleet	·04	—	·22	·30	tr	·02	·03	·01 sleet	11
12	·05	—	tr	·01	·13	—	·01	·04	·01	·40	·03	·01	12
13	·03	·03	tr	·14	·01	—	·02	—	·01	·04	·02	·01	13
14	·19	tr	tr	·04	·01	—	—	—	tr	·05	·01	·01	14
15	·01	tr	—	·03	·27	—	·04	·01	—	·10	tr	·01	15
16	·25	—	—	·18	·01	—	—	—	—	·01	—	tr	16
17	·01	—	·01	·01	·01	—	·04	tr	—	·13	—	tr	17
18	tr	tr	—	tr	tr	—	·02	—	·23	—	·01	—	18
19	tr	·01	tr	—	·01	—	·01	—	·01	—	·02	tr	19
20	·01	tr	tr	·10	tr	—	—	1·15	—	·72	·04	·01	20
21	·01	tr	·07	·37	·69	—	—	1·20	—	·39	—	·02	21
22	tr	·01	·29	·01	·05	—	·21	·01	·42	·09	·27	tr	22
23	tr	·07	·05	tr	·01	—	·01	—	·07	·61	·02	·07	23
24	—	·01	·01	tr	·01	—	·64	—	·03	·03	·20	tr	24
25	tr	·01	tr	tr	·01	—	·24	—	·24	·32	·06	·01	25
26	·01	·01	·02	·39	·10	—	·08	—	·02	·01	·01	tr	26
27	tr	~~tr~~	·42	·09	·64	—	·19	—	—	·03	·15	tr	27
28	tr	tr	·19	·02	·51	·28	·57	—	—	·09	·01	tr	28
29	·01	—	·21	·07	·12	·02	·01	·12	·02	·23	·16	~~tr~~	29
30	tr	×	·22	·01	·10	·34	—	·04	·07	·09	·20	·13	30
31	tr	×	·03	×	·02	×	·02	·01	×	·01	×	·04	31
TOTAL	1·48	·27	1·74	2·41	4·57	·79	2·64	3·06	1·87	3·96	1·48	·57	YEAR'S TOTAL 24·84
*Days with ·01 in. or more.	19	12	16	24	26	6	20	12	19	26	22	19	221
*Days with ·04 in. or more.	8	2	9	15	15	3	12	7	11	16	8	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ellen Pollard

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~975~~ 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at High Down Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 421·374 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·19	·09	·01	tr	—	—	—	—	—	·03	—		1
2	·15	·01	·20	tr	·02	—	—	tr	—	—	tr	—		2
3	·01	·13	·10	—	·04	—	—	—	—	—	tr	—		3
4	·12	·01	·11	—	·11	—	—	—	—	—	tr	—		4
5	·04	·01	·12	—	·22	—	—	—	—	—	tr	—		5
6	tr	·05	·15	—	·41	—	—	—	—	·04	·06	—		6
7	·04	·09	·01	—	·03	—	—	—	—	·09	·01	—		7
8	·06	·01	·12	—	·04	—	·03	—	—	·02	—	—		8
9	—	tr	·01	—	·12	—	·11	—	—	·03	·17	—		9
10	·01	tr hail	tr	—	·01	·04	·22	—	—	·26	·01	—		10
11	·08	tr Snow	tr	—	tr	·05	·10	·15	—	·01	·01	—		11
12	·02	tr	tr	—	·01	·07	·01	·01	·33	—	tr	·02		12
13	·03	—	tr	—	·17	·12	·14	—	·06	·01	·13	—		13
14	·01	—	—	—	·01	·01	·01	·02	tr	·29	·52	·02		14
15	·19 snow	—	·05	—	tr	—	·31	·09	—	·03	·12	—		15
16	·14	·01	·55	—	·02	·13	·06	·01	—	·08	·04	tr		16
17	·02	·01 snow	·33	—	·01	·07	·03	—	·05	·01	·01	—		17
18	·04	·08 snow	·04	—	—	·10	·01	—	—	·01	·01	—		18
19	·06	·06 snow	·25	—	—	·08	—	—	·33	—	·01	·02		19
20	tr	·01	·02	·06	—	·03	—	—	·01	—	·01	—		20
21	—	·01	·01	·01	·01	·02	—	·03	·40	·01	·01	·01		21
22	·01	—	—	—	tr	·22	—	·32	·01	·20	·04	tr		22
23	—	—	—	·12	—	tr	—	·01	·38	·01	·01	—		23
24	—	·30 snow	—	·13	·07	·12	—	tr	·24	—	·07	—		24
25	—	·29 Snow & rain	—	·30	·01	·22	—	—	·03	·01	·02	·10		25
26	—	·43 rain	—	·02	·04	·20	—	—	·14	·09	tr	·10		26
27	—	·01	—	·01	·48	·01	—	—	·17	·06	tr	·06		27
28	—	·01	—	tr	·03	—	—	—	·01	·32	tr	·03		28
29	·04		—	·18	·01	—	·04	—	·01	·10	tr	·01		29
30	·16	×	·03	·01	tr	—	·02	—	·01	·01	tr	·06		30
31	·06	×	·04	×	tr	×	—	·14	×	·10	×			31
TOTAL	1·40	1·72	2·23	·85	1·87	1·49	1·09	·78	2·28	1·79	1·29	·43	Year's Total 17·22	
*Days with ·01 in. or more.	~~27~~	~~19~~	~~18~~	~~10~~	~~21~~	~~16~~	~~13~~	~~9~~	~~15~~	~~22~~	~~19~~	~~10~~	~~193~~	
*Days with ·04 in. or more.	14	9	13	5	10	12	7	4	10	11	8	4	107	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Ellen Pollard

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at High Down Hitchin

in the County of Herts

Diameter of Funnel of Gauge 4·50 in. cap 5 in gauge

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 421·374 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	tr	·01	tr	—	—	—	·18	·07	—	tr	·29		1
2	·07	tr	·05	—	·02	—	—	·01	·48	·10	—	·11		2
3	·01	·10	·01	·11	—	—	—	—	·01	·50	—	·01		3
4	·05	·02	·01	·01	tr	—	—	—	—	·13	·20	·23		4
5	·01	tr	·09	·02	·02	—	—	·02	—	·01	·02	·19		5
6	tr	·01	·07	·03 [illegible]	·48	·17	—	tr	—	·13	·01	·39		6
7	·01	—	·01	·01	·01	·03	—	·17	—	·05	·16	·12		7
8	tr	—	tr	—	·06	·03	—	·05	·04	·07	—	·03		8
9	·01	—	·02	—	·01	—	—	·01	tr	·14	·82	·36		9
10	·01	—	·09	·10	—	—	—	·03	—	·06	·38	·01		10
11	·29	·01	·33	·04	—	—	—	·01	—	·01	·05	·08		11
12	·01	tr	·09	·01	—	—	·01	·22	—	—	·01	·05		12
13	·41	tr fog	·03	·01	—	—	·80	·13	—	—	·06	·35		13
14	·03	·01	·42	tr	·01	—	—	·01	—	—	·23	·19		14
15	·01	·01	·06	tr	·06	—	—	tr	·20	—	·05	·07		15
16	·15	·01	·18	—	·05	—	—	—	tr	—	·01	·01		16
17	·04	tr	·01	·01	·01	—	—	tr	·08	—	·02	·15		17
18	·20	tr	tr	·23	—	—	·13	—	·01	—	·01	·05		18
19	tr	—	·16	·13	—	·03	·01	—	·10	tr	·01	·04		19
20	—	—	·19	·01	—	·02	·07	—	·01	—	·01	·01		20
21	—	—	·04	·07	—	·12	—	·04	—	·13	·01	·01		21
22	—	—	·01	tr	—	·01	—	·10	·17	·01	tr	—		22
23	—	—	tr	·21	—	·15	—	·03	tr	tr	—	·03		23
24	—	·03	·10	·18	—	·04	·48	tr	·11	—	tr	·01		24
25	·15	·04	·01	·15	—	·13	·01	tr	·01	·06	—	·21		25
26	·03	·01 snow	·07	·18	—	·01	—	—	·02	·03	—	·11		26
27	·01	·20 Snow	tr	·02	—	·12	—	—	—	·03	—	·28		27
28	tr	·08	tr	·22	—	·26	—	·69	—	tr	·02	·35		28
29	—		tr	·01	—	·01	·05	·08	·17	·01	·13	·01		29
30	·07	×	·01	tr	—	—	·01	·01	·02	·08	·01	·06		30
31	·03	×	tr	×	—	×	·01	—	×	·26	×	·09		31
TOTAL	1·68	·53	2·07	1·76	·73	1·13	1·58	1·79	1·50	1·81	2·22	3·90	Year's Total. 20·70 ✓	
* Days with .01 in. or more.	~~21~~	~~12~~	~~24~~	~~21~~	~~10~~	~~14~~	~~10~~	~~17~~	~~15~~	~~18~~	~~20~~	~~30~~	212	
* Days with .04 in. or more.	10	4	14	11	4	7	5	9	9	12	9	9	103	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Ellen Pollard

[P.T.O.

COPY FOR OFFICIAL USE ✓

Section **A** for the entry of Daily Observations. Station No. 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at High Down

in the County of Herts

Diameter of Funnel of Gauge ~~5·00~~ 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 421·374 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	tr	tr	·03	·01	·09	·03	—	·05	·03	·11	·01		1
2	·01	—	tr	tr	tr	·06	—	—	—	·18	·08	—		2
3	tr	·56	·08	·04	—	·01	—	·02	·25	·38	·10	—		3
4	—	·01	·01	·18	—	·02	—	—	·39	·05	·02	—		4
5	—	·81	·07	·17	—	·14	—	—	·16	·01	·03	·01		5
6	·01	·02	·01	·23	—	·30	—	—	tr	—	·04	—		6
7	·04 snow	·01	·01	·46	—	·02	—	—	tr	·02	1·10	·13		7
8	tr	—	—	·17	—	—	—	—	—	·24	·11	·09		8
9	·01	—	—	·24	—	·52	—	—	—	·76	·09	·05		9
10	·01	·01	—	·20	—	·01	—	—	—	·01	·02	·02		10
11	·17	—	—	—	—	·04	Storm ·33	—	—	·08	·19	·01		11
12	·01	·06	—	—	—	·26	—	·06	—	·01	·13	tr		12
13	·11	·13	tr	·19	·20 Snow rain	·06	—	—	—	—	·01	tr		13
14	·01	·01	tr	·01	·10 hail Sn	·04	—	—	—	—	·22	·06 Snow		14
15	—	·16	tr	·38	·02	·31	—	—	·13	—	·30	·18		15
16	—	·07	·03	·02	tr	·10	—	—	·19	·05	·54	·12		16
17	—	tr	tr	·04	—	·11	·02	—	·01	—	·55	tr		17
18	—	—	tr	·40	·29 h. rain	·05	·22	—	·14	·04	·01	·01 Snow		18
19	·01	tr	—	·15	·50	·11	·16	—	·07	·01	·10	·04 Snow		19
20	·02	·14	—	·10	·10	·07	·07	—	·05	—	·04	—		20
21	·02	·16	—	·02	tr	tr	tr	—	·03	·02	·10	—		21
22	·01	·03	·13	·02	—	—	—	·08	·43	·01	·01	—		22
23	·01	·02	·16	tr	—	—	—	·50	·02	·02	tr	·08		23
24	·10	·34	·02	—	—	—	—	·03	·40	tr	—	·20		24
25	·19 Snow	·09	—	·26	—	·25	—	Tr Mist	tr	—	·01	·10		25
26	·06	·05	tr	·01	—	·02	—	·19	·11	·04	—	·34		26
27	·02	·20	—	—	·33	—	—	—	·09	·01	·09	·31		27
28	tr	·02	—	—	·06	—	—	·07	·15	·01	tr	·06		28
29	·02		—	—	—	—	—	tr	·64	—	·03	·20		29
30	·03	×	—	·08	·12	—	—	·67	·01	·02	·30	·27		30
31	·01	×	—	×	·01	×	—	·02	×	·55	×	·12		31
TOTAL	1·09	2·90	·52	3·40	1·74	2·59	1·03	1·64	3·32	2·55	4·33	2·41	Year's Total. 27·52	"d"
* Days with .01 in. or more.	22	20	9	22	11	21	6	9	19	22	26	21	208	
* Days with .04 in. or more.	7	12	4	16	8	16	4	6	15	10	8	5	111	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ellen Pollard [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at High Down Hitchin

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 421·374 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·15	·08	·32	–	·01	·10	·01	–	tr	·01	·06		1
2	·01	·01	·05	·03	–	·22	·84	·04	–	·01	·14	·08		2
3	·01	–	tr	tr	–	·12	·02	tr	·02	tr	·20	·01		3
4	–	–	·10	–	–	·06	tr	tr	·32	·01	·06	·08		4
5	·07	–	·03	–	–	·01	tr	·03	·07	tr	·02	·08 hail snow		5
6	·14	–	·01	–	·27 thunder	·13	·01	·12	·09	·01	·07	–		6
7	·25	–	·02	–	–	·03	·10	·01	·02	·04	·01	·02		7
8	·19	–	·04	–	·01	–	tr	·01	·01	·01	·20	·08		8
9	·30	–	·09	–	·03	·01	·64	·01	·08	·04	·01	·08		9
10	·02	–	·01	–	·01	–	·20	tr	·07	·04	·01	tr fog		10
11	·01	–	·01	·09 Sleet hail etc	–	–	·31	–	·01	·05	·61	tr snow		11
12	–	–	–	·16	·01	·47	·36	tr	·28	·01	·42	·21		12
13	–	–	–	·04	–	·80	·02	–	·01	·05	·09	·14		13
14	–	·10	–	·01	–	·05	·88	–	·07	·02	·01	·28		14
15	–	tr	–	tr	–	tr	·46	–	·17	·01	·01	·07		15
16	·20	·08	–	–	–	–	·01	–	·01	·01	·38	·02		16
17	·03 Snow	·48	–	–	–	–	tr	–	tr	·01	·13	·10		17
18	·29 snow	·08	–	–	–	·36	·11	–	–	·03	·01	–		18
19	–	·04	·01	·04	–	·10	·01	·03	–	·04	–	·02		19
20	·01	·10	·01	·24	–	·03	·05	–	·45	·01	–	–		20
21	–	·01	tr	·14	·03	·86	·01	tr	·39	·01	·01	–		21
22	·09 Snow	·39	·07	·01	·25	·05	·15	tr	·01	·05	–	·14		22
23	tr	·01	·01	·10	·02	tr	·05	–	·01	–	·02	·01		23
24	·13	·38	tr	·01	tr	–	·19	–	·09	·21	–	tr		24
25	·06	·01	·17	·09	tr	·28	·10	–	·26	·02	·05	·02		25
26	·01	·07	·19	·08	–	·04	·01	–	·02	·05	–	·01		26
27	·03	·01	·01	·01	–	·01	·01	–	·14	·05	–	tr		27
28	·53	·01	·05	tr	–	·24	·14	–	·01	·01	·01	·11		28
29	·30	·25 Snow	·07	–	–	·13	·02	–	·01	·03	·20	·02		29
30	·03	✕	·01	–	·18	·50	·08	–	tr	·21	·03	·01		30
31	·32	✕	·16	✕	·03	✕	·13	–	✕	·52	✕	·12		31 "d"
TOTAL	3·15	2·18	1·20	1·37	·84	4·51	5·01	·26	2·62	1·56	2·71	1·77	Year's Total 27·18	
* Days with .01 in. or more.	23	17	21	15	10	22	27	8	24	27	24	23	~~241~~	too big
* Days with .04 in. or more.	14	6	10	5	7	16	9	2	13	12	12	14	120	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ellen Pollard [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

ajr

~~Totals~~ KJ.

Kept at High Down Hitchin

in the County of Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 421:374 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·01	·02	·01	—	—	Tr	—	·03	—	·54	·44		1
2	·01	·07	·02	·40	—	—	—	—	·04	—	—	·17		2
3	Tr	·06	·12	·01	—	—	—	—	Tr	—	—	·15		3
4	·07	·37	·02	·13	—	—	—	—	—	—	·01	·81 snow		4
5	·14	·04	·19	·01	—	—	·02	—	—	—	Tr	Tr		5
6	·09	·01	·38	·01	·14	—	·13	—	—	·01	·03	—		6
7	·01	·66	—	·09	·03	—	·02	—	·01	—	Tr	—		7
8	·01	·01	Tr	·01	·25	·04	Tr	—	—	—	·21	·05 snow		8
9	—	·01	—	·20	·03	·01	·07	—	·12	Tr	Tr	·28 snow		9
10	·01	·04	·52	·01	·02	·34	·07	—	—	—	·01	·32		10
11	·01	Tr	·20	Tr	·70	—	Tr	—	—	Tr	—	·04		11
12	·12	·29	·06	—	·27	·35	·01	—	·09	—	—	·15		12
13	·14	·04	·20	·01	·01	·56	—	—	·09	—	—	·42		13
14	·04	·02	·32	·20	Tr	·01	—	·29	·03	—	—	·01		14
15	·12	·04	·01	·16	—	·19	1·77	·52	·13	—	—	·04		15
16	·14	·18	·40	·62	—	Tr	—	—	·39	—	·02	·04		16
17	·40	·01	·12	·34	—	·01	—	·09	·71	—	·03	—		17
18	·43	·11	·01	·06	·16	—	—	—	·04	Tr fog	·46	·01 snow		18
19	·11	·06	·02	·07	·02	·21	—	—	·37	·01 mist	·03	—		19
20	·33	·01	Tr	·38	·73	·10	—	–	·13	·01 mist	·01	—		20
21	·13	·36	·16	·04	·03	Tr	·05	x ·07	·01	Tr	—	·02		21
22	·30	·02	·01	·01	·06	·67	·06	·01	Tr	·39	·13	—		22
23	·20	Tr	·07	Tr	·65	Tr	·16	—	—	·75	·01	·03		23
24	·38	·33	·02	—	·01	—	Tr	—	·13	·17	—	—		24
25	·04	·31	Tr	—	·62	—	—	—	·03	·23	—	—		25
26	·01	·23	·02	—	·16	—	—	—	·01	·11	Tr	—		26
27	·01	·35	·01	·14	Tr	—	—	—	·02	·70	Tr	—		27
28	Tr	Tr	—	·05	—	—	—	—	—	·10	—	—		28
29	·04		Tr	Tr	—	·06	—	—	—	—	·07	·05		29
30	·30		Tr	Tr	—	·01	—	—	—	—	·08	—		30
31	·26		—		—		—	—		—		·05		31
TOTAL	4·04	3·64	2·90	2·96	3·88	2·56	2·36	·98	2·38	2·50	1·64	3·08	Year's Total 32·92	
* Days with .01 in. or more.	28	25	22	22	17	13	10	5	18	10	14	18	202	
* Days with .04 in. or more.	21	17	12	14	10	9	7	4	11	7	6	14	132	

† Spare column, no entries required.

(*Signed*) Ellen Pollard [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at High Down

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 421·374 ft.

Dec. 26th. corrected by observer. (see f. 167173/32) 14/1/39.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	Tr	·01	—	—	·28	—	—	·01	·01	—	·04		1
2	·10	—	·01	·01	·02	·03	·15 thunder	—	Tr	·19	Tr	·01		2
3	·04	—	—	—	·11	—	·10	—	·05	·56	·02	—		3
4	·03	—	·01	—	Tr	·03	Tr	—	—	·29	—	·10		4
5	—	—	—	—	Tr	—	·90	Tr	·01	·16	Tr mist	·01		5
6	·03	—	Tr	—	—	—	·04	·03	·07	·07	—	Tr		6
7	·04	Tr	—	—	—	—	·17	·12	·05	·25	—	·02		7
8	·10	—	Tr	—	—	—	·23	·62	·06	·14	Tr	·01		8
9	·11	Tr	—	—	—	—	·03	·55	Tr	—	—	·56		9
10	—	·04	·01	—	·05	·07	·06	·22	—	Tr	—	·03		10
11	·42	—	—	—	—	Tr	Tr	Tr	Tr	—	·09	·01		11
12	·14	·06 rain snow	Tr	—	·01	—	·01	·76	—	·39	·01	Tr		12
13	·01	·02 snow	—	—	·01	—	—	·01	—	·01	·05	·08		13
14	·17	·01 snow	—	—	·05	—	Tr	—	·07	—	Tr	Tr		14
15	·07	·02	—	—	—	—	·10	Tr	—	·07	Tr	·16		15
16	·18	·04	—	—	—	—	·03	Tr	—	·05	·02	·15		16
17	·01	Tr	—	—	·16	—	·20	—	·01	·05	Tr	·01		17
18	·03	Tr	—	Tr	·10	—	Tr	·01	·08	Tr	·30	—		18
19	·01	·01	—	—	—	—	—	·04	·05	—	·15	—		19
20	—	—	—	—	—	—	·01	·01	·02	—	·41	·10 snow		20
21	—	—	—	—	—	—	Tr	·01	·02	Tr fog	·02	·70 snow		21
22	—	Tr	—	—	—	Tr	—	·02	·01	Tr "	·17	·20 snow		22
23	—	—	—	·02	—	—	—	Tr	·05	—	·06 thunder	—		23
24	—	·01	·14	—	·03	—	—	—	·26	Tr	·05	—		24
25	·09	·03	·09	Tr	·02	—	·01	·18	·01	·04	·45	·22		25
26	·18	·14	·08	—	—	—	Tr	Tr	·09	·20	Tr	~~·07~~ ·17		26
27	·10	·04	·01	·04	·42	·19	·20	·01	·36	·10	·37	—		27
28	·03	·02	Tr	—	·64	·06	Tr	·47	·04	·01	·04	·10		28
29	·35		Tr	·01	·20	—	—	Tr	·01	—	·08	·18		29
30	·01	×	—	·04	·06	·03	—	Tr	·06	·01	·11	·12		30
31	·17	×	—	×	·12	×	Tr	—	×	·14	×	·40		31
TOTAL	2·48	·44	·36	·12	2·00	·69	2·24	3·06	1·39	2·74	2·40	~~3·28~~ 3·38	Year's Total ~~21·20~~	21·30 ✓
*Days with ·01 in. or more.	24	12	8	5	15	7	15	15	21	19	17	22	180	✓ ✓
*Days with .04 in. or more.	17	5	3	2	10	4	10	7	8	15	13	15	109	✓ ✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ellen Pollard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 975

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at High Down Hitchin
in the County of Herts
Diameter of Funnel of Gauge 5 in. Exp 4·50
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 421·374 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·01	·31	·17	—	·02	·09	·14	—	—	·01		1
2	—	—	—	·01	Tr	—	Tr	·31	·33 Storm	Tr	·02	—		2
3	·48	—	—	·07	—	—	Tr	·59	—	—	·24	·27		3
4	—	—	·22	·30	—	—	·03	·81	—	·21	·01	·03		4
5	—	—	Tr	·27	·03	—	Tr	·12	—	·13	·21	·19		5
6	·50	—	·03	·05	Tr	—	·22	·07	—	·01 mist	·08	—		6
7	·06	·02	—	Tr	—	—	·02	·04	—	Tr mist	·13	·11		7
8	—	·03	·11	Tr	—	—	·06	·40	—	·20	·08	·37		8
9	—	·05	Tr	—	—	—	—	·05	+	·35	Tr	·13		9
10	·20	Tr	—	—	—	·46	—	·28	·04	·01	·01	·01		10
11	—	—	·24	—	Tr	·11	—	—	·03	·04	Tr mist	·01		11
12	—	—	·01	—	·01	·12	Tr	—	·05	·01	—	—		12
13	—	—	Tr	—	—	·01	—	—	·07	·71	Tr	—		13
14	·52	—	·01	·01	·33	·01	·04	—	·03	·12	·25	—		14
15	·29	—	—	·01	·80	·30	·11	—	·10	·94	·03	—		15
16	·23 thunder	—	·10	·07	·05	·30	·05	—	Tr	·07	·32	—		16
17	·19	—	·02	·08	·03	Tr	·47	—	—	·04	·02	—		17
18	·24	·01	·04	Tr	Tr	·14	·13	—	·01	·13	·47	—		18
19	·22	Tr	Tr	—	[illegible]	·03	·20	—	—	·10	Tr	—		19
20	·12	—	Tr	—	·01	·20	·15	1·69	—	Tr	Tr	—		20
21	·08	·03	·19	—	—	·19	·30	·55	·07	·01	—	—		21
22	·07	·23	·07	—	—	Tr	·03	·01	·07	Tr	·08	·01		22
23	·07	·01	Tr	·08	—	·01	·07	—	—	·16	·68	—		23
24	Snow	—	·01	·01	—	—	—	—	—	·10	·01	—		24
25	1·01	·07	·11	·02	—	·01	·01	·17	—	·01	·35	—		25
26	·19	Tr	·03	·10	—	Tr	—	·02	—	·16	·72	—		26
27	·01	·03	·14	·07	—	—	·02	Tr	—	·10	·07	·01		27
28	·01	·18	·10	Tr	—	·01	Tr	—	—	·13	·12	—		28
29	—		·01	·65	—	—	·18	·10	—	·30	Tr	·16 snow		29
30	—	✕	Tr	·38	—	·10	Tr	—	—	·01	·03	—		30
31	—	✕	—	✕	—	✕	·06	Tr	✕	—	✕	—		31
TOTAL	4·54	·66	1·45	2·49	1·43	2·00	2·17	5·30	·94	4·05	3·93	1·31	Year's Total 30·27	
* Days with .01 in. or more.	20	10	18	17	8	15	19	16	11	24	21	12	191	
* Days with .04 in. or more.	18	4	10	12	5	9	13	14	8	18	14	6	131	

† Spare column, no entries required.

(Signed) Ellen Pollard [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 975 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at High Down Hitchin
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 421 374 ft.

167173/32

Ikc.

OK

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							—	—	—	—	·16	·01		1
2							·05	—	—	·04	1·58	·01		2
3							—	—	—	·20	·67	·04		3
4						0·00	·04	—	—	·15	·58	·03		4
5							·01	—	—	·02	·42	·04		5
6							·38	—	—	·10	·20	·09		6
7							·26	—	·06	Tr	Tr	·01		7
8							·07	—	—	13	·01	·01		8
9						·07	·01	—	·02	—	·08	·25		9
10						Tr	·54	—	Tr	·10	·19	·20		10
11						·10	·02	—	—	Tr	·68	·09		11
12						Tr	·06	—	·02	·01	·01	·09		12
13						·02	·10	—	·04	—	·83	—		13
14						—	—	—	·04	·04	Tr	·23		14
15						—	·15	—	·01	·04	·22	·01		15
16						Tr	·51	—	·10	·99	·67	·01		16
17						·19	·01	—	Tr	·01	·50	—		17
18						—	·09	·01	—	·08	·02	·13		18
19						—	·20	—	·04	·02	·14	·04		19
20						—	·07	·01	—	·04	·03	—		20
21						—	Tr	·01	—	·03	·36	—		21
22						·43	—	—	·29	·01 Mist	Tr	—		22
23						·11	·16	·01	—	—	·06	·03		23
24						—	·33	Tr	—	·01	·01	—		24
25						—	·41	—	—	·01	Tr	·01		25
26						·10	·10	—	—	—	Tr	—		26
27						—	—	·02	—	·01	—	·01		27
28						—	—	—	—	—	—	—		28
29						—	—	—	—	—	—	·22		29
30		✕				—	—	—	—	·13	—	·04		30
31		✕		✕		✕	—	—	✕	·63	✕	Tr		31
TOTAL						1·02	3·27	·06	·62	2·80	7·37	1·60	Year's Total ..	
* Days with .01 in. or more.						7	21	5	9	22	21	22	..	
* Days with .04 in. or more.						6	17	-	6	13	16	12	..	

[illegible]

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

976

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGIST 1931 .

976

LETCHWORTH

GERNON RD.

1931 - 1940

780206

Kept at 51 Gernon Rd.

in the County of Hertfo

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·12	·05	·03	·04	·07	·01		·02				1
2	·02	·08		·26					·39			·04	2
3				·10	·47		·01	·05	·78		·02	·09	3
4				·05				·48	·12		·15		4
5		·04		·04		·19	·07	·09	·10			·34	5
6		·06		·10	·02	·74	·02			·21	·56		6
7		·04				·10	·05	·27		·04	·05	·01	7
8	·05		·08	·01		·07		·35			·35		8
9				·02		·08		·04	·02	·04	·17	·01	9
10	·01	·02				·08	·10	·19	·08		·12		10
11	·03	·18				·02			·04		·09		11
12				·03			·01	·02	·08				12
13	·01	·09		·03	·03		·27	·04					13
14	·03	·03			·10	·07	·80	·42					14
15		·09		·24	·22		·20	·20			·01	·05	15
16				·18	·20	·01		·37	·16				16
17		·02		·28	·02		·10	·02	·06				17
18	·04	·08		·26		·12	·05	·26			·39		18
19				·39		·24	·09		·08				19
20	·04			·08			·11	·32		·01			20
21				·01	·63				·02				21
22	·20								·04				22
23	·27			·01	·33	·32			·05		·14		23
24				·25	·09	·01	·05		·05				24
25				·36	·04	·03	·65				·02		25
26		·03		·29			·70				·16		26
27	·14	·38			·03		·03				·19		27
28	·10	·06										·02	28
29	·08			·15	·01		·07			·25			29
30	·14	×			·01			·10					30
31	·06	×		×		×			×		×	·01	31
TOTAL	1·22	1·32	0·13	3·12	2·24	2·10	3·39	3·22	2·19	0·55	2·42	0·57	YEAR'S TOTAL 22·47
*Days with ·01 in. or more.	15	15	2	22	15	15	19	16	15	5	14	8	161
*Days with ·04 in. or more.	10	11	2	15	9	10	14	14	13	4	11	4	117

40-9999

(Signed) Q. W. Burnt

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of

COPY FOR OFFICIAL USE.

976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 51 Gernon Rd. Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·12	·05	·03	·04	·07	·01		·02				1
2	·02	·08		·26					·39			·04	2
3				·10	·47		·01	·05	·78		·02	·09	3
4				·05				·48	·12		·15		4
5		·04		·04		·19	·07	·09	·10			·34	5
6		·06		·10	·02	·74	·02			·21	·56		6
7		·04				·10	·05	·27		·04	·05	·01	7
8	·05		·08	·01		·07		·35			·35		8
9				·02		·08		·04	·02	·04	·17	·01	9
10	·01	·02				·08	·10	·19	·08		·12		10
11	·03	·18				·02			·04		·09		11
12				·03			·01	·02	·08				12
13	·01	·09		·03	·03		·27	·04					13
14	·03	·03			·10	·07	·80	·42					14
15		·09		·24	·22		·20	·20			·01	·05	15
16				·18	·20	·01		·37	·16				16
17		·02		·23	·02		·10	·02	·06				17
18	·04	·08		·26		·12	·05	·26			·39		18
19				·39		·24	·09		·08				19
20	·04			·08			·11	·32		·01			20
21				·01	·63				·02				21
22	·20								·04				22
23	·27			·01	·33	·32			·05		·14		23
24				·25	·09	·01	·05		·05				24
25				·36	·04	·03	·65				·02		25
26		·03		·29			·70				·16		26
27	·14	·38			·03		·03				·19		27
28	·10	·06										·02	28
29	·08			·15	·01		·07			·25			29
30	·14	×			·01			·10					30
31	·06	×		×		×			×		×	·01	31
TOTAL	1·22	1·32	0·13	3·12	2·24	2·10	3·39	3·22	2·19	0·55	2·42	0·57	YEAR'S TOTAL 22·47
*Days with ·01 in. or more.	15	15	2	22	15	15	19	16	15	5	14	8	161
*Days with ·04 in. or more.	10	11	2	15	9	10	14	14	13	4	11	4	117

40-9999

(*Signed*) A. W. Bunt

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No** 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 57 Pernou Rd., Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·03		·05	·62	·02	·20	·20	·05	·31		·03	1
2	·02			·14	·21				·08	·11		·17	2
3				·27	·33				·04				3
4		·03			·02				·11		·17		4
5	·11		·05		·04								5
6	·27		·02			·03	·18		·06				6
7	·02		·10	·04			·02		·04				7
8		·01	·03	·05						·10			8
9	·05	·04		·02	·38								9
10	·21	·01	·07	·12	·04				·04				10
11		·32		·13	·10	·20	·07	·60		·03	·03		11
12	·04	·03		·02	·09			·04		·30	·07		12
13	·06	·02		·13	·01						·06	·01	13
14	·16			·03	·01		·17			·04		·02	14
15				·03	·18					·09			15
16	·20			·22	·44					·04			16
17							·07			·20			17
18									·30				18
19										·13			19
20				·09	·02			·36		·53	·05		20
21		·01	·04	·19	·60			1·39		·42			21
22		·02	·35				·17		·32	·10	·27		22
23		·03	·03	·08					·04	·51	·07		23
24							·37		·17	·03	·26	·03	24
25				·23 ·28			·14		·21	·24	·03	·06	25
26			·03	·08	·04		·08		·10	·02			26
27		·01	·29		·78	·02	·10				·19		27
28			·18		·75	·08	·32		·07	·22			28
29	·02		·22	·04	·25	·02		·18		·27	·03		29
30		×	·19			·42			·07	·04	·21	·12	30
31		×	·03	×	·03	×			×		×	·02	31 22·81
TOTAL	1·24	0·26	1·63	1·96	~~5·14~~ 4·94	0·79	1·89	2·77	1·70	3·73	1·44	0·46	YEAR'S TOTAL ~~23·01~~
*Days with ·01 in. or more.	12	12	14	19	20	7	12	6	15	20	12	8	~~157~~
*Days with .04 in. or more.	9	1	9	15	15	3	11	6	15	17	9	3	~~113~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. W. Brand

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 51 GERNON ROAD, LETCHWORTH

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·04	·10								·07			1
2	·17		·15		·03						·09			2
3		·10	·02		·02									3
4	·09		·12								·03			4
5	·05		·04		·35						·05			5
6		·09	·05		·49					·07				6
7	·03	·05								·05				7
8	·08	·02			·03		·05			·05				8
9					·07		·06			·02	·20			9
10						·06	·02			·12				10
11	·07					·10		·19						11
12					·13	·3			·37		·16	·02		12
13						·10	·13		·03		·50			13
14				·01						·24		·02		14
15	·24		·02				·77	·05						15
16	·07		·46			·06	·02			·10				16
17			·25			·04			·03		·12			17
18		·04	·06			·08								18
19		·13	·07						·23			·01		19
20		·02		·19		·26			·20					20
21								·05	·23		·08			21
22								·45			·04			22
23		·04		·15		[illegible]			·64					23
24		·11		·14	·10	·26			·23					24
25		·24		·34	·02	·35			·02			·19		25
26		·41				·14			·10			·09		26
27					·47				·8			·05		27
28				·45						·42				28
29	·13	[illegible]								·13				29
30	·21	×								·05				30
31	·06	×	·04	×		×		·13	×		×			31
TOTAL	1·30	1·29	1·38	1·26	1·71	1·46	1·05	[illegible]·87	2·16	1·25	1·34	0·38	Year's Total 15·45	
*Days with ·01 in. or more.	~~12~~	~~12~~	~~12~~	~~6~~	~~10~~	~~11~~	~~6~~	~~5~~	~~11~~	~~10~~	~~10~~	~~6~~	~~111~~	
*Days with ·04 in. or more.	~~11~~	~~10~~	~~10~~	~~5~~	~~8~~	~~10~~	~~4~~	~~5~~	~~8~~	~~9~~	~~9~~	~~3~~	~~90~~	

40-9999

*See Instruction 2 (*f*) on other side.

④

† Spare column, no entries required.

(*Signed*) A. W. Brunt

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 51 Gernon Rd., Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

„ Ground „ Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	·09	·01						·15	·03			·27		1
	2	·11		·06					·02	·46	·11		·07		2
	3	·04			·10						·49		·03		3
	4	·01	·13	·01							·18	·10	·16		4
	5			·08		·02			·02		·02	·02	·16		5
	6			·08	·06	·42	·16		·04		·08		·30		6
	7						·04		·06				·10		7
	8					·13			·05			·08			8
	9	·01		·08	·01	·02						·44	·39		9
	10	·02		·04	·08				·02			·46	·04		10
	11	·24		·19	·02				·03			·02			11
	12	·35		·09				·05	·20						12
	13	·02		·03				1·43	·15			·02	·17		13
	14			·36							·03	·16	·11		14
	15			·04		·02				·10		·08	·11		15
·08	16	·08		·15		·08					·05		·15		16
	17	·02			·07						·10		·05		17
·13	18	·13			·27	·07		·06							18
	19			·08	·07		·05						·03		19
	20	·01		·21	·07			·01							20
	21			·04					·06		·05				21
	22				·18		·08		·08	·16					22
	23						·14		·15				·03		23
	24		·04	·07	·13		·09	·24		·12					24
·08	25	·08	·25		·10		·25				·02		·16		25
·03	26	·03			·30		·07			·07	·01		·12		26
	27		·08		·03		·06	·05					·21		27
	28		·26		·28		·20		·63		·07	·04	·29		28
	29								·29	·09		·14	·02		29
·06	30	·06	×										·03		30
	31		×		×		×			×	·28	×	·09		31
	TOTAL	1·30	·77	1·61	1·71	·70	1·08	1·84	1·95	·96	1·43	1·56	3·09	Year's Total 18·00	
	*Days with ·01 in. or more.	16	6	16	15	7	10	6	15	7	13	11	23	145	
	*Days with .04 in. or more.	9	5	14	11	3	9	5	11	5	8	8	18	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Beard

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No.: 766985/27

Kept at 51 Pernon Rd Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

,, Ground ,, Sea Level 290 ft.

Corrected by observers copy
GR.

Tobs

-- GR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25		·01			·07	·03		·04	·03	·04	·03		1
2	·01	·08		·04					·04	·10	·04			2
3		·35	·07	·04		·14			·17	·27	·10			3
4				·13		·03			·51	·40				4
5		·53		·13		·27					·03			5
6				·22		·23					·04			6
7	·14			·32						·16	1·05	·08		7
8				·14						·10	·08	·12		8
9				·20		·31				·72	·08	·03		9
10		·06		·11		·02								10
11	·19					·02	·07			·10	·05	·05		11
12		·03			·01	·83		·02			·19			12
13	·09	·08		·15	·16				·13					13
14				·03	·13				·10		·19			14
15		·13		·24		·04				·01	·21	·08		15
16		·04		·05		·09			·02	·03	·55	·09		16
17				·02		·10			·10		·48	·02		17
18				·26	·06	·11								18
19				·06	·30	·13	·18		·02		·10	·02		19
20	·05	·10		·11	·16	·07	·05		·36		·03			20
21		·12		·02										21
22	·01	·09	·22					·03						22
23	·01	·30	·13					·38				·04		23
24								·05				·31		24
25	·22	·16		·26		·30				·01		·05		25
26	·27			·02				·13	·09	·03		·02		26
27	·07	·19			·04			·13	·06			·15		27
28		·11			·06				·17		·10	·09		28
29									·73	·03		·23		29
30	·10	✕		·17	·09			·53	·04	·02	·30	·17		30
31		✕		✕		✕			✕	·51	✕	·15		31
TOTAL	4 1·21 ✓	2·37	0·43	2·72	1·01	2·26	0·33	1·27	2·58	2·52	3·66	3 2·02 ✓	Year's Total 22·59 ✓	
* Days with .01 in. or more.	12	15	4	21	9	16	4	7	15	15	18	18	164 ✓	
* Days with .04 in. or more.	9	14	3	17	8	13	3	5	13	8	16	13	122 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at 57 Gernon Rd. Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·13	·07	·27		·02	·03	·03			·03	·06		1
2	·06	·03		·03		·16	·70	·10			·15	·16		2
3					·02	·28			·05		·17	·01		3
4	·02		·07			·04			·21	·04	·09	·05		4
5	·07	·03	·02			·08		·01	·18			·02		5
6	·06				·02	·03		·03	·05		·04			6
7	·23		·02				·30	·11						7
8	·16		·08											8
9	·02				·02	·02	·96			·04	·18	·18		9
10	·03				·05		·20	·04	·10	·06				10
11							·42	·36			·63			11
12				·07		·35	·22		·18	·05	·48			12
13				·03		·78	·32				·08	·21		13
14		·09		·01			·56		·10			·20		14
15						·03	·20		·05			·07		15
16	·31	·03							·01		·37			16
17		·38					·01		·01		·21	·15		17
18		·07				·21	·07			·03	·02			18
19	·23	·08		·03		·23				·04				19
20		·10		·13					·54					20
21	·01		·21	·14	·01	1·9 ·09			·04					21
22	·16	·31	·02	·02	·21	·02	·10					·13		22
23				·10			·08			·03				23
24	·09						·03		·05	·23				24
25	·05		·27	·09		·23	·09		·08	·01				25
26		·12	·03	·02			·03		·30	·01				26
27	·03		·01	·11					·18	·16		·02		27
28	·45	·01	·03			·36	·23		·02			·08		28
29	·13	·20	·08			·14				·22	·27	·02		29
30	·03	✕			·09	·28	·24							30
31	·20	✕	·13	✕	·04	✕	·17		✕	·23	✕	·22		31
TOTAL	2·51 ~~2·53~~	1·58	1·04	1·04	·46	4·35 ~~4·33~~	4·96 ~~5·26~~	·68	2·15	1·15	2·72	1·58	Year's Total ~~24·52~~	✓ 24·22,
* Days with .01 in. or more.	20	13	13	13	8	18	20	7	17	13	13	15	170	✓
* Days with .04 in. or more.	14	9	7	7	3	13	16	4	13	6	10	11	111	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 57 Pennon Rd. Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	–	·03	·02	–	–	–	–	–	–	·73	·38		1
2	·02	·05	–	·25	–	–	–	–	·06	–	–	·08		2
3	–	·08	·05	–	–	–	–	–	·10	–	–	·17		3
4	·07	·27	–	·10	–	–	–	–	–	–	–	·58		4
5	·11	·05	·13	–	·07	–	·02	–	–	–	–	·02		5
6	·02	–	·61	–	–	–	·20	–	–	–	·04	–		6
7	–	·53	·05	·06	·18	–	–	–	·02	–	–	–		7
8	–	·03	–	–	·05	–	–	–	–	–	·16	–		8
9	–	–	–	·17	·01	·09	·06	–	·14	–	–	·27		9
10	·01	·01	·59	–	·17	–	·04	–	–	·01	·01	·28		10
11	–	–	·31	–	·02	·36	–	–	·02	–	–	·08		11
12	·10	·34	·11	–	·53	–	·02	·10	·12	·02	–	·10		12
13	·12	·05	·16	–	·47	·60	–	·15	·05	–	–	·43		13
14	·02	·02	·50	–	·02	·40	–	·90	·04	–	–	–		14
15	·14	·01	·38	·20	–	–	2·24	–	·10	–	–	·02		15
16	·11	·14	·23	·11	–	–	–	·10	·21	–	–	·04		16
17	·35	–	–	·62	–	–	–	–	·81	–	·06	·03		17
18	·48	·07	–	·31	–	·02	–	–	·02	–	·27	–		18
19	·09	·02	·08	·03	·23	·21	–	–	·52	–	·04	–		19
20	·38	–	–	·10	·07	·34	–	–	·04	–	–	–		20
21	·04	·38	·22	·38	·63	–	·04	·02	–	–	–	·03		21
22	·30	·02	·18	·05	·05	·22	·09	–	–	·38	·14	·02		22
23	·18	–	·05	–	–	–	·16	–	·02	·73	–	–		23
24	·32	·31	·01	–	·40	–	–	–	·15	·10	–	–		24
25	·04	·20	·01	–	–	–	–	–	·01	·15	–	–		25
26	–	·18	·11	–	·48	–	–	–	–	·05	–	–		26
27	–	·10	·04	·08	·10	–	–	–	–	·77	–	–		27
28	–	·04	·04	·03	–	–	–	–	–	·08	–	·09		28
29	·05		–	–	–	·02	–	–	–	·07	·08	·02		29
30	·34	✕	–	–	–	–	–	–	–	–	·07	·02		30
31	·29	✕	–	✕	–	✕	–	–	✕	·09	✕	·03		31
TOTAL	3·77	2·90	3·89	2·51	3·48	2·26	2·87	1·27	2·43	2·45	1·60	2·69	Year's Total ~~32·20~~	32·12 ✓ ✓
* Days with .01 in. or more.	22	21	24	15	16	9	9	5	17	11	10	19	176	✓
* Days with .04 in. or more.	19	15	18	2	3	7	7	4	12	9	9	11	116	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 51 Gernon Road, Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 290 ft.

Nov. corrected for Arith.
.. Rain days corrected for Arith.
H.M.H.S. return amended.
19/2/39
CR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·12					·01	·03		1
2	·16				·01	·03	·19							2
3	·01				·09		·03		·08	·23				3
4	·05									·20		·09		4
5							·61		·01	·29				5
6	·02						·04	·16	·24	·08				6
7	·01						·05	·06	·02	·22		·01		7
8	12 ~~·03~~						·31	·03	·05	·12				8
9	·10	·01					·02		·06	·02		·62		9
10		·04				·03	·06	·30				·03		10
11	·36								·02		·11	·01		11
12	·09	·15					·02	·42		·34		·01		12
13		·05						·02			·12	·07		13
14	·14				·08				·08			·01		14
15	·07	·02					·06			·08		·14		15
16	·17	·03					·07	·01		·08	·03	·22		16
17		·12			·20		·27			·02	[illegible]			17
18	·03				·12				·05		·22			18
19								·05	·07		~~·22~~			19
20									·02		·33	·05	Snow	20
21								·08	·02			·62	"	21
22								·01			·15	·23	"	22
23				·03							·18			23
24			·10		·02				·32		·03			24
25	·07	·05	·10	·03				·13		·05	·60	·13	"	25
26	·10	·15	·02				·03	·05	·10	·19		·09		26
27	·09	·04			·49	·18	·23		·50	·13	·35			27
28	·11				·85	·04		·54	·10		·06	·02		28
29				·02							·10	·16	"	29
30	·37	✕		·03	·19	·15			·07		·15	·02		30
31	·15	✕		✕	·06	✕			✕	·11	✕	·29		31
TOTAL	2·22	·66	·22	·11	2·11	·55	1·99	1·86	1·81	2·16	2·44 ~~2·43~~	2·85	Year's Total ~~18·87~~	✓ 18·98
* Days with .01 in. or more.	19	10	3	4	10	6	14	13	17	15	~~13~~ 14	20	~~144~~	✓ 145
* Days with .04 in. or more.	15	7	2	–	8	4	10	9	12	13	11	12	10~~2~~ 3	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. W. Brunt

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 51 Gernon Road, Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 290 ft.

Con'd for [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02			·21	·26			·05	·13					1
2	·05				·02		·34	·03	·26		·10			2
3	·21							·28			·23	·09		3
4	·06			·24			·01	·39		·20	·01	·15		4
5				·32	·09					·05	·22	·03		5
6	·41		·04	·02			·14	·93		·01	·06	·14		6
7	·05	·02					·05	·05			·10	·04		7
8		·03	·13					·23				·04		8
9	·05	·04						·13		·33		·31		9
10	·18					·34				·05				10
11						·05		·25		·33				11
12			·20	·02		·20			·08					12
13			·06	·02					·03			·02		13
14	·41				·46		·05		·02	·66				14
15	·44				·63	·23	·24		·01	·25	·19			15
16	·23			·05	·08	·40			·01	·88				16
17	·19		·05	·08	·05					·15				17
18	·10		·0[illegible]				·69		·02		·02			18
19	·18		·02			·08	·05			·23	·50			19
20	·09					·05	·11		·02	·07		·06		20
21	·07	·02	·27			·33	·15	·60	·09		·01			21
22	·08	·18	·08			·01	·05	·19	·13					22
23	·07			·08		·03	·02				·05			23
24	·12						·02		·01	·25	·62			24
25	·93	·02	·23	·02				·53						25
26	·64		·0~~6~~4	·05						·02	·33	·05		26
27		·06	·14				·03			·17	·64	·07		27
28		·18	·14				·05	·02		·11				28
29				·59			·05			·38	·12	·12		29
30		✗		·55		·09	·02	·32		·04	·01			30
31		✗		✗		✗		·02	✗		✗			31
TOTAL	4·58	0·55	1·41	2·~~0~~25	1·59	1·81	2·07	4.0 ~~3·8~~2	0·81	4.18 ~~3·[illegible]~~	3·21	1·12	Year's Total ~~26·9[illegible]~~ 27.60	
* Days with .01 in. or more.	21	8	13	13	7	11	17	15	12	18	16	12	163 ✓	
* Days with .04 in. or more.	20	5	11	9	6	9	12	12	5	16	12	11	127 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 976

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1920

Kept at 51 GERNON ROAD, LETCHWORTH

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07									·53			1
2				·10			·10			·15	·24			2
3				·06						·13	·68	·02		3
4		·13		·21			·12			·17	·48	·16		4
5							·02			·03	·44			5
6	·15	·12			·06		·28			·07	·24	·13		6
7	·37	·13			·11		·13		·12			·01		7
8									·07	·09	~~·10~~	·14		8
9						·12	·04	·02			·10			9
10							·02				·14	·07		10
11				·05		·65	·63				·74			11
12		·07												12
13							·03		·04		1·02			13
14			·84	·08					·09	·01		·16		14
15			·15	·02					·01		·20			15
16	·04	·11		·02		·04	·25			·70	·35			16
17		·36	·60				·55		·11	·01	·27	·11		17
18		~~·56~~	·05	·20				·02			·01	·05		18
19		·11	·21	·22			·02		·04	·11	·18			19
20				·02				·02						20
21	·06	·02	·02		·10					·03	·28			21
22						·29			·47		·05	·03		22
23				·03	·23	·06		·02						23
24				·14	·18		·18				·01			24
25	·56		·23			·07	·59							25
26	·61	·07	·23		·18		·15							26
27	·41			·03	·47		·08	·01						27
28	·06			·01	·17									28
29		·06		·01	·16							·22		29
30	·03	✕		·10						·12	·01	·01		30
31	·04	✕		✕		✕			✕	·67	✕	·03		31
TOTAL	2·33	1·25	2·33	1·30	1·66	1·23	3·19	·09	·95	2·29	5·97	1·14 ~~1·07~~	Year's Total ~~23·66~~	23·73 ✓
* Days with .01 in. or more.	10	11	8	16	9	6	16	5	8	13	19	13 ~~12~~	135	✓
* Days with .04 in. or more.	9	11	7	9	9	6	12	-	7	9	16	7	101	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ……………………………………

P.T.O.

977

Section **A** for the entry of Daily Ob… …PY FOR OFFICIAL USE.
AIR MINISTRY.—METE… …ORGANIZATION.

FORM 1090.

REGISTER

977

LETCHWORTH

1931- 1934

780206

Kept at Letchworth
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·10	·01	·02	·04	·08	·04	trace	·04	–	–	–	1
2	·08	·07	–	·27	trace	trace	–	–	·41	–	trace	·04	2
3	–	trace	–	·10	·50	–	–	·03	·82	–	·01	·09	3
4	–	·04	–	·06	·01	–	·19	·57	·12	–	·16	·01	4
5	–	–	–	·10	·02	·33	·04	·08	·11	–	–	·35	5
6	–	·05	–	·03	–	·15	trace	trace	–	·22	·67	–	6
7	–	·01	–	–	–	·10	·02	·30	–	–	·09	·02	7
8	·05	·03	·08	·01	–	·05	–	·48	–	trace	·03	trace	8
9	–	·05	·02	·02	–	·13	trace	·22	·07	·04	·32	·01	9
10	·02	–	–	–	trace	·01	·07	·22	–	trace	·08	–	10
11	10	·30	–	–	–	trace	trace	trace	·04	–	·10	–	11
12	–	–	–	·02	–	–	·04	·01	·28	–	trace	–	12
13	·02	–	–	trace	·04	–	·29	·03	–	trace	trace	–	13
14	·03	–	–	–	·10	–	1·40	·44	–	–	·01	–	14
15	·03	–	–	·28	·12	–	·29	·21	–	–	·02	–	15
16	·01	–	–	·10	·24		–	·41	·04	–	–	·07	16
17	·01	–	–	·25	·22		·13	·04	–	·01	–	–	17
18	·03	·10	–	·25	·01		·03	·21	–	–	·47	–	18
19	·03	–	–	·48	–	·52	·18	·01	·08	–	trace	–	19
20	·01	trace	–	·07	–	–	·12	–	–	·02	–	·01	20
21	·02	trace	·01	·02	·74	trace	–	–	·02	–	–	–	21
22	·18	–	–	trace	·01	·41	–	–	·06	–	·01	–	22
23	·29	·02	–	·02	·34	–	–	–	·04	–	·15	·03	23
24	·01	trace	–	·25	·02	·02	·06	–	·04	–	trace	trace	24
25	·02	–	–	·37	·05	–	·68	·03	·01	trace	·03	–	25
26	–	·01	–	·19	·01	–	·81	–	–	–	·19	–	26
27	·01	·37	–	·02	·04	–	·03	–	–	–	·20	·01	27
28	·03	·13	–	trace	·01	–	–	–	–	–	·02	·07	28
29	·06	–	–	·20	·02	–	·08	–	–	–	·01	–	29
30	·13	×	–	–	·01	–	–	·07	–	·25	–	–	30
31	·13	×	–	×	trace	×	–	·01	×	–	×	–	31
TOTAL	1·30	1·28	·12	3·13	2·55	1·80	4·50	3·31	2·18	·54	2·57	·71	YEAR'S TOTAL 2~~2~~3·99
*Days with ·01 in. or more.	22	13	4	22	20	13	18	18	15	5	18	11	179
*Days with ·04 in. or more.	8	9 ~~8~~	1	14	10	9	15	12	13	3	10	5	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily O OPY FOR OFFICIAL USE.

977

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Letchworth

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 300 ft.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·10	·01	·02	·04	·08	·04	trace	·04	-	-	-	1
2	·08	·07	-	·27	trace	trace	-	-	·41	-	trace	·04	2
3	-	trace	-	·10	·50	-	-	·03	·82	-	·01	·09	3
4	-	·04	-	·06	·01	-	·19	·57	·12	-	·16	·01	4
5	-	-	-	·10	·02	·33	·04	·08	·11	-	-	·35	5
6	-	·05	-	·03	-	·15	trace	trace	-	·22	·67	-	6
7	-	·01	-	-	-	·10	·02	·30	-	-	·09	·02	7
8	·05	·03	·08	·01	-	·05	-	·48	-	trace	·03	trace	8
9	-	·05	·02	·02	-	·13	trace	·22	·07	·04	·32	·01	9
10	·02	-	-	-	trace	·01	·07	·22	-	trace	·08	-	10
11	·10	·30	-	-	-	trace	trace	trace	·04	-	·10	-	11
12	-	-	-	·02	-	-	·04	·01	·28	-	trace	-	12
13	·02	-	-	trace	·04	-	·29	·03	-	trace	trace	-	13
14	·03	-	-	-	·10	-	1·40	·44	-	-	·01	-	14
15	·03	-	-	·28	·12	-	·29	·21	-	-	·02	-	15
16	·01	-	-	·10	·24		-	·41	·04	-	-	·07	16
17	·01	-	-	·25	·22		·13	·04	-	·01	-	-	17
18	·03	·10	-	·25	·01		·03	·21	-	-	·47	-	18
19	·03	-	-	·48	-	·52	·18	·01	·08	-	trace	-	19
20	·01	trace	-	·07	-	-	·12	-	-	·02	-	·01	20
21	·02	trace	·01	·02	·74	trace	-	-	·02	-	-	-	21
22	·18	-	-	trace	·01	·41	-	-	·06	-	·01	-	22
23	·29	·02	-	·02	·34	-	-	-	·04	-	·15	·03	23
24	·01	trace	-	·25	·02	·02	·06	-	·04	-	trace	trace	24
25	·02	-	-	·37	·05	-	·68	·03	·01	trace	·03	-	25
26	-	·01	-	·19	·01	-	·81	-	-	-	·19	-	26
27	·01	·37	-	·02	·04	-	·03	-	-	-	·20	·01	27
28	·03	·13	-	trace	·01	-	-	-	-	-	·02	·07	28
29	·06	-	-	·20	·02	-	·08	-	-	-	·01	-	29
30	·13	×		-	·01	-	-	·07	-	·25	-	-	30
31	·13	×	-	×	trace	×	-	·01	×	-	×	-	31
TOTAL	1·30	1·28	·12	3·13	2·55	1·80	4·50	3·31	2·18	·54	2·57	·71	YEAR'S TOTAL 23·99
*Days with ·01 in. or more.	22	13	4	22	20	13	18	18	15	5	18	11	179
*Days with ·04 in. or more.	8	9 8	1	14	10	9	15	12	13	3	10	5	109

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 977

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Letchworth

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·05	–	·05	·82	·05	·04	·14	·07	·29	·03	–	1
2	–	–	–	·15	·15	–	–	trace	·15	·13	·01	·22	2
3	·01	–	–	·01	·35	–	–	–	·05	trace	trace	–	3
4	trace	·01	–	–	·01	–	–	–	–	–	·16	–	4
5	·14	·01	·05	–	·04	–	·13	–	·07	–	trace	–	5
6	·24	–	·02	·01	·05	–	·02	–	·07	–	–	–	6
7	–	–	·12	·04	·02	trace	trace	–	·01	trace	–	–	7
8	–	·01	·03	·03	trace	–	–	–	·08	·11	–	–	8
9	·04	–	·04	·02	·41	·07	–	–	–	·05	–	–	9
10	·25	·02	–	·10	·04		–	–	–	·02	–	–	10
11	–	·02	–	·14	·03	·13	·04	·60	·03	·33	·06	–	11
12	·05	trace	–	·02	·09	–	·01	·05	·01	–	·02	·02	12
13	·09	·04	–	·13	·01	–	·15	–	·01	·05	·08	·01	13
14	·24	·03	–	·02	·01	–	·01	–	–	–	·01	trace	14
15	·01	trace	–	·07	·02	–	·04	·01	–	·10	trace	trace	15
16	·23	–	–	·27	·44	–	trace	–	–	–	–	–	16
17	trace	–	trace	·01	trace	–	·19	–	–	·10	–	–	17
18	–	–	–	–	–	–	·02	–	·27	trace	·01	–	18
19	–	·01	–	–	–	–	–	–	·01	·13	·04	–	19
20	–	trace		·09	·01	–	trace	·41	–	·54	–	–	20
21	trace	trace	·07	·15	·60	–	–	1·26	–	·42	·03	·03	21
22	–	trace	·35	–	·02	–	·24	·01	·34	·12	·30	–	22
23	–	·07	·06	–	–	–	trace	–	·08	·55	·05	·05	23
24	–	–	–	·38	·01	–	·41	–	·01	·25	·24	–	24
25	–	·01	–	–	trace	trace	·20	–	·27	–	·07	–	25
26	–	–	–	·33	·08	·28	·12	–	·02	–	–	–	26
27	–	–	·37	·03	·69	·[illegible]8	·15	–	·06	·03	·15	–	27
28	–	–	·19	·01	·50	·24	·01	–	–	–	–	–	28
29	·01	–	·24	·04	·31	·01	–	·17	·02	·27	·06	–	29
30	trace	×	·16	–	·05	·48		·05	·05	·06	·16	·14	30
31	–	×	·03	×	·01	×	·01	–	×	trace	×	·03	31
TOTAL	1·36	·28	1·73	1·80	4·77	1·02	1·79	~~2·69~~ 2·70	1·68	3·60	1·48	·50	YEAR'S TOTAL 22·71
*Days with ·01 in. or more.	12	11	13	22	25	6	17	9	20	18	17	7	177
*Days with .04 in. or more.	9	3	10	13	15	5	11	7	12	16	11	3	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

977

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 977

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~ 3.

Kept at Letchworth
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 300 ft.

Dup. J.W.O. 26/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·17	·11	-	-	-	-	-	trace	-	·05	-		1
2	·22	-	·20	-	·03	-	-	trace	-	-	·01	-		2
3	-	·12	·10	-	·02	-	-		-	-	·01	-		3
4	·09	·01	·12	-	-	-	-	-	-	-	·13	-		4
5	·05	-	·11	-	·29	-	-	-	-	-	·01	-		5
6	-	·09	·05	-	·50	-	-	-	-	·06	·07	-		6
7	·05	·07	-	-	·05	-	-	-	-	·05	-	-		7
8	·08	trace	·09	-	·05	-	·04	-	-	·02	-	-		8
9	-	-	-	-	·05	-	·11	-	-	·02	·21	-		9
10	·01	·02	-	-	·01	·09	·17	-	-	·17	·02	-		10
11	-	-	-	-	·01	·06	·05	-	-	·03	trace	·03		11
12	-	-	-	·01	·15	·15		·17	·37	-	-	-		12
13	·03	-	-	-	·04	·11	✓	-	·03	trace	·16	-		13
14	-	-	-	-	·01	-		·01	-	·20	·53	-		14
15	·29	-	·03	-	trace	-	✓	·05	-	·02	·16	-		15
16	·07	-	·48	-	trace	✓	✓	-	·04	·06	·04	-		16
17	·05		·27	-	-	✓		-	-	·01	·02	-		17
18	-	✓	·03	-	-	✓	·96	-	-	-	-	-		18
19	·01	✓	·22	trace			-	-	·19	-	-	-		19
20	-	✓	-	·15	-	✓	-	-	·05	-	-	-		20
21	-	·22	-	-	-		-	·03	·44	-	-	-		21
22	-	-	-	-	-	·61	-	·43	-	·06	·06	-		22
23	-	-	-	·15	-	·03	-	trace	·79	trace	-	-		23
24	-	·26	-	·11	·08	·05		-	·22	trace	·08	-		24
25	-	·33	-	·37	·02	·32	-	-	·03	-	·03	·11		25
26	-	·50	-	·02	·01	·18	-	-	·11	·08	-	·07		26
27	-	-	-	trace	·62	trace	-	-	·11	·06	-	·03		27
28	-	-	-	-	-	-	-	-	·01	·40	-	·03		28
29	·08	-	-	·49	trace	-	·01	-	-	·12	-	·02		29
30	·16	×	trace	-	-	-	·02	-	trace	·02	-	·08		30
31	·03	×	·03	×		×		·13	×	·07	×	-		31
TOTAL	1·31	1·79	1·84	1·30	1·94	1·60	1·36	0·82	2·39	1·45	1·59	·37	Year's Total ~~17·7~~	17·76
*Days with ·01 in. or more.	15	(12)	13	7	16	(12)	(9)	6	12	17	16	7	(142)	
*Days with .04 in. or more.	11	(9)	10	5	9	(11)	(6)	4	9	11	10	3	(98)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. 977

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Letchworth – 6 Sollershott E.

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	-	-	·	-	-	-	·16	·01					1
2	·13	-	·06	-	-	-	-	·01	·50					2
3	·03	·10	-	·12	-	-	-	-	trace					3
4	·06	·03	·01	·01	-	-	-	·	·05					4
5	·01	trace	·08	·01	·02	-	-	·01						5
6	·01	-	·07	·02	·44	·18	-	·03						6
7	·01	·01	-	-	-	·04	-	·10						7
8	-	-	-	trace	·13	trace	-	·05						8
9	·01	-	·01	·01	·01	-	-	·02						9
10	·01	trace	·06	·09	-	-	-	·02						10
11	·25	-	·20	·02	-	-	-	·04						11
12	-	-	·11	·01	·02	-	·01	·17						12
13	·09	-	·02	·01	-	-	·42	·12						13
14	·02	-	·33	-	·05	-	-	·01						14
15	-	-	·05	-	·03	-	-	-						15
16	·09	-	·17	-	-	-	-	trace						16
17	·02	-	trace	-	-	-	-	·01						17
18	·20	-	-	·24	-	-	·08	-						18
19	[illegible]	-	·11	·09	-	·03	-	-						19
20	-	-	·20	trace	-	trace	·01	-						20
21	-	-	·03	·04	-	·08	-	·04						21
22	-	-	-	-	-	-	-	-						22
23	-	-	-	·15	-	·14	-	-						23
24	-	·03	·07	·13	-	·10	·25	·14						24
25	·09	·25	-	·13	-	·32	trace	-						25
26	·04	·02	·01	·35	-	·01	-	-						26
27	-	·13	-	·02	-	·07	-	-						27
28	-	·10	-	·28	-	·19	-	·75						28
29	-	-		·01	-	-	·05	·16						29
30	·10	×	-	-	-	-	-	·01						30
31	·02	×	-	×	·	×		-	×		×			31
TOTAL	1·27	·67	1·59	1·74	·70	1·16	·82	1·85					Year's Total	
*Days with ·01 in. or more.	19	8	17	19	7	10	6	18						
*Days with .04 in. or more.	10	4	12	10	4	8	4	10						

~~#~~ Observer has moved & is no longer able to take obs. Is going her family away & will let us know address later.

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Hannah Leather

[P. T. O.

978

978

LETCHWORTH

1931 - 1937

780206

Section **A** for the entry of Daily … FOR OFFICIAL USE.
AIR MINISTRY.—M… …ALL ORGANIZATION.

FORM 1090.

REGISTER … 31.

Kept at Letchworth

in the County of Herts

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground —

,, Ground ,, Sea Level

…ee March

B Bad figure 18/12/32

✓ A.S. 6/2/32

THE MORNING MEASUREMEN… THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·11	·06	·03	·04		·03	—	·04		—	—	1
2	·08	·07	—	·28	—		—	—	·39		—	·07	2
3	—	—	—	·10	·48		—	·03	·81		·02	·09	3
4	—	—	—	·06	·01		·16	·48	·13		·16	—	4
5	—	·05	—	·11	·02		·04	·08	·12		—	·36	5
6	—	·08	—	·04	—		—	—	—		·71	—	6
7	—	·03	·05	—	—	·81	·06	·29	—		·10	·02	7
8	·05	·04	·06	·01	—			·52	—	·24	·04	—	8
9	—	·03	·01	·03	—		·06	·03	·10		·31	·01	9
10	·01	·10	—	—	—			·19	—		·21	—	10
11	·12	·24	—	—	—		—	—	·04		·10	—	11
12	—	·03	—	—	—		·01	·01	·26	—	—	—	12
13	—	—	—	·03	—		·29	·05	—	—	—	—	13
14	·04	·09	—	—	·04		1·37	·44	—	—	·01	—	14
15	·03	·03	—	·27	·09		·30	·21	—	—	·02	·06	15
16	—	·09	—	·10	·23	·01	—	·38	·17	—	—	—	16
17	—	·04	—	·24	·22	·01	·12	·04	·08	·01	—	—	17
18	·04	·07	—	·24	·01	·14	·01	·21	—	—	·48	—	18
19	·03	—	—	·47	—	·33	·11	—	·07	—	—	—	19
20	·01	·01	—	·07	—	—	·10	·28	—	·01	—	—	20
21	·03	—	—	·03	·80	—	—	·02	·02	—	—	—	21
22	·17	—	—	—	·01	—	—	—	·06	—	·01	—	22
23	·27	·01	—	·03	·33	·42	—	—	·04	—	·16	·04	23
24	·01	—	—	·25	·10	·02	·06	—	·03	—	—	—	24
25	·04	—	—	·37	·05	—	·62	—	—	—	·04	—	25
26	—	·01	—	·20	·01	—	·81	—	—	—	·21	—	26
27	·12	·41	—	·02	·05	—	·03	—	—	—	·20	·01	27
28	·09	·09	—	—	—	—	—	—	—	—	·02	·07	28
29	·06		—	·17	·02	—	·07	—	—	·25	·03	—	29
30	·11	✕	—	—	·02	—	—	·07	—	—	—	—	30
31	·17	✕	—	✕	—	✕	—	—	✕	—	✕	—	31
TOTAL	1·48	1·63	0·18	3·15	2·53	1·74	4·25	3·33	2·36	0·51	2·83	0·73	YEAR'S TOTAL 24·72
*Days with ·01 in. or more.	19	20	4	22	18	? 15	18?	17	15	? 9	18	9	(184)
*Days with ·04 in. or more.	13	13	3	15	11	? 10	14?	13	13	? 2	12	6	(125)

40-9999

3·29 7·42 9·94 4·07

(Signed) Edward Grubb

P.T.O.

*See Instruction 2 (*f*) on other side.

978

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Letchworth

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 300 ft.

dgp

See March

Bad figure

6/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·11	·06	·03	·04		·03	—	·04		—	—	1
2	·08	·07	—	·28	—		—	—	·39		—	·07	2
3	—	—	—	·10	·48		—	·03	·81		·02	·09	3
4	—	—	—	·06	·01		·16	·48	·13		·16	—	4
5	—	·05	—	·11	·02		·04	·08	·12		—	·36	5
6	—	·08	—	·04	—		—	—	—		·71	—	6
7	—	·03	·05	—	—	·81	·06	·29	—		·10	·02	7
8	·05	·04	·06	·01	—			·52	—	·24	·04	—	8
9	—	·03	·01	·03	—		·06	·03	·10		·31	·01	9
10	·01	·10	—	—	—			·19	—		·21	—	10
11	·12	·24	—	—	—		—	—	·04		·10	—	11
12	—	·03	—	—	—		·01	·01	·26	—	—	—	12
13	—	—	—	·03	—		·29	·05	—	—	—	—	13
14	·04	·09	—	—	·04		1·37	·44	—	—	·01	—	14
15	·03	·03	—	·27	·09		·30	·21	—	—	·02	·06	15
16	—	·09	—	·10	·23	·01	—	·38	·17	—	—	—	16
17	—	·04	—	·24	·22	·01	·12	·04	·08	·01	—	—	17
18	·04	·07	—	·24	·01	·14	·01	·21	—	—	·48	—	18
19	·03	—	—	·47	—	·33	·11	—	·07	—	—	—	19
20	·01	·01	—	·07	—	—	·10	·28	—	·01	—	—	20
21	·03	—	—	·03	·80	—	—	·02	·02	—	—	—	21
22	·17	—	—	—	·01	—	—	—	·06	—	·01	—	22
23	·27	·01	—	·03	·33	·42	—	—	·04	—	·16	·04	23
24	·01	—	—	·25	·10	·02	·06	—	·03	—	—	—	24
25	·04	—	—	·37	·05	—	·62	—	—	—	·04	—	25
26	—	·01	—	·20	·01	—	·81	—	—	—	·21	—	26
27	·12	·41	—	·02	·05	—	·03	—	—	—	·20	·01	27
28	·09	·09	—	—	—	—	—	—	—	—	·02	·07	28
29	·06		—	·17	·02	—	·07	—	—	·25	·03	—	29
30	·11	×	—	—	·02	—	—	·07	—	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·48	1·63	0·78	3·15	2·53	1·74	4·25	3·33	2·36	0·51	2·83	0·73	YEAR'S TOTAL 24·72
*Days with ·01 in. or more.	19	20	4	22	18	?15	18?	17	15	? 9	18	9	(184)
*Days with ·04 in. or more.	13	13	3	15	11	?10	14?	13	13	? 2	12	6	(125)

40-9999

3·29 7·42 9·94 4·07

(Signed) Edward Grubb

P.T.O.

*See Instruction 2 (f) on other side.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 9 Sollershott West, Letchworth
in the County of Herts
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground — ft 11 in.
,, Ground ,, Sea Level 310 ft.

Err/days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·06	—	·05	·83	·05		·11	·06	·26	·01	·03	1
2	·01	—	—	·14	·15	—		—	·16	—	·01	·17	2
3	—	·01	—	·23	·33	—		—	·02	—	—	—	3
4	—	·01	—	·01	·01	—		—	—	—	·15	—	4
5	·13	·01	·03	—	·03	—		—	·08	—	—	—	5
6	·27	—	·02	—	·04	—		—	·06	—	—	—	6
7	·02	—	·14	·04	·02	—		—	·01	—	—	—	7
8	—	·02	—	·05	—	—		—	·08	·12	—	—	8
9	·05	—	—	·02	·41	—		—	—	·05	—	—	9
10	·27	·03	·06	·12	·04	·01		—	·03	·02	—	—	10
11	—	·02	—	·14	·03	·08		·56	—	·03	·08	—	11
12	·05	·05	—	·01	·08	—		·04	·01	·29	·03	—	12
13	·08	·03	—	·14	·01	—		—	·01	·04	·08	—	13
14	·18	·04	—	·01	·01	—	1·38	—	—	·07	·01	—	14
15	—	—	—	·07	·02	—		·02	—	·10	—	·02	15
16	·23	—	—	·25	·37	—		—	—	—	—	—	16
17	—	—	—	·01	—	—		—	—	·08	—	—	17
18	—	—	—	—	—	—		—	·25	—	—	—	18
19	—	—	—	—	—	—		—	·01	·12	—	—	19
20	—	—	—	·10	·01	—		·97	—	·60	·04	·01	20
21	—	·04	·09	·15	·71	—		·59	—	·40	—	·02	21
22	—	—	·33	—	·01	—		—	·34	·11	·28	—	22
23	—	·09	·09	—	·02	—		—	·07	·55	·04	·05	23
24	—	·01	—	·08	—	—		—	·01	·05	·24	—	24
25	—	—	—	—	—	·01		—	·25	·25	·06	—	25
26	—	—	·03	·31	·20	—	·09	—	·01	—	—	·01	26
27	—	—	·37	·07	·59	—	·15	—	·07	·03	·13	—	27
28	—	—	·18	—	·47	·09	·31	—	—	·18	—	—	28
29	·01	—	·23	·03	·35	·01	—	·16	·01	·25	·06	—	29
30	—	×	·14	—	·06	·47	—	·04	·06	·05	·23	·73	30
31	—	×	·02	×	—	×	·01	—	×	—	×	·03	31
TOTAL	1·36	0·42	1·73	2·03	4·80	0·72	1·94	2·49	1·60	3·65	1·45	0·47	YEAR'S TOTAL 22·68
*Days with ·01 in. or more.	12	13	13	21	24	7	? 17	8	20	21	15	9	180
*Days with ·04 in. or more.	9	5	9	15	14	4	? 12	7	11	18	11	3	118

40-9999

(Signed) Edward Grubb [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 978

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Letchworth
in the County of Herts
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 11 ft .... in.
,, Ground ,, Sea Level 310 ft.

For address see over.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·16	·11	–	–		–	–	–	–	·04	–	1
2	·18	–	·20	–	·02		–	–	–	–	–	–	2
3	–	·11	·13	–	·01		–	–	–	–	–	–	3
4	·09	–	·06	–	·21		–	–	–	–	·10	–	4
5	·05	·01	·19	–	·16		–	–	–	–	–	–	5
6	–	·09	·04	–	·49		–	–	–	·07	·06	–	6
7	·06	·07	–	–	·04		–	–	–	·05	·01	·02	7
8	·04	–	·09	–	·04	·38	·04	–	–	·01	–	–	8
9	–	–	–	–	·03		·10	–	–	·02	·20	–	9
10	·01	·03	–	–	–	+	·15	–	–	·17	·01	–	10
11	·07	–	–	–	–	+	·05	·15	–	·02	–	–	11
12	–	–	–	–	·04	+	·05	–	·40	–	–	·02	12
13	·02	–	–	–	·14	+	·08	–	·02	–	·16	–	13
14	–	–	–	–	–		–	·01	–	·20	·62	·03	14
15	·29	–	·03	–	–		·97	·04	–	·01	·09	–	15
16	·05	–	·46	–	–	·13	–	–	–	·06	·03	–	16
17	·05	–	·28	–	–	·07	–	–	·04	–	·01	–	17
18	–	·09	·03	–	–	·11	–	–		–	–	–	18
19	·01	·04	·21	·01	–	·10	–	–	+	–	–	–	19
20	–	–	·01	·14	–	·14	–	–	+	–	–	–	20
21	–	·01	–	–	–	·01	–	·03	+	–	·05	·01	21
22	–	–	–	–	–	·06	–	·40	– 1·65	·07	·03	–	22
23	–	–	–	·15	–	·02	–	–	+	–	–	–	23
24	–	·20	–	·09	·07	·05	–	–	+	–	–	–	24
25	–	–	–	·36	·03	·28	–	–	+	–	·09	·11	25
26	–	·77	–	·02	–	·12	–	–	·12	·09	–	·07	26
27	–	–	–	–	·64	–	–	–	·09	·04	–	·04	27
28	–	–	–	–	–	–	–	–	·01	·38	–	·04	28
29	·10	×	–	·53	–	–	·01	–	–	·13	–	–	29
30	·15	×	–	–	–	–	·02	–	–	·01	–	·08	30
31	·03	×	·03	×	–	×	–	·13	×	·10	×	–	31
TOTAL	1·30	1·58	1·87	1·30	1·92	1·47	1·47	0·76	2·33	1·43	1·50	0·42	YEAR'S TOTAL 17·35
*Days with ·01 in. or more.	16	11	14	7	13	? 15	9	6	~~?~~ 12	16	14	9	142
*Days with .04 in. or more.	12	8	10	5	9	? 13	7	4	? 9	11	9	5	102

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) Edward Grubb

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 978

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Letchworth

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 310 ft.

Sept. days apportioned by neighbouring station

Col Oct [illegible]

has already been

THE MORNING MEASUREMENT ~~IS~~ CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	—	—	—	—	—	—	·16	·02	—	—	·24		1
2	·11	—	·05	—	—	—	—	—	·51	·11	—	·10		2
3	—	·08	—	·13	—	—	—	—		·56	—	·04		3
4	·06	·02	·01	—	—	—	—	—		·14	·10	·19		4
5	—	—	·07	·01	·02	—	—	·01		—	·01	·17		5
6	·01	—	·06	·02	·46	·17	—	·05		·10	—	·35		6
7	—	—	—	—	—	·04	—	·08		·03	—	·12		7
8	—	—	—	—	·12	—	—	·05	✗	—	·10	·02		8
9	·01	—	·01	·01	—	—	—	·01		—	·54	·38		9
10	—	—	·06	·10	—	—	—	·02	·10	—	·46	·01		10
11	·24	—	·20	·02	—	—	—	·03		—	·02	·06		11
12	—	—	·07	—	—	—	·01	·15		—	—	·02		12
13	·40	—	·01	—	—	—	1·35	·11		—	·03	·18		13
14	·02	—	·35	—	·01	—	—	—		·02	·22	·31		14
15	—	—	·05	—	·05	—	—	—	✗	·02	·07	·15		15
16	·11	—	·18	—	—	—	—	—		·08	—	·01		16
17	·02	—	—	—	·02	—	—	—	✓	·07	·01	·16		17
18	·20	—	—	·23	—	—	·08	—	—	—	—	·04		18
19	—	—	·11	·10	—	·05	—	—	·09	·01	—	·05		19
20	—	—	·20	—	—	—	·01	—	—	—	—	—		20
21	—	—	·03	·03	—	·08	—	·04	—	·07	—	—		21
22	—	—	—	—	—	—	—	·08	·15	—	—	—		22
23	—	—	—	·15	—	·14	—	·12	—	—	—	·03		23
24	—	·03	·07	—	—	·09	·24	—	·12	—	—	—		24
25	·10	·24	—	·12	—	·25	—	—	—	·02	—	·23		25
26	·03	·01	—	·36	—	·01	—	—	·01	·01	—	·12		26
27	—	·16	—	·01	—	·06	—	—	—	—	—	·24		27
28	—	·11	—	·27	—	·20	—	·72	—	·01	·04	·28		28
29	—	×	—	—	—	—	·05	·15	·09	—	·12	·02		29
30	·09	×	—	—	—	—	—	—	—	—	—	·03		30
31	·01	×	—	×	—	×	—	—	×	·28	×	·10		31
													Year's Total	
TOTAL	1·50	0·65	1·53	1·56	0·68	1·09	1·74	1·78	1·09	1·53	1·72	3·65	18·52 ✓	
*Days with ·01 in. or more.	15	7	16	14	6	10	6	15	(10)	15	12	27	153 ✓	
*Days with .04 in. or more.	9	4	12	8	3	9	4	11	(7)	8	8	20	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edward Grubb

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 978

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

afe

Kept at Letchworth

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 310 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY. Yes

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·26	–	–	–	–	·06	·04	–	·03	·02	·11	·03		1
2	·02	–	–	·05	–	–	–	–	–	·13	·02	–		2
3	–	·48	·07	·08	–	·12	–	–	·21	·53	·08	–		3
4	–	–	–	·12	–	·05	–	–	·27	·16	–	–		4
5	–	·62	·08	·13	–	·20	–	–	·18	–	–	–		5
6	·07	–	·01	·24	–	·24	–	–	–	–	·05	·01		6
7	·09	–	–	·32	–	·01	–	–	–	·03	1·12	·08		7
8	·01	–	–	·14	·01	–	–	–	–	·22	·08	·08		8
9	–	–	–	·20	–	·33	–	–	–	·65	·05	·01		9
10	–	·01	–	·12	–	–	–	–	–	–	·07	·05		10
11	·18	–	–	–	–	·02	–	–	–	·08	·23	·01		11
12	–	·04	–	–	–	·35	–	·02		–	·23	–		12
13	·10	·05	–	·16	·21	·01	–	–	x	–	–	–		13
14	–	–	–	–	·16	–	–	–	x	–	·15	·05		14
15	–	·15	–	·33	·02	·11	–	–		–	·20	·14		15
16	–	·04	·01	·05	–	·09	–	–	·66	·02	·62	·09		16
17	–	–	–	·01	–	·09	–	–	x	–	·50	–		17
18	–	–	–	·28	·10	·05	·25	–		·05	–	–		18
19	·02	–	–	·05	·46	·11	·24	–	✓	·01	·09	·08		19
20	·02	·11	–	·12	·17	·06	·11	–	x	–	·02	–		20
21	–	·16	·02	·01	–	–	–	–		·02	·10	–		21
22	–	·02	·14	–	–	–	–	·22	·38	–	–	–		22
23	–	–	·12	–	–	–	–	·24	·01	–	–	·11		23
24	·10	·37	·01	–	–	–	–	·05	·38 ~~·29~~	–	–	·16		24
25	·18	·17	–	·28	–	·48	–	·01	~~·07~~	–	–	·12		25
26	·04	·07	–	–	–	·01	–	·14	·09	·03	–	·31		26
27	·13	·18	–	–	·11	–	–	–	·07 ~~·73~~	–	·10	·21		27
28	–	·10	–	–	·06	–	–	·06	·24	·02	–	·06		28
29	·01	×	–	–	–	–	–	–	·73	–	·02	·18		29
30	–	×	–	·20	·11	–	–	·53	–	·01	·32	·19		30
31	·05	×	–	×	–	×	–	·01	×	·48	×	·15		31
TOTAL	1·28	2·57	0·46	2·89	1·41	2·39	0·64	1·28	3·25	2·46	4·16	2·12	Year's Total. 24·91	
* Days with .01 in. or more.	15	15	8	19	10	18	4	9	~~?~~ (17)	16	20	20	~~?~~ 171	
* Days with .04 in. or more.	10	13	4	17	8	14	4	6	~~?~~ (13)	8	17	16	~~?~~ 120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 978

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

~~Totals~~

Kept at Letchworth

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 310 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·16	·09	·22	–	·02	·10	·02	–	–	·03	·09		1
2	·03	–	–	·03	–	·33	·72	·03	–	·02	·15	·17		2
3	–	–	–	–	·01	·12	–	–	·07	–	·16	–		3
4	–	–	·06	–	–	·07	–	–	·23	–	·07	·07		4
5	·09	–	–	–	–	–	–	·02	·06	–	–	·09		5
6	·10	–	–	–	·01	·12	·01	·11	·07	·01	·05	–		6
7	·17	–	·02	–	–	·01	·25	–	–	·03	–	·04		7
8	·19	–	·05	–	·01	–	–	–	–	–	·17	·19		8
9	·24	–		–	·02	·01	·96	–	·06	·01	–	·01		9
10	–	–		–	–	–	·14	·04	·02	·04	–	–		10
11	–	–		·07	–	–	·31	·17	–	–	·67	–		11
12	–	–		·17	–	·40	·28	–	·18	–	·57	·14		12
13	–	–		·13	–	·90	·04	–	–	·05	·08	·11		13
14	–	·10	·02	–	–	·04	·71	–	-	–	–	·25		14
15	–	·05		–	–	–	·15	–	x	–	–	·08		15
16	·23	·03		–	–	–	–	–	/	–	·39	·01		16
17	·04	·48		–	–	–	·01	–	·	–	·25	·09		17
18	–	·11	–	–	–	·23	·09	–	✓	·02	–	·03		18
19	·26	·05	–	·02	–	·37	–	·04	·	·03	–	–		19
20	·02	·11	·02	·20	–	–	·05	–	x	–	–	–		20
21	–	–	–	·15	·01	1·12	·01	–	x ·34	–	–	–		21
22	·08	·32	·04	·02	·20	–	·14	–	-	–	–	·14		22
23	–	–	·05	·10	·01	–	·02	–	-	·06	–	·01		23
24	·11	·37	–	–	–	–	·02	–	x	·23	–	–		24
25	·06	·02	·17	·08	–	·22	·09	–	*	·03	·05	·02		25
26	–	·12	·12	–	–	–	·02	–	x	·02	–	–		26
27	·02	–	–	·12	–	–	·01	–	x	·10	–	–		27
28	·59	·02	·05	–	–	·39	·34	–	–	–	–	·08		28
29	·10	·21	·07	–	–	·09	·03	–	–	·03	·17	·02		29
30	·03	✕	–	–	·20	·25	·11	–	–	·29	–	–		30
31	·35	✕	·16	✕	·04	✕	·15	–	✕	·51	✕	·22		31
TOTAL	2·87	2·15	0·92	1·31	0·51	4·69	4·76	0·43	2·03	1·48	2·81	1·86	Year's Total 25·82	
* Days with .01 in. or more.	19	14	13	12	9	17	25	7	16	16	13	20	187	
* Days with .04 in. or more.	15	11	10	9	3	14	17	4	13	7	12	14	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Grubb [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 978

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 9 Sollershott West, Letchworth
in the County of Herts
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ~~3~~ ft. 11 in.
,, Ground ,, Sea Level 310 ft.

Edward Grubb (M.A.)

Age Totals

KJ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	·02	·02	—	—	—	—	·03	—	·71	·36		1
2	—	·07	—	·29	—	—	—	—	·09	—	·01	·07		2
3	—	·08	·05	—	—	—	—	—	—	—	—	·14		3
4	·07	·24	—	·15	·01	—	—	—	—	—	—	·55		4
5	·12	·03	·16	—	—	—	·03	—	—	—	—	·03		5
6	·05	—	·65	—	·13	—	·15	—	—	—	·05	—		6
7	—	·56	·02	·09	·04	—	·02	—	·01	—	—	—		7
8	—	·03	—	—	·04	·06	—	—	—	—	·15	—		8
9	—	—	—	·22	·18	—	·07	—	·13	—	—	·26		9
10	·01	—	·52	—	·05	·34	·04	—	—	—	·01	·29		10
11	—	—	·20	—	·52	—	—	—	·01	·03	—	·07		11
12	·11	·32	·10	—	·48	·69	·01	·13	·11	·01	—	·12		12
13	·13	·05	·26	—	·02	·33	—	·23	·05	—	—	·42		13
14	·02	·02	·53	·19	—	—	—	·94	·02	—	—	—		14
15	·17	·05	—	·11	—	—	2·44	—	·13	—	—	·03		15
16	—	·13	·41	·64	—	—	—	·11	·25	—	—	·04		16
17	·50	—	·20	·30	—	·02	—	—	·71	—	·07	·02		17
18	·50	·11	—	·02	·21	—	—	—	✓	—	·29	—		18
19	·10	·04	·06	·05	—	·20	—	—	✓✗	—	·04	—		19
20	·33	—	—	·37	·68	·15	·01	—	✓	—	—	—		20
21	·16	·36	·25	·04	—	—	·06	·05		·02	—	·04		21
22	·29	·01	—	—	·05	·26	·07	—		·39	·16	·02		22
23	·19	—	·06	—	·36	—	·15	—	✓	·73	—	—		23
24	·33	·33	—	—	—	—	—	—	✗	·10	—	—		24
25	·05	·27	·01	—	·44	—	—	—	·74 ✓	·17	—	—		25
26	·01	·19	·04	—	·11	—	—	·02		·08	—	—		26
27	·01	·25	·02	·14	—	—	—	—		·73	—	—		27
28	—	·04	—	·03	—	—	—	—		·07	—	·09		28
29	·06	✗	—	—	—	—	—	—		·06	·10	·03		29
30	·29	✕	—	—	—	—	—	—		—	·08	·01		30
31	·32	✕	—	✕	—	✕	—	—	✕	·08	✕	·03		31
TOTAL	3·93	3·78	3·58	2·66	3·84	2·05	3·05	1·48	2·28	2·67	1·67	2·62	Year's Total 32·31	(32·31) ✓
* Days with .01 in. or more.	23	20	18	15	15	8	11	6	~~8~~ 17	12	11	19	175	✓
* Days with .04 in. or more.	19	16	14	12	13	7	7	5	~~8~~ 9	9	9	12	132	✓

† Spare column, no entries required

(Signed) Edward Grubb [P.T.O.

* See Instruction 3 (f) on other side.

979

Section A for the entry of Daily … COPY FOR OFFICIAL USE.

AIR MINISTRY.—M… …ALL ORGANIZATION.

FORM 1090.

REGISTE… …31.

979

LETCHWORTH

U.D.C. FIRESTATION

1931- 1940

780206

cf 976
977
978 } This return appears OK.
Stuch 18/2/32

Examining low generally

ACE 6/2/32

Kept at U. D. C. FIRESTATI…

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground …

,, Ground ,, Sea Level …

THE MORNING MEASUREM… …DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·13	·02	·04	·07			·06				1
2				·24					·36			·07	2
3				·08	·44		·03	·05	·57		·01	·06	3
4				·04	·005			·47	·14		·17	·35	4
5				06		·33	·18	·05	·13				5
6				·09		·22			·05	·21	·59		6
7					·01	·09		·25		·04	·08	·01	7
8	·09	·14	·08	01		·07		·18			·03		8
9		·04		·01		·09		·11	·12		·30		9
10		·04					·08	·19			·20		10
11	·10	·01							·06		·12		11
12				·02			·01		·30				12
13	·01						·28	·05					13
14					·03	·01	1·44	·39					14
15		·10		·25	·08		·21					·05	15
16		·08		·09	·21			·58	·13				16
17		·03		·23	·20		·12	·02	·13				17
18	·02	·05		·27		·14	·01				·47		18
19				·38		·41	·22						19
20	·02			·05			·09		·03	·01			20
21				·01	·74								21
22	·20								04				22
23	·25	·01		·02	·38	·41			·03		·12		23
24				·25	·03	·02	·06		·01				24
25				·31	·03		·63		·02				25
26	~~·10~~			·18	·005		·76						26
27	·12	·34			·05		·01				·17		27
28	·10									·01	·18		28
29	·06			·16			·07			·21	·03		29
30	·13	✕			·01								30
31		✕		✕	·01	✕			✕		✕		31
TOTAL	1·10	·84	·21	2·77	2·27	1·92	4·20	2·34	2·18	·48	2·47	·54	YEAR'S TOTAL 21·32
*Days with ·01 in. or more.	~~11~~	~~10~~	~~2~~	~~21~~	~~14~~	~~11~~	~~16~~	~~11~~	~~16~~	~~5~~	~~13~~	~~5~~	~~135~~
*Days with ·04 in. or more.	~~8~~	~~6~~	~~2~~	~~15~~	~~8~~	~~9~~	~~12~~	~~10~~	~~12~~	~~3~~	~~10~~	~~4~~	~~99~~

40-9999

(Signed) Geo. T. Hill

[P.T.O.

*See Instruction 2 (*f*) on other side.

979

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at U. D. C. FIRESTATION LETCHWORTH

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 290 ft.

Requires examining too low generally

HCP 6/2/32

Cf 976, 977, 978 } This return appears OK. Stench 18/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·13	·02	·04	·07			·06				1
2				·24					·36			·07	2
3				·08	·44		·03	·05	·57		·01	·06	3
4				·04	·005			·47	·14		·17	·35	4
5				·06		·33	·18	·05	·13				5
6				·09		·22			·05	·21	·59		6
7					·01	·09		·25		·04	·08	·01	7
8	·09	·14	·08	·01		·07		·18			·03		8
9		·04		·01		·09		·11	·12		·30		9
10		·04					·08	·19			·20		10
11	·10	·01							·06		·12		11
12				·02			·01		·38				12
13	·01						·28	·05					13
14					·03	·01	1·44	·39					14
15		·10		·25	·08		·21					·05	15
16		·08		·09	·21			·58	·13				16
17		·03		·23	·20		·12	·02	·13				17
18	·02	·05		·27		·14	·01				·47		18
19				·38		·41	·22						19
20	·02			·05			·09		·03	·01			20
21				·01	·74								21
22	·20								·04				22
23	·25	·01		·02	·38	·41			·03		·12		23
24				·25	·03	·02	·06		·01				24
25				·31	·03		·63		·02				25
26	~~·10~~			·18	·005		·76						26
27	·12	·34			·05		·01				·17		27
28	·10									·01	·18		28
29	·06			·16			·07			·21	·03		29
30	·13	×			·01								30
31		×		×	·01	×			×		×		31
TOTAL	1·10	·84	·26	2·77	2·27	1·92	4·20	2·34	2·18	·48	2·47	·54	YEAR'S TOTAL 21·32
*Days with ·01 in. or more.	~~11~~	~~10~~	~~2~~	~~21~~	~~14~~	~~11~~	~~16~~	~~11~~	~~16~~	~~5~~	~~13~~	~~5~~	~~135~~
*Days with ·04 in. or more.	~~8~~	~~6~~	~~2~~	~~15~~	~~8~~	~~9~~	~~12~~	~~10~~	~~12~~	~~3~~	~~10~~	~~4~~	~~99~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Geo. T. Hill

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

days

Kept at Fire Station, Eastcheap, Letchworth

in the County of Hertford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft 0" in.

,, Ground ,, Sea Level 290' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·04		·04	·73		·05	·17				·19	1
2					·15				·06	·45		·05	2
3				·39	·31				·13				3
4									·03		·17		4
5	·15						·12					·15	5
6	·26		·04		·07	·02			·07				6
7			·20	·01					·06				7
8		·01	·03	·01									8
9				·02	·38				·08				9
10		·01	·04	·11	·04					·07			10
11		·02		·13	·03	·14	·07	·63		·14	·08		11
12	·35			·01				·05			·03		12
13	·05	·05					·18		·04	·29	·07	·07	13
14	·17			·13						·03		·02	14
15	·23	·02		·30	·21					·06			15
16				·03	·41					·08			16
17													17
18							·18			·09			18
19		·01							·26				19
20				·12				·31		·10	·04		20
21				·17	·58			1·27		·60			21
22			·38							·41	·26	·01	22
23		·07	·02				·10			·08	·04		23
24		·01		·08			·53		·42	·51	·23		24
25							·19		·01	·04	·07		25
26			·02	·31			·09		·18	·22			26
27			·36	·07	·78		·03				·14x		27
28			·16		1·07	·10	·30		·07	·02			28
29			·21	·04	·83					·20	·07		29
30		X	·20			·50		·17		·23			30
31		X	·02	X	·03	X		·05	X	·04	X	·12	31
TOTAL	1·36	·24	1·68	1·97	5·62	·76	1·84	2·65	1·41	3·66	1·20	·61	YEAR'S TOTAL 23·00
*Days with ·01 in. or more.	7	9	12	17	14	4	11	7	12	~~21~~ 19	11 12	7	~~135~~ 130
*Days with .04 in. or more.	7	3	8	12	12	3	10	7	10	17	10	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Geo. T. Hill

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at L.U.D.C. Fire Station Letchworth

in the County of Hertford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	
1	·02	·12									·04		1
2	·1		·10								·10		2
3	·17	·21	·18										3
4			·02								·06		4
5	·12		·20		·40						·06		5
6			·03		·51					·04			6
7											·06		7
8		·16			·06					·07			8
9	·11				·05					·02	·20		9
10						·06	·13			·17			10
11					·40	·10	·13	·17					11
12						·16	·06		·35		·18		12
13						·12	·11		·07		·48		13
14				·01	·08		·02	·01		·29	·28		14
15	·37		·02		·10		·77	·04					15
16	·05		·85			·09				·09			16
17			·45			·06			·03		·14		17
18			·09			·06							18
19		·12	·10						·19	·08	·01		19
20		·14		·20		·28			·20				20
21									·29				21
22								·50					22
23				·15					·82		·10		23
24		·50		·11	·07	·24			·20		·04		24
25		·40		·38		·40			·02			·19	25
26		·44				·16			·12			·07	26
27					·61				·10			·03	27
28										·48			28
29	·13			·46						·20			29
30	·16	X								·05			30
31		X		X		X		·12	X		X		31
TOTAL	1·23	2·09	2·04	1·31	2·28	1·73	1·22	·84	2·39	1·49	1·75	·29	YEAR'S TOTAL 18·66
*Days with ·01 in. or more.	9	8	10	6	9	11	6	5	11	10	13	3	101
*Days with .04 in. or more.	7	8	7	5	9	11	5	4	9	9	12	2	88

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) G. J. Hill

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Letchworth Fire Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·01						·14						1
2	·17		·05						·49	·165	·03	·12		2
3	·005									·47		·17		3
4	·15	·14	·005	·012		TRACE				·17	·38			4
5			·01					·01			·01	·46 }		5
6			·15	·10	·40	·17		·11						6
7	TRACE					·03		·005	·03	·10		·09		7
8					·11			·05			·38			8
9	TRACE		·05								·50	·38		9
10			·10	·06				·005			·52	·005		10
11	·42		·15	·015				·03			·02	·04		11
12	·33		·06					·21				·03		12
13	·01		·02	·01			1·30	·14			·005	·14		13
14	TRACE		·29							·015	·23			14
15	·06		·03						·10		·07	·02		15
16			·15		·05					·06		·005		16
17	·005				·04					·07		·38		17
18	·18			·215			·08							18
19			·05	·05		TRACE						·05		19
20			·31	TRACE			TRACE				TRACE			20
21								·005						21
22						·08		·10	20					22
23				·15		·13		·14				·50		23
24				·12		·15	·25		·11					24
25		·27		·36 }		·18						·20		25
26	·10	·03				·005						·12		26
27		·$\overset{1}{0}$1		·04		·05	·04					·10		27
28		·29		·27		·14		·80				·23		28
29				TRACE				·10			·04	·06		29
30	·09	×						·0025			·16	·13		30
31		×		×		×			×	TRACE	×			31
TOTAL	1·72	·65	1·425	1·402	·60	·89	1·67	1·6475	·93	1·07	2·045	2·58	Year's Total. 17·02~~75~~ 3	
* Days with .01 in. or more.	10	6	13	12	4	8	4	11	5	7	11	18	109	
* Days with .04 in. or more.	9	4	10	9	4	7	4	9	4	6	7	6	89	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

corrected by letter of 3/2/36. J.

~~reject days~~ ~~Sow?~~ accept

Kept at Letchworth Fire Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24		·11						·17	·01	·42			1
2	~~·42~~ ·04	·10		·03			·02		·05	·11	·11			2
3	~~·62~~ ·06	·39	·06	·02		·05			~~2·50~~ ·24	·49	·09			3
4	TRACE			·17		·07			·06	·16	·01			4
5		·69		·14		·19			TRACE					5
6	TRACE SNOW					·19								6
7	·14 SNOW			·50						·22	1·18	·38		7
8				·13		·29					·06	·13		8
9	TRACE SNOW			·06		·04				·55		·01		9
10				·18							·16			10
11	·17					·02	·06				·20			11
12		TRACE		·03		·32		·02	TRACE		·22			12
13	·09	·12		·09	·21									13
14				·06	·22						·12			14
15		·15		·32	·02	·08			·10		·20			15
16	TRACE			·04		·10			·08	·10	·72			16
17				·12							·42			17
18				·13	·20	·11			·26					18
19				·06	·30	·10	·19		·04		·10			19
20	·04	·08		·10	·19	·06	·06							20
21		·12							·10	·03		–		21
22		·03	·22					TRACE	·30			–		22
23		·10						·41				4		23
24	·10	·23						·04	·36			·57		24
25	·17 SNOW	·17	·09	·27		·40						·15		25
26								·11	·05			·24		26
27	·44 SNOW	·22		·01	·04				·04		·09			27
28					·06				·27	·04		·13		28
29									·59			·33		29
30		✕		·19	·06			·54	·06	·01		·18		30
31		✕		✕	·11	✕		·13	✕		✕	·15		31
TOTAL	~~2·39~~ 1·49	2·40	·48	2·65	1·41	2·02	·33	1·25	~~4·43~~ 2·77	1·72	4·10	2·34	Year's Total ~~26·02~~ 25·96	
* Days with .01 in. or more.	10	12	4	~~20~~ 21	10	14	4	6	16	10	15	~~11~~ 12	~~132~~	
* Days with .04 in. or more.	10	11	4	~~16~~ 17	9	13	3	5	16	7	14	~~10~~	~~118~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. T. [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at LETCHWORTH FIRE STATION
in the County of HERTFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 281 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·75	·09	·22	–	–	–	–	–	–	·03	·08		1
2	·10	–	–	·03	–	·18	·75	·04	–	–	·17	·18		2
3	·13	–	–	–	·02	·27	·02	–	·04	–	·14	·01		3
4	–	–	·05	–	·02	–	–	–	x ·35	–	·08	·06		4
5	·06	·01	·02	–	–	–	–	·01	x	–	–	·09		5
6	·08	–	–	–	–	·14	–	·11	·05	–	–	–		6
7	·21	–	·02	–	–	–	·23	–	–	–	–	–		7
8	·17	–	·03	–	·02	–	–	–	–	–	·20	·22		8
9	·20	–	·01	–	·04	·01	·84	–	·04	·06	–	–		9
10	·02	–	–	–	·01	–	·15	·03	·03	·04	–	–		10
11	–	–	–	·09	–	–	·35	·38	–	–	·13	–		11
12	–	–	–	·16	–	·52	·26	–	·16	–	1·00	–		12
13	–	–	–	·08	–	·95	·11	–	–	·04	·06	·23		13
14	–	·08	–	–	–	–	·77	–	–	–	·03	·20		14
15	–	–	–	–	–	·03	·12	–	·12	–	–	·06		15
16	–	·08	–	–	–	–	–	–	·01	–	·37	–		16
17	·37 SNOW	·46	–	–	–	–	–	–	–	–	·20	·09		17
18	·30	·05	–	–	–	·25	·07	–	·01	·02	·02	–		18
19	–	·10	–	·01	–	·27	–	·03	–	·03	–	–		19
20	–	·11	–	·20	–	–	·04	–	·39	–	–	–		20
21	–	–	–	·15	·01	1·03	–	–	·27	–	–	–		21
22	–	·35	·04	·02	·23	·02	·15	–	–	–	–	·11		22
23	–	–	·01	·10	–	–	x ·30	–	–	·05	–	–		23
24	·20	·44	–	–	–	–	x	–	·09	·21	–	–		24
25	·02	·02	·18	·05	–	·24	·08	–	·30	·01	–	·02		25
26	–	·10	·17	·05	–	–	–	–	·04	·03	–	–		26
27	·04	–	·01	·13	–	–	·36	TRACE	·18	·11	–	–		27
28	·50	·01	·04	–	–	·40	x	–	·02	–	–	·08		28
29	·15	·22 SNOW	·05	–	–	·15	·04	–	–	·03	·23	·02		29
30	·03	✕	–	–	·15	·26	–	–	–	·28	–	–		30
31	·35	✕	·15	✕	·04	✕	·25	–	✕	·55	✕	·14		31
TOTAL	3·14	2·18	0·87	1·29	0·54	4·52	4·89	0·60	2·10	1·46	2·66	1·59	Year's Total 25·84 ✓	
* Days with .01 in. or more.	18	14	14	13	9	15	~~18~~ 19	6	~~16~~ 17	13	13	15	~~164~~ 166 ✓	
* Days with .04 in. or more.	15	11	8	10	4	12	~~17~~ 18	3	~~12~~ 13	8	10	12	~~122~~ 124 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. Hill

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at LETCHWORTH FIRE STATION

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 281 ft.

Mar + May corrected for Arith 2/38 enR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·03	–	–	–	–	·02	–	·70	·39		1
2	–	·05	–	·31	–	–	–	–	·08	–	–	·08		2
3	–	·12	–	–	–	–	–	–	–	–	–	·15		3
4	·19	·24	–	·15	–	–	–	–	–	–	–	–		4
5	·11	–	·22	–	·02	–	·03	–	–	–	–	–		5
6	·03	–	SNOW ·80	–	–	–	·17	–	–	–	·05	–		6
7	–	·59	–	–	·13	–	·01	–	–	–	–	–		7
8	–	·02	–	–	·06	·08	–	–	–	–	·16	–		8
9	–	–	–	·29	·06	–	·07	–	·13	–	–	–		9
10	–	·02	·58	–	·17	·34	–	–	–	–	–	·16		10
11	·01	–	·28	·02	·04	–	–	–	–	–	–	–		11
12	·10	·31	–	–	·61	·61	·07	·20	·11	–	–	·15		12
13	·12	·01	–	–	·48	·41	–	·17	·05	–	–	·45		13
14	·04	·02	·87	–	·02	–	–	·88	·01	–	–	–		14
15	–	·04	·37	·22	–	–	2·46	–	·15	–	–	–		15
16	} ·50	·14	·18	·16	–	–	–	·09	·18	–	–	·05		16
17		–	–	·60	–	–	–	–	·87	–	·07	–		17
18	·49	·09	–	·31	·21	–	–	–	·03	–	·30	–		18
19	·19	–	·05	·01	·01	·25	–	–	·52	–	·03	–		19
20	·17	–	–	·05	·66	·45	–	–	·03	–	–	–		20
21	·02	·39	·25	·40	–	–	–	·03	–	–	–	·04		21
22	·40	·02	SNOW ·02	·02	·04	·28	·08	–	–	·38	·15	·01		22
23	–	–	SNOW ·05	–	·37	–	·18	–	–	·75	–	–		23
24	·50	·35	–	·01	·01	–	–	–	·14	·10	–	–		24
25	·04	·27	–	–	·47	–	–	–	·01	·11	–	–		25
26	–	·17	SNOW ·12	–	·12	–	–	–	–	·05	–	·02		26
27	–	SNOW ·26	–	·12	–	–	–	–	–	·78	–	–		27
28	–	SNOW ·03	–	–	–	–	–	–	–	·07	–	·07		28
29	·14	–	–	–	–	·03	–	–	–	·05	·09	·03		29
30	·28	✕	–	–	–	–	–	–	–	–	·08	–		30
31	·31	✕	–	✕	–	✕	–	–	✕	·08	✕	·03		31
TOTAL	3·64	3·14	~~3·80~~ 3·79	2·70	3·48	~~2·44~~ 2·45	3·07	1·37	2·33	2·37	1·63	1·63	Year's Total ~~31·57~~	✓ 31·60
* Days with .01 in. or more.	18	19	12	15	17	8	8	5	14	9	9	13	147	✓
* Days with .04 in. or more.	15	13	11	10	13	4	6	4	9	9	8	9	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. T. Hill
Surveyor

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LETCHWORTH FIRE STATION

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 281 ft.

Snow notified 2/3/39 W.J.T.

corr. for Dec 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	·12	·06	-	·02	-	-	·03		1
2	·14	-	-	·07	·02	·03	·09	-	-	·22	-	-		2
3	-	-	-	-	·10	-	·05	-	·06	·10	·02	-		3
4	·08	-	-	-	-	-	-	-	-	·30	-	·10		4
5	-	-	-	-	-	-	·80	-	·01	·10	-	-		5
6	·02	-	-	-	-	-	·03	·13	·23	·02	-	-		6
7	·01	-	-	-	-	-	·05	·06	·02	·31	-	·01		7
8	·01	-	-	-	-	-	·36	·04	-	·10	-	-		8
9	·18	·01	-	-	-	-	·02	-	·08	-	-	·65		9
10	-	·03	·03	-	-	-	·05	·27	-	-	-	·03		10
11	·33	-	-	-	-	-	-	-	-	-	·11	·01		11
12	·10	·05	-	-	-	-	·02	·40	-	·31	-	·01		12
13	-	·02	-	-	-	-	-	-	·08	-	·05	·09		13
14	·13	-	-	-	·06	-	-	-	-	-	-	-		14
15	·01	·02	-	-	-	-	·05	-	-	·08	-	·16		15
16	·20	·03	-	-	-	-	·04	-	-	·05	·02	·21		16
17	-	·11	-	-	·18	-	·23	-	-	·04	-	-		17
18	·03	-	-	-	·12	-	-	-	·04	-	·28	-		18
19	-	-	-	-	-	-	-	·06	·05	-	-	-		19
20	-	-	-	-	-	-	-	-	·02	-	·45	SNOW 4		20
21	-	-	-	-	-	-	-	·05	·02	-	-	SNOW 4		21
22	-	-	-	-	-	-	-	·01	-	-	·19	SNOW 4		22
23	-	-	-	·05	-	-	-	-	-	-	·20	(1·10) -		23
24	-	-	·11	-	·02	-	-	-	·32	-	·08	-		24
25	·05	·05	·07	·01	·01	-	-	·09	-	·04	·55	- 4		25
26	·10	·14	-	-	-	-	-	·02	·09	·19	-	SNOW ·10		26
27	·07	·04	-	-	·48	·15	·13	-	·48	·13	·34	-		27
28	·10	-	-	-	·96	·03	-	·48	·09	-	·07	·06		28
29	·10	-	-	·01	·13	-	-	-	-	-	·10	·19		29
30	·26	✕	-	·04	·19	·17	-	-	·07	·02	·15	SNOW		30
31	·16	✕	-	✕	·07	✕	-	-	✕	·11	✕	·26		31
TOTAL	2·08	·50	·20	·18	2·34	·50	1·98	1·61	1·68	2·12	2·61	(3·01) ~~1·94~~	Year's Total ~~17·71~~	18·81 ✓
* Days with .01 in. or more.	19	10	3	5	12	5	14	11	16	16	14	18	143	✓
* Days with .04 in. or more.	14	5	2	3	9	3	11	9	11	14	12	~~8~~ 13	~~102~~	✓ 106

† Spare column, no entries required.

(*Signed*) Geo. T. Hill

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. NOT KNOWN 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

part W.O.

Kept at The Fire Station, Letchworth

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 290 ✓ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02				0.52			0.04						1
2	0.05				0.25		0.21	0.03	0.23					2
3	0.22			0.26	0.01			0.29	0.22			0.11		3
4	0.08							0.40				0.25		4
5				0.19				0.18		0.03	0.13	0.02		5
6	0.43		0.01	0.29				1.00			0.32	0.11		6
7	0.06	0.02						0.04			0.05			7
8		0.03	0.13				0.03				0.14	0.11		8
9	0.03	0.04					0.04	0.24		0.09	0.07			9
10	0.18									0.30				10
11						0.32		0.15				0.13		11
12			0.17			0.13			0.03	0.34				12
13			0.04			0.28								13
14	0.36									0.55				14
15	0.37				0.41		0.14			0.42				15
16	0.21				0.79	0.11	0.23			0.74				16
17	0.17		0.08	0.03	0.06	0.49				0.12				17
18	0.15		0.01	0.10			0.73			XXXX	0.23			18
19	0.22		0.02			0.07	0.13		0.20	0.03	0.43			19
20	0.12		0.05			0.04	0.16			0.24		0.01		20
21	0.09					0.31	0.21	0.60						21
22	0.07	0.21	0.26			0.01	XXXX	0.16	0.12					22
23	0.06		0.06			0.02	0.02				0.03			23
24	0.08			0.06			0.01			0.20	0.60			24
25	0.89	0.05	0.01											25
26	0.75		0.06	0.05				0.53			0.30	0.03		26
27		0.05	0.02	0.06						0.09	0.34	0.07		27
28		0.15	0.16	0.01			0.02			0.21				28
29			0.13	0.11			0.10			0.35	0.11	0.03		29
30				0.51		0.14		0.27		0.13				30
31				0.52										31
TOTAL	4.61	0.55	1.21	2.19 ~~1.67~~	1.52 ~~2.04~~	1.92	2.03	3.93	0.80	3.84	2.75	0.87	Year's Total 26.22	✓
* Days with .01 in. or more.	21	7	15	12 ~~11~~	5 ~~6~~	11	13	13	5	15	12	10	139	✓
* Days with .04 in. or more.	19	5	10	10 ~~9~~	4 ~~5~~	9	9	12	4	13	11	6	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. T. Hill Surveyor

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 979

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Circ C sent 12/4/41

Kept at Fire Station, Letchworth.

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0.04	0.05	–	0.14	–	–	–	–	–	0.57	–		1
2	–	0.05	–	–	–	–	0.07	–	–	–	0.14	–		2
3	–	–	–	0.09	–	–	–	–	–	0.09	0.87	–		3
4	–	–	–	–	–	–	0.19	–	–	0.12	0.50	0.02		4
5	–	0.10	–	0.21	–	–	0.01	–	–	0.11	0.40	0.16		5
6	–	–	–	–	–	–	0.27	–	–	–	0.43	–		6
7	–	0.09	–	–	0.07	–	0.14	–	–	0.04	0.22	0.16		7
8	0.60	0.14	–	–	0.09	–	–	–	0.05	–	–	0.02		8
9	–	–	–	–	–	0.15	0.05	–	0.06	0.06	–	0.17		9
10	–	–	–	–	–	–	0.74	–	0.01	–	0.10	–		10
11	–	–	–	–	–	0.78	–	0.03	–	0.10	0.14	–		11
12	–	–	–	–	–	–	0.02	–	–	–	0.69	–		12
13	–	0.05	0.01	–	–	–	–	–	0.02	–	0.02	–		13
14	–	–	0.92	–	–	–	–	–	0.09	–	1.07	0.17		14
15	–	–	0.22	0.11	–	0.03	0.17	–	0.01	–	–	–		15
16	–	–	0.12	–	–	–	0.54	–	–	–	0.15	–		16
17	0.03	0.08	–	–	–	–	–	–	0 .09	0.62	0.35	–		17
18	–	–	0.50	–	–	–	–	–	–	–	0.27	0.10		18
19	–	0.37	0.08	0.32	–	–	0.10	0.04	–	0.08	0.02	0.05		19
20	–	0.11	0.17	0.20	–	–	–	–	0.04	–	0.16	–		20
21	–	–	–	–	–	–	–	–	–	0.01	–	–		21
22	0.04	–	–	–	0.09	–	–	–	–	0.03	0.23	–		22
23	–	–	–	–	–	0.31	–	–	0.56	0.02	0.05	0.02		23
24	–	0.11	–	–	–	0.09	0.12	0.01	–	–	–	–		24
25	–	–	–	0.17	–	–	0.66	–	–	–	–	–		25
26	0.50	–	0.26	–	0.17	0.10	–	–	–	–	–	–		26
27	0.60	0.04	0.23	–	0.48	–	–	–	–	–	–	–		27
28	0.39	–	–	–	0.18	–	–	–	–	0.01	–	–		28
29	0.06	–	–	–	0.16	–	–	–	0.01	–	–	0.20		29
30	–	✕	–	–	–	–	–	–	–	0.11	–	0.01		30
31	0.01	✕	–	✕	–	✕	–	–	✕	0.57	✕	0.04		31
TOTAL	·04 ~~2.23~~ 2.27	·05 1.18 9	– 2.56 1	·14 ~~1.10~~ 1.24	– ~~1.38~~ 1.24	– 1.46	– 3.08	– 0.08	– 0.94	·57 ~~1.97~~ 2.54	– ~~6.38~~ 5.81	– 1.12	Year's Total 23.48	^
* Days with .01 in. or more.	~~8~~9	11	~~10~~9	~~6~~7	~~8~~7	6	13	3	10	~~14~~15	~~19~~18	12	120	^
* Days with .04 in. or more.	~~6~~7	11	~~9~~8	~~6~~7	~~8~~7	5	11	1	6	~~10~~11	~~17~~16	8	98	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. J. Skill
Surveyor.

[P.T.O.

Section **A** **for the entry of Daily C**

AIR MINISTRY.—MET

FORM 1090.

REGISTER

980

BALDOCK

1931- 1933

780206

FOR OFFICIAL USE.

ORGANIZATION.

980

official

Kept at Baldock

in the County of Hertford.

Diameter of Funnel of Gauge 8 in

Height of top of Gauge above Ground 9

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·08	·12	·04	·04	·13	-	-	·04	-	-	-	1
2	-	·09	-	·31	-	Tr.	·03	·01	·41	-	-	·06	2
3	·09	Tr.	-	·09	·47	Tr.	-	·17	·69	-	UPSET. ? ·02	·08	3
4	-	SNOW ·05	-	·06	-	-	-	·44	·11	-	·15	-	4
5	-	Tr.	-	·08	·03	·32	·15	·14	·12	-	-	·36	5
6	-	-	-	·04	-	·19	-	-	-	·22	·59	-	6
7	-	·12	-	-	·01	·06	-	·34	-	·06	·13	·03	7
8	SNOW ·03	·06	SNOW ·08	-	-	·15	-	·34	-	-	·02	-	8
9	-	·04	SNOW ·03	·02	-	·03	·47		·29	-	·37	·02	9
10	·01	·07	-	-	-	·01		·24	-	-	·21	-	10
11	·12	·16	-	-	-	Tr.		-	·04	·01	·11	-	11
12	-	SLEET ·02	-	·03	-	-		·01	·29	-	-	-	12
13	·02	-	-	-	-	-		·07	-	-	-	-	13
14	·03	SNOW ·10	-	-	·02	·01	1·38	·37	-	-	·01	-	14
15	·05	·03	-	·30	·11	-		·18	-	-	·02	·06	15
16	-	SNOW ·06	-	·10	·22	·01	-	·42	·16	-	-	-	16
17	-	SNOW ·01	-	·26	·21	-	·13	·04	-	·01	-	-	17
18	·02	·06	-	·23	·01	·15	·03	·20	·04	-	·51	-	18
19	·05	Tr.	-	·43	-	·20	·47	-	·07	-	·01	-	19
20	Tr.	Tr.	-	·03	-	-	·11	·35	-	·03	-	·02	20
21	·02	-	-	·01	·76	-	-	·04	-	-	-	-	21
22	·17	-	-	·04	Tr.	-	-	-	·05	-	·01	-	22
23	·29	·02	-	·01	·33	·35	-	-	·04	-	·15	·04	23
24	-	-	-	·29	·12	·01	·04	-	-	-	Tr.	-	24
25	·06	-	-	·35	·06	-	·72	-	·02	-	·03	·01	25
26	-	·01	-	·17	·01	-	·79	-	-	-	·14	-	26
27	·13	·44	-	·01	·04	-	·02	-	-	-	·24	-	27
28	·13	-	-	-	Tr.	-	-	-	-	·02	·03	·06	28
29	·12	X	-	·28	·02	-	·08	-	-	·20	·02	·02	29
30	·10	X	-	-	·02	-	-	·08	-	-	Tr.	-	30
31	·14	X	-	X	Tr.	X	-	·01	X	-	X	-	31
TOTAL	1·51	1·42	·23	3·18	2·48	1·62	4·42	3·45	2·37	0·55	2·77	0·76	YEAR'S TOTAL 24·76
Days with ·01 in. or more.	~~18~~	~~17~~	~~3~~	~~22~~	~~17~~	~~13~~			~~14~~	~~7~~	~~19~~	~~11~~	
Days with ·04 in. or more.	~~12~~	~~12~~	~~2~~	~~16~~	~~10~~	~~8~~			~~3~~	~~2~~	~~9~~	~~6~~	

40-9999

(Signed) Bertram Puggit [P.T.O.

Section **A** for the entry of Daily

FOR OFFICIAL USE. 980

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

official

Kept at Baldock
in the County of Hertford.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 9 ft – in.
,, Ground ,, Sea Level 210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·08	·12	·04	·04	·13	-	-	·04	-	-	-	1
2	-	·09	-	·31	-	Tr.	·03	·01	·41	-	-	·06	2
3	·09	Tr.	-	·09	·47	Tr.	-	·17	·69	-	UPSET. ? ·02	·08	3
4	-	SNOW ·05	-	·06	-	-	-	·44	·11	-	·15	-	4
5	-	Tr.	-	·08	·03	·32	·15	·14	·12	-	-	·36	5
6	-	-	-	·04	-	·19	-	-	-	·22	·59	-	6
7	-	·12	-	-	·01	·06	-	·34	-	·06	·13	·03	7
8	SNOW ·03	·06	SNOW ·08	-	-	·15	-	·34	-	-	·02	-	8
9	-	·04	SNOW ·03	·02	-	·03	·47		·29	-	·37	·02	9
10	·01	·07	-	-	-	·01		·24	-	-	·21	-	10
11	·12	·16	-	-	-	Tr.		-	·04	·01	·11	-	11
12	-	SLEET ·02	-	·03	-	-		·01	·29	-	-	-	12
13	·02	-	-	-	-	-		·07	-	-	-	-	13
14	·03	SNOW ·10	-	-	·02	·01	1·38	·37	-	-	·01	-	14
15	·05	·03	-	·30	·11	-		·18	-	-	·02	·06	15
16	-	SNOW ·06	-	·10	·22	·01	-	·42	·16	-	-	-	16
17	-	SNOW ·01	-	·26	·21	-	·13	·04	-	·01	-	-	17
18	·02	·06	-	·23	·01	·15	·03	·20	·04	-	·51	-	18
19	·05	Tr.	-	·43	-	·20	·47	-	·07	-	·01	-	19
20	Tr.	Tr.	-	·03	-	-	·11	·35	-	·03	-	·02	20
21	·02	-	-	·01	·76	-	-	·04	-	-	-	-	21
22	·17	-	-	·04	Tr.	-	-	-	·05	-	·01	-	22
23	·29	·02	-	·01	·33	·35	-	-	·04	-	·15	·04	23
24	-	-	-	·29	·12	·01	·04	-	-	-	Tr.	-	24
25	·06	-	-	·35	·06	-	·72	-	·02	-	·03	·01	25
26	-	·01	-	·17	·01	-	·79	-	-	-	·14	-	26
27	·13	·44	-	·01	·04	-	·02	-	-	-	·24	-	27
28	·13	-	-	-	Tr.	-	-	-	-	·02	·03	·06	28
29	·12	×	-	·28	·02	-	·08	-	-	·20	·02	·02	29
30	·10	×	-	-	·02	-	-	·08	-	-	Tr.	-	30
31	·14	×	-	×	Tr.	×	-	·01	×	-	×	-	31
TOTAL	1·51	1·42	·23	3·18	2·48	1·62	4·42	3·45	2·37	0·55	2·77	0·76	YEAR'S TOTAL 24·76
Days with ·01 in. or more.	~~18~~	~~17~~	~~3~~	~~22~~	~~17~~	~~13~~			~~14~~	~~7~~	~~19~~	~~11~~	
Days with ·04 in. or more.	~~12~~	~~12~~	~~2~~	~~16~~	~~10~~	~~8~~			~~3~~	~~2~~	~~9~~	~~6~~	

40-9999

(Signed) Bertram Muggit [P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

NP

Kept at Baldock

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 ft — in.

" Ground " Sea Level 210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·08	·12	·04	·04	·13	-	-	·04	-	-	-	1
2	-	·09	-	·31	-	Tr.	·03	·01	·42	-	-	·06	2
3	·09	Tr.	-	·09	·47	Tr.	-	·17	·69	-	OPSET ?·02	·08	3
4		SNOW ·05	-	·06	-	-	-	·44	·11	-	·15	-	4
5		Tr.	-	·09	·03	·32	·15	·14	·12	-	-	·36	5
6		-	-	·04	-	·20	-	-	-	·22	·59	-	6
7		·12	-	-	·01	·06	-	·34	-	·06	·13	·03	7
8	SNOW ·04	·06	SNOW ·08	-	-	·14	-	·35	-	-	·02	-	8
9	-	·04	SNOW ·03	·02	-	·03			·29	-	·36	·02	9
10	·01	·07	-	-	-	·01		·26	-	-	·21	-	10
11	·13	·16	-	-	-	Tr.	·50	-	·03	·01	·11	-	11
12	-	SLEET ·02	-	·03	-	-		·01	·29	-	-	-	12
13	·02	-	-	-	-	-		·07	-	-	-	-	13
14	·03	SNOW ·10	-	-	·03	·01		·39	-	-	·01	-	14
15	·05	·03	-	·30	·11	-	1·44	·18	-	-	·02	·06	15
16	-	SNOW ·06	-	·10	·22	·01	-	·42	·16	-	-	·06	16
17	-	SNOW ·01	-	·26	·21	-	·13	·04	-	·01	-	-	17
18	·02	·05	-	·24	·01	·15	·03	·21	·04	-	·52	-	18
19	·05	Tr.	-	·43	-	·20	·47	-	·07	-	·01	-	19
20	·01	Tr.	-	·03	-	-	·11	·37	-	·03	-	·02	20
21	·02	-	-	·01	·76	-	-	·04	-	-	-	-	21
22	·18	-	-	·04	Tr.	-	-	-	·05	-	·01	-	22
23	·25	·02	-	·01	·33	·35	-	-	·04	-	·15	·04	23
24	-	-	-	·29	·12	·01	·04	-	-	-	Tr.	-	24
25	·06	-	-	·35	·06	-	·74	-	·02	-	·03	·01	25
26	-	·01	-	·17	·01	-	·82	-	-	-	·14	-	26
27	·14	·46	-	·04	·04	-	·02	-	-	-	·24	-	27
28	·13	-	-	-	Tr.	-	-	-	-	·02	·03	·06	28
29	·12	×	-	·28	·02	-	·08	-	-	·20	·02	·02	29
30	·10	×	-	-	·02	-	-	·08	-	-	Tr.	-	30
31	·14	×	-	×	Tr.	×	-	·01	×	-	×	-	31
TOTAL	1·64	1·43	0·23	3·20	2·49	1·62	4·56	3·53	2·37	·55	2·77	0·76	YEAR'S TOTAL 25·05
*Days with ·01 in. or more.	19	17	3	21	17	13			14	7	19	11	
*Days with ·04 in. or more.	13	11	9	15	9	8			12	3	9	6	

40-9999

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 980

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Herts/4

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Baldock

in the County of Hertford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 9 ft - in.

,, Ground ,, Sea Level 210 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·05	-	·06	·69	·06	·06	·15	·07	·28	·01	·05	1
2	·01	Tr.	-	-	·14	-	-	·01	-	·11	·02	·13	2
3	-	-	-	·47	·25	-	-	Tr.	·16	·01	-	-	3
4	-	·02	-	-	Tr.	-	-	-	·04	-	·15	-	4
5	·13	-	·06	-	·07	-	·14	-	·03	-	Tr.	Tr.	5
6	·30	-	·02	·02	·08	-	Tr.	-	·04	-	-	-	6
7	·03	-	·17	·03	·04	-	·02	-	·02	-	-	-	7
8	-	-	-	✓	Tr.	-	-	-	·05	·16	-	-	8
9	·06	-	-	x ·17	·42	-	-	-	-	Tr.	-	-	9
10	·23	SNOW ·05	-	x	·07	-	-	-	·04	·02	·01	-	10
11	·01	-	-	·17	·04	Thunder ·18	·03	Thunder ·69	Tr.	-	·06	-	11
12	·09	-	-	·01	·09	-	Tr.	·05	·01	·32	·03	-	12
13	·03	·08	-	·16	·02	-	·09	-	-	-	·05	·01	13
14	·18	·04	-	·01	·02	-	·02	Tr.	·01	·14	·01	-	14
15	Tr.	-	-	·09	·02	-	·04	·01	-	·11	-	-	15
16	·18	Tr.	·03	·24	Thunder ·49	-	-	-	-	-	-	-	16
17	Tr.	-	-	Tr.	-	-	·09	-	·27	·12	·01	-	17
18	-	-	-	Tr.	-	-	·03	-	-	-	-	-	18
19	-	·02	-	-	-	-	-	Thunder - 1·60	·01	·13	·01	-	19
20	-	-	-	·09	-	-	·01	x	-	·57	·06	-	20
21	-	Tr.	·09	·19	·62	-	Tr.	·40	-	·43	-	-	21
22	-	-	·33	-	·02	-	·15	-	·28	·11	·24	-	22
23	-	·09	·01	-	·01	-	·07	-	·08	·55	·06	-	23
24	-	Tr.	-	·08	-	-	·44	-	·03	·03	·30	-	24
25	Tr.	-	-	-	·06	-	·19	-	·22	·31	·06	-	25
26	-	-	·52	·30	·18	-	·09		·05	·01	-	-	26
27	-	-	x	·09	·65	-	·36		·02	·03	·14	-	27
28	-	-	x	-	·50	·08	-	-	-	·21	·01	-	28
29	·01	-	·20	·06	·08	·03	-	Thunder ·24	x ·08	·27	·05	-	29
30	-	X	·15	-	-	·43	Tr.	·07	-	·08	·16	·18	30
31	-	X	·05	X	-	X	-	-	X	·02	X	·04	31
													YEAR'S TOTAL
TOTAL	1·31	·35	1·63	2·24	4·66	·78	1·77	3·52	5 1·31	4·02	1·44	·41	23·64
*Days with ·01 in. or more.	13	7	13	19	22	5	16	9	19	22	19	5	169
*Days with .04 in. or more.	8	5	9	14	17	4	10	7	12	16	11	4	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Bertram [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 980

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Herts/4

Kept at Baldock
in the County of Hertford
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 9 ft. — in.
" Ground " Sea Level 210 ft.

Compare with 1932

cf 976-9 647596/25

Not to be printed. See Min 11 f 647596/25.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·16	·17	Trace	-	-	-	-	-	-		-	1
2	·19	-	·19	-	·03	-	-	-	-	Trace	·05	-	2
3	-	·15	·11	-	·02	-	-	-	-	-	·01	-	3
4	·08	-	·12	-	·20	-	-	-	-	-	·08	-	4
5	·05	-	·09	-	·66	-	-	-	-	-	Trace	-	5
6	·10	·09	Thunder ·06	-		-	-	-	-	·05	·06	Frost ·03	6
7		·09	-	-	·04	-	-	-	-	·05	·01	-	7
8	·04	Trace	·11	-	·08	-	·03	-	-	·02	-	-	8
9	-	-	-	Trace	·02	-	·10	-	-	·02	·22	-	9
10	Trace	-	-	-	-	·11	·10	-	-	·16	·04	-	10
11	·08	-	-	-	-	·18	·10	-	-	·10	·01	-	11
12	Trace	-	-	·03	·04	·11	·04	-	·42	-	-	Snow ·03	12
13	·03	-	-	-	·10	·34	·02	-	-	Trace	·19	-	13
14	Trace	-	-	-	·01	Trace	·06	·20	-	·29	·61	-	14
15	·32	-	·02	-	-	-	·30	-	-	·02	·14	-	15
16	Snow ·08	-	·46	-	-	·10	·11	-	Trace	·11	·04	-	16
17	·07	-	·29	-	-	·15	-	-	·05	Trace	·02	-	17
18	-	Snow ·07	·03	-	-	·05	-	-	-	-	Trace	-	18
19	-	Snow ·03	·15	Hail Trace	-	·21	-	·05	·22	-	Trace	·02	19
20	-	·01	·03	Hail ·12	-		-	-	-	-	·01	-	20
21	-	Snow ·01	-	-	-	-	-	-	·47	·02	Trace	Fog Trace	21
22	-	Snow -	-	-	-	·02	-	·10	-	·10	·04	-	22
23	-	-	-	·19	-	-	-	·40	·68	Trace	·01	-	23
24	-	Snow ·37	-	·10	·13	·14	-	-	·21	Trace	·06	-	24
25	-	·43	-	·42	·03	·40	-	-	·05	Trace	·03	·11	25
26	-	·62	-	-	·07	·10	-	-	·16	·07	·01	·09	26
27	-	-	-	Trace	·42	-	Trace	-	·04	·59	Trace	·03	27
28	-	-	-	Thunder ·36	·03	-	-	-	·02		-	·02	28
29	·06	×	-		-	-	-	-	-	·12	Trace	·02	29
30	·18	×	Trace	-	-	-	-	-	-	·02	-	·09	30
31	·03	×	·05	×	-	×	-	·13	×	·06	×	-	31
TOTAL	1·39	2·03	1·88	1·22	1·88	1·91	0·86	0·88	2·32	1·80	1·64	0·44	YEAR'S TOTAL 18.25
*Days with ·01 in. or more.		11	14				9	5	10	16	19	9	
*Days with .04 in. or more.		8	10				7	5	9	11	11	2	

N.P. see min 11 f 647596/25

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Bertram Suggit

DR. BERTRAM SUGGIT. D.P.H.

P.T.O.

981

Section **A** for the

AIR M

FORM 1090. **RE**

Kept at DALNYVEED

in the County of H

Diameter of Funnel of Ga

Height of top of Gauge abo

,, Ground ,,

THE MORNING

981

DALNYVEED BARLEY

1931 – 40.

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

931.

7802.06 **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·10	Snow ·04	·06	·05		·03		·04				1
2		·08		·14	·01	·01		·06	·48				2
3	·09			·38	·44			·35	1·07			·11	3
4		·02		·06	·01			·43	·04		·12		4
5	Fog ·01			·05	·03	·42	·02	·38	·38			·42	5
6	Fog ·01	Snow ·04		·01		·11				·23	·42		6
7						·04		·63		·04	·14	·02	7
8	Snow ·03	·17	Snow ·04			·04		·59					8
9			Snow ·05	·04		·11			·12		·40	·02	9
10		·12				·02	·06	·32			·18		10
11	·21	·16							·03		·02		11
12				·03			·06	·01	·24				12
13	·02						·32	·15					13
14		Snow ·13					1·44	·53					14
15	·09	·06		·36	·07		·38	·17			·01	·08	15
16		Snow ·14		·11	·26			·34	·01				16
17	·02	Snow ·02		·44	·52		·14	·13	·07	·02			17
18	·03	·08		·30		·14	·01	·21			·53		18
19	·03			·61		·32	·26	·02	·07				19
20				·06			·23	·23		·01	·02		20
21					·67			·02	·07			·02	21
22	·14			·03					·11				22
23	·23	·03			·54	·17			·04		·14	·04	23
24				·46	·02	·03	·06						24
25	·07			·34	·09		·70		·08	·02			25
26				·23			·96		·04		·17		26
27	·15	·53		·02	·02		·07				·22		27
28	·13	Snow ·20		·01						·05	·02	Snow ·08	28
29	·14	×		·09			·09			·25	·01	Snow ·07	29
30	·13	×			·12			·11					30
31	·16	×		×		×		·01	×		×		31 28·13
TOTAL	1·69	1·93	·13	3·83	2·8~~3~~ 5	1·41	4·8~~2~~ 3	4·~~5~~ 6 9	2·89	·62	2·40	·86	YEAR'S TOTAL 28·~~00~~ 13
*Days with ·01 in. or more.	18	15	3	21	14	11	16	19	16	7	14	9	163
*Days with ·04 in. or more.	11	12	3	16	9	8	13	15	14	4	9	6	120

40-9999

(Signed) Walter F. Sermons. [P.T.O.

*See Instruction 2 (*f*) on other side.

981

Section **A** for the

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Dalnyveed", Barley, Royston

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 300 ft.

Corr for arith

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·10	Snow ·04	·06	·05		·03		·04				1
2		·08		·14	·01	·01		·06	·48				2
3	·09			·38	·44			·35	1·07			·11	3
4		·02		·06	·01			·43	·04		·12		4
5	Fog ·01			·05	·03	·42	·02	·38	·38			·42	5
6	Fog ·01	Snow ·04		·01		·11				·23	·42		6
7						·04		·63		·04	·14	·02	7
8	Snow ·03	·17	Snow ·04			·04		·59					8
9			Snow ·05	·04		·11			·12		·40	·02	9
10		·12				·02	·06	·32			·18		10
11	·21	·16							·03		·02		11
12				·03			·06	·01	·24				12
13	·02						·32	·15					13
14		Snow ·13					1·44	·53					14
15	·09	·06		·36	·07		·38	·17			·01	·08	15
16		Snow ·14		·11	·26			·34	·01				16
17	·02	Snow ·02		·44	·52		·14	·13	·07	·02			17
18	·03	·08		·30		·14	·01	·21			·53		18
19	·03			·61		·32	·26	·02	·07				19
20				·06			·23	·23		·01	·02		20
21					·67			·02	·07			·02	21
22	·14			·03					·11				22
23	·23	·03			·54	·17			·04		·14	·04	23
24				·46	·02	·03	·06						24
25	·07			·34	·09		·70		·08	·02			25
26				·23			·96		·04		·17		26
27	·15	·53		·02	·02		·07				·22		27
28	·13	Snow ·20		·01						·05	·02	Snow ·08	28
29	·14			·09			·09			·25	·01	Snow ·07	29
30	·13	×			·12			·11					30
31	·16	×		×		×		·01	×		×		31 28·13
TOTAL	1·69	1·93	·13	3·83	2·8~~3~~5	1·41	4·8~~2~~3	4·~~5~~69	2·89	·62	2·40	·86	YEAR'S TOTAL 28·~~00~~13
*Days with ·01 in. or more.	18	15	3	21	14	11	16	19	16	7	14	9	163
*Days with ·04 in. or more.	11	12	3	16	9	8	13	15	14	4	9	6	120

40-9999

(Signed) Walter F. Sermon.

[P.T.O.

*See Instruction 2 (*f*) on other side.

981

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~964~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "DALNYVEED" BARLEY,

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·05		·06	·60	·07	·09	·36	·03	·29	·01		1
2	·01			·09	·09				·19	·04		·10	2
3				·34	·27			·01					3
4											·28		4
5	·17	·02			·17	·01	·35		·10				5
6	·77		·10						·06				6
7	·01		·19	·07			·09		·01				7
8		·01	·02	·08	·01				·05	·19			8
9	·01			·03	·44					·15			9
10	·29	Snow ·01	·03	·10	·06								10
11	·03	Snow ·02		·04	·03		·02	·35	·07	·13	·08		11
12				·06	·05			·01		·32			12
13	·04			·22						·01	·07	·04	13
14	·15			·03			·08	·01		·02	·02		14
15				·06	·12		·07	·01		·12			15
16	·20			·29	·31								16
17							·12			·10			17
18							·05		·44				18
19		·06								·11			19
20				·07	·03		·07	·84		·57	·08		20
21	MIST ·01			·17	·53			·35		·37		·02	21
22			·42		·02		·07		·20	·09	·24		22
23		·15			·02				·08	·59	·04	·07	23
24		·01		·02			·20			·05	·51		24
25		·03					·25		·12	·29			25
26				·35	·27		·02		·15			·01	26
27			·26	·07	·46		·29			·01	·17		27
28			·21		·55		·17			·15			28
29	·01		·23	·01	·20			·85		·33	·03		29
30		×	·05		·70	·63		·05		·14	·10	·12	30
31		×	·04	×	·05	×			×		×		31
TOTAL	1·77	·36	1·55	2·16	4·98	·71	1·94	2·84	1·50	4·07	1·63	·36	YEAR'S TOTAL 23·87
*Days with ·01 in. or more.	~~13~~	~~9~~	~~10~~	~~19~~	~~21~~	~~3~~	~~15~~	~~10~~	~~12~~	~~21~~	~~12~~	~~6~~	~~154~~
*Days with .04 in. or more.	7	3	8	15	16	2	13	6	10	18	9	4	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Walter L. Sermon

P.T.O.

981

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** Station No. ~~981~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "DALNYVEED" BARLEY

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·13			·01						·11			1
2	·21		·18		·05									2
3		·14	·10		·01									3
4	·11										·06			4
5	·02		·10		·29									5
6		·06	·02		·69					·03	·07			6
7	·09	·08			·13					·11		·01		7
8	·09		·05		·05		·09							8
9					·05		·10				·17			9
10						·14	·27			·14	·03			10
11	·10						·03	·15			·04			11
12				·07	·01	·14			·26					12
13	·04				·04	·21	·13		·05		·19			13
14					·03			·10		·26	·32			14
15	·24		·06				·09	·03			·15			15
16	snow ·05		·56		·03	·15			·05	·01	·06			16
17	snow ·05	snow ·09	·15			·09			·04		·03			17
18		snow ·05	·02			·05								18
19			·14	·01					·28		·01			19
20			·03	·12		·29	·08	·13			Fog ·02			20
21		snow ·10				·04		·73	·52					21
22		snow ·03							·02	·24				22
23				·13					·50		·05			23
24				·07	·19	·07			·19		·05			24
25				·23	·06	·02					·03	·07		25
26		·71		·01		·02			·29	·08	·01	·09		26
27					·04				·09	·10		·01		27
28										·78		·02		28
29				·30						·26				29
30	·15	✕	·03				·03		·01	·01		·12		30
31	·02	✕	·07	✕		✕		·07	✕	·05	✕			31
TOTAL	1·21	1·39	1·51	·94	1·68	1·22	·82	1·21	2·28	2·07	1·40	·32	Year's Total 16·05	
*Days with ·01 in. or more.	13	9	13	8	15	11	8	6	12	12	17	6	130	
*Days with ·04 in. or more.	11	8	9	6	10	9	6	5	10	9	11	3	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Walter L. Sermons

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Dalnyveed" Barley.

in the County of Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·14				·28		1
2	·07		·06					·01	·52	·10		·11		2
3		·08		·08						·37				3
4	·10	·03	·03							·15	·13	·29		4
5			·06									·16		5
6	·01		·08	·02	·34	·16		·27		·10		·33		6
7	·01	·02				·13		·07		·02		·11		7
8					·12			·06			·11			8
9				·04							·39	·19		9
10	·01		·20	·09				·14			·77	·01		10
11	·23		·23	·03				·09			·04	·10		11
12	·01		·06				·04	·57			·17	·02		12
13	·30	fog ·03	·02	·02			1·27	·09				·05		13
14	·01		·30			·01		·04		·09	·23	·10		14
15	·01		·07		·07				·09	·03	·09	·09		15
16	·12	fog ·01	·19		·03					·04	·01	·01		16
17	·02							·02		·06	·02	·08		17
18	·11			·21			·23					·03		18
19			·07	·02					·12			·01		19
20			·22						·04					20
21			·03	·03		·08		·03		·02		·01		21
22								·07	·17					22
23				·24	·01	·13								23
24		·01	·05	·03		·08	·09		·11					24
25	·03	·13		·12		·95				·01		·24		25
26	·07			·17		·01	·02		·01	·01		·14		26
27	·07			·06		·15				·04		·30		27
28		Snow ·10		·32		·18		·77			·08	·38		28
29		×					·08	·07	·20		·09	·01		29
30	·08	×										·03		30
31		×		×		×		·07	×	·43	×	·04		31
TOTAL	1·30	·41	1·67	1·48	·57	1·88	1·73	2·51	1·26	1·47	2·13	3·12	Year's Total 19·53	
*Days with ·01 in. or more.	18	8	15	15	5	10	6	16	8	14	12	25	152	
*Days with ·04 in. or more.	10	3	12	9	3	8	5	13	7	9	10	17	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at DALNYVEED BARLEY

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·44	·15		·02		·11	·30		·02	·09	·11	·02		1
2	·06		·04	snow ·04						·12	·05			2
3		·22	·08	snow ·05					·39	·42	·14			3
4				sleet ·17		·05			·32	·22	·01			4
5		·55	·06	·06		·34	·01		·12		·01			5
6	snow ·04	·02		·25		·25					·02	·01		6
7	snow ·23			·38		·05					·86	·10		7
8				·12						·17	·03	·09		8
9				·08		·42				·78	·17	·04		9
10		·02		·10		·01					·01	·04		10
11	·23					·01	·36			·04	·12			11
12		·05				·27		·06	·02		·14			12
13	·07	·16		·28	·25	·02					·03			13
14					·20	·02					·05	·05		14
15		·13		·25	·01				·22		·15	snow ·13		15
16	·01	·04	·02	·01		·15			·10	·04	·48	·23		16
17				·01		·06			·03		·83			17
18				·29	·05	·03	·35		·25	·05	·01			18
19				·03	·46	·10	·08		·04		·11	snow ·12		19
20	·04	·04		·05	·25	·04	·10		·03		·01			20
21		·21							·01	·08	·18			21
22			·22						·40					22
23	·03		·10	·01				·31				·01		23
24	·09	·29						·02	·47		·01	·20		24
25	snow ·15	·09		·23		·43					·01	·10		25
26	snow ·65			·01				·09	·14	·02		·34		26
27	snow ·65	·25		·01	·06				·12		·15	·17		27
28									·04	·02		·09		28
29		×	·01						·76		·02	·10		29
30		×		·40				·56	·09	·01	·29	·18		30
31		×		×		×			×	·37	×	·18	Year's Total.	31
TOTAL	2·09	2·22	·53	2·85	1·28	2·36	1·20	1·04	3·57	2·43	3·94	2·20	25·71	
* Days with .01 in. or more.	13	14	7	22	7	17	6	5	19	14	26	19	169	
* Days with .04 in. or more.	11	12	5	15	6	12	1	4	14	11	15	16	122	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. F. Sermon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

26/3/36 adjusted to make total correct. KJ. 22/[illegible]/37.

Kept at "DALNYVEED" BARLEY

in the County of HERTFORDSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·23	·16	·25		·03	·03				·03	·12		1
2	·03	·03	·02	·02		·35	·43	·10			·10	·18		2
3		·01	·01			·08	·01		·02		·17	·02		3
4			·04			·12			·32	·02		·09		4
5	·12	·03	·01					·01	·10			Snow ·02		5
6	·15		·02			·07		·11	·09	·02	·07			6
7	·23		·01				·93		·01	·02	·03			7
8	·17		·02		·02						·22	·19		8
9	·26		·03		·05	·05	·65		·03	·01				9
10				·03		·01	·20	·20	·06					10
11				·03			·26			·01	·52	·01		11
12				·17		·23	·39		·15		1·10	·07		12
13				·05		·71				·02	~~·08~~	·08		13
14		·11				·07	·56	·04		·04		·27		14
15		·04					·29		·07			·06		15
16	Snow ·35	·05			·01		·02				·48			16
17	Snow ·05	·39				·02					·12	·11		17
18		·03				·08	·07			·06	·01	·02		18
19	·25	·04		·02		·18				·03				19
20	·04	·07		·28			·01		2·16 ✓					20
21				·14		·73			·35					21
22	Snow ·08	·40		·01	·17		·13					·13		22
23				·09			·02			·08	·02			23
24	·12	·27							·03	·20				24
25		·01	·10	·14		·32	·13		·15	·03	·05	·01		25
26	·08	·10	(·10)	·14			·07		·03			·05		26
27	·01	·02		·08					·23	·17	·01			27
28	·54	·02	·07			·47	·40				·01	·07		28
29	·10	·21				·09				·03	·15			29
30	·05	✕			·18	·25	·03			·27				30
31	·61	✕	·15	✕	·05	✕	·15		✕	·62	✕	·16		31
TOTAL	3·36	2·06	·74	1·45	·48	3·86	4·78	·46	3·80	1·63	3·17	1·66 ~~1·16~~	Year's Total ~~26·95~~	27·45 ✓
* Days with ·01 in. or more.	19	18	~~12~~ 13	14	6	18	20	5	15	16	17	18	~~178~~	179 ✓
* Days with ·04 in. or more.	17	11	~~4~~ 6	9	4	15	14	4	10	7	11	13	~~119~~	121 ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. F. Sermons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "DALNYVEED" BARLEY

in the County of HERTS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

— Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·25			·01							·71	·49		1
2	·01	·03	·01	·27								·16		2
3		·07	·04						·01		·01	·03		3
4		·18			·01			·05				·29		4
5		·03	·18				·04				·02	·26		5
6	·11		·32		·09		·09				·03			6
7	·15	·51	·08	·08	·10				·01					7
8	·02	·02				·07					·16	·10		8
9				·20	·29		·15	·01	·10			·08		9
10			·60	·02	·04	·31	·01			·01	·03	·32		10
11			·29		·32	·01		·13		·01		·09		11
12	·09	·40	·13		·19	·44		·56	·15			·08		12
13	·12	·02	·24	·03	·08	·60		·03	·08			·67		13
14	·02	·01	·51	·16		·04		·64	·01			·01		14
15	·08	·03		·09			1·32		·22			·05		15
16	·13	·13	·25	·61				·08	·02			·02		16
17	·30		·17	·45					·37		·11			17
18	·44	·10		·06	·21				·14		·19			18
19	·05	·10	·04	·05	·03	·22	·57		·28		·06			19
20	·29			·38	·63	·03			·05					20
21	·15	·32	·13	·01			·05	·02				·02		21
22	·25					·08				·44	·15			22
23	·22		·09		·03		·13			·73		·02		23
24	·48	·34	·01				·10		·02	·09				24
25	·03	·29			·11				·09	·40		·02		25
26		·13	·05		·15					·05				26
27		·08		·38						·70				27
28		·12		·03						·04		·04		28
29	·05									·06	·05	·03		29
30	·21	✕				·04					·09			30
31	·27	✕		✕		✕			✕	·05	✕	·06		31
TOTAL	3·72	2·91	3·14	2·83	2·28	1·84	2·46	1·52	1·55	2·58	1·61	2·84	Year's Total 29·28	✓
* Days with .01 in. or more.	22	19	17	16	14	10	9	8	14	11	12	20	172	✓
* Days with .04 in. or more.	18	13	15	11	11	8	8	6	9	9	13	13	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. F. Sermons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "DALNYVEED", BARLEY,
in the County of HERTS.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 300 ft.

Preston

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·09			·17	·09		·04		1
2	·26			·05	·01	·06	·10			·15				2
3					·12		·05		·09	·46	·03			3
4	·07									·25		·10		4
5							·23			·07				5
6	·04						·04		·22	·07				6
7	·04						·02	·10	·03	·28				7
8	·18						·15			·13				8
9	·05						·04	·02 ~~·28~~				·47		9
10							·04	·28				·04		10
11	·33							·08			·08	·02		11
12	·11	·09					·02	·19		·38	·04	·01		12
13	·01	·07									·05	·08		13
14	·12				·20				·07			·01		14
15	·02						·04			·10		·09		15
16	·21						·09				·01	·41		16
17		·06			·47		·07			·02				17
18	·04				·32		·01		·04		·29			18
19					·02			·07	·04		·13			19
20											·40	Snow ·05		20
21								·08	·02			Snow ·56		21
22				~~·03~~							·02	Snow ·28		22
23				·03							·15			23
24			·14	·04	·01				1·15		·06			24
25	·09	·05	·12	·01	·09				·02		·66	Snow ·25		25
26	·06	·13	·09						·11	·26				26
27	·09	·04		·03	·10	·21	·25		1·02	·35	·36			27
28	·20	·02			·63	·04		·18	·05		·02			28
29	·54				·16			·01	·01		·11	·21		29
30		✕		·04		·05			·02	·03	·15	Snow ·14		30
31	·20	✕		✕	·07	✕			✕	·15	✕	·30		31
TOTAL	2·66	·46	·35	·20	2·20	·45	1·15	1·01	3·06	2·79	2·56	3·06	Year's Total 19·95	
* Days with .01 in. or more.	19	7	3	6	12	5	14	9	15	15	16	17	138	
* Days with .04 in. or more.	17	6	3	3	8	5	11	7	10	13	12	14	110	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. F. Sermons [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at DALNYVEED BARLEY,

in the County of ROYSTON, HERTS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 300 ft.

Total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1				·17	·23		·15	·01	1·48	·01				1	
2	·07				·01			·35	·75	·08				2	
3	Snow ·26			·07				·49		·01	·27	·23		3	
4	·04		·15	·18			·01	·27		·23	·04	·02		4	
5				·41				·92		·09	·21	·18		5	
6	·35			·06			·23				·10			6	
7	·08							·02		·19	·07	·10		7	
8		·02	·09				·07	·06		·05		·30		8	
9	·01	·04						·05		·32	·03	·18		9	
10	·17					·29		·30	·01					10	
11			·31			·03						·02		11	
12		·03	·01			·26								12	
13			·02	·01		·06	·04		·09	·83				13	
14	·30				·29	·01			·06	·13	·24			14	
15	·29				·37	·16			·12	·93				15	
16	·28		·14	·05	·14	·17				·06	·28			16	
17	·09			·09	·08		·16				·02			17	
18	·23		·05			·17	·12		·05	·19	·56			18	
19	·23					·05	·08			·26		·02		19	
20	·04					·22	·59	·08				·03		20	
21	·07		·39			·29	·30	·02	·09					21	
22	·10	·20	·08			·01	·05		·03	·01	·09			22	
23	·04			·12		·01	·01			·15	·54			23	
24	·03	·01	·05	·04			·13							24	
25	Snow 1·00	·09	·13	·08			·02	·07			·32			25	
26	Snow ·41		·02	·10						·37	·58	·08		26	
27	·01	·01	·11	·08						·18	·09	~~Snow~~ ~~·04~~		27	
28		·18	·11	·03			·02			·18	·11	Snow ·04		28	
29				·66			·03	·01		·32	·02			29	
30		✕		·74		·07					·02			30	
31		✕		✕		✕	·02	·26	✕		✕			31	
													Year's Total		
TOTAL	4·10	·58	1·66	2·89	1·12	1·80	2·03	2·91	2·68	4·59	3·59	1·20	29·15		✓
* Days with .01 in. or more.	21	8	14	16	6	14	17	14	9	20	18	11	168		✓
* Days with .04 in. or more.	18	4	11	14	5	10	11	10	7	17	14	7	128		✓

† Spare column, no entries required.

(Signed) W. F. Sermons

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 981

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at "Dalnyveed", BARLEY,

in the County of ROYSTON, HERTS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 300 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		Snow ·07									·09			1
2		Snow ·03		·11			·04			·17	·89			2
3		·19		·17						·12	·57	·02		3
4		·08		·09			·12			·20	·82	·02		4
5		·01					·24				·39	·03		5
6	·09	·08			·09		·31			·07	·29	·01		6
7	·35	·07			·02		·04							7
8										·18		·25		8
9			·09						·01		·13	·14		9
10							·81			·06	·18	·20		10
11				·04			·01				·63	·05		11
12		Snow ·02	·02				·01		·05		·05	·01		12
13		Snow ·02	Snow ·94	·01					·07		1·25			13
14			Snow ·08	·17	·08					·01		·20		14
15			·04		·05		·13				·17			15
16	Snow ·06	Snow ·07	·11			·07	·58		·05	·42	·46			16
17			·53				·02				·15			17
18	Snow ·01	·46	·17	·39				·05		·04	·03	·17		18
19		·11	·02	·05			·04		·09		·14	·05		19
20		·01									·03			20
21	Snow ·06						·09	·03		·10	·54			21
22	Snow ·01		·01		·10	·20			·11	·01	·01			22
23		·13	·02	·12	·09						·09	·01		23
24				·16			·15				·01			24
25			·23				·63							25
26	Snow ·80	·03	·41	·02	·46	·17	·78							26
27	Snow ·22	·09		·04	·27		·30				·02			27
28	Snow ·04	·05		·01						·01				28
29			·07		·08							·24		29
30		✕		·08						·09		·10		30
31		✕		✕		✕			✕	·56	✕			31
													Year's Total	
Total	1·64	1·52	2·74	1·46	1·24	·44	4·30	·08	·38	2·04	6·94	1·50	24·28	
* Days with .01 in. or more.	9	17	14	14	9	3	17	2	6	14	22	15	142	
* Days with .04 in. or more.	7	11	9	11	8	3	13	2	5	11	17	9	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. F. Sermons.

[P.T.O.

982

Section **A** for the entry of Dai

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

982

ROYSTON

EARLS HILL HSE.

1931 - 1940

480206

FORM 1090.

REGISTE 31 .

Kept at Earls Hill Hous

in the County of Hertfo

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	·17	·06	·04	·06	·03	/	·02	·05	/	/	/	1
2	·07	·24	/	·14	/	/	·02	{22	·42	/	/	·03	2
3	·03	/	/	·22	·39	/	/		·84	/	·01	·06	3
4	/	·02	/	·04	/	/	·02	·36	·04	/	·14	/	4
5	/	/	/	·07	·04	·38	·11	·17	·09	/	/	·32	5
6	/	·06	/	·02	/	·31	/	/	/	·26	·42	/	6
7	/	/	/	/	/	·02	·03	·58	/	·06	·13	·03	7
8	·04	·06	·04	/	/	·04	/	·52	/	/	·01	·01	8
9	/	·01	·06	·02	/	·11	·03	·02	·10	/	·39	·03	9
10	·02	·09	·01	/	/	·01	·10	·30	/	/	·21	/	10
11	·18	·15	/	/	/	·01	/	/	·13	/	·17	/	11
12	/	·01	/	/	·01	/	·03	·01	·22	/	/	/	12
13	·04	/	/	/	/	/	·41	·08	/	/	/	/	13
14	·05	·11	/	/	·03	·02	1·21	·36	/	/	/	/	14
15	·06	·05	/	·28	·15	/	·43	·18	/	/	·02	·06	15
16	/	·18	/	·10	·21	·01	/	·46	·03	/	/	/	16
17	/	·01	/	·38	·38	/	·13	·10	·08	·02	/	/	17
18	·05	·07	/	·26	·01	·10	/	·17	/	/	·47	/	18
19	·07	/	/	·46	/	·30	34	·03	·10	/	·02	/	19
20	·01	·01	/	·07	/	/	·34	·19	/	·01	·21	/	20
21	·03	/	/	/	·55	/	/	·01	·04	/	/	/	21
22	·12	/	/	·03	/	/	/	/	·04	/	·01	/	22
23	·24	·04	/	·01	·34	·13	/	/	·01	/	·14	/	23
24	/	/	/	·43	·12	·02	·03	/	·06	/	/	/	24
25	·09	/	/	·31	·09	/	·68	/	/	·03	·02	/	25
26	·01	·01	/	·23	/	/	·74	/	·01	/	·17	/	26
27	·14	·44	/	·01	·03	/	·10	/	/	/	·21	/	27
28	·15	24	/	·02	/	/	/	/	/	·04	·01	·09	28
29	·16	×	/	·04	·01	/	·20	/	/	·27	·02	·06	29
30	·13	×	/	/	·12	/	·01	·16	/	/	/	/	30
31	16	×	/	×	/	×	/	/	×	/	×	·01	31
TOTAL	1·85	1·97	·17	3·23	2·54	1·49	4·96	3·94	2·26	·69	2·58	·70	YEAR'S TOTAL 26·38
*Days with ·01 in. or more.	21	19	4	21	16	14	19	20	16	7	19	10	186
*Days with ·04 in. or more.	16	13	3	15	11	7	12	14	13	4	10	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. C. W. Philip

P.T.O.

982

Section **A** for the entry of Daily … COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Earls Hill House Royston

in the County of Hertford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	·17	·06	·04	·06	·03	/	·02	·05	/	/	/	1
2	·07	·24	/	·19	/	/	·02	{22	·42	/	/	·03	2
3	·03	/	/	·22	·39	/	/		·84	/	·01	·06	3
4	/	·02	/	·04	/	/	·02	·36	·04	/	·14	/	4
5	/	/	/	·07	·04	·38	·11	·17	·09	/	/	·32	5
6	/	·06	/	·02	/	·31	/	/	/	·26	·42	/	6
7	/	/	/	/	/	·02	·03	·58	/	·06	·13	·03	7
8	·04	·06	·04	/	/	·04	/	·52	/	/	·01	·01	8
9	/	·01	·06	·02	/	·11	·03	·02	·10	/	·39	·03	9
10	·02	·09	·01	/	/	·01	·10	·30	/	/	·21	/	10
11	·18	·15	/	/	/	·01	/	/	·13	/	·17	/	11
12	/	·01	/	/	·01	/	·03	·01	·22	/	/	/	12
13	·04	/	/	/	/	/	·41	·08	/	/	/	/	13
14	·05	·11	/	/	·03	·02	1·21	·36	/	/	/	/	14
15	·06	·05	/	·28	·15	/	·43	·18	/	/	·02	·06	15
16	/	·18	/	·10	·21	·01	/	·46	·03	/	/	/	16
17	/	·01	/	·38	·38	/	·13	·10	·08	·02	/	/	17
18	·05	·07	/	·26	·01	·10	/	·17	/	/	·47	/	18
19	·07	/	/	·46	/	·30	34	·03	·10	/	·02	/	19
20	·01	·01	/	·07	/	/	·34	·19	/	·01	·01	/	20
21	·03	/	/	/	·55	/	/	·01	·04	/	/	/	21
22	·12	/	/	·03	/	/	/	/	·04	/	·01	/	22
23	·24	·04	/	·01	·34	·13	/	/	·01	/	·14	/	23
24	/	/	/	·43	·12	·02	·03	/	·06	/	/	/	24
25	·09	/	/	·31	·09	/	·68	/	/	·03	·02	/	25
26	·01	·01	/	·23	/	/	·74	/	·01	/	·17	/	26
27	·14	·44	/	·01	·03	/	·10	/	/	/	·21	/	27
28	·15	24	/	·02	/	/	/	/	/	·04	·01	·09	28
29	·16	×	/	·04	·01	/	·20	/	/	·27	·02	·06	29
30	·13	×	/	/	·12	/	·01	·16	/	/	/	/	30
31	16	×	/	×	/	×	/	/	×	/	×	·01	31
TOTAL	1·85	1·97	·17	3·23	2·54	1·49	4·96	3·94	2·26	·69	2·58	·70	YEAR'S TOTAL 26·38
*Days with ·01 in. or more.	21	19	4	21	16	14	19	20	16	7	19	10	186
*Days with ·04 in. or more.	16	13	3	15	11	7	12	14	13	4	10	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. C. W. Philip

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Earls Hill House Royston

in the County of Hertford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	/	·07	·49	·06	·05	·19	·06	·37	/	·02	1
2	·01	/	/	·16	·08	/	/	·01	·17	·04	·02	·08	2
3	/	/	/	·31	·26	/	/	·01	·04	·04	/	/	3
4	/	/	/	/	·01	/	/	·04	/	/	·28	/	4
5	·13	·02	/	/	·16	/	·24	/	·06	/	/	/	5
6	·24	/	·08	·02	·01	/	·02	/	·05	/	/	/	6
7	·01	/	·17	/	·02	/	/	/	·02	/	/	/	7
8	/	·01	·05	·15	/	/	/	/	·06	·16	/	·04	8
9	·02	·01	/	·02	·46	/	/	/	/	·16	/	/	9
10	·26	·04	·01	·10	·09	·01	/	/	·06	·02	·04	/	10
11	·01	·02	/	·09	·06	/	/	·48	·05	·14	·08	/	11
12	·04	/	·01	·03	·07	/	/	·02	/	·26	·04	/	12
13	·06	·04	/	·16	·02	/	·04	/	/	/	·06	·02	13
14	·15	·02	/	·02	·02	/	·02	·01	/	·06	·02	/	14
15	/	·02	/	·07	·03	/	·12	·01	/	·12	·01	·01	15
16	·16	/	·01	·30	·35	/	/	/	/	/	/	/	16
17	/	/	·01	·02	/	/	·10	/	/	·07	·01	/	17
18	/	/	·01	/	/	/	·03	/	·41	/	/	/	18
19	/	·01	/	/	/	/	/	/	/	·13	/	/	19
20	/	/	/	·05	·01	/	·15	·55	/	·53	·05	/	20
21	·01	·01	·01	·29	·48	/	/	·49	/	·37	/	·02	21
22	/	/	·35	/	·04	/	·10	/	·23	·09	·24	/	22
23	/	·12	/	/	·02	/	/	/	·11	·56	·05	·05	23
24	/	·01	/	·02	/	/	·31	/	/	·06	·46	·01	24
25	/	·01	/	/	·04	/	·23	/	·19	·30	·06	/	25
26	/	/	·01	·31	·16	/	·08	/	·09	/	/	/	26
27	/	/	·32	·04	·57	/	·15	/	·02	·02	·16	/	27
28	/	/	·19	/	·57	/	·17	/	/	·27	/	/	28
29	·01	/	·17	·02	·06	·06	/	·48	·01	·29	·03	/	29
30	/	×	·20	·03	·50	·60	/	·10	·03	·14	·12	·11	30
31	/	×	·20	×	·01	×	/	·02	×	·01	×	·02	31
TOTAL	1·16	·37	1·80	2·33	4·59	·73	1·81	2·41	1·66	4·21	1·73	·38	YEAR'S TOTAL 23·18
*Days with ·01 in. or more.	14	14	16	21	26	4	15	13	17	23	17	10	190
*Days with .04 in. or more.	8	3	9	13	17	3	12	7	13	20	12	4	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. C. G. Phillips

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Earls Hill - Royston

in the County of Hertford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	·15	·09		·05						·11			1
2	·20		·18		·05									2
3		·13	·06		·02									3
4	·05		·12								·05			4
5	·02		·08		·32									5
6		·06	·04		·74					·03	·05	·02		6
7	·06	·09			·18		·03			·05	·01	·01		7
8	·10		·08		·04		·06			·03				8
9					·04		·11			·01	·18			9
10	·01					·12	·20			·12				10
11	·07				·02	·01	·05	·14			·03			11
12				·03		·18			·30			·02		12
13	·04				·04	·18	·11		·04		·16			13
14	·01	·01			·04			·10		·31	·36	·02		14
15	·23		·03				·08	·05			·17			15
SNOW 16	·10		·45		·03	·15			·01	·01	·05			16
" 17	·07	·01	·17			·12			·04		·04			17
18		·20	·02			·06					·01			18
19	·01	·06	·13	·01		·01			·19		·01	·01		19
20		·01	·04	·09		·34	·16		·07		·02			20
21		SNOW ·12				·19		·05	57		·01			21
22								·78	·03	·15	·05			22
23				·15		·02			·86		·02			23
24		SNOW ·24		·11	·19	·06			·16		·04			24
25		·17		·27	·03	·54				·01	·02	·07		25
26		·68		·02	·03	·05			·23	·07	·01	·15		26
27				·01	·03				·08	·10		·02		27
28									·01	·64		·03		28
29				·34						·14		·02		29
30	·13	×	·04						·01	·01		·11		30
31	·02	×	·08	×		×		·07	×	·02	×			31
TOTAL	1·18	1·93	1·61	1·03	1·85	2·03	·80	1·19	2·60	1·70	1·40	·48	Year's Total 17·80	
*Days with ·01 in. or more.	16	13	15	9	16	14	8	6	14	15	20	11	157	
*Days with .04 in. or more.	9	10	13	5	10	11	7	6	10	8	11	3	103	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E. C. W. Phillips.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Earls Hill Royston

in the County of Hertford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	/	/	/	/	/	/	·20	·11	·01	/	·32		1
2	·07	/	·07	/	/	/	/	·02	·50	·10	/	·12		2
3	·02	·09	/	·13	/	/	/	/	·01	·47	/	/		3
4	·10	·03	·04	·01	/	/	/	/	/	·15	·11	·24		4
5	/	/	·08	·02	·01	·01	/	/	/	—	/	·15		5
6	·01	·01	·08	/	·36	·13	/	·05	/	·10	/	·32		6
7	·02	·03	/	/	/	·11	/	·07	/	·03	/	·11		7
8	/	/	/	/	·12	/	/	·07	·02	/	·09	·02		8
9	·01	/	·02	·03	/	/	/	·01	/	/	·37	·29		9
10	/	/	·11	·09	/	/	/	·05	/	/	·79	·01		10
11	·29	/	·23	·02	/	/	·04	·09	/	/	·02	·12		11
12	·01	/	·08	/	/	/	·03	·27	/	/	·07	·04		12
13	·29	·01	·04	·02	/	/	1·18	·10	/	/	·02	·06		13
14	·02	·02	·29	/	·01	·01	/	·01	/	·12	·22	·14		14
15	·01	·01	·04	/	·09	/	/	/	·05	·01	·10	·09		15
16	·12	·02	·19	/	·04	/	/	/	/	·09	·01	/		16
17	02	/	/	/	/	/	/	·03	/	·16	·03	·14		17
18	·19	/	/	·31	/	/	·11	/	/	/	/	·02		18
19	/	/	·08	·03	/	·02	/	/	·10	·01	/	·01		19
20	/	/	·18	·01	/	/	/	/	·03	/	/	·01		20
21	/	/	·02	·04	/	·07	/	·04	/	·03	/	/		21
22	/	/	/	/	/	/	/	·06	·21	/	/	/		22
23	/	/	/	·23	/	·15	·02	·03	/	/	·01	·03		23
24	/	·01	·07	·02	/	·07	·08	/	·12	/	/	/		24
25	·05	·15	/	·10	/	·41	/	/	/	·03	/	·19		25
26	·05	·01	·01	·21	/	·02	·04	/	·01	/	/	·16		26
27	·07	·03	/	·12	/	·08	/	/	/	·05	/	·28		27
28	/	·08	/	·42	/	·14	/	·75	/	/	·04	·38		28
29	/		/	/	/	/	·37	·07	·11	/	·12	·01		29
30	·08	x	/	/	/	/	/	/	/	·01	/	·03		30
31	·01	x	/	x	/	x	/	/	x	·45	x	·05		31
TOTAL	1·49	·60	1·63	1·78	·63	1·22	1·87	1·92	1·27	1·82	2·00	3·34	Year's Total. 19·47	
* Days with .01 in. or more.	20	13	17	17	6	12	8	17	11	16	14	26	177	
* Days with .04 in. or more.	11	3	14	9	4	8	6	12	7	9	9	18	110	

† Spare column, no entries required.

(*Signed*) E. C. M. Phillips, Col.

40-9999

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Earls Hill House Royston

in the County of Hertford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·41	·04		·03		·12	·35		·01	·09	·11	·02		1
2	·08		·04	·05					·04	·12	·04			2
3		·23	·14	·11		·07			·20	·40	·12			3
4			·02	·17		·03			·17	·43	·01			4
5		·58	·07	·11		·29	·02		·10		·01			5
6	·08	·01		·21		·20					·02			6
7	·19			·35		·01				·01	·81	·09		7
8				·12	·01					·16	·04	·12		8
9				·11		·40				·48	·14	·03		9
10		·03		·05		·01					·02	·05		10
11	·18					·03	·20			·04	·17			11
12		·04				·22		·02	·02		·18			12
13	·09	·17		·23	·21						·01			13
14				·07	·17	·04			·14		·06	·04		14
15		·15		·29	·01	·04			·46		·13	·15		15
16	·01	·04	·02	·01	·02	·17			·10	·03	·57	·23		16
17				·01		·07	·03		·16		·69			17
18				·27	·04	·06	·22		·23	·04				18
19	·01			·07	·46	·10	·33		·04	·01	·11	·02		19
20	·03	·11		·06	·36	·05	·24		·04		·01			20
21	·01	·16	·01	·01						·06	·18			21
22			·11					·02	·35					22
23	·01	·01	·11					·30				·02		23
24	·08	·31	·01					·01	·47			·20		24
25	·22	·08		·20		·87						·06		25
26	·50			·01				·15	·10	·03		·35		26
27	·05	·23		·01	·08				·11		·14	·20		27
28									·08	·01		·08		28
29			·02						·85		·04	·14		29
30	·07	×		·26				·54	·01	·02	·28	·20		30
31		×		×		×		·01	×	·46	×	·20		31
													Year's Total.	
TOTAL	2·02	2·19	·55	2·81	1·36	2·78	1·39	1·05	3·68	2·39	3·83	2·20	26·25	
* Days with .01 in. or more.	16	18	10	23	9	18	7	7	20	16	23	18	182	
* Days with .04 in. or more.	11	12	5	17	6	14	5	3	17	10	17	14	131	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. C. M. Phillips (Colonel)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Earls Hill House Royston
in the County of Hertfordshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·16	·11	·32	/	·02	·10	·01	/	/	·04	·12		1
2	·05	·02	/	·03	/	·28	·69	·10	/	/	·09	·20		2
3	/	·01	·01	/	/	·08	·01	/	·05	/	·23	·01		3
4	/	/	·05	/	/	·05	/	·01	·27	·02	·06	·10		4
5	·10	·04	/	/	/	/	/	·01	·36	/	·03	·04		5
6	·14	/	/	/	/	·08	/	·11	·07	·02	·03	/		6
7	·27	/	·02	/	/	·04	·39	/	·01	·02	·01	/		7
8	·19	/	·03	/	·02	/	/	/	/	/	·22	·19		8
9	·22	/	·03	/	·05	·03	·84	/	·01	·01	·02	/		9
10	/	/	/	·01	/	·02	·23	·15	·07	·03	/	/		10
11	/	/	/	·03	/	/	·27	·06	/	/	·43	/		11
12	/	/	/	·17	/	·31	·36	/	·21	/	·78	·29		12
13	/	/	/	·13	/	·78	·02	/	/	·04	·06	·09		13
14	/	·15	/	/	/	·07	·42	/	·01	·02	·02	·26		14
15	/	·04	/	/	/	·02	·46	/	·05	/	/	·05		15
16	·33	·04	/	/	/	/	·04	/	/	/	·48	·01		16
17	·07	·43	/	/	·05	·03	/	/	/	·01	·15	·09		17
18	/	·10	/	/	/	·09	·07	/	/	·05	·03	·01		18
19	·23	·05	/	·03	/	·30	/	·03	/	·03	/	/		19
20	·02	·07	/	·32	/	/	·05	/	1·05	/	/	/		20
21	/	/	/	·16	/	1·06	·02	/	·40	/	/	/		21
22	·10	·36	·04	·01	·23	·03	·14	/	/	/	·01	·13		22
23	/	·01	/	·08	·01	/	·03	/	/	·38	·02	/		23
24	·11	·27	/	/	·01	/	·10	/	·05	·18	/	/		24
25	·10	·01	·11	·15	/	·23	·21	/	·15	·02	·05	·02		25
26	·01	·10	·11	·05	/	/	·01	/	·03	·04	·01	/		26
27	·02	·02	·02	·04	/	/	·01	/	·30	·07	/	/		27
28	·52	·02	·03	/	/	·70	·66	/	/	/	/	·06		28
29	·08	·26	·04	/	/	·09	·05	/	/	·03	·14	·01		29
30	·04	×	/	/	·34	·26	·09	/	/	·24	/	/		30
31	·53	×	·12	×	·07	×	·14	/	×	·56	×	·10		31
													Year's Total	
TOTAL	3·31	2·14	·72	1·53	·78	4·57	5·39	·48	3·08	1·47	2·90	1·57	27·94	
* Days with .01 in. or more.	20	19	13	14	8	21	25	8	16	18	21	18	201	
* Days with .04 in. or more.	17	13	7	9	5	15	19	4	12	8	11	13	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. C. W. Phillips (Col.)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Earls Hill House Royston

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	/	·03	·01	/	/	/	/	·03	/	·68	·37		1
2	/	·02	·01	·25	/	/	/	/	·05	/	·01	·12		2
3	01	·07	·01	/	/	/	/	/	/	/	/	·03		3
4	·08	·27	/	·01	·01	/	/	·24	/	/	/	·38		4
5	·12	·03	·17	/	/	/	·03	/	/	/	·01	·15		5
6	·02	/	·74	/	·10	/	·14	/	/	·01	·04	/		6
7	/	·52	·17	·06	·06	/	/	/	·02	/	/	/		7
8	/	·02	/	/	/	·09	/	/	/	/	·34	·12		8
9	/	/	/	·21	·33	/	·15	·01	·11	/	/	·10		9
10	03	/	·48	·01	·04	·34	·01	/	/	/	·03	·28		10
11	/	/	·25	/	·34	/	/	·70	/	·01	/	·14		11
12	·08	·38	·19	/	·24	·76	/	·50	·14	/	/	·09		12
13	·12	·02	·22	·04	·05	·68	/	·19	·18	/	/	·69		13
14	·03	·01	·60	·16	/	·04	/	·69	·01	/	/	/		14
15	·07	·03	/	·12	/	/	1·48	/	·12	/	/	·03		15
16	·18	·13	·28	·53	/	/	/	·09	·09	/	/	·01		16
17	·40	/	·28	·48	/	·05	/	/	·30	/	·12	·02		17
18	·50	·10	·05	·06	·23	/	/	/	·02	/	·24	/		18
19	·09	·10	·07	·05	·05	·17	·28	/	·41	·02	·07	/		19
20	·30	/	/	·36	·61	·01	/	/	·20	/	/	/		20
21	·13	·31	·13	·04	·01	/	·11	/	/	/	/	·03		21
22	·23	·03	/	/	·01	·03	·02	/	/	·49	·14	·01		22
23	·22	/	·11	/	·05	/	·16	/	/	·98	·01	·01		23
24	·42	·26	/	/	/	/	/	/	·13	·10	/	/		24
25	·05	·32	/	/	·49	/	/	/	·02	·37	/	·02		25
26	/	·13	·05	/	·04	/	/	/	/	·05	/	/		26
27	/	·15	/	·26	/	/	/	/	/	·76	·01	/		27
28	/	·04	/	·02	/	/	/	/	/	·07	/	·05		28
29	·08		/	/	/	/	/	/		·06	·04	·03		29
30	·24	✕	/	/	/	·02	/	/	/	/	·08	·01		30
31	·25	✕	/	✕	/	✕	/	/	✕	·05	✕			31
TOTAL	3·85	2·94	3·84	2·67	2·72	2·19	2·38	2·45	2·02	2·97	1·82	2·75	Year's Total ~~32·58~~ ✓ 32·60	
* Days with .01 in. or more.	23	20	18	17	16	10	9	7	15	12	14	22	183 ✓	
* Days with .04 in. or more.	19	13	15	13	13	7	6	6	10	9	9	12	132 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. C. W. Phillips (Col.)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Earls Hill House Royston

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	/	/	/	·01	12	/	/	·01	·12	/	·03		1
2	·17	/	/	·07	·02	·06	·14	/	/	·15	/	·01		2
3	·01	/	/	/	·15	/	·06	/	·07	·46	·02	/		3
4	·07	/	/	/	/	·02	/	/	/	·25	/	·07		4
5	·01	/	/	/	/	/	·30	/	·01	·12	/	/		5
6	·03	/	/	/	/	/	·04	·04	·20	·03	/	/		6
7	·05	/	/	/	/	/	·02	·12	·06	·24	/	·01		7
8	·16	/	/	/	/	/	·21	·01	·03	·13	/	/		8
9	·07	/	/	/	/	/	·03	·16	/	/	/	·50		9
10	/	/	/	/	/	·01	·05	·44	/	/	/	·07		10
11	·36	·01	/	/	/	/	/	·09	/	/	·10	·02		11
12	·10	·06	/	/	/	/	·02	·32	/	·41	·01	·01		12
13	·01	/	/	/	/	/	/	/	/	/	·05	·08		13
14	·10	·05	/	/	·15	/	/	/	·07	/	/	·01		14
15	·03	/	/	/	/	/	·05	/	/	·09	/	·09		15
16	·18	·01	/	/	/	/	·10	/	/	·04	·01	·36		16
17	/	·08	/	/	·49	/	·07	/	/	·02	/	/		17
18	·04	/	/	/	·35	/	/	/	·04	/	·34	/		18
19	/	/	/	/	·02	/	/	·04	·05	/	·11	/		19
20	/	·01	/	/	·01	/	/	/	·01	/	·48	Snow ·03		20
21	/	/	/	/	/	/	/	·45	·02	/	/	Snow ·74		21
22	/	/	/	/	/	·01	/	/	/	/	·19	Snow ·21		22
23	/	/	/	·11	/	/	/	/	/	/	·05	/		23
24	/	/	·13	·08	·01	/	/	/	·61	/	·05	/		24
25	·09	·03	·12	·01	·07	/	·01	/	·01	·04	·51	Snow ·10		25
26	·06	·13	·11	/	/	/	/	/	·10	·20	/	Snow ·15		26
27	·08	·04	/	·01	·08	·22	·19	·01	·96	·14	·40	/		27
28	·22	·01	/	/	·67	·05	/	·23	·03	/	·03	·01		28
29	·49		/	·05	·22	/	/	·01	/	/	·09	·22		29
30	/	✕	/	·02	/	·12	/	/	·06	·02	·12	Snow ·11		30
31	·17	✕	/	✕	05	✕	/	/	✕	·15	✕	·26		31
TOTAL	2·53	·43	·36	·35	2·30	·61	1·29	192	2·34	2·61	2·56	309	Year's Total 20·39	✓
* Days with .01 in. or more.	22	10	3	7	14	8	14	12	17	17	16	21	161	✓
* Days with .04 in. or more.	16	5	3	4	9	5	10	9	10	14	12	13	110	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. C. W. Phillips (Colonel)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Earls Hill House Royston

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	/	/	·19	·20	/	·21	·02	·76	/	/	/		1
2	·04	/	/	/	·01	/	/	·33	·44	·04	·03	/		2
3	·37	/	/	·06	/	/	/	·55	/		·22	·25		3
4	/	/	·14	·22	/	/	·01	·17	/	·22	·03	·05		4
5	/	/	/	·41	·01	/	/	·81	/	·15	·19	·06		5
6	·32	/	/	·03	/	/	·15	·01	/	·01	·03	/		6
7	·08	·02	/	/	/	/	/	·05	/	·03	·12	·08		7
8	/	·02	·09	/	/	/	·07	·05	/	·09	·02	·28		8
9	/	·04	/	/	/	/	/	·05	/	·29	·10	·16		9
10	·18	/	/	/	/	·30	/	·25	·02	·01	/	/		10
11	/	/	·30	/	·01	/	/	/	·03	·03	/	·02		11
12	/	·03	/	/	/	·25	/	/	·03	·01	/	/		12
13	/	/	·02	·01	/	·10	·04	/	·03	·66	/	/		13
14	·30	/	·01	·01	·34	·01	·02	/	·06	·25	·17	·01		14
15	·33	/	·01	·01	·40	·18	·01	/	·06	·90	·01	·01		15
16	·31	/	·33	·05	·11	·12	/	/	·01	·05	·30	/		16
17	·12	·01	·02	·13	·11	/	·04	/	/	·03	·02	/		17
18	·19	/	·04	/	/	·16	·11	/	·04	·14	·51	/		18
19	·23	/	·02	/	/	·05	·02	/	/	·26	/	·03		19
20	·09	/	/	/	/	·24	·51	·25	/	/	/	·05		20
21	·08	/	·47	/	/	·27	·11	·03	·20	/	/	/		21
22	·05	·14	·08	/	/	·01	·02	/	·05	/	·08	/		22
23	·05	/	·01	·10	/	·01	/	/	/	·11	·50	·02		23
24	·10	·01	·07	·03	/	·01	·12	/	/	/	/	/		24
25	1·15	·08	·19	·06	/	·01	·01	·02	/	/	·28	·01		25
26	·44	·01	·02	·08	/	/	/	/	/	·25	·57	·04		26
27	/	·02	·12	·09	/	/	·02	/	/	·18	·12	·06		27
28	·01	·20	·11	·04	/	/	/	/	/	·18	·11	/		28
29	/		/	·63	/	/	·02	·01	/	·33	·01	/		29
30	/	✕	/	·83	/	/	/	/	/	/	·05	/		30
31	/	✕	/	✕	/	✕	·09	·02	✕	/	✕	/		31
TOTAL	4·46	·58	2·08	2·98	1·49	1·72	1·61	2·62	1·73	4·62	3·47	1·13	Year's Total 28·49 in	
* Days with .01 in. or more.	20	11	18	18	8	14	18	15	12	23	21	15	193	
* Days with .04 in. or more.	18	4	11	13	5	9	10	9	7	15	14	9	124	

† Spare column, no entries required.

(*Signed*) E. C. W. Phillips

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 982

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Earle Hill House Royston
in the County of Hertfordshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·05									·11			1
2		·03		·07			·03			·10	·95			2
3		·18		·17						·15	·58			3
4		·10		·10			·09			·14	·76	·04		4
5		·04					·13			·01	·41	·03		5
6	·11	·11			·12		·42			·09	·24	·01		6
7	·33	·09			·05		·02					·01		7
8		·01					·01			·10		·21		8
9			·08	·01					·02	·01	·11	·14		9
10						·01	·68			·08	·17	·23		10
11				·04		·02					·57	·04		11
12		·06	·02				·02		·05	·01	·05			12
13		·01	1·14	·04					·05		1·22			13
14			·10	·09	·11			·04		·01		·19		14
15			·05	·01	·09	·02	·09		·02		·07			15
16	·08	·13	·12	·02		·02	·58		·05	·70	·45			16
17		·02	·45				·04			·01	·18			17
18	·01	·48	·19	·41			·05	·05		·05	·02	·14		18
19		·12	·08	·09			·04		·04	·01	·10	·07		19
20		·02	·01	·01		·02	·08	·02			·04			20
21	·07				·01		·08			·09	·39			21
22	·01		·03		·09	·21		·01	·24	·02				22
23		·10		·09	·15	·02		·04			·12	·01		23
24				·17			·20			·01				24
25			·24				·80							25
26	·64	·02	·35	·01	·31	·06	·62							26
27	·37	·07		·04	·18		·18				·04			27
28	·09	·09		·01	·09									28
29			·06		·05							·22		29
30	·08	×		·09						·10		·11		30
31	·03	×		×		×			×	·56	×	·01		31
TOTAL	1·82	1·73	2·92	1·47	1·25	·38	4·16	·16	·47	2·25	6·58	1·46	Year's Total 24·65	
* Days with .01 in. or more.	11	19	14	18	11	8	19	5	7	19	20	15	166	
* Days with .04 in. or more.	8	13	11	11	10	2	15	3	5	11	19	10	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. C. W. Phillips, Col.

P.T.O.

982/4

RINGSHALL END
BUCKS

1938-1940

780206

…ile 15374/38

Section **A** for the entry of Dail…
AIR MINISTRY.— …AINFALL ORGANIZATION

Station No. ~~937~~ 982/4

FORM 1090

REGISTE… 1938

Kept at Ringshall End

in the County of Bucks ~~Herts~~

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground.

„ Ground „ Sea Leve…

…umbered & placed as in Reel for county of Bucks.

THE MORNING MEASUREME… …EVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·02	-	·21		–	-	·01	-	·03		1
2	·23	·03	-	·07	-	·01		–	-	·28	–	·		2
3	–	-	-	·10	-	-		–	·04	·74	·05	–		3
4	·11	-	-	–	-	-		—	-	·21	-	–·14		4
5	-	·	-	·		-	·30	—	-	·07	-	-		5
6	·03	-	·	-		-	·03	—	·07	·08	-	·01		6
7	·03	-	-	-	-	-	·38	✗	·03	·42	-	·02		7
8	·13	-	-	-	-	-	·23	✗	·08	·14	·01	-		8
9	·11	·01	-	-	-	-	·13	✗	-	-	-	·88		9
10	·07	·05	-	-	-	·05	·07	✗	-	-	-	·05		10
11	·28	·03	-	-	-	-	-	✗ 2 ·39	-	-	·11	·02		11
12	·21	-	-	-	tr	-	·01	✗	-	·31	-	·		12
13	·02	✓ }·03	-	-	tr	-	-	–	-	-	·14	·16		13
14	·22		-	-	·05	-	·12	–	·11	–	–	-		14
15	·05	·02	-	·	-	-	·17	–	-	–·11	-	·18		15
16	·31	·02	·01	-	-	-	·01	–	-	·02	·02	·16		16
17	-	·07	-	-	·04	-	·03	–	·04	·07	-	·		17
18	·05		-	-	·15	-	-	✓	·14	·06	·33	-		18
19	-	✓	-	-	-	-	-	✗	·16	–	·18	·		19
20	-	}·03 –	-	-	-	-	-	—	·03	–	·50	✗		20
21	·03	–		·	-	-	·	✗	·04	–	·02	}1·08 Sn ✗		21
22		-		·02	-	·01	-	✓	-	–	·19	✗		22
23		-		tr	tr	-	-	-	-	}·34	·03	-		23
24	– ✗	-	·17	tr	✓	-	-	-	·19	–	·04	-		24
25	}·31 ✗	·03	·11	-	}·09 ✗	-	·01	·05	·02	✓	·59	✗		25
26	✗	·28	·22	-	–	tr	-	-	·12	✗	-	}·40 Sn ✗		26
27	·06	·05	-	·01	✓	·21	·25	·01	·47	✗	·45	–		27
28	·14	·02	-	-	·83	·08	-	·69	·07	–	✗	}·28 ✗		28
29	·23	✕	-	·03 Sn	·31	-	-	·02	-	–	}·39 ✗	✗	✓	29
30		✕	-	·08	·22	·04	-	-	·13	✓	✗	·06		30
31	·27	✕	-	✕	·19	✕	-	-	✕	}·18 ✓	✕	·24		31
TOTAL	2·89	·67	·51	·33	1·88	·61	1·74	3·16	1·74	3·04	3·05	3·70	Year's Total 23·32	
* Days with .01 in. or more.	21	13	4	7	10	7	13	14	16	18	16	19	158	
* Days with .04 in. or more.	17	4	3	3	8	5	8	10	13	14	12	15	112	

Foot note Station previously in Hertfordshire – 2

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C Bradley

P.T.O.

15374/30 982/4

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~937~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ringshall End

in the County of Bucks ~~Herts~~

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 700 ft.

Days / Ave

Ave. 28.9 ✓ W.R.R.

Station incorrectly numbered & placed as in Herts 2. Renumbered for a/c of Bucks.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·02	-	·21		-	-	·01	-	·03		1
2	·23	·03	-	·07	-	·01		—	-	·28	-	-		2
3	-	-	-	·10	-	-		—	·04	·74	·05	-		3
4	·11	-	-	-	-	-		—	-	·21	-	·14		4
5	-	-	-	-	-	-	·30	—	-	·07	-	-		5
6	·03	-	-	-	-	-	·03	—	·07	·08	-	·01		6
7	·03	-	-	-	-	-	·38	✓	·03	·42	-	·02		7
8	·13	-	-	-	-	-	·23	✓	·08	·14	·01	-		8
9	·11	·01	-	-	-	-	·13	✓	-	-	-	·88		9
10	·07	·05	-	-	-	·05	·07	✓	-	-	-	·05		10
11	·28	·03	-	-	-	-	-	2·39 ✓	-	-	·11	·02		11
12	·21	-	-	-	tr	-	·01	✓	-	·31	-	-		12
13	·02	✓	-	-	tr	-	-	—	-	-	·14	·16		13
14	·22	·03	-	-	·05	-	·12	—	·11	-	-	-		14
15	·05	·02	-	-	-	-	·17	—	-	·11	-	·18		15
16	·31	·02	·01	-	-	-	·01	—	-	·02	·02	·16		16
17	-	·07	-	-	·04	-	·03	—	·04	·07	-	-		17
18	·05		-	-	·15	-	-	✓	·14	·06	·33	-		18
19	-	✓	-	-	-	-	-	✓	·16	—	·18	-		19
20	-	·03	-	-	-	-	-	—	·03	—	·50	✓		20
21	·03	—			-	-	-	✓	·04	—	·02	1·08 sn ✓		21
22		-		·02	-	·01	-	✓	-	—	·19	✓		22
23		-		tr	tr	-	-	-	-	·34	·03	-		23
24	—	-	·17	tr	✓	-	-	-	·19	—	·04	-		24
25	·31 ✓	·03	·11	-	·09 ✓	-	·01	·05	·02	✓	·59	✓		25
26	✓	·28	·22	-	—	tr	-	-	·12	✓	-	·40 sn ✓		26
27	·06	·05	-	·01	✓	·21	·25	·01	·47	✓	·45	—		27
28	·14	·02	-	-	·83	·08	—	·69	·07	—		·28 ✓		28
29	·23	✗	-	·03 sn	·31	-	-	·02	-	—	·39 ✓	✓	✓	29
30		✗	-	·08	·22	·04	-	-	·13	·18 ✓	✓	·06		30
31	·27	✗	-	✗	·19	✗	-	-	✗	✓	✗	·24		31
TOTAL	2·89	·67	·51	·33	1·88	·61	1·74	3·16	1·74	3·04	3·05	3·70	Year's Total 23·32	
* Days with .01 in. or more.	21	13	4	7	10	7	13	14	16	18	16	19	158	
* Days with .04 in. or more.	17	4	3	3	8	5	8	10	13	14	12	15	112	

Foot note Station previously in Hertfordshire - 2

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H C Bradby

[P.T.O.

982/4

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 937

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ringshall End

in the County of Bucks

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

" Ground " Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	-		·42	·33	-	-	·16	·08	-	-	-		1
2	·02 sn	-	·19	-	-	-	-		·19	-		-		2
3	·30 sn	-	-		-	-		·72	-	·03		·33		3
4	·05	-	·29	·23		-	·04	·19	-	·10	·77	·03		4
5	-	-	-	·27		-		·69	-	·14		·38		5
6	·51	-	-	·06		-	·30	·03	-	-		-		6
7	·07	·04	-	-		-	-	·02	-	-	·17	·15		7
8	-	·06	·11	-		-	·09	·29	-	·41	·17	·44		8
9	-	·10	-	-		-	-		-	·26		·15		9
10	·35	-	-	-		·43	-		·01	-		-		10
11	-	-	·24	-		·17	-		-	·01		-		11
12	-	-	-	-	1·43	·04	-		-	-	·65	-		12
13	-	-	-	-		-	·01		·11	·77		-		13
14	·58	-	·04	·02		·03	·12		·02	·05		-		14
15	·32	-		-			·02		·18	·64		-		15
16	·19	-	·16	·06			·10		-	·02		-		16
17		·01	·02	·09		1·25	·05	·86	-	·03	·03	-		17
18	·73	·02	·07	-			·08		-		·39	-		18
19			tr	-			·28		-	·32	-	·02		19
20		·34	tr	-			·37		-		-	-		20
21	·12		·27	-		·15	·21		·11	-	-	-		21
22	·16	-	·17			·02	·02		·08	-		-		22
23	·02	-		·16		·02	·07		-		·81	-		23
24	1·02	-	·12	·13		-	·03		-	·26	-	-		24
25	sn	·08	-		-	-	-		-	-	·48	-		25
26		·02	·03 sn	·06	-	-	-		-	·18	·47	·15		26
27	·53 sn		·15		-	-	·01		-	·04		-		27
28	-		-	-	-	-	-		-			·10 sn		28
29	-	×	-		-	-	·33	-	-	·31	·44	-		29
30	-	✕	·11	·24	-	·08	·04	-	-	-		-		30
31	-	✕	tr	✕		✕	·20	·01	✕	-	✕	-		31
TOTAL	5·00	(·67	1·97)	2·74	1·76	2·19	2·37	2·97	·78	3·57	4·38	1·75	Year's Total 30·15	
* Days with .01 in. or more.		2·64											"	"d"
* Days with .04 in. or more.													"	

† Spare column, no entries required.

(*Signed*) H C Bradley [P.T.O.

* See Instruction 3 (f) on other side.

982/4

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** ~~937~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~44

Kept at Ringshall End

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 700 ft.

Accs days totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03 sn	–			–	–	–	–	–	·17	–		1
2	–	·12 sn	–	·13		–	–	–	–		1·18	–		2
3	–	·19	–	·18	(·09)	–	·07	–	–	·25	·70	·02		3
4	–	·04	–	·16	·39	–	·01	–	–	·23	·46	·06		4
5	–	·02	–	–		–	–	–	–	·05	·66	·11		5
6	·18	·15	–	–		–	·41	–	–	·18	·46	–		6
7	·26	·21	–	–	·06	–	·04	–	·05	–	–	–		7
8	–	–	–	·07	–	–	–	–	–	·15	–	·22		8
9	–	–	–	·01	–	(·38)	–	·01	·05	·01	·12	·06		9
10	–	–	–		–	–	·60	·02	–	·07	·28	·05		10
11	–	–	–		–	–	·03	–	–	–	·71	·02		11
12	–	·05 sn		·15	–	–	·12	–	·09	–	·63	–		12
13	–	·04 sn	·79 sn		–	·19	–	–		–	1·23	–		13
14	–	–			–	–	–	–		·09	–	·22		14
15	–	–		–	·20	–	·04	–	·20	·11	·18	·01		15
16	·09 sn	·10 sn		–	–	·03	·56	–		·75	·74	–		16
17	–	–	·73	–	–	–	–	–		–	·23	–		17
18	–	·44	·27	·29	–	–	·05	–	–	·11	·31	·17		18
19	–	·11	·06	·19	–	–	·12	–	·05	–	·13	·05		19
20	–	·01	·07	·01	–	·04	·13	·01	–	·07	·17	–		20
21		–	·01	–	·27	–	·09	–	–	tr	·50	–		21
22	·16 sn	–	·03	–	·37	·50	–	–	·24	–	–	–		22
23		·19	·03	·13	·13	·11	–	·02	–	–	·01	·03		23
24		–	–	·12	–	–	·15	–	–	–	–	–		24
25		–		–	–	–	·32	–	–	–	–	–		25
26			·42	–	·13	·02	·03	–	–	–	–	·06		26
27	sn 1·35	·24	–	·23			–	tr	–	·03	·01	–		27
28		·04	–	–	·32		–	–	–	–	–	–		28
29	·41 sn	·02	·09	(·30)	–		–	–	–	–	–	·33		29
30		×	–	–	(·38)		–	–	–	·11	–	·06		30
31	·01 sn	×	–	×	–	×	–	–	×	·73	×	–		31
TOTAL	2·46	2·00	2·50	9 1·~~0~~7	1·95 1·87	·89 ~~1·27~~	2·77	·06	·68	2·94	8·28	1·47	Year's Total ~~27~~·97	(27·97)
*Days with ·01 in. or more.	11	18	14	15 ~~13~~	10	6 ~~7~~	16	4	8	16	20	15	153	
*Days with ·04 in. or more.	10	14	11	12	10	4 5	13	0	7	14	17	11	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

DAGNALL (IVING

Section **A** for the entry of
AIR MINISTR

H RAINFALL ORGANIZATION

Station No. 982/5

982/5

DAGNALL IVINGLEA

1937 - 40

780206

Form 1090

REGIS N 1937

Kept at IVINGLEA, near DA
in the County of BUCKS
Diameter of Funnel of Gauge S
Height of top of Gauge above Gro
,, Ground ,, Sea

During January and February, and also during the first half of September, circumstances necessitated the measurements being at 10h. or 11h. on a number of occasions.

THE MORNING MEASURE **PREVIOUS DAY**

Jan. 1, following ✓

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42	tr.	·02	·01	tr.	–	tr.	tr.	·07	tr.	·54	·73		1
2	·04	·17	·02	·46	–	–	–	–	·15	tr.	·01	·65		2
3	–	·08	tr.	tr.	·02	tr.	tr	–	–	–	·02	·15		3
4	–	·21	–	tr.	–	tr.	tr.	tr.	tr.	tr.	·01	·69		4
5	·37	·04	·22	tr.	–	–	·05	·01	–	tr.	·01	·02		5
6	·10	tr.	·41	·01	·16	–	·18	–	–	·02	·05	tr.		6
7	–	·84	·06	·16	·01	–	·04	–	·05	tr.	tr.	tr.		7
8	–	·02	·01	tr.	·11	·05	tr.	–	–	–	·25	·18		8
9	–	tr.	–	·21	·16	·01	·15	tr.	·21	·01	–	·41		9
10	–	–	·62	·15	·07	·23	·04	tr.	–	tr.	tr.	·26		10
11	·03	–	·21	·01	·58	·01	·04	·04	–	·01	–	·02		11
12	·21	·33	·14	tr.	·20	1·04	·02	·02	·07	tr.	tr.	·16		12
13	·12	·07	·33	·02	·02	·52	–	·29	·12	tr.	·01	·34		13
14	·07	·02	·61	·23	–	tr	–	·69	·04	–	tr.	·01		14
15	·14	·08	tr.	·13	tr	·04	·63	–	·12	–	tr.	·02		15
16	–	·16	·48	1·23	tr.	·10	–	·16	·37	tr	–	·04		16
17	·63	tr.	·21	·26	tr.	·02	–	–	·45	·02	·03	tr.		17
18	·55	·17	·02	·02	·07	·12	–	–	·05	·02	·41	·08		18
19	·12	·06	·03	·12	tr.	·17	·27	–	·48	·02	·05	·02		19
20	·59	·05	tr.	·46	·75	·06	·01	tr.	·04	·01	·02	·01		20
21	·20	·34	·10	·08	·05	–	·04	·02	–	·01	·01	·06		21
22	·47	·04	·03	tr.	·18	·42	·13	–	tr.	·58	·23	·06		22
23	·21	tr.	·08	–	·89	tr.	·16	–	tr.	·67	tr.	tr.		23
24	·44	·44	·03	–	·02	tr.	·01	–	·17	·46	·01	·03		24
25	·09	·53	·04	–	·89	tr.	tr.	tr.	·06	·21	tr.	·02		25
26	·02	·27	·11	–	·24	tr.	–	tr.	–	·12	tr.	tr.		26
27	·05	·33	·03	·20	tr.	–	–	tr.	·02	·70	·01	·01		27
28	–	·05	–	·02	–	·01	–	–	–	·09	–	·09		28
29	·03	✕	–	–	–	·06	tr.	–	tr.	·04	·05	·03		29
30	·39	✕	–	·01	–	·01	tr.	tr.	tr.	·01	·19	·02		30
31	·37	✕	tr.	✕	–	✕	–	–	✕	·36	✕	·08		31
TOTAL	5·66	4·30	3·81	3·79	4·42	2·87	1·77	1·23	2·47	3·36	1·91	4·19	Year's Total 39·78	
* Days with .01 in. or more.	23	21	22	19	17	16	14	7	16	18	18	26	217	
* Days with .04 in. or more.	20	19	14	12	13	11	11	4	15	9	8	15	151	

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) E.L. Hawke, M.A. [P.T.O.

E L ~~Hawke~~ Esq. M.A.

DAGNALL (IVIN

Section A **for the entry of Daily Observations** Station No. 982/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at IVINGLEA, near DAGNALL, BUCKS.

in the County of BUCKS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 550 ft.

627784/37

During January and February, and also during the first half of September, circumstances necessitated the measurements being made at 10h. or 11h. on a number of occasions.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42	tr.	·02	·01	tr.	–	tr.	tr.	·07	tr.	·54	·73		1
2	·04	·17	·02	·46	–	–	–	–	·15	tr.	·01	·65		2
3	–	·08	tr.	tr.	·02	tr.	tr.	–	–	–	·02	·15		3
4	–	·21	–	tr.	–	tr.	tr.	tr.	tr.	tr.	·01	·69		4
5	·37	·04	·22	tr.	–	–	·05	·01	–	tr.	·01	·02		5
6	·10	tr.	·41	·01	·16	–	·18	–	–	·02	·05	tr.		6
7	–	·84	·06	·16	·01	–	·04	–	·05	tr.	tr.	tr.		7
8	–	·02	·01	tr.	·11	·05	tr.	–	–	–	·25	·18		8
9	–	tr.	–	·21	·16	·01	·15	tr.	·21	·01	–	·41		9
10	–	–	·62	·15	·07	·23	·04	tr.	–	tr.	tr.	·26		10
11	·03	–	·21	·01	·58	·01	·04	·04	–	·01	–	·02		11
12	·21	·33	·14	tr.	·20	1·04	·02	·02	·07	tr.	tr.	·16		12
13	·12	·07	·33	·02	·02	·52	–	·29	·12	tr.	·01	·34		13
14	·07	·02	·61	·23	–	tr.	–	·69	·04	–	tr.	·01		14
15	·14	·08	tr.	·13	tr.	·04	·63	–	·12	–	tr.	·02		15
16	–	·16	·48	1·23	tr.	·10	–	·16	·37	tr.	–	·04		16
17	·63	tr.	·21	·26	tr.	·02	–	–	·45	·02	·03	tr.		17
18	·55	·17	·02	·02	·07	·12	–	–	·05	·02	·41	·08		18
19	·12	·06	·03	·12	tr.	·17	·27	–	·48	·02	·05	·02		19
20	·59	·05	tr.	·46	·75	·06	·01	tr.	·04	·01	·02	·01		20
21	·20	·34	·10	·08	·05	–	·04	·02	–	·01	·01	·06		21
22	·47	·04	·03	tr.	·18	·42	·13	–	tr.	·58	·23	·06		22
23	·21	tr.	·08	–	·89	tr.	·16	–	tr.	·67	tr.	tr.		23
24	·44	·44	·03	–	·02	tr.	·01	–	·17	·46	·01	·03		24
25	·09	·53	·04	–	·89	tr.	tr.	tr.	·06	·21	tr.	·02		25
26	·02	·27	·11	–	·24	tr.	–	tr.	–	·12	tr.	tr.		26
27	·05	·33	·03	·20	tr.	–	–	tr.	·02	·70	·01	·01		27
28	–	·05	–	·02	–	·01	–	–	–	·09	–	·09		28
29	·03	×	–	–	–	·06	tr.	–	tr.	·04	·05	·03		29
30	·39	×	–	·01	–	·01	tr.	tr.	tr.	·01	·19	·02		30
31	·37	×	tr.	×	–	×	–	–	×	·36	×	·08		31
TOTAL	5·66	4·30	3·81	3·79	4·42	2·87	1·77	1·23	2·47	3·36	1·91	4·19	Year's Total 39·78	
* Days with .01 in. or more.	23	21	22	19	17	16	14	7	16	18	18	26	217	
* Days with .04 in. or more.	20	19	14	12	13	11	11	4	15	9	8	15	151	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) E L Hawke, M.A. [P.T.O.

E L ~~Hawke~~ Esq. M.A.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 982/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at "Ivinglea," DAGNALL.

in the County of BUCKS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 550 ft.

·84 for Dec 21st.

on 21st corrected by [illegible]

Dec snow

~~corr. for Dec 19–26 snow,~~ notified 24/2/39 W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr.	·01	tr.	-	·01	·36	tr.	-	·03	·02	-	·05		1
2	·23	·04	-	·03	·12	·03	tr.	-	-	·30	·03	·01		2
3	·02	-	-	tr.	·08	tr.	·01	-	·03	·81	·05	tr.		3
4	·12	-	tr.	-	-	tr.	·01	tr.	tr.	·21	tr.	·15		4
5	tr.	-	-	·01	-	·01	·14	-	tr.	·12	·01	tr.		5
6	·05	-	-	-	-	·01	·06	tr.	·07	·12	·02	·01		6
7	·02	tr.	tr.	-	tr.	tr.	·78	·20	·06	·44	tr.	·03		7
8	·17	-	-	-	-	tr.	·21	·12	·08	·18	·01	·02		8
9	·18	·02	-	-	-	·01	·11	1·20	tr.	·02	-	·92		9
10	·05	·05	tr.	-	tr.	·05	·08	·11	tr.	-	-	·06		10
11	·35	·01	-	-	-	·01	·01	1·01	·01	tr.	·12	·02		11
12	·22	·01	-	-	·02	tr.	·02	·35	-	·38	·01	·02		12
13	·03	·04	-	-	·01	-	-	tr.	-	·02	·16	·17		13
14	·23	·01	-	-	·06	-	·07	-	-	tr.	·01	·06		14
15	·10	·01	-	-	·01	-	·11	tr.	·06	·14	·02	·15		15
16	·37	·04	·02	-	tr.	-	·04	·01	·04	·04	·04	·18		16
17	-	·10	tr.	-	·17	-	·04	tr.	·12	·08	·01	tr.		17
18	·08	tr.	-	tr.	·16	tr.	tr.	·09	·11	·10	·40	tr.		18
19	-	tr.	-	tr.	tr.	-	-	·08	·12	tr.	·18	·02		19
20	tr.	tr.	-	-	tr.	-	-	-	tr.	tr.	·60	·15		20
21	·04	tr.	tr.	tr.	-	-	-	·20	·06	-	·04	·84 ~~·14~~		21 X See over, Note B.
22	tr.	tr.	-	·02	-	·02	-	·04	tr.	·01	·22	·39		22
23	tr.	-	-	·02	tr.	tr.	tr.	-	·03	tr.	·10	·02		23
24	tr.	-	·18	·01	·02	tr.	-	-	·25	·01	·04	tr.		24
25	·09	·04	·13	·02	·10	tr.	·02	·09	·02	·03	·68	·22		25
26	·30	·32	·19	tr.	tr.	·01	·01	tr.	·12	·24	·01	·31		26
27	·09	·06	tr.	·01	·04	·26	·26	·01	·52	·11	·51	-		27
28	·15	·02	-	·01	1·01	·10	·01	·74	·06	tr.	·03	·16		28
29	·25	×	-	·05	·32	-	tr.	·01	·04	·01	·17	·17		29
30	·03		-	·12	·23	·03	-	-	·14	·05	·25	·08		30
31	·30		-		·22		-	tr.		·17		·26		31
TOTAL	3·47	·78	·52	·30	2·58	·90	1·99	4·26	1·97	3·61	3·72	(4·47) ~~4·77~~	Year's Total ~~28·87~~	28·57 28·57
* Days with .01 in. or more.	23	15	4	10	16	12	18	15	20	23	25	25	206	
* Days with .04 in. or more.	19	8	3	2	11	4	11	12	15	16	15	17	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E L Hawke, M.A. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 982/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at IVINGLEA, NEAR DAGNALL

in the County of BUCKS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·02	·43	·35	–	tr.	·11	·06	–	·01	·02		1
2	·04	tr.	–	·02	·02	–	–	·38	·23	·01	·06	·05		2
3	·39	tr.	–	·14	tr.	–	–	·41	–	·04	·14	·30		3
4	·04	–	·30	·19	tr.	–	·04	·32	–	·14	·07	·04		4
5	–	–	·01	·24	·09	–	·02	·80	tr.	·16	·33	·40		5
6	·63	–	tr.	·07	·01	–	·37	·04	tr.	·01	·21	·04		6
7	·05	·07	–	–	–	–	·01	·02	tr.	·04	·16	·15		7
8	tr.	·06	·14	–	–	–	·09	·58	tr.	·58	·18	·49		8
9	·07	·11	tr.	–	–	–	–	·06	tr.	·27	tr.	·15		9
10	·28	–	–	–	–	·44	–	·30	·02	·01	·01	tr.		10
11	tr.	·01	·27	–	·01	·24	–	–	–	·02	·03	·03		11
12	–	·03	tr.	–	·01	·04	–	tr.	–	tr.	–	tr.		12
13	·02	–	·03	·04	–	·01	·11	–	·08	·92	tr.	tr.		13
14	·66	tr.	·04	·03	·35	·04	·08	–	·09	·11	·26	tr.		14
15	·36	·01	·07	·01	·86	·49	·04	–	·10	·59	·14	·01		15
16	·23	tr.	·10	·07	·16	·18	·10	tr.	tr.	·06	·28	–		16
17	·26	·02	·06	·10	·19	·01	·15	tr.	–	·02	·02	tr.		17
18	·16	·04	·09	tr.	tr.	·22	·12	tr.	·01	·14	·42	tr.		18
19	·23	–	·04	tr.	–	·20	·24	·01	–	·20	tr.	tr.		19
20	·22	–	·01	–	·02	·54	·33	·06	–	tr.	–	·03		20
21	·11	·11	·29	·02	–	·12	·15	·18	·10	·02	·01	tr.		21
22	·12	·37	·28	tr.	–	·02	·05	·01	·07	tr.	·14	tr.		22
23	·18	–	·03	·15	–	·02	·12	tr.	tr.	·06	·73	tr.		23
24	·34	–	·06	·18	–	·01	·08	·01	·01	·20	–	·02		24
25	1·49	·09	·08	·02	–	–	·18	·05	–	·12	·54	tr.		25
26	·56	·06	·07	·10	–	·04	–	·04	–	·13	·52	·12		26
27	·03	·04	·16	·05	–	tr.	·01	·02	tr.	·07	·15	–		27
28	·03	·20	·08	·01	–	·02	·02	–	–	·19	·16	·12		28
29	·02	✕	–	·59	tr.	–	·35	–	–	·15	·10	–		29
30	–	✕	–	·80	–	·15	·06	–	–	tr.	·11	·05		30
31	–	✕	tr.	✕	–	✕	·17	·02	✕	tr.	✕	–		31
													Year's Total	
TOTAL	6·54	1·22	2·23	3·26	2·07	2·79	2·89	3·42	·77	4·26	4·78	2·02	36·25	
* Days with .01 in. or more.	25	14	21	20	11	18	23	19	10	25	24	16	226	
* Days with .04 in. or more.	20	10	16	14	6	12	19	13	7	19	19	11	166	

† Spare column, no entries required

(Signed) Hawke, M.A.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 982/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at DAGNALL (IVINGLEA)

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·04	-	·03	·05	-	-	-	-	-	·18	-		1
2	-	·13	-	·12	-	-	·06	-	-	·12	1·24	-		2
3	-	·27	tr.	·21	-	tr.	tr.	-	-	·16	·85	·01		3
4	-	·07	tr.	·17	-	-	·02	-	-	·27	·40	·05		4
5	tr.	·05	tr.	-	·04	-	tr.	-	-	·07	·72	·13		5
6	·20	·18	tr.	-	·05	-	·42	-	-	·17	·42	tr.		6
7	·29	·22	-	tr.	·06	-	·13	-	·07	-	·01	·03		7
8	tr.	tr.	-	·08	tr.	-	·03	-	·02	·17	·02	·26		8
9	tr.	-	-	·03	-	·42	·01	·01	·04	·01	·11	·07		9
10	-	tr.	tr.	-	-	tr.	·63	·04	tr.	·11	·27	·12		10
11	-	-	tr.	·07	-	tr.	·02	-	-	tr.	·80	·03		11
12	-	·14	·04	tr.	-	-	·13	-	·09	tr.	·02	·02		12
13	-	·08	·53	·02	-	·44	tr.	tr.	·07	-	1·34	tr.		13
14	tr.	tr.	·21	·15	·02	-	tr.	·04	·02	·06	tr.	·32		14
15	tr.	-	·05	·04	·24	·04	·04	-	·08	·15	·15	·01		15
16	·18	·17	·44	·01	-	·02	·53	-	·14	·73	·86	·02		16
17	tr.	·01	·45	-	-	-	·03	-	tr.	·01	·24	·02		17
18	tr.	·47	·28	·34	-	-	·03	tr.	tr.	·09	·32	·15		18
19	-	·21	·07	·17	-	-	·15	tr.	·15	·03	·23	·05		19
20	-	·04	·06	·07	-	·04	·12	·02	·01	·05	·01	tr.		20
21	·14	tr.	·02	-	·28	-	·08	·01	tr.	·06	·53	-		21
22	·17	-	·02	·01	·37	·56	-	tr.	·26	·01	tr.	-		22
23	-	·26	·04	·20	·12	·03	·01	·04	-	·02	·02	·04		23
24	tr.	tr.	-	·04	tr.	-	·17	-	-	tr.	tr.	·03		24
25	-	tr.	·30	-	·01	-	·19	tr.	-	tr.	-	·01		25
26	·89	·03	·11	tr.	·14	·05	·04	-	-	-	·02	·03		26
27	·94	·19	·02	·32	·41	-	·01	·03	-	·05	·01	tr.		27
28	·27	·05	tr.	·02	·11	-	-	tr.	-	tr.	-	-		28
29	·12	·03	·12	·01	·04	tr.	tr.	-	tr.	tr.	·01	·37		29
30	·17	✕	tr.	·19	tr.	-	tr.	-	tr.	·21	-	·06		30
31	·04	✕	tr.	✕	-	✕	-	-	✕	·82	✕	tr.		31
													Year's Total	
TOTAL	3·41	2·64	2·76	2·30	1·94	1·60	2·85	·19	·95	3·37	8·78	1·83	32·62	
* Days with .01 in. or more.	11	19	16	21	14	8	21	7	11	21	24	21	194	
* Days with .04 in. or more.	11	16	13	14	12	6	13	3	8	16	16	11	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. L. Hawke

[P.T.O.

983

Section **A** for the entry of D
AIR MINISTRY.
RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST 193/ .

983

HILLOCKS

PARSLOWS

1931 - 1940

780206

Kept at Parslow's, Hil 86005/31.
in the County of Buckingha mber 983.
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASURE OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.09	—	.09	.04	.03	.01	—	.12	—	—	—	1
2	.08	.10	—	.39	.01	—	—	—	.58	.01	—	.02	2
3	.05	.01	.04	.26	.41	—	—	.53	.67	—	.21	.17	3
4	—	.01	—	.01	.03	—	.25	.51	.15	—	.15	.07	4
5	—	.01	—	.16	—	.59	.08	.01	.07	—	.02	.27	5
6	—	.11	—	.18	—	—	.11	—	.04	.33	.32	—	6
7	—	.01	—	.02	.04	.10	—	.64	—	.06	.19	.07	7
8	.03	.06	.01	.04	—	.13	.02	.19	—	.02	.18	.01	8
9	—	.13	.01	.02	—	.03	.16	.01	—	.04	.44	.02	9
10	.03	.08	.01	—	—	—	.08	.21	—	—	.37	—	10
11	.17	.19	—	—	—	—	.27	—	.10	—	.02	—	11
12	—	—	—	.03	—	—	1.48	—	.35	.01	—	.01	12
13	.02	—	—	—	—	—	.30	.16	—	—	—	—	13
14	.03	.07	—	—	.06	.06	—	.07	—	—	.01	—	14
15	—	.03	—	.14	.20	—	—	.42	—	—	.01	.10	15
16	.03	.08	—	.14	.19	.14	—	.17	.20	—	—	—	16
17	.09	.18	.01	.56	.22	—	.15	.65	.03	.01	—	—	17
18	.08	.07	—	.24	—	.30	—	—	—	—	.58	.01	18
19	.02	—	.01	.64	—	.16	.37	.42	.18	—	.01	—	19
20	.05	.02	—	.19	—	—	—	.02	—	—	.01	—	20
21	.24	—	—	—	.34	—	—	.27	.02	.01	—	—	21
22	—	—	—	—	—	—	—	.01	.06	—	—	—	22
23	.19	—	.01	.05	.34	.09	—	—	.02	—	.28	.03	23
24	—	—	—	.33	.22	.05	.22	—	.02	—	—	—	24
25	.09	.01	—	.28	.05	—	.63	—	—	—	.11	—	25
26	.01	.05	—	.11	.52	—	.87	—	—	—	.58	—	26
27	.17	.45	—	—	.02	—	.18	—	—	.01	.30	—	27
28	.11	.18	—	.05	.13	—	—	—	—	.03	.01	.35	28
29	.04		—	.11	—	—	.13	—	—	.31	—	.02	29
30	.14	×	—	—	.01	—	—	.03	—	—	—	.01	30
31	.27	×	—	×	—	×	—	.02	×	—	×	.02	31
TOTAL	1.96	1.94	.10	4.04	2.83	1.68	5.31	4.37	2.61	.84	3.80	1.12	YEAR'S TOTAL 30.60
*Days with ·01 in. or more.	22	21	7	22	17	11	17	18	15	11	19	15	195
*Days with ·04 in. or more.	14	14	1	18	13	9	15	11	11	4	12	5	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) C. L. Prichard

P.T.O.

983

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Parslow's, Hillocks.
in the County of Buckinghamshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 770 ft.

File ~~Register~~ 86005/31.
Station number 983.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.09	—	.09	.04	.03	.01	—	.12	—	—	—	1
2	.08	.10	—	.39	.01	—	—	—	.58	.01	—	.02	2
3	.05	.01	.04	.26	.41	—	—	.53	.67	—	.21	.17	3
4	—	.01	—	.01	.03	—	.25	.51	.15	—	.15	.07	4
5	—	.01	—	.16	—	.59	.08	.01	.07	—	.02	.27	5
6	—	.11	—	.18	—	—	.11	—	.04	.33	.32	—	6
7	—	.01	—	.02	.04	.10	—	.64	—	.06	.19	.07	7
8	.03	.06	.01	.04	—	.13	.02	.19	—	.02	.18	.01	8
9	—	.13	.01	.02	—	.03	.16	.01	—	.04	.44	.02	9
10	.03	.08	.01	—	—	—	.08	.21	—	—	.37	—	10
11	.17	.19	—	—	—	—	.27	—	.10	—	.02	—	11
12	—	—	—	.03	—	—	1.48	—	.35	.01	—	.01	12
13	.02	—	—	—	—	—	.30	.16	—	—	—	—	13
14	.03	.07	—	—	.06	.06	—	.07	—	—	.01	—	14
15	—	.03	—	.14	.20	—	—	.42	—	—	.01	.10	15
16	.03	.08	—	.14	.19	.14	—	.17	.20	—	—	—	16
17	.09	.18	.01	.56	.22	—	.15	.65	.03	.01	—	—	17
18	.08	.07	—	.24	—	.30	—	—	—	—	.58	.01	18
19	.02	—	.01	.64	—	.16	.37	.42	.18	—	.01	—	19
20	.05	.02	—	.19	—	—	—	.02	—	—	.01	—	20
21	.24	—	—	—	.34	—	—	.27	.02	.01	—	—	21
22	—	—	—	—	—	—	—	.01	.06	—	—	—	22
23	.19	—	.01	.05	.34	.09	—	—	.02	—	.28	.03	23
24	—	—	—	.33	.22	.05	.22	—	.02	—	—	—	24
25	.09	.01	—	.28	.05	—	.63	—	—	—	.11	—	25
26	.01	.05	—	.11	.52	—	.87	—	—	—	.58	—	26
27	.17	.45	—	—	.02	—	.18	—	—	.01	.30	—	27
28	.11	.18	—	.05	.13	—	—	—	—	.03	.01	.35	28
29	.04		—	.11	—	—	.13	—	—	.31	—	.02	29
30	.14	✕	—	—	.01	—	—	.03	—	—	—	.01	30
31	.27	✕	—	✕	—	✕	—	.02	✕	—	✕	.02	31
TOTAL	1.96	1.94	.10	4.04	2.83	1.68	5.31	4.37	2.61	.84	3.80	1.12	YEAR'S TOTAL 30.60
*Days with ·01 in. or more.	22	21	7	22	17	11	17	18	15	11	19	15	195
*Days with ·04 in. or more.	14	14	1	18	13	9	15	11	11	4	12	5	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) C. L. Prichard.

P.T.O.

Station No 983

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

File Number 86005/31

REGISTER OF RAINFALL IN 1932.

Kept at Parslow's Hillocks, Princes Risborough.

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 ft in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 770 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·09	·69	·03	·01	·20	·03	·11	·03	·01	1
2	·03	—	—	·17	·13	—	—	·02	·43	·08	·02	·22	2
3	—	—	—	·14	·13	—	—	—	·12	·17	—	—	3
4	·01	—	—	—	—	·01	—	—	—	—	·29	—	4
5	·33	—	·03	—	·07	·01	·21	—	·15	—	—	·01	5
6	·56	—	—	·09	·01	—	—	—	·18	—	—	—	6
7	·02	—	·14	·04	·01	—	·14	—	·13	·13	—	·01	7
8	—	·01	·11	·07	·01	—	—	—	·49	·15	—	—	8
9	·35	·02	—	·05	·26	—	—	—	·10	—	—	—	9
10	·32	·04	·05	·19	·08	·06	—	—	·03	·16	·04	—	10
11	—	·01	—	·09	·07	—	·15	—	—	·23	·07	·02	11
12	·15	—	—	—	·14	—	—	·01	·05	·37	·05	—	12
13	·10	—	—	·32	·01	—	—	—	·01	·08	·09	·02	13
14	·23	—	—	—	—	—	—	1·09	—	·02	·03	·01	14
15	—	—	—	·07	·48	—	—	·01	—	·06	—	·03	15
16	·31	—	—	·31	·05	—	—	—	—	—	—	—	16
17	—	—	—	·01	—	—	·09	—	—	·10	—	—	17
18	—	—	—	—	·01	—	—	—	·19	—	·12	—	18
19	—	·01	—	—	—	—	—	—	—	·28	·01	·01	19
20	—	—	—	·08	·17	—	·07	1·37	·04	·66	·04	—	20
21	·03	—	·08	·20	1·61	—	—	·07	—	·37	—	·06	21
22	·02	·01	·22	·02	—	—	·14	—	·33	·14	·38	—	22
23	—	·05	—	—	·10	—	—	—	·08	·69	·02	·06	23
24	—	·05	—	—	—	—	·94	—	·06	·06	·06	·01	24
25	—	·01	—	·01	—	—	·12	—	·12	·48	·04	—	25
26	—	—	·06	·18	·11	—	·13	—	—	·02	·01	·01	26
27	—	—	·52	·21	·31	—	·37	—	·02	·13	—	—	27
28	—	—	·13	·07	·21	·05	·16	—	—	·09	·07	—	28
29	—	—	·39	·16	·30	·09	·02	·01	10	·37	·10	·05	29
30	·01	✕	·18	·09	·01	·69	·01	·04	16	·01	·53	·18	30
31	—	✕	·09	✕	—	✕	·04	—	✕	—	✕	·09	31
TOTAL	2·47	·23	2·00	2·66	4·97	·94	2·60	2·82	2·82	4·96	2·00	·80	YEAR'S TOTAL 29·27
*Days with ·01 in. or more.	14	10	12	22	23	7	15	9	20	24	19	16	191
*Days with ·04 in. or more.	8	3	11	19	17	4	12	5	16	21	13	6	135

40-9999

*See Instruction 2 (f) on other side

(*Signed*) C. S. Prichard

[P.T.O.

983

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~983~~.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at PARSLOW'S, HILLOCKS,
in the County of Buckinghamshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 770 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·18	·14	—	—	—	—	—	—	—	·07	—		1
2	·34	—	·38	—	·02	—	—	—	—	·01	·02	—		2
3	·05	·17	·29	—	·38	—	—	—	—	—	·01	—		3
4	·13	·02	·03	—	·41	—	—	—	—	—	—	—		4
5	·02	·04	·34	—	·04	—	—	—	—	·11	·02	—		5
6	—	·08	·09	—	·15	—	—	—	—	—	·04	—		6
7	·15	·13	·07	—	·01	—	—	—	—	·02	·02	·02		7
8	·07	—	·05	—	·07	—	·23	—	—	·01	—	—		8
9	·01	—	—	—	·09	—	·23	—	—	·16	·12	—		9
10	·22	·27	—	—	·02	·07	·49	—	—	·42	·04	—		10
11	·02	·01	—	—	·03	·02	·07	·13	·09	—	—	—		11
12	·04	—	—	—	·02	·32	·16	—	·63	·01	—	·01		12
13	—	—	—	—	·21	·08	·46	—	·02	—	·08	—		13
14	·54	—	·11	—	—	—	·12	·03	—	·04	·58	·03		14
15	·01	—	·82	—	—	—	·19	·17	—	·01	·27	—		15
16	·07	·02	·32	—	—	·20	·02	—	·01	·08	·02	—		16
17	·07	·01	·18	—	—	·07	—	—	·08	—	·01	—		17
18	—	·15	·15	—	—	·09	—	—	—	—	·01	—		18
19	—	·03	·04	·01	—	·14	—	—	·45	—	·01	·01		19
20	—	·02	—	·10	—	·09	—	—	·01	—	·01	—		20
21	—	·07	—	—	—	—	—	·16	·23	·05	·01	—		21
22	—	—	—	—	·04	·09	—	·12	·01	·46	·04	—		22
23	—	—	—	·23	·03	—	—	—	·13	·01	—	—		23
24	—	·78	—	·13	—	·35	—	—	·27	·01	·09	—		24
25	—	·88	—	·37	—	—	—	—	·04	·02	·05	·08		25
26	—	·57	—	·10	—	·01	·02	—	·19	·11	—	·02		26
27	—	·05	—	—	·21	—	—	—	·05	·13	—	·07		27
28	·01	·01	·01	·05	—	—	—	—	—	·27	—	·07		28
29	·02	—	·06	·18	—	—	·03	—	—	·16	—	·05		29
30	·12	×	·02	·06	—	—	·07	—	—	—	—	·10		30
31	·11	×	—	×	—	×	—	·13	×	·07	×	—		31
TOTAL	2·17	3·49	3·10	1·23	1·73	1·53	2·09	·74	2·21	2·16	1·52	·46	Year's Total 22·43	
*Days with ·01 in. or more.	19	19	17	9	15	12	12	6	14	20	20	10	173	
*Days with .04 in. or more.	13	12	14	8	9	10	9	5	10	12	10	5	117	

† Spare column, no entries required.

(*Signed*) C. S. Prichard,

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

983

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~895~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at PARSLOWS, HILLOCKS.
in the County of Buckinghamshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 770 ft.

File No 86005/31
Station No 983

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	—	—	—	—	·33	·19	—	—	·02	1
2	·26	—	·07	—	·05	—	—	—	·67	·14	·01	·21	2
3	·03	·14	—	·03	—	—	—	—	—	·20	—	·04	3
4	·06	—	·07	—	·09	—	—	·07	—	·15	·11	·48	4
5	—	—	·01	·13	·01	—	—	·15	—	—	·12	·35	5
6	·04	—	·16	—	—	—	—	·16	—	·13	·02	·61	6
7	·04	—	—	·01	·37	·05	—	·03	—	·18	—	·38	7
8	—	—	—	—	—	·02	—	—	·07	—	·22	·05	8
9	·01	—	·08	—	·11	—	—	—	—	—	1·35	·42	9
10	·03	—	·30	—	—	—	—	·03	—	—	·10	·04	10
11	·52	·01	·41	·19	—	—	·02	·02	—	—	—	·24	11
12	—	—	·09	·09	—	—	·07	·25	—	—	—	·10	12
13	·48	·01	·09	·03	—	—	·39	·12	—	—	·07	·59	13
14	·09	—	·37	·06	—	—	—	—	—	·01	·30	·35	14
15	·08	—	·06	·01	·01	—	—	—	—	·14	·11	·20	15
16	·17	·01	·24	—	·10	—	—	—	·05	·07	—	·01	16
17	·03	—	—	—	·03	—	—	—	·03	·15	·06	·21	17
18	·26	·01	·02	·38	·03	—	·10	—	·06	—	—	·05	18
19	—	—	·23	—	—	·05	—	·02	·12	·02	—	·13	19
20	—	—	·18	·03	—	·07	·10	—	·02	—	·01	·01	20
21	—	—	·03	·07	—	·12	—	·10	—	·17	—	·01	21
22	—	—	—	—	—	—	·04	·13	·33	—	·02	·03	22
23	—	·01	—	·23	—	·53	·01	—	—	—	·02	·06	23
24	—	·06	·10	·05	—	·04	·32	·04	·17	—	—	—	24
25	·23	·05	—	·23	—	·79	—	—	—	·10	—	·41	25
26	·02	—	—	·32	—	·03	—	—	·06	·02	—	·09	26
27	—	·03	—	·06	—	·08	—	—	—	·02	—	·40	27
28	—	·02	—	·02	—	·16	·01	·85	—	—	·02	·31	28
29	—	—	—	—	—	—	·01	—	·16	—	·01	·01	29
30	·09	×	—	—	—	—	—	·04	·04	·02	—	·09	30
31	·01	×	—	×	—	×	·06	—	×	·07	×	·09	31
TOTAL	2·49	·35	2·51	1·94	·80	1·94	1·13	2·34	1·97	1·59	2·55	6·02	YEAR'S TOTAL 25·63
*Days with ·01 in. or more.	19	10	17	17	9	11	11	15	13	16	16	30	184
*Days with ·04 in. or more.	13	3	14	11	5	9	7	11	11	11	9	6	110

40-9999
*See Instruction 2 (*f*) on other side,

(*Signed*) C. J. Prichard.

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 983.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at PARSLOW'S, HILLOCK.

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 770 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·04	·02	·04	·05	—	—	—	·24	—		1
2	·27	—	·01	—	—	·10	—	—	·02	·14	·06	—		2
3	·02	·09	·05	·04	—	·14	—	—	·03	·24	·16	·05		3
4	—	—	—	·11	—	—	—	—	·90	·59	—	·06		4
5	—	·51	·09	·05	—	·39	·08	—	·07	·05	·01	·01		5
6	·02	·01	—	·39	—	·65	—	—	·42	·02	—	—		6
7	·01	·01	—	·52	—	·04	—	—	—	·13	·52	·11		7
8	—	—	—	·33	—	—	—	—	—	·15	·11	·09		8
9	—	—	—	·34	—	·48	—	—	—	·32	·18	—		9
10	—	—	—	·15	—	—	—	—	—	1·04	·08	·04		10
11	·01	—	—	—	—	·11	·01	—	—	—	·32	·01		11
12	·24	·03	—	—	—	·24	—	·02	·03	—	·03	—		12
13	—	·14	—	·16	·20	·09	—	—	—	—	—	—		13
14	·10	—	—	—	·16	—	—	—	·02	—	·30	·12		14
15	—	·14	—	·72	·05	·42	—	—	·19	—	·36	·11		15
16	—	·20	·05	·09	·01	·43	—	—	·43	—	·50	·09		16
17	—	—	—	·05	—	·17	·02	—	·02	·04	·40	—		17
18	—	—	—	·43	—	·09	·17	—	·18	—	·02	·04		18
19	—	—	—	·10	·15	·06	·20	—	~~·43~~ ·57	·05	·12	·08		19
20	—	·19	—	·21	·03	·07	·06	—	·02	—	·29	—		20
21	·02	·31	—	·08	—	—	—	—	·04	·02	·07	—		21
22	·03	·05	·10	·10	—	—	—	·10	·16	—	·02	—		22
23	—	·11	·15	·01	—	—	—	·58	·04	·16	—	·16		23
24	·05	·47	·01	—	—	—	—	·03	·72	—	—	·21		24
25	·10	·08	—	·30	—	·32	—	—	—	—	—	·18		25
26	—	·16	—	—	—	·01	—	·22	·11	—	—	·51		26
27	—	·20	—	—	·02	—	—	—	·12	—	·14	·60		27
28	—	·07	—	—	—	—	—	·16	·30	·08	·04	·06		28
29	—	—	—	—	—	—	—	—	·64	—	·03	·43		29
30	·08	×	—	·14	·04	—	—	·69	·01	·07	·23	·48		30
31	—	×	—	×	·05	×	—	·01	×	·90	×	·24		31
TOTAL	·95	2·77	·46	4·36	·73	3·85	·59	1·81	5·04	4·00	4·23	3·68	Year's Total. 32·47	
* Days with .01 in. or more.	12	17	7	21	10	18	7	8	22	16	23	21	182	
* Days with .04 in. or more.	6	14	5	20	6	17	5	5	15	14	18	19	144	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. S. Prichard.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. X Station No. 983

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

File No. 86005/31

Kept at PARSLOW'S HILLOCK

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·29	·10	·35	–	·27	·18	·02	–	–	·06	·03		1
2	·08	–	·02	·01	–	·29	·54	·08	–	–	·05	–		2
3	·01	–	–	·10	–	·21	·03	–	·30	–	·27	·03		3
4	–	–	·16	–	–	·04	–	–	·19	–	·06	·08		4
5	·14	–	·02	–	–	–	–	·14	·31	–	–	·22		5
6	·35	–	–	–	–	·24	·01	·04	·23	–	·27	·02		6
7	·23	–	·07	–	–	·01	–	–	·03	–	·06	·05		7
8	·24	–	·08	–	·02	–	·49	–	·24	–	·60	·13		8
9	·34	–	·07	–	·01	–	·15	–	–	·02	–	–		9
10	·03	–	–	·06	–	–	·10	–	·02	–	·01	–		10
11	–	–	–	·18	–	–	·39	–	·26	–	·70	–		11
12	–	–	–	–	–	·35	–	–	–	–	·47	·15		12
13	–	–	–	–	–	·54	·92	–	–	·03	·08	·45		13
14	–	·07	–	–	–	·06	–	–	·13	·04	–	·45		14
15	–	·03	–	–	–	–	·01	–	·03	–	–	·13		15
16	·22	·10	–	–	–	–	·04	–	·03	–	·45	·02		16
17	·17	·72	–	–	–	·12	–	–	–	·02	·13	·22		17
18	–	·21	–	–	2·73	·25	·19	–	–	·05	·04	·16		18
19	·29	·08	·03	·08	–	·21	–	·08	–	–	–	–		19
20	·03	·17	·09	·15	–	·02	·11	–	1·23	–	–	–		20
21	–	–	–	·21	·03	·23	·01	–	·05	–	–	–		21
22	·10	·33	·05	–	·23	–	·25	–	–	–	·01	·12		22
23	·02	–	·10	·09	–	–	·25	–	–	·14	–	–		23
24	·08	·26	–	–	–	–	·33	–	·12	·33	–	–		24
25	·03	·02	·16	·12	–	–	–	–	·39	·15	·07	·03		25
26	·01	·12	·20	·04	–	·06	·02	–	·04	·07	–	–		26
27	·74	–	·01	–	–	–	–	–	·09	·05	–	–		27
28	·33	–	·11	–	–	–	·32	–	–	–	·01	·18		28
29	·12	·22	·15	–	·02	·38	–	–	–	·02	20	·07		29
30	·10	✕	–	–	·10	·27	·09	–	–	·29	–	–		30
31	·48	✕	·17	✕	·03	✕	·13	–	✕	·46	✕	·31		31
TOTAL	4·45	2·62	1·59	1·39	3·17	3·55	4·56	·36	3·69	1·67	3·54	2·85	Year's Total 33·44 ✓	
* Days with .01 in. or more.	23	13	17	11	8	17	21	5	17	13	18	19	182 ✓	
* Days with .04 in. or more.	17	11	13	10	3	15	16	4	13	9	15	14	140 ✓	

)-9999.

† Spare column, no entries required.

e Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 983.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File No. 86005/31

Kept at PARSLOWS — HILLOCK —
in the County of BUCKINGHAMSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 770 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·16	–	–	·01	–	–	–	–	·03	–	·49	·73		1
2	·01	·27	–	·64	–	–	–	–	·16	–	·01	·40		2
3	·01	·10	–	–	·02	–	·01	–	–	–	–	·17		3
4	·14	·35	–	–	·01	–	–	–	–	–	·01	·36		4
5	·15	·08	·26	–	–	–	·06	–	–	–	·01	–		5
6	·09	·01	·80	–	·21	–	·23	–	–	·18	·04	–		6
7	–	·64	–	·16	–	–	·08	–	·09	–	–	–		7
8	·01	·03	–	–	·07	·01	–	–	–	–	·33	·40		8
9	·01	·03	–	·16	·11	–	·07	–	·31	–	–	21		9
10	–	–	·49	·31	·04	·17	–	·06	–	–	–	·14		10
11	·01	–	·19	–	·26	–	·02	–	–	–	–	·01		11
12	·16	·23	12	·05	·40	·50	·02	–	·09	–	–	·12		12
13	·20	·11	·34	·01	·02	·43	–	·65	·69	–	–	·24		13
14	·01	·02	·42	·30	–	–	–	1·08	·03	–	–	·03		14
15	·27	·14	–	·19	–	–	·43	–	·17	–	·01	·05		15
16	·01	·08	·50	·53	–	·14	–	·10	·51	–	–	·01		16
17	·55	·01	·32	·18	–	–	–	–	·42	–	·01	–		17
18	·43	·10	·01	·01	–	·29	–	–	02	–	·16	·07		18
19	·09	·02	·04	·01	–	·27	·02	–	57	–	·01	·05		19
20	58	·01	–	·64	·66	·02	–	–	·03	·01	–	–		20
21	29	·52	·07	·02	·01	–	07	–	–	·01	·01	·04		21
22	·34	·02	·04	·01	·23	·14	09	–	–	·69	·27	·05		22
23	·18	·03	·07	–	34	–	09	–	–	54	·01	·01		23
24	25	·44	·06	–	–	–	–	–	·15	·41	–	·01		24
25	·16	·39	·07	–	·91	–	–	–	·06	·43	·01	·01		25
26	·02	·38	·05	–	23	–	–	·01	–	·09	–	–		26
27	·02	·25	–	·26	–	–	–	–	·01	·96	–	–		27
28	–	05	–	·01	–	–	–	–	–	·06	–	·07		28
29	·03		–	–	–	·03	–	–	–	·02	·03	·04		29
30	·32	✕	–	–	–	–	–	·64	–	·08	·26	–		30
31	·26	✕	–	✕	–	✕	–	–	✕	·15	✕	·08		31
													Year's Total	
TOTAL	4·76	4·31	3·85	3·50	3·52	2·00	1·19	2·54	3·34	3·63	1·67	3·30	37·61	✓ ✓
* Days with .01 in. or more.	28	25	17	18	15	10	12	6	16	13	16	23	199	✓ ✓
* Days with .04 in. or more.	18	16	16	11	11	7	8	5	11	10	6	17	136	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) C. S. Prichard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at PARSLOW'S HILLOCK

in the County of Buckinghamshire

File Ref: 86005/31.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 770 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·01	·24	—	—	·03	·02	—	·02		1
2	·12	—	—	·03	·12	·12	—	—	—	·41	·02	·03		2
3	—	—	—	—	·14	—	—	—	04	·86	·03	—		3
4	·14	—	—	—	—	—	·07	·08	—	·18	—	·16		4
5	—	—	—	—	—	—	11	—	·02	·19	—	—		5
6	·08	—	—	—	—	—	·06	—	·06	·10	·02	·01		6
7	·03	—	—	—	—	·01	·57	·68	·02	46	—	·07		7
8	·12	—	—	—	—	·01	·46	—	·11	24	—	·01		8
9	·11	01	—	—	—	—	·11	·21	—	—	—	1·11		9
10	·19	09	—	—	—	·11	·05	·25	·01	—	—	·14		10
11	·24	—	—	—	—	—	—	—	—	—	·14	·03		11
12	30	·02	—	—	·02	—	—	·25	—	·40	·01	—		12
13	·03	·04	—	—	—	—	—	·02	—	·10	·22	·19		13
14	·34	·01	—	—	·08	—	·11	—	·11	—	—	·02		14
15	·07	·01	01	—	·01	—	·14	·01	—	·13	·02	·27		15
16	·46	·02	—	—	—	—	·02	—	—	·09	·03	·14		16
17	—	·08	—	—	·05	—	—	—	04	·10	—	—		17
18	·09	—	—	—	·09	—	—	·07	·24	·03	·34	—		18
19	—	—	—	—	—	—	—	·09	·11	—	·34	—		19
20	—	—	—	—	—	—	—	—	·03	—	·59	·06		20
21	·03	—	—	—	—	—	—	·03	·03	—	·04	1·10		21
22	—	—	—	02	—	·06	—	·11	·01	—	·23	·35		22
23	—	—	—	—	—	—	—	—	—	—	·03	—		23
24	—	·01	·11	—	·07	—	—	—	·25	—	·03	—		24
25	·09	·02	·11	02	·16	—	—	28	·05	—	·61	·11		25
26	·25	·41	·08	—	—	—	—	—	·15	·18	—	·20		26
27	08	·08	—	—	·10	·35	38	·01	·51	07	·52	—		27
28	·34	·03	—	—	·84	·13	—	1·08	·02	—	—	·15		28
29	·40	—	—	—	·42	—	—	·15	·03	·01	14	18		29
30	·02	✕	—	·04	·03	·13	—	—	·13	·04	·24	·04		30
31	27	✕	—	✕	—	✕	—	—	✕	·21	✕	·29		31
													Year's Total	
TOTAL	3·80	·83	31	·11	2·14	1·16	2·08	3·32	2·00	3·82	3·60	4·68	2785	✓
* Days with .01 in. or more.	22	13	4	4	14	9	11	15	21	19	19	22	173	✓
* Days with .04 in. or more.	18	5	3	1	10	7	10	11	12	16	11	16	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 983

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at PARSLOW'S HILLOCK

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground 1 foot Sea Level 770 ft.

File Ref: 86005/31

Station No 983.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	-	03	60	44	-	-	13	12	-	01	16		1
2	03	-	-	02	-	-	-	42	41	-	04	03		2
3	33	-	-	17	02	-	-	37	-	-	36	26		3
4	08	-	35	18	21	-	04	20	-	30	06	01		4
5	01	01	01	39	01	-	09	43	-	20	59	52		5
6	40	-	-	03	-	-	37	01	-	02	14	01		6
7	05	10	-	-	-	-	-	03	-	49	23	20		7
8	-	17	10	-	-	-	12	30	-	18	25	41		8
9	03	10	-	-	-	-	-	09	02	-	-	18		9
10	37	-	-	-	-	30	-	21	03	-	-	-		10
11	-	-	25	-	-	05	-	-	-	02	01	01		11
12	-	04	01	-	02	02	-	-	-	-	05	-		12
13	-	-	-	-	-	-	15	-	07	81	31	-		13
14	53	-	02	06	16	04	09	-	-	15	23	-		14
15	58	-	04	-	75	44	08	-	20	84	31	01		15
16	23	-	14	-	21	21	08	-	-	03	04	-		16
17	24	02	05	03	13	-	11	-	-	97	-	-		17
18	32	01	08	-	-	15	31	-	01	25	33	-		18
19	21	-	-	-	-	05	21	-	-	03	-	-		19
20	23	-	01	-	-	09	24	18	-	-	01	03		20
21	12	20	36	-	-	-	54	1·04	18	-	-	-		21
22	19	44	06	03	-	01	02	-	·05	01	19	-		22
23	01	-	-	04	-	02	10	-	01	03	77	01		23
24	33	-	-	12	-	-	29	-	-	09	40	-		24
25	71	10	12	-	-	-	71	-	-	04	23	-		25
26	38	02	03	07	-	-	01	08	-	10	23	02		26
27	-	10	18	02	-	-	-	04	-	10	19	-		27
28	02	21	13	02	-	05	03	-	-	26	13	09		28
29	-	-	-	37	-	-	52	-	-	-	22	-		29
30	-	×	-	97	-	10	-	-	-	02	-	07		30
31	-	×	-	×	-	×	04	03	×	-	×	03		31
TOTAL	5·43	1·52	1·97	3·12	1·95	1·53	4·15	3·56	1·10	4·94	5·33	2·05	Year's Total. 36·65	✓
* Days with .01 in. or more.	23	13	18	16	9	13	21	15	10	21	24	17	200	✓
* Days with .04 in. or more.	17	9	12	10	6	10	18	12	6	14	21	8	143	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. S. Prichard.

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 983

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

File No. 86005/31.

Kept at Parslow's, Hillock, Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 770 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	·02	-	-	-	-	-	-	·13	-		1
2	-	·12	-	·19	-	-	·16	-	-	·05	·94	-		2
3	-	·30	-	·12	-	-	-	-	-	·24	·88	·01		3
4	-	·08	-	·03	-	-	·05	-	-	·34	·18	·02		4
5	-	·02	-	-	-	-	·04	-	-	·13	·61	·11		5
6	·17	·14	-	-	·09	-	·33	-	-	·21	·34	-		6
7	·15	·28	-	-	·06	-	·22	-	04	-	-	-		7
8	-	-	-	·04	-	-	-	-	01	·27	·03	·27		8
9	-	-	-	·02	-	-	-	06	04	·01	·18	·02		9
10	-	-	-	·09	-	-	·44		-	·02	·18	-		10
11	-	-	-	-	-	·06	-	-	-	-	·87	02		11
12	-	·02	·07	-	-	-	22	-	·19	-	·03	-		12
13	-	·03	·58	-	-	-	-	-	·15	-	1·28	·01		13
14	-	-	·18	·09	-	-	-	-	·08	·25	-	39		14
15	-	-	·06	·03	02	·01	·14	-	·02	·05	·33	-		15
16	·06	·12	·37	·07	-	·07	·50	-	·21	·55	·74	03		16
17	-	-	·29	-	-	-	·03	-	01	-	·10	-		17
18	-	·47	·29	·41	-	-	-	-	-	·16	·23	·17		18
19	-	·21	·05	·17	-	-	·19	-	19	·01	·15	05		19
20	-	·01	·05	·03	-	·01	·04	-	-	·20	·02	-		20
21	·13	-	·01	-	·34	-	·10	-	-	·08	·59	-		21
22	·06	-	·07	-	·48	·41	-	-	23	-	-	-		22
23	-	·11	·05	·11	·15	·22	-	-	-	-	·02	-		23
24	-	-	-	·14	-	-	·22	-	-	-	-	·03		24
25	-	-	·31	-	-	-	·15	-	-	-	-	-		25
26	1·12	·14	·08	·18	·11	05	·10	-	-	·05	·03	·01		26
27	·43	·27	-	·21	·18	-	·01	-	-	·01	-	-		27
28	·36	·08	-	·02	·15	-	-	-	-	-	-	-		28
29	·04	·05	12	·01	·12	05	-	-	-	-	-	·32		29
30	-	✕	-	·18	-	-	-	-	-	·18	-	·01		30
31	·09	✕	-	✕	-	✕	-	-	✕	·88	✕	02		31
TOTAL	2·61	2·46	2·58	2·16	1·70	·88	2·94	·06	1·17	3·69	7·86	1·49	Year's Total 29·60	✓
* Days with .01 in. or more.	10	18	15	20	10	8	17	1	11	19	21	16	166	✓
* Days with .04 in. or more.	10	13	14	13	9	6	15	1	8	15	16	6	126	✓

† Spare column, no entries required.

(Signed) C. J. Prichard

* See Instruction 3 (f) on other side.

[P.T.O.

983/5

Princes Risborough

1931- 1940

780206

983/5

Buck: 8/2.

Section **A** for the entry of Dail

AIR MINISTRY.—M

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGISTE

1 .

Kept at Princes Risbrough

in the County of Buckingha

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·04	0·06.	0·01	·01	—	0·11	—	—	—	1
2				·42	Trace	—	—	—	0·47	trace	trace	·03	2
3				·24	0·324	—	—	·52	0·65	—	·24	·15	3
4				·05	0·06	-	·18	6-8·30p.m 1·63 1·78	✗	—	·17	·01	4
5				·09	0·01	·49	·06	trace	0·18	trace	·04	·22	5
6				·13	—	trace	·07	—	·02	·28	·30	—	6
7				·01	0·028	·10	·38	·77	dew trace	·04	·17	·05	7
8			·01	·03.	—	·11	—	·50	—	·01	·08	trace	8
9			trace	trace	—	—	·01	·01	—	·02	·30	·01	9
10			trace	—	trace.	·01	·24	·18	trace	dew trace	·26	trace	10
11			—	—	—	—	·05	—	·09	dew trace	·01	—	11
12			—	·01	—	—	·04	·10	·25	—	—	—	12
13			—	—	trace.	—	·17	·02	trace	—	—	—	13
14			—	—	0·03	·05	1·16	·60	—	dew trace	—	—	14
15			—	0·11	0·13	—	·28	·10	dew —	—	trace	·06	15
16			—	0·11	0·16	·15	—	·44	·20	—	—	—	16
17			—	0·67	0·163	—	·13	—	·02	—	—	—	17
18			trace	0·25	—	·16	✓ ·29	·40	Tr.	—	·49	hoar-frost trace	18
19			—	0·45	—	·20	✗	·02	·15	—	trace.	trace	19
20			trace	0·15.	—	—	trace	·18	dew trace	—	—	—	20
21			—	trace	0·327	—	—	·02	trace	—	trace	—	21
22			sl. dew —	—	—	—	—	—	·03	—	—	—	22
23			trace	0·036	0·388	·09	—	—	trace	—	·25	·03	23
24			trace	0·39.	0·178	·04	·09	—	trace	—	trace	✓	24
25			—	0·225	·03	—	✓ 1·29	—	—	—	·07		25
26			—	0·10	—	—	✗	—	—	—	·81		26
27			—	0·07	0·762	—	·21	—	—	trace	·21	·33	27
28			—	0·10	0·03	—	trace	—	dew —	·03	trace	·33	28
29			—	—	0·25.	—	·09	—	—	·31	·01	·02	29
30		×	—	—	—	—	trace	·02	—	—	—	·01	30
31		×	—	×	0·04	×	·01	·04	×	—	×	·02	31
TOTAL				3·68	2·97	1·41	4·76	5·70	2·17	0·69	3·41	0·94	YEAR'S TOTAL
*Days with ·01 in. or more.				21	17	11	21	17	12	6	15	13	
*Days with ·04 in. or more.				18	12	9	17	12	9	3	13	5	

40-9999

*See Instruction 2 (*f*) on other side.

IV

(*Signed*) RAGKnight

[P.T.O.

983/5

Bucks 8/2

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·04	0·06	0·01	·01	—	0·11	—	—	—	1
2				·42	Trace	—	—	—	0·47	trace	trace	·03	2
3				·24	0·324	—	—	·52	0·65	—	·24	·15	3
4				·05	0·06	—	·18	6-8·30 p.m. 1·63 1·78	✗	—	·17	·01	4
5				·09	0·01	·49	·06	trace	0·18	trace	·04	·22	5
6				·13	—	trace	·07	—	·02	·28	·30	—	6
7				·01	0·028	·10	·38	·77	dew trace	·04	·17	·05	7
8			·01	·03	—	·11	—	·50	—	·01	·08	trace	8
9			trace	trace	—	—	·01	·01	—	·02	·30	·01	9
10			trace	—	trace	·01	·24	·18	trace	dew trace	·26	trace	10
11			—	—	—	—	·05	—	·09	dew trace	·01	—	11
12			—	·01	—	—	·04	·10	·25	—	—	—	12
13			—	—	trace	—	·17	·02	trace	—	—	—	13
14			—	—	0·03	·05	1·16	·60	—	dew trace	—	—	14
15			—	0·11	0·13	—	·28	·10	dew —	—	trace	·06	15
16			—	0·11	0·16	·15	—	·44	·20	—	—	—	16
17			—	0·67	0·163	—	·13	—	·02	—	—	—	17
18			trace	0·25	—	·16	✓ ·29 ✗	·40	Tr.	—	·49	hoar-frost trace	18
19			—	0·45	—	·20		·02	·15	—	trace	trace	19
20			trace	0·15	—	—	trace	·18	dew trace	—	—	—	20
21			—	trace	0·327	—	—	·02	trace	—	trace	—	21
22			sl. dew —	—	—	—	—	—	·03	—	—	—	22
23			trace	0·036	0·388	·09	—	—	trace	—	·25	·03	23
24			trace	0·39	0·178	·04	·09	—	trace	—	trace	✓	24
25			—	0·225	·03	—	✓ 1·29 ✗	—	—	—	·07		25
26			—	0·10	—	—		—	—	—	·81		26
27			—	0·07	0·762	—	·21	—	—	trace	·21	·33	27
28			—	0·10	0·03	—	trace	—	dew —	·03	trace	·33	28
29			—	—	0·25	—	·09	—	—	·31	·01	·02	29
30		×	—	—	—	—	trace	·02	—	—	—	·01	30
31		×	—	×	0·04	×	·01	·04	×	—	×	·02	31
TOTAL				3·68	2·97	1·41	4·76	5·70	2·17	0·69	3·41	0·94	YEAR'S TOTAL
*Days with ·01 in. or more.				21	17	11	21	17	12	6	15	13	
*Days with ·04 in. or more.				18	12	9	17	12	9	3	13	5	

40-9999

IV

(Signed) R A G Knight [P.T.O.

*See Instruction 2 (*f*) on other side.

88456/31 983/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Bucks/2

Kept at Princes Risborough (Research Lab.) ~~Station~~ No. 983/5

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 333 ft.

C inf 1931

6K print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	—	·09	·88	·03	·09	·24	·01	·13	·02	·01	1
2	·02	—	—	·11	·10	—	—		·43	·08	·02	·20	2
3	trace	trace	—	·09	·10	—	·01	trace	·09	trace	trace	trace	3
4	·01	trace	—	trace	trace	trace.	—	—	—	—	·27	trace	4
5	·25	—	·03	—	·02	·01	·20	—	·08	—	—	h-frost. ·01	5
6	·60	—	trace	·10	·01	—	trace	—	·15	—	—	—	6
7	·03	—	·11	·04	trace	—	·05	—	·15	·04	—	—	7
8	h-frost trace	trace	·09	·06	·01	—	—	—	·52	0·20	—	—	8
9	·27	·01	—	·03	·23	—	—	—	·03	Trace.	trace	—	9
10	·23	Snow ·03	·02	·19	·05	·04	—	—	·01	·14	·03	—	10
11	trace	·01	—	·09	·05	—	·18	trace	—	·24	·05	·01	11
12	·10	Snow trace	—	—	·15	—	trace	·01	·03	·39	·01	trace	12
13	·07	·01	—	·25	trace	—	·01	—	trace	·05	·09	·03	13
14	·28	—	—	trace	trace	—	—	·35	trace	·02	·01	trace	14
15	trace	—	—	·07	·39	—	—	trace	—	·05	trace	·01	15
16	·24	—	—	·31	·11	—	—	—	(h-dew) trace	—	—	trace	16
17	trace	—	—	trace	—	—	·05	—	—	·08	—	—	17
18	—	—	—	trace	·01	—	—	—	·29	—	·12	trace	18
19	—	trace	—	trace	—	—	—	—	·01	·22	·01	trace	19
20	trace	—	—	·02	·14	—	·06	1·40	·01	·67	·05	trace	20
21	·02	trace	·05	·19	1·55	—	·01	0·36	—	·38	trace	·03	21
22	·01	trace	·17	·02	trace	—	·18	trace	0·37	·13	·35	—	22
23	—	·07	·01	—	·15	—	·25	—	0·07	·71	·02	·04	23
24	—	·01	—	—	trace	—	·78	—	·05	·04	·04	—	24
25	—	·03	—	·01	—	trace	·09	—	·04	·41	·05	—	25
26	—	—	·56	·20	·10	—	·12	trace	—	·03	trace	—	26
27	—	·01		·15	·27	·01	·29	trace	·01	·11	·10	·01	27
28	—	—	·13	·06	0·23	·04	·09	trace	—	·08	trace	—	28
29	—	—	·40	·11	·19	·10	·04	trace	·07	·36	·05	·02	29
30	trace	×	·23	·06	trace	·64	·03	2 days ·03	·20	·01	·39	·18	30
31	trace	×	·07	×	—	×	·02		×	—	×	·09	31
TOTAL	2·15	0·20	1·87	2·25	4·74	·87	2·55	2·39	2·62	4·57	1·68	·64	YEAR'S TOTAL 26·53
*Days with ·01 in. or more.	14	9	13	21	20	7	19	7	20	23	18	12	183
*Days with ·04 in. or more.	8	1	10	17	16	4	14	5	13	20	11	4	123

40-9999

(Signed) ~~R. A. G. Knight~~ THE DIRECTOR

~~Sec. D. F. P. R. L.~~

P.T.O.

*See Instruction 2 (*f*) on other side.

983/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~983~~/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 333 ft.

J. W. 26/1/34

Days

Est Feb

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·18	·11	—	·01	—	—	—	—	trace	·06	—	1
2	·37	—	·32	—	·30	—	—	—	—	—	·02	—	2
3	·02	·14	·16	—	·02	—	—	—	—	trace	·01	—	3
4	·15	·02	·03	—	·38	—	—	—	—	—	—	—	4
5	·01	·02	·29	—	trace	—	—	—	—	—	·02	—	5
6	trace	·09	·15	—	·13	—	—	—	—	·15	·03	trace	6
7	·17	·08	·05	—	trace	—	—	—	—	·02	trace	·01	7
8	·07	trace	·04	—	·06	—	·19	—	—	·02	—	—	8
9	—	—	—	—	·05	—	·17	—	—	·07	·11	—	9
10	·01	·24	—	—	·01	·09	·38	—	—	·35	·05	—	10
11	·21	·01	—	trace	·03	trace	·08	·07	·11	—	trace	—	11
12	·01	—	—	trace	·04	·26	·19	—	·77	trace	trace	·01	12
13	·04	—	—	—	·16	·06	·47	—	·01	·01	·06	—	13
14	trace	—	—	—	trace	—	trace	·05	—	trace	·72	·01	14
15	·46 Snow	—	·07	—	—	—	·54	·13	—	·01	·08	—	15
16	·01	·02	·64	—	trace	·17	·24	—	·01	·06	·03	—	16
17	·07	·01	·34	—	—	·07	·01	—	·05	—	·01	trace	17
18	·05	[illegible]	·17	—	—	·04	—	—	—	—	trace	—	18
19	—	Snow ·10	·22	trace	—	·12	—	—	·45	—	trace	·01	19
20	trace	·02	·05	·06	—	·07	—	trace	trace	trace	·02	—	20
21	—	·01	—	—	—	—	—	·17	·24	·02	trace	—	21
22	—	—	—	—	·04	·12	—	·08	trace	·51	·01	—	22
23	—	—	—	·18	·01	—	—	—	·16	·01	trace	—	23
24	—	·75	—	·10	·03	·26~~5~~	—	—	·19	trace	·10	—	24
25	—	1·08	—	·34	—	—	—	—	·03	·01	·02	·07	25
26	—	·63	—	·10	—	·01	—	—	·19	·10	trace	·01	26
27	—	·04	—	—	·12	—	·02	—	·07	·08	trace	·07	27
28	—	trace	—	·05	—	—	—	—	·01	·27	—	·04	28
29	·09	X	·01	·20	—	—	·03	—	—	·14	—	·02	29
30	·15	X	·03	·03	—	—	·04	—	·04	trace	—	·10	30
31	·11	X	·02	X	—	X	—	·12	X	·05	X	—	31
TOTAL	2·18	3·44	2·70	1·06	1·39	1·27	2·36	0·62	2·33	1·88	1·35	0·35	YEAR'S TOTAL 20·93
*Days with ·01 in. or more.	18	18	17	8	15	11	12	6	14	17	16	10	162
*Days with .04 in. or more.	13	10	13	7	9	10	9	6	10	10	7	4	108

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. A. Knight

for D.-F.P.R

P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 983/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1934. File 88156/31

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	—	—	·28	·20	tr.	tr.	·50		1
2	·17	—	·05	—	·05	—	—	tr.	·70	·12	tr.	·18		2
3	·01	·11	—	·03	—	—	—	·07	—	·21	—	·07		3
4	·05	·01	·03	·14	·06	—	—	—	—	·27	·10	·45		4
5	·01	—	tr.	—	tr.	—	—	·06	—	tr.	·10	·31		5
6	tr	—	·14	·01	0·37	·02	—	·18	—	·13	tr.	·60		6
7	·02	tr.	tr	—	tr.	·02	—	·10	—	·09	tr.	·31		7
8	—	—	—	—	0·09	·01	—	·04	·06	—	·22	·08		8
9	tr.	—	·08	—	tr	—	—	—	—	—	1·19	·52		9
10	·01	—	·24	·18	—	—	—	·05	—	—	·09	·04		10
11	·53	·01	·40	·07	—	—	·01	·02	—	—	tr.	·21		11
12	tr.	tr.	·08	·02	—	—	·05	·11	—	—	—	·09		12
13	·48	tr.	·13	·04	—	—	·37	·09	—	·01	·07	·66		13
14	·09	tr.	·41	tr.	·01	—	—	tr.	—	·01	·30	·33		14
15	·07	—	·08	—	·09	—	—	—	·02	·17	·11	·20		15
16	·15	tr.	·22	—	·09	—	—	—	·01	·05	tr.	tr.		16
17	·02	tr.	—	·03	·02	—	—	—	·03	·15	·04	·18		17
18	·23	—	·03	·42	—	—	·06	—	·16	—	·01	·07		18
19	tr.	tr.	·22	—	—	·10	—	·01	·06	·02	·01	·11		19
20	—	—	·17	·02	—	·07	·10	—	·01	—	tr.	—		20
21	tr	—	·01	·06	—	·13	—	·09	—	·10	—	tr.		21
22	—	—	—	—	—	—	—	·10	·29	—	·01	·03		22
23	—	tr.	—	·24	—	·46	·01	—	·04	—	·03	·03		23
24	·01	·06	·08	·03	—	·09	·36	·06	·08	—	tr.	tr.		24
25	·24	·02	—	·14	—	·41	—	—	—	·09	—	·37		25
26	·01	—	—	·35	—	·02	—	—	·02	·02	—	·08		26
27	—	·02	—	—	—	·08	—	—	—	·02	—	·43		27
28	·01	·01	—	tr.	—	·13	tr.	·68	—	—	·01	·27		28
29	—	×	—	tr.	—	—	—	tr.	·21	—	tr.	tr.		29
30	·06	×	—	—	—	—	—	·08	·02	·03	—	·06		30
31	tr.	×	—	×	—	×	·01	—	×	·04	×	·07		31
TOTAL	2·20	0·24	2·37	1·78	0·78	1·54	0·97	2·02	1·91	1·53	2·29	6·25	Year's Total 23·88	
*Days with ·01 in. or more.	19	7	16	15	8	12	8	16	15	17	14	26	173	
*Days with ·04 in. or more.	10	2	13	9	6	8	5	14	9	11	9	24	120	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R.A.G. Knight for D. F. P. R.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 983/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File 88156/35

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	tr.	–	·05	·01	·03	·05	–	–	·12	·22	tr		1
2	·01	tr.	·02	tr.	–	·24	–	–	·02	·21	·05	–		2
3	–	·06	·03	·02	–	·16	–	–	·69	·52	·13	·05		3
4	–	–	–	·10	–	·01	–	–	·03	·02	·01	–		4
5	–	·45	·07	·05	–	·10	·09	–	·40	tr.	–	·04		5
6	–	·01	·01	·36	–	·53	–	–	–	·03	·01	·01		6
7	tr.	·01	–	·56	–	·04	–	–	–	·18	·45	·12		7
8	–	–	tr.	·30	–	–	–	·02	–	·26	·11	·06		8
9	tr.	–	–	·26	–	·50	–	–	–	·85	·28	·01		9
10	tr.	tr.	–	·16	–	tr.	–	–	–	tr.	·05	·02		10
11	·23	–	–	–	–	·10	·03	–	–	–	·32	tr.		11
12	–	·02	–	–	–	·22	–	tr.	tr.	–	·03	–		12
13	·08	·13	–	·10	·18	·07	–	–	–	–	tr.	–		13
14	tr.	–	–	·12	·10	tr.	–	–	·02	–	·21	·13		14
15	–	·13	–	·52	·02	·29	–	–	·17	–	·41	·12		15
16	–	·12	·04	·17	·01	·39	–	–	·31	·03	·54	·06		16
17	tr.	tr.	–	·05	–	·15	tr.	tr	·02	tr.	·36	–		17
18	–	–	tr.	·46	–	·06	·16	tr.	·49	·02	·01	·06		18
19	–	–	–	·12	·13	·03	·31	–	·20	–	·09	·07		19
20	·01	·10	–	·20	·03	·06	07	–	·01	–	·27	–		20
21	tr.	·35	·02	·09	–	–	–	–	·12	02	·06	trace		21
22	–	·04	·07	·06	–	–	–	·41	·15	01	tr.	–		22
23	–	·10	·12	tr.	–	–	–	·47	·06	14	–	·25		23
24	·03	·50	·02	–	–	–	–	·03	·58	tr.	–	·19		24
25	·12	·06	–	·28	–	·33	–	·01	–	–	–	·17		25
26	tr.	·16	–	–	–	·01	–	·15	·08	–	–	·49		26
27	tr.	·23	–	–	·02	–	–	–	·06	–	·10	·50		27
28	–	·05	–	–	·01	–	–	·02	·42	·06	03	·06		28
29	tr.	×	tr.	–	–	–	–	–	·40	·01	–	·41		29
30	·05	×	–	·25	·03	–	–	·70	·02	·02	·23	51		30
31	–	×	–	×	·03	×	–	·01	×	1·00	×	·21		31
TOTAL	0·74	2·52	0·40	4·28	0·57	3·32	0·71	1·82	4·25	3·50	3·97	3·54	Year's Total. 29·62	
* Days with .01 in. or more.	8	17	9	21	11	19	6	9	20	17	22	21	180	
* Days with .04 in. or more.	5	14	4	20	3	15	5	4	14	9	17	18	128	

40-9999

† Spare column, no entries required.

(Signed) R.A.G. Knight for D.F.P.R.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 983/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·29	·08	·33	—	·33	·21	tr.	—	—	·04	·03		1
2	·06	·01	·01	·01	—	·23	·38	·09	—	—	·04	tr.		2
3	·01	—	tr.	·09	—	·60	·02	—	·33	—	·23	·02		3
4	—	—	·16	tr.	—	·01	—	—	·11	—	·07	·06		4
5	·15	—	·02	—	·02	—	tr.	—	·19	—	·01	·05		5
6	·41	—	tr.	—	tr.	·23	—	·02	·19	tr.	·21	·24		6
7	·24	—	·06	—	—	tr.	tr.	—	·02	—	·04	·03		7
8	·21	—	·09	—	·01	—	tr.	—	·01	—	·58	·10		8
9	·37	—	·05	—	—	tr.	·34	—	·15	·01	tr.	·02		9
10	·05	—	tr.	—	—	tr.	·22	tr.	tr.	—	tr.	tr.		10
11	—	—	—	·07	—	tr.	·11	—	·03	—		tr.		11
12	—	—	—	·24	tr.	·40	·26	—	·21	—	1·20	·15		12
13	—	—	—	·02	—	·35	—	—	tr.	·03	·05	·49		13
14	—	·04	—	tr.	—	·04	·72	—	·05	·04	·04	·45		14
15	—	·03	—	—	—	tr.	·02	—	·04	—	—	·08		15
16	·19	·06	—	tr.	—	—	·01	—	·02	—	·43	·02		16
17	·18	·78	—	—	1·08	·14	·01	—	tr.	·02	·18	·13		17
18	—	·18	—	—	—	·13	·14	·01	tr.	·04	·02	·15		18
19	·30	·08	·02	·07	—	·20	tr.	·04	—	tr.	tr.	tr.		19
20	·04	·20	·08	·15	—	·04	·11	—	1·11	—	—	—		20
21	—	tr.	tr.	·24	·03	·21	·02	—	·05	—	tr.	—		21
22	·11	·34	·06	·07	·23	tr.	·23	—	tr.	—	tr.	·15		22
23	·02	·01	·23	tr.	tr.	—	·10	—	—	·09	—	·01		23
24	·07	·23	—	—	—	—	·10	—	·17	·30	—	tr.		24
25	·02	·01	·15	·14	tr.	tr.	·09	—	·16	·09	·05	·01		25
26	·02	·10	·13	·02	—	·04	—	—	·01	·02	tr.	—		26
27	·07	—	·03	tr.	—	—	—	—	·12	·05	—	—		27
28	·84	tr.	·14	—	—	tr.	·31	—	tr.	tr.	—	·15		28
29	·23	·13	·07	—	·03	·31	tr.	—	—	·01	·21	·07		29
30	·11	×	—	—	·05	·24	·07	—	—	·32	tr.	·01		30
31	·48	×	·18	×	·02	×	·12	—	×	·37	×	·28		31
TOTAL	4·37	2·49	1·56	1·45	1·47	3·50	3·59	0·16	2·97	1·39	3·40	2·70	Year's Total. 29·05	
* Days with .01 in. or more.	23	15	17	12	8	16	21	4	18	13	17	22	186	
* Days with .04 in. or more.	19	11	13	9	3	15	16	2	13	8	15	14	138	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 983/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

File 88156/

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	tr.	–	·01	–	–	–	tr.	·05	–	·32	·57		1
2	tr.	·19	tr.	·47	–	–	–	–	·11	–	·01	·36		2
3	–	·10	–	tr.	·04	–	–	–	–	–	tr.	·11		3
4	·11	·27	–	tr.	–	–	–	–	–	–	tr.	·36		4
5	·12	·03	·21	–	·15	–	·03	–	–	tr.	tr.	tr.		5
6	·08	tr.	·44	tr.	tr.	–	·17	–	–	–	·02	–		6
7	tr.	·79	·03	·13	–	–	·06	–	·08	–	tr.	–		7
8	·01	·05	tr.	tr.	·08	tr.	–	–	tr.	tr.	·22	·15		8
9	–	tr.	–	·16	·04	tr.	·05	–	·31	–	–	·21		9
10	–	–	·77	·25	·04	·15	tr.	·04	–	–	–	·14		10
11	–	–	·36	tr.	·22	·01	·01	–	–	–	–			11
12	·14	·18	·17	·04	·56	·50	·01	·01	·06	–	–	·13		12
13	·17	·09	·42	tr.	tr.	·69	–	·31	·75	–	–	·22		13
14	·01	·02	·44	·26	tr.	tr.	–	1·26	·02	–	–	·02		14
15	·28	·11	–	·15	tr.	–	·34	–	·27	–	–	·05		15
16	tr.	·07	·54	·54	–	·16	–	·06	·58	–	tr.	tr.		16
17	·60	tr.	·30	·13	–	tr.	–	–	·19	tr.	·tr	–		17
18	·54	·10	·09	·04	–	·21	–	–	tr.	·01	·14	·05		18
19	·09	·02	·04	·11	tr.	·22	·02	–	·43	tr.	–	·03		19
20	·64	·01	tr.	·46	·69	·01	–	–	·01	·01	–	·02		20
21	·30	·51	·05	·01	·01	tr.	·04	tr.	–	·01	·01	·03		21
22	·38	tr.	·05	tr.	·21	·125	·07	–	–	·76	·22	·02		22
23	·13	·03	·03	–	·38	–	·09	–	tr.	·31	·02	tr.		23
24	·32	·41	·04	–	–	–	–	–	·12	·48	·02	tr.		24
25	·22	·39	·06	–	1·33	–	–	–	·02	·48	–	·01		25
26	·01	·29	·05	–	·27	–	–	tr.	–	·14	tr.	–		26
27	·01	·08	–	·25	tr.	–	–	–	·01	·83		–		27
28	tr.	·14	–	tr.	–	tr	–	–	–	·06	tr.	·05		28
29	tr.		–	–	–	·04	–	–	–	·02	·01	·02		29
30	·40		–	tr.	–	–	–	·13	–	·05	·21	·03		30
31	·32		–		–		–	–		·14		·04		31
TOTAL	5·05	3·88	4·09	3·01	4·02	2·11	0·89	1·81	3·01	3·30	1·20	2·62	Year's Total 34·99	✓
* Days with .01 in. or more.	22	21	18	15	13	10	11	6	15	13	11	21	176	✓
* Days with .04 in. or more.	18	16	16	13	12	8	7	5	11	9	5	13	133	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R A Knight for D.J.P.R. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 983/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No. 88156/31

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	tr.	tr.	—	tr.	·16	—	—	·02	·02	—	·04		1
2	·10	tr.	—	·03	·11	—	—	—	tr.	·33	·02	·01		2
3	tr.	—	—	—	·11	—	tr.	—	·04	·63	·02	—		3
4	·10	—	—	—	—	—	·02	·05	tr.	·18	—	·11		4
5	tr.	—	—	—	—	tr.	·21	tr.	·01	·21	tr.	tr.		5
6	·04	—	wet fog tr.	—	—	—	·05	—	·15	·15	tr.	tr.		6
7	·03	—	—	—	—	tr.	·43	·59	·03	·37	—	·07		7
8	·11	—	dew tr.	—	—	·01	·22	·01	·08	·16	tr.	·01		8
9	·13	tr.	—	—	—	·01	·09	·15	—	·01	—	1·07		9
10	·19	·09	—	—	—	·08	·05	·18	tr.	—	—	·08		10
11	·22	tr.	—	—	—	—	tr.	—	—	tr.	·12	·04		11
12	·30	·01	—	—	·01	—	·01	·16	—	·34	tr.	·01		12
13	·02	·02	—	—	—	—	—	—	—	—	·15	·15		13
14	·13	·01	—	—	·06	—	·08	—	·10	—	tr.	·02		14
15	·09	·01	—	—	·01	—	·20	tr.	—	·11	·01	·07		15
16	·36	·02	tr.	—	tr.	—	tr.	tr.	—	·04	·02	·07		16
17	tr.	·09	—	—	·06	—	tr.	—	·05	·05	tr.	tr		17
18	·04	—	—	tr.	·05	tr.	tr.	·07	·29	·02	·33	tr		18
19	tr.	—	—	—	tr.	—	tr.	·06	·07	tr.	·13	—		19
20	—	·01	—	—	—	—	—	—	·01	—	·74	snow ·03		20
21	·02	—	tr.	—	—	—	—	·11	·02	—	·03	snow ·54		21
22	tr.	—	—	·01	—	·03	—	·10	tr.	—	·23	·18		22
23	—	tr.	—	tr	tr.	—	—	—	tr.	—	·08	·01		23
24	—	—	·11	·01	·09	—	—	—	·25	·02	·03	tr.		24
25	·08	·03	·07	·06	·07	—	—	·36	·01	—	·60	tr.		25
26	·27	·39	·09	—	·01	—	—	tr.	·13	·14	tr.	·26		26
27	·06	·06	tr.	tr.	·20	·21	·32	tr.	·49	—	·44	—		27
28	·32	·02	—	—	·83	·08	—	1·14	·02	—	·01	·15		28
29	·41		—	tr	·43	—	—	·15	·02	tr.	·13	·17		29
30	·02		—	·02	·04	·06	—	tr.	·12	·03	·18	·03		30
31	·19		—		·19		—	tr.		·18		·25		31
TOTAL	3·29	·76	·27	·13	2·27	·64	1·68	3·13	1·91	2·99	3·27	3·37	Year's Total 23·71	✓
* Days with .01 in. or more.	23	12	3	5	15	8	11	13	19	18	18	22	167	✓
* Days with .04 in. or more.	19	4	3	1	12	5	9	12	11	13	11	15	115	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G W Pratt (observer)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 983/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 88156/31.

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·02	·54	·37	—	tr.	·30	—	—	tr.	·01		1
2	·02	—	—	·03	tr.	—	—	·43	·56	—	·05	·03		2
3	·38	—	—	·18	—	—	—	·29	—	·03	·26	·28		3
4	·06	—	·33	·11	·01	—	·02	·36	—	·26	·04	·01		4
5	—	tr.	·01	·35	·13	—	·18	·45	—	·23	·44	·50		5
6	·28	—	—	·01	tr	—	·26	·02	—	·01	·15	·01		6
7	·04	·07	—	—	—	—	—	·01	—	tr.	·31	·20	32.24	7
8	tr.	·11	·16	—	—	—	·10	·23	—	·47	·39	·35		8
9	·04	·09	—	—	—	—	—	·04	—	·08	tr.	·16		9
10	·32	tr	—	—	—	·37	—	·23	·02	tr.	tr.	tr.		10
11	tr.	tr.	·22	—	tr.	·01	—	—	·02	·01	tr.	·01		11
12	—	·06	tr.	—	tr.	·03	—	—	—	—	·01	tr		12
13	—	—	—	tr.	—	tr.	·09	—	·03	·83	·03	tr.		13
14	·54	—	·01	·08	·14	·02	·06	—	—	·18	·28	—		14
15	·32	—	—	tr.	·48	·42	·21	—	·06	·79	·22	tr		15
16	·27	—	·24	·01	·14	·28	·03	—	—	·08	·28	—		16
17	·36	—	·04	—	·05	tr.	·05	—	—	1·54	·04	—		17
18	·22	·02	·05	—	tr	·19	·25	—	—	·14	·30	tr.		18
19	·19	—	tr.	—	—	—	·31	—	—	·07	tr.	—		19
20	·31	—	tr.	—	·01	·07	·19	·11	—	tr.	—	·02		20
21	·07	·20	·35	·02	—	·08	·16	·52	·12	tr.	—	—		21
22	·15	·38	·05	·05	—	tr.	·02	—	·01	tr.	·15	—		22
23	·01	—	tr.	·05	—	·02	·16	—	—	·02	·65	tr		23
24	·25	—	tr.	·08	—	tr	·28	—	tr.	·06	—	·01		24
25	snow ·92	·07	·10	tr.	—	—	·37	—	—	·02	·33	tr.		25
26	·33	·04	·02	tr.	—	—	tr.	—	—	·11	·33	·02		26
27	·01	·08	·20	·01	—	tr.	·01	—	—	·06	·08	tr.		27
28	·02	·14	·11	tr.	—	·02	·02	—	—	·13	·19	·07		28
29	—	×	—	·36	—	·02	·55	—	—	·09	·09	—		29
30	—	×	—	·73	—	·10	tr.	—	—	·02	·17	·04		30
31	—	×	—	×	—	×	·16	·01	×	tr.	×	·03		31
													Year's Total	
TOTAL	5·14	1·26	1·91	2·61	1·23	1·63	3·48	3·00	·82	5·23	4·79	1·75	32·95	✓
* Days with .01 in. or more.	23	11	15	15	8	13	21	13	7	22	22	16	186	✓
* Days with .04 in. or more.	18	10	11	10	6	7	16	10	3	16	20	7	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... — observer .... P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 983/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

File No 88156/31

Kept at Princes Risborough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 333 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·09	–	–	–	–	–	–	·14	tr.		1
2	–	·08	–	·11	–	–	·15	–	–	·09	·88	tr.		2
3	tr.	·22	–	·06	–	–	–	–	–	·14	·88	·01		3
4	tr.	·11	–	·04	–	–	·03	–	–	·23	·20	–		4
5	tr.	·01	–	–	·02	–	–	–	–	·10	·71	·11		5
6	·14	·12	–	–	·07	–	·37	–	–	·15	·18	–		6
7	·20	·24	–	–	·05	–	·08	–	·04	tr.	–	·01		7
8	tr.	tr.	–	·02	–	–	–	–	·01	·20	·03	·27		8
9	–	–	–	–	–	·14	tr.	·03	·03	·02	·15	–		9
10	–	–	tr.	–	–	·06	·64	·01	–	·07	·18	·03		10
11	–	–	tr.	·08	–	–	·01	–	–	–	·76	–		11
12	–	tr.	·03	–	–	–	–	–	·17	tr.	·03	–		12
13	–	·02	·55	trace.	–	–	·04	tr.	·05	–	1·32	–		13
14	–	–	·09	·07	–	–	–	–	·08	·24	·01	·36		14
15	–	–	·08	·02	·02	·03	·14	–	·07	·09	·35	tr.		15
16	snow 03	snow ·15	·38	–	–	·04	·28	–	·11	·52	·78	–		16
17	–	–	·22	–	–	–	·04	–	·02	tr.	·03	–		17
18	–	·41	·23	·40	–	–	–	tr.	tr.	·12	·21	–		18
19	–	·20	·06	·17	–	–	·10	–	·16	–	·15	·18		19
20	–	·01	·06	·03	–	–	tr.	tr.	–	·30	·01	–		20
21	snow ·10	·01	tr.	tr.	·44	–	·09	–	–	·06	·67	tr		21
22	snow ·03	–	·07	tr.	·33	·40	tr.	–	·16	tr.	tr.	–		22
23	–	·16	·02	·09	·67	·18	tr.	–	–	·02	tr.	tr.		23
24	–	tr.	–	·09	tr.	–	·19	–	–	·03	tr.	·03		24
25	–	tr.	·31	–	·04	tr.	·13	–	–	–	–	tr.		25
26	1·08	·09	·04	·14	tr	·02	·08	–	–	–	·01	·03		26
27	·10	·21	–	·75	·13	–	·01	–	–	·02	[illegible]	–		27
28	snow ·75	·07	–	·01	·13	–	tr.	–	–	tr.	–	tr.		28
29	tr.	·05	·10	tr.	·06	·04	–	–	–	·01	–	·33		29
30	·03		tr.	·15	–	–	–	–	–	·14	–	·01		30
31	–		tr.		–		–	–		·75		·01		31
TOTAL	2·46	2·17	2·24	2·32	1·96	0·91	2·38	0·04	0·90	3·30	7·68	1·38	Year's Total 27·74	✓
* Days with .01 in. or more.	9	18	14	17	11	8	16	2	11	20	21	12	159	✓
* Days with .04 in. or more.	6	13	12	13	9	6	13	–	8	15	15	5	115	✓

† Spare column, no entries required.

(*Signed*) G.H. Pritt (observer) for D. F.P.R. [P.T.O.

* See Instruction 3 (f) on other side.

PRINCES RISBOROUGH (

983/9

Form 1090. **B** Mo Sun … tion.

983/9

PRINCES RISBOROUGH
(LONGWICK)

1938 - 39.

780206

. The following register of month … section and also the space for &c., is NOT required if daily … values are given on the other … to this register should be sent:—

…ngwick Aylesbury Bucks

RAINFALL IN 193

At Longwick

In the County of Bucking…

9 a.m. in Summer 9 a.m.

Distance 1/2 Mile Direction from gauge S.E.

Nearest Parish Church at … Distance 1/2 miles Direction from gauge S.E.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* … *ft.* 11 *in.*
- *Height of Ground above Sea Level* 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	3·43	·42	15	18	18
Feb.	·75	·42	25	5	5
Mar.	·33	·15	23	3	3
April	·08	·06	24	2	2
May	2·05	·78	27	13	11.
June	·64	·24	26	6	5
July	1·33	·38	6	9	9.
Aug.	3·09	·90	27	13	12
Sept.	2·08	·52	26	13	11
Oct.	3·06	·66	2	13	12.
Nov.	3·05	·64	24	13	11
Dec.	2·77	·98	8	12	12
Total	22·66 ✓	✓		~~120~~ ✓	111 ✓

Nature of objects nearest to gauge	Trees.			
Height of objects	20 feet.			
Distances …	10 yards.			
Directions from gauge …	N. W.			

If gauge has been moved during the year state—

Date of move………… Distance………… Direction…………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

print Cop
24/3/39

776103/38

Signature Charles C. Shute.

Rev. C. C. Shute.

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

PRINCES RISBOROUGH

983/9

FORM 1090.

B Monthly Summary.

C Particulars of Station.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Longwick

In the County of Buckingham

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 11 in.
- *Height of Ground above Sea Level* 300 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·43	·42	15	18	18
FEB.	·75	·42	25	5	5
MAR.	·33	·15	23	3	3
APRIL	·08	·06	24	2	2
MAY	2·05	·78	27	13	11.
JUNE	·64	·24	26	6	5
JULY	1·33	·38	6	9	9.
AUG.	3·09	·90	27	13	12
SEPT.	2·08	·52	26	13	11
OCT.	3·06	·66	2	13	12.
NOV.	3·05	·64	24	13	11
DEC.	2·77	·98	8	12	12
TOTAL	22·66 ✓			~~120~~ ✓	111 ✓

Signature Charles C. Shute.

Rev. C. C. Shute.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Rev C. C. Shute.

'Green Acres' Longwick, Aylesbury Bucks

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station ~~1½ Miles~~ Princes Distance 1½ Miles Direction from gauge S.E.

Nearest Parish Church at Risborough Distance 1½ miles Direction from gauge S.E.

Nature of objects nearest to gauge	Trees.			
Height of objects	20 feet.			
Distances ...	10 yards.			
Directions from gauge ...	N. W.			

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

print cps 24/3/39

776103/38

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 40-9999

984

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

Form 1090.

REGISTER

984

TOWERSEY VICARAGE

1931 - 32

480206

Y FOR OFFICIAL USE.

ORGANIZATION.

Kept at Towersey Vica

in the County of Bucks

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule should insert the reading … *lowing year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·25	·07	·25	–	–	·13	–	–	–	1
2	·05	·04	–	·53	–	–	·02	–	·61	–	–	·05	2
3	·03	·08	·05	·24	·02	–	–	·30	·55	–	·22	·19	3
4	–	·03	–	·07	·17	–	–	2·73	·21	–	·32	–	4
5	–	–	–	·13	·04	·41	·21	02	·06	–	·02	·23	5
6	–	·14	–	·13	–	–	·05	–	–	·31	·27	–	6
7	–	–	–	–	·06	·06	·05	·53	–	·06	·15	·08	7
8	·02	·03	·02	·05	–	·11	·09	·38	–	·01	·12	–	8
9	–	·15	–	·02	–	·09	·04	·03	–	·05	·22	·03	9
10	·02	·03	·03	–	–	·03	·28	·17	·01	–	·23	–	10
11	·17	·21	–	–	–	·01	–	–	·14	–	·12	–	11
12	–	–	–	·02	–	–	·17	·05	·33	–	–	–	12
13	·02	–	–	–	–	–	·07	·16	–	–	–	–	13
14	·02	·08	–	–	·07	·04	1·42	·21	–	–	–	–	14
15	–	·04	–	·12	·14	–	·12	·06	–	–	–	·08	15
16	·07	·07	–	11	·16	·20	–	·29	·23	–	–	–	16
17	·12	·23	–	·48	·20	–	·16	–	·02	·02	–	–	17
18	·09	·03	·02	·21	–	·16	–	·47	–	–	·41	–	18
19	·02	–	–	·36	–	·22	·53	·02	·03	–	–	–	19
20	–	·02	–	·12	–	–	–	·20	–	–	–	–	20
21	·03	–	–	–	·38	–	–	–	–	–	–	–	21
22	·12	·02	–	·05	–	–	–	–	–	–	–	–	22
23	·16	–	~~·03~~	·03	·29	·10	–	–	·02	–	·21	·06	23
24	–	–	–	·28	·25	·08	·09	–	–	–	·06	·02	24
25	·07	– ~~·05~~	–	·24	·05	–	·29	–	–	–	·39	–	25
26	–	·05	–	·12	–	–	·59	–	–	–	·19	–	26
27	·10	·40	–	·13	·65	–	·13	–	–	–	–	–	27
28	·14	·18	–	·11	·05	–	–	–	–	·06	–	·35	28
29	·04	×	–	–	·18	–	·12	–	–	·33	–	·02	29
30	·13	×	–	–	–	–	·02	·10	–	–	–	·02	30
31	·18	×	–	×	–	×	–	–	×	–	×	·04	31
Total	1·58	1·83	·12	3·80	2·79	1·63	4·43	5·72	2·34	·84	2·83	1·17	Year's total 29·08
*Days with ·01 in. or more.	20	18	4	22	16	13	19	16	12	7	14	12	173
*Days with ·04 in. or more.	13	2	1	19	15	11	17	13	8	5	13	8	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. E. Cooper

[P.T.O.

984

Section **A** for the entry of Daily Obs COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Towersey Vicarage

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·25	·07	·25	–	–	·13	–	–	–	1
2	·05	·04	–	·53	–	–	·02	–	·61	–	–	·05	2
3	·03	·08	·05	·24	·02	–	–	·30	·55	–	·22	·19	3
4	–	·03	–	·07	·17	–	–	2·73	·21	–	·32	–	4
5	–	–	–	·13	·04	·41	·21	02	·06	–	·02	·23	5
6	–	·14	–	·13	–	–	·05	–	–	·31	·27	–	6
7	–	–	–	–	·06	·06	·05	·53	–	·06	·15	·08	7
8	·02	·03	·02	·05	–	·11	·09	·38	–	·01	·12	–	8
9	–	·15	–	·02	–	·09	·04	·03	–	·05	·22	·03	9
10	·02	·03	·03	–	–	·03	·28	·17	·01	–	·23	–	10
11	·17	·21	–	–	–	·01	–	–	·14	–	·12	–	11
12	–	–	–	·02	–	–	·17	·05	·33	–	–	–	12
13	·02	–	–	–	–	–	·07	·16	–	–	–	–	13
14	·02	·08	–	–	·07	·04	1·42	·21	–	–	–	–	14
15	–	·04	–	·12	·14	–	·12	·06	–	–	–	·08	15
16	·07	·07	–	11	·16	·20	–	·29	·23	–	–	–	16
17	·12	·23	–	·48	·20	–	·16	–	·02	·02	–	–	17
18	·09	·03	·02	·21	–	·16	–	·47	–	–	·41	–	18
19	·02	–	–	·36	–	·22	·53	·02	·03	–	–	–	19
20	–	·02	–	·12	–	–	–	·20	–	–	–	–	20
21	·03	–	–	–	·38	–	–	–	–	–	–	–	21
22	·12	·02	–	·05	–	–	–	–	–	–	–	–	22
23	·16	–	[illegible]	·03	·29	·10	–	–	·02	–	·21	·06	23
24	–	–	–	·28	·25	·05	·09	–	–	–	·06	·02	24
25	·07	~~·05~~ –	–	·24	·05	–	·29	–	–	–	·39	–	25
26	–	·05	–	·12	–	–	·59	–	–	–	·19	–	26
27	·10	·40	–	·13	·65	–	·13	–	–	–	–	–	27
28	·14	·18	–	·11	·05	–	–	–	–	·06	–	·35	28
29	·04	×	–	–	·18	–	·12	–	–	·33	–	·02	29
30	·13	×	–	–	–	–	·02	·10	–	–	–	·02	30
31	·18	×	–	×	–	×	–	–	×	–	×	·04	31
TOTAL	1·58	1·83	·12	3·80	2·79	1·63	4·43	5·72	2·34	·84	2·83	1·17	YEAR'S TOTAL 29·08
*Days with ·01 in. or more.	20	18	4	22	16	13	19	16	12	7	14	12	173
*Days with ·04 in. or more.	13	2	1	19	15	11	17	13	8	5	13	8	135

40-9999

(Signed) H. E. Cooper

[P.T.O.

*See Instruction 2 (*f*) on other side.

984

COPY FOR ~~OFFICIAL~~ USE.

Section A for the entry of Daily Observations.

Station No. 984

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Towersey Vicarage

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 250 ft.

Year 3" [illegible] (?).

[illegible] see 1086

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·04	–	·09	1·17	·03	·06	·40	·03	·17	·04	·01	1
2	·03	–	–	·15	·11	–	–	·03	·43	·11	·03	·23	2
3	–	–	–	·21	·10	–	–	–	·07	·16	–	–	3
4	·03	–	–	·01	–	–	·03	–	–	–	·32	–	4
5	·29	–	·02	–	·03	–	·21	–	·12	–	–	–	5
6	·68	–	–	·09	·02	–	·03	–	·19	–	–	–	6
7	·03	–	·09	·08	·01	–	·07	–	·07	·04	–	–	7
8	–	–	·11	·10	·04	–	–	–	1·32	·17	–	–	8
9	·08	·05	–	·07	·20	–	–	–	12	–	–	–	9
10	·10	·04	·06	·24	·07	–	–	–	·08	·13	·04	–	10
11	–	–	–	·10	·07	·02	·44	–	·02	·14	·05	·04	11
12	–	–	–	·03	·27	–	–	–	·06	·28	·03	–	12
13	·18	~~·01~~	–	·17	·02	–	·03	–	–	·07	·09	·05	13
14	–	·01	–	–	·01	–	–	·21	–	·05	·02	–	14
15	·23	–	–	·05	·77	–	–	–	–	·05	–	·03	15
16	·24	–	–	·27	·53	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	·05	–	–	·11	–	–	17
18	–	–	–	–	·01	–	–	–	·38	–	–	–	18
19	–	–	–	–	–	–	–	–	·04	·26	·12	–	19
20	–	–	–	·18	·13	–	–	·50	·02	·78	·03	–	20
21	·63	–	·06	·16	1·48	–	·02	·52	–	·55	·07	·04	21
22	·02	–	·18	·02	·04	–	·12	·04	·36	·18	–	–	22
23	–	·05	–	–	·53	–	–	–	·08	·66	·39	·04	23
24	–	·02	–	–	–	–	1·54	–	·08	·08	·03	–	24
25	–	·01	–	·01	·02	–	·15	–	·16	·38	·05	–	25
26	–	–	·06	·27	·13	–	·14	–	·02	·03	·02	–	26
27	–	–	·40	·10	·37	–	·29	–	·03	·21	–	–	27
28	–	–	·18	·10	·28	–	·14	–	–	·10	·08	–	28
29	–	–	·25	·08	·74	·10	–	·04	·07	·29	·06	–	29
30	–	×	·32	·06	·18	·39	·03	·05	·13	·02	·29	·24	30
31	–	×	·11	×	–	×	·06	–	×	–	×	–	31
TOTAL	1·97	·22	1·84	2·61	7·33	·54	3·41	1·79	3·82	4·99	1·76	·68	YEAR'S TOTAL 30·96
*Days with ·01 in. or more.	13	7	12	23	26	4	·17	8	22	24	18	8	182
*Days with ·04 in. or more.	7	4	11	19	19	2	·12	7	17	22	12	6	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. E. Cooper

P.T.O.

985

Section **A** for the entry of Da

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTE 1931.

985

ELLESBOROUGH

1931 ONLY

780206

Kept at Ellesborough

in the County of Bucking

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31 28·47
TOTAL	1·35	1·65	·02	3·19	2·81	1·57	4·60	6·15	2·36	·79	3·14	·84	YEAR'S TOTAL 28·56
*Days with ·01 in. or more.													—
*Days with ·04 in. or more.													—

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. K. Bateman

[P.T.O.

985

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ellesborough

in the County of Buckingham

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31 8·47
TOTAL	1·35	1·65	·02	3·19	2·81	1·57	4·60	6·15	2·36	·79	3·14	·84	YEAR'S TOTAL 28·56
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. K. Bateman

[P.T.O.

986

Section **A** for the entry of D
AIR MINISTRY.

986

LITTLE KIMBLE

1931 – 1940

480206

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGIST … 1931.

Kept at The Glebe House. LITTL… 986

in the County of Buckin…

Diameter of Funnel of Gauge…
Height of top of Gauge above Ground…
,, Ground ,, Sea Lev…

THE MORNING MEASUR… …OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·09	(F*) –	0·06	0·06	0·07	0·01	–	0·07	–	–	–	1
2	0·08	0·08	–	0·36	–	–	–	–	0·42	–	–	0·02	2
3	0·03	–	0·01	0·23	0·24	–	–	0·29	0·59	–	0·21	0·14	3
4	–	* 0·02	–	0·02	0·10	–	0·17	2·20	0·10	–	0·18	–	4
5	–	–	–	0·13	0·02	0·49	0·03	0·01	0·04	–	0·04	0·21	5
6	–	0·09	–	0·12	–	–	0·07	–	–	0·29	0·24	–	6
7	–	–	–	0·03	0·01	0·10	0·21	0·23	–	0·06	0·14	0·07	7
8	(F*) –	0·02	0·01	0·03	–	0·10	–	0·77	–	0·03	0·10	0·01	8
9	–	0·09	(F*) –	0·01	–	0·03	0·01	0·01	–	0·04	0·25	0·01	9
10	0·02	0·06	(F*) –	–	–	–	0·22	0·44	–	–	0·02	–	10
11	0·13	0·12	–	–	–	–	–	–	0·06	–	–	–	11
12	–	(F*) –	–	0·01	–	–	0·04	0·17	0·32	–	–	–	12
13	–	–	–	–	–	–	0·14	0·10	–	–	–	–	13
14	0·02	0·07	–	–	0·03	0·06	1·33	0·46	–	–	–	–	14
15	–	0·02	–	0·11	0·12	–	0·12	0·08	–	–	–	0·07	15
16	0·02	0·11	–	0·10	0·16	0·14	–	0·44	0·08	–	–	–	16
17	0·03	0·15	–	0·61	0·23	–	0·15	–	0·20	0·01	–	–	17
18	0·04	0·12	–	0·20	–	0·13	–	0·32	–	–	0·41	–	18
19	0·02	–	–	0·33	–	0·05	0·31	0·05	0·23	–	–	–	19
20	–	0·01	0·02	0·16	–	–	–	0·14	–	–	0·01	0·01	20
21	0·02	–	–	–	0·32	–	–	0·05	0·01	–	–	–	21
22	0·16	–	–	0·01	–	–	–	–	0·03	–	–	–	22
23	0·13	–	–	0·02	0·32	0·33	–	–	0·01	–	0·18	0·04	23
24	–	–	–	0·20	0·22	0·02	–	–	–	–	–	–	24
25	0·06	0·01	–	0·34	0·03	–	0·01	–	–	–	0·05	0·01	25
26	–	0·02	–	0·05	–	–	0·70	–	–	–	0·70	–	26
27	0·07	0·31	–	0·01	0·54	–	0·82	–	–	–	0·22	–	27
28	0·11	0·16	–	0·08	0·04	–	0·08	–	–	0·03	0·01	snow * 0·21	28
29	0·03	–	–	–	0·10	–	0·09	–	–	0·30	–	0·01	29
30	0·09	×	–	–	–	–	0·01	0·04	–	–	–	–	30
31	0·20	×	–	×	0·01	×	–	0·03	×	–	×	0·01	31
TOTAL	1·26	1·55	0·04	3·22	2·55	1·52	4·52	5·83	2·16	0·76	2·76	0·82	YEAR'S TOTAL 26·99
*Days with ·01 in. or more.	18	18	3	23	17	11	19	18	13	7	15	13	175
*Days with ·04 in. or more.	10	12	–	15	12	9	14	15	10	4	12	6	119

40-9999

(Signed)………… P.T.O.

*See Instruction 2 (*f*) on other side.

986

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Glebe House. LITTLE KIMBLE

in the County of Buckingham

STATION NO - 986

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 370. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·09	(Fr*) –	0·06	0·06	0·07	0·01	–	0·07	–	–	–	1
2	0·08	0·08	–	0·36	–	–	–	–	0·42	–	–	0·02	2
3	0·03	–	0·01	0·23	0·24	–	–	Th 0·29	Th 0·59	–	0·21	0·14	3
4	–	* 0·02	–	0·02	0·10	–	0·17	Th 2·20	0·10	–	0·18	–	4
5	–	–	–	0·13	0·02	0·49	0·03	0·01	0·04	–	0·04	0·21	5
6	–	0·09	–	0·12	–	–	0·07	–	–	0·29	0·24	–	6
7	–	–	–	0·03	0·01	0·10	0·21	0·23	–	0·06	0·14	0·07	7
8	(Fr*) –	0·02	0·01	0·03	–	0·10	–	0·77	–	0·03	0·10	0·01	8
9	–	0·09	(Fr*) –	0·01	–	0·03	0·01	0·01	–	0·04	0·25	0·01	9
10	0·02	0·06	(Fr*) –	–	–	–	0·22	0·44	–	–	0·02	–	10
11	0·13	0·12	–	–	–	–	–	–	0·06	–	–	–	11
12	–	(Fr*) –	–	0·01	–	–	0·04	0·17	0·32	–	–	–	12
13	–	–	–	–	–	–	0·14	0·10	–	–	–	–	13
14	0·02	0·07	–	–	0·03	Th 0·06	1·33	0·46	–	–	–	–	14
15	–	0·02	–	0·11	0·12	–	0·12	0·08	–	–	–	0·07	15
16	0·02	0·11	–	0·10	0·16	0·14	–	0·44	0·08	–	–	–	16
17	0·03	0·15	–	0·61	0·23	–	0·15	–	0·20	0·01	–	–	17
18	0·04	0·12	–	0·20	–	0·13	–	0·32	–	–	0·41	–	18
19	0·02	–	–	0·33	–	0·05	0·31	0·05	0·23	–	–	–	19
20	–	0·01	0·02	0·16	–	–	–	0·14	–	–	0·01	0·01	20
21	0·02	–	–	–	0·32	–	–	0·05	0·01	–	–	–	21
22	0·16	–	–	0·01	–	–	–	–	0·03	–	–	–	22
23	0·13	–	–	0·02	0·32	0·33	–	–	0·01	–	0·18	0·04	23
24	–	–	–	0·20	0·22	0·02	–	–	–	–	–	–	24
25	0·06	0·01	–	0·34	0·03	–	0·01	–	–	–	0·05	0·01	25
26	–	0·02	–	0·05	–	–	0·70	–	–	–	0·70	–	26
27	0·07	0·31	–	0·01	Th 0·54	–	0·82	–	–	–	0·22	–	27
28	0·11	0·16	–	0·08	0·04	–	0·08	–	–	0·03	0·01	* 0·21	28
29	0·03	–	–	–	0·10	–	0·09	–	–	0·30	–	0·01	29
30	0·09	×	–	–	–	–	0·01	0·04	–	–	–	–	30
31	0·20	×	–	×	0·01	×	–	0·03	×	–	×	0·01	31
TOTAL	1·26	1·55	0·04	3·22	2·55	1·52	4·52	5·83	2·16	0·76	2·76	0·82	YEAR'S TOTAL 26·99
*Days with ·01 in. or more.	18	18	3	23	17	11	19	18	13	7	15	13	175
*Days with ·04 in. or more.	10	12	–	15	12	9	14	15	10	4	12	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L D Burra

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 986

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at LITTLE KIMBLE

in the County of BUCKS

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02	0·03	–	0·06	0·77	0·03	0·04	0·10	0·01	0·19	0·02	0·07	1
2	0·02	–	–	0·11	0·09	–	–	0·01	0·23	0·11	0·03	0·15	2
3	–	–	–	0·13	0·10	–	–	–	0·13	–	–	–	3
4	0·01	–	–	–	–	–	–	–	–	–	0·27	–	4
5	0·18	–	–	–	0·06	–	0·19	–	0·07	–	–	–	5
6	0·45	–	0·03	0·05	0·01	–	0·01	–	0·14	–	–	–	6
7	0·03	–	0·10	0·03	0·02	–	0·05	–	0·06	0·02	–	–	7
8	–	–	0·09	0·04	0·01	–	–	–	0·44	0·22	–	–	8
9	0·21	0·03*	–	0·03	0·20	–	–	–	0·01	–	–	–	9
10	0·26	0·04*	0·05*	0·17	0·04	–	–	–	0·03	0·10	0·08	–	10
11	–	0·04*	–	0·09	0·04	0·09	0·13	0·01	–	0·05	0·05	0·04	11
12	0·08	–	–	–	0·16	–	–	0·01	0·03	0·44	0·02	–	12
13	0·05	–	–	0·16	0·01	–	–	–	0·01	0·05	0·10	0·03	13
14	0·18	–	–	–	–	–	–	(1·83 in 1hr) 2·00	–	0·01	0·01	–	14
15	–	–	–	0·05	0·41	–	–	–	–	0·04	–	0·01	15
16	0·12	–	–	0·26	0·04	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	0·02	–	–	0·07	–	–	17
18	–	–	–	–	–	–	–	–	0·24	–	0·09	–	18
19	–	0·01	–	–	–	–	–	–	0·01	0·19	0·01	–	19
20	–	–	–	0·08	0·11	–	–	1·33	0·01	0·68	0·04	–	20
21	0·02	–	0·03	0·18	1·43	–	0·03	0·26	–	0·41	–	0·02	21
22	0·01	–	0·23	–	0·28	–	0·13	–	0·36	0·11	0·27	–	22
23	–	0·06	–	–	0·07	–	–	–	0·09	0·70	0·01	0·02	23
24	–	0·01	–	–	–	–	1·25	–	0·02	0·05	0·04	–	24
25	–	0·04	–	–	–	–	0·12	–	0·10	0·43	–	–	25
26	–	–	0·03	0·28	0·09	–	0·08	–	0·01	0·02	–	–	26
27	–	–	0·33	0·11	0·31	–	0·39	–	0·01	0·11	0·07	0·01	27
28	–	–	0·13	0·05	0·15	0·14	0·13	–	–	0·09	–	–	28
29	–	–	0·37	0·07	0·24	0·09	–	–	0·08	0·28	0·03	–	29
30	0·01	×	0·22	0·06	0·02	0·47	–	0·05	0·14	0·02	0·28	0·17	30
31	–	×	0·11	×	0·02	×	0·03	–	×	–	×	0·05	31
TOTAL	1·65	0·23	1·72	1·96	4·68	0·82	2·60	3·77	2·23	4·39	1·42	0·51	YEAR'S TOTAL 25·98
*Days with ·01 in. or more.	15	8	12	19	24	5	14	8	22	23	17	10	177
*Days with .04 in. or more.	8	3	9	17	18	4	9	5	12	19	10	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 986

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Glebe House. LITTLE KIMBLE

in the County of BUCKINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·13	0·14	0·12	–	0·02	–	–	–	–	–	–	–		1
2	0·21	–	0·22	–	0·19	–	–	–	–	–	0·02	–		2
3	–	0·15	0·12	–	0·04	–	–	–	–	–	0·01	–		3
4	0·10	–	0·04	–	0·38	–	–	–	–	–	–	–		4
5	–	0·02	0·18	–	0·04	–	–	–	–	–	0·01	–		5
6	–	0·04	0·12 Rs	–	0·12	–	–	–	–	0·12	0·03	–		6
7	–	0·11	0·05 Rs	–	–	–	–	–	–	0·02	0·01	–		7
8	0·08	–	0·04	–	0·08	–	0·19	–	–	0·07	–	–		8
9	–	–	–	–	0·05	–	0·17	–	–	0·05	0·11	–		9
10	–	0·48	–	–	–	0·05	0·37	–	–	0·20	0·02	–		10
11	0·17	0·01	–	–	0·02	0·02	0·09	0·03	–	0·01	–	–		11
12	–	–	–	–	0·01	0·22	–	–	0·64	–	–	–		12
13	0·03	–	–	–	0·19	0·08	0·54	–	0·06	–	0·06	–		13
14	–	–	–	–	0·01	–	–	0·04	–	0·03	0·55	–		14
15	0·38	–	0·04	–	–	–	0·14	0·13	–	0·01	0·27	–		15
16	0·01*	0·01	0·57	–	–	0·16	0·08	–	0·02	0·04	0·01	–		16
17	0·06*	–	0·26	–	–	0·05	0·02	–	0·03	–	0·01	–		17
18	0·04	0·12*	0·11	–	–	0·08	–	–	–	–	–	–		18
19	–	0·01*	0·21 Rs	–	–	0·03	–	–	0·38	–	0·02	0·03		19
20	–	–	0·03	0·07*	–	0·07	–	–	–	–	0·01	–		20
21	–	0·05*	–	–	–	–	–	0·08	0·23	0·03	–	–		21
22	–	–	–	–	–	0·09	–	0·09	–	0·30 Rs	0·01	–		22
23	–	–	–	0·15	0·01	–	–	–	0·11	0·01	–	–		23
24	–	0·56*	–	0·10	0·03	0·38	–	–	0·26	–	0·09	–		24
25	–	0·96	–	0·38	–	–	–	–	0·04	–	0·02	0·05		25
26	–	0·53	–	0·07	–	–	–	–	0·15	0·08	–	0·01		26
27	–	0·03	–	–	0·49	–	0·01	–	0·10	0·10	–	0·08		27
28	–	0·01	–	0·03	–	–	–	–	–	0·27	–	0·05		28
29	0·09		–	0·25 Rs	–	–	0·03	–	–	0·14	–	0·01		29
30	0·13	×	0·11	0·01	–	–	0·02	–	–	–	–	0·09		30
31	0·07	×	0·05	×	–	×	–	0·09	×	0·03	×	–		31
TOTAL	1·50	3·23	2·27	1·06	1·68	1·23	1·65	0·46	2·02	1·45	1·26	0·32	Year's Total 18·13	
*Days with ·01 in. or more.	13	16	16	8	15	11	11	6	11	17	17	7	148	
*Days with ·04 in. or more.	11	10	15	6	9	9	7	5	9	9	5	4	99	

† Spare column, no entries required.

(*Signed*) L. T. Burra.

[P.T.O.

D

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 986.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LITTLE KIMBLE

in the County of BUCKINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level ~~about~~ 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·03	–	–	–	–	–	–	0·25	0·35	0·01	–	0·38		1
2	0·20	–	0·06	–	0·02	–	–	–	0·66	0·05	–	0·18		2
3	0·07	0·10	–	0·03	–	–	–	–	–	0·27	–	0·01		3
4	0·04	0·01	0·03	0·16	0·02	–	–	–	–	0·43	0·07	0·38		4
5	–	–	0·07	–	–	–	–	0·05	–	0·01	0·07	0·28		5
6	0·01	–	0·15	0·01	0·33	0·04	–	0·06	–	0·23	0·02	0·48		6
7	0·01	–	–	–	–	0·02	–	0·22	–	–	–	0·23		7
8	–	–	–	–	0·07	–	–	0·04	0·04	–	0·16	0·04		8
9	–	–	0·06	–	–	–	–	–	–	–	1·30	0·44		9
10	0·01	–	0·23	0·15	–	–	–	0·02	–	–	0·12	0·03		10
11	0·36	–	0·35	0·08	–	–	0·01	Tr	–	–	–	0·18		11
12	–	–	0·04	0·01	–	–	0·06	0·14	–	–	–	0·03		12
13	0·39	–	0·07	0·02	–	–	0·51	0·04	–	–	0·06	0·65		13
14	0·06	–	0·34	–	–	–	–	–	–	0·02	0·31	0·25		14
15	0·08	–	0·06	–	0·06	–	–	–	0·01	0·14	0·11	0·16		15
16	0·11	–	0·17	–	0·03	–	–	–	0·01	0·07	Tr	0·01		16
17	0·01	0·01	–	–	–	–	–	–	0·02	0·09	0·03	0·15		17
18	0·18	–	0·01	0·31	–	–	0·19	–	0·09	–	–	0·07		18
19	–	–	0·21	0·01	–	0·10	–	–	0·07	0·02	–	0·12		19
20	–	–	0·15	0·02	–	0·01	0·06	–	–	–	–	–		20
21	–	–	0·01	0·06	–	0·10	–	0·08	–	0·08	–	–		21
22	–	–	–	–	–	–	0·01	0·10	0·28	–	0·02	0·02		22
23	–	–	–	0·14	–	0·38	–	–	–	–	0·01	0·02		23
24	–	0·03	0·07	0·29	–	0·03	0·49	–	0·09	–	–	–		24
25	0·18	0·02	–	0·09	–	0·32	–	–	–	0·06	–	0·29		25
26	0·02	–	–	0·17	–	0·01	–	–	0·01	0·01	–	0·07		26
27	0·02	*0·01	–	0·01	–	0·05	–	–	–	Tr	–	0·34		27
28	–	0·02	–	0·02	–	0·26	–	0·68	–	–	–	0·23		28
29	–	×	–	–	–	–	–	0·19	0·19	0·03	0·01	0·02		29
30	0·05	×	–	–	–	–	–	–	0·01	–		0·04		30
31	0·01	×	–	×	–	×	–	–	×	0·06	×	0·06		31
TOTAL	1·78	0·20	2·08	1·58	0·53	1·32	1·33	1·87	1·83	1·58	2·29	5·16	Year's Total 21·55 ✓	
*Days with ·01 in. or more.	19	7	17	17	6	11	7	12	13	16	13	28	166	
*Days with .04 in. or more.	10	1	14	9	3	7	5	11	8	10	8	21	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. J. Burra [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 986.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Glebe House LITTLE KIMBLE

in the County of BUCKINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·19	–	–	0·03	0·03	0·02	0·05	–	–	0·07	0·18	–		1
2	0·01	–	–	–	–	0·15	–	–	0·01	0·20	0·09	0·02		2
3	–	0·06	0·04	0·03	–	0·14	–	–	0·36	0·46	0·14	0·03		3
4	–	–	–	0·07	–	0·05	–	–	0·43	0·03	–	0·07		4
5	–	0·37	0·06	0·05	–	0·08	0·01	–	0·43	–	–	0·02		5
6	–	0·01	–	0·31	–	0·44	–	–	–	0·15	0·01	tr		6
7	–	–	–	0·50	–	0·04	–	–	–	0·09	0·38	0·12		7
8	–	–	–	0·21	–	–	–	–	–	0·29	0·08	0·14		8
9	–	–	–	0·28	–	0·40	–	–	–	0·77	0·21	tr		9
10	–	–	–	0·11	–	0·01	–	–	–	–	0·05	0·01		10
11	0·19	0·02	–	–	–	0·05	0·57	–	–	–	0·25	–		11
12	–	–	–	–	–	0·21	–	tr	–	–	0·02	–		12
13	0·07	0·12	–	0·09	0·17	0·04	–	–	–	–	–	tr		13
14	–	–	–	0·06	0·11	–	–	–	–	–	0·18	0·13		14
15	–	0·12	–	0·52	0·04	0·34	–	–	0·14	–	0·32	0·10		15
16	–	0·05	0·04	0·13	0·01	0·41	–	–	0·28	0·06	0·47	0·04		16
17	tr	–	–	0·05	–	0·10	–	–	0·02	–	0·32	–		17
18	–	–	–	0·41	–	0·21	0·39	–	0·39	0·01	0·02	0·01		18
19	–	–	–	0·15	0·12	0·05	0·12	–	0·08	–	0·09	0·09		19
20	–	0·11	–	0·18	0·02	0·09	0·15	–	0·05	–	0·24	–		20
21	–	0·26	–	0·05	–	–	–	–	0·12	–	0·10	–		21
22	–	0·02	0·07	0·09	–	–	–	0·07	0·22	–	–	–		22
23	–	0·03	0·07	–	–	–	–	0·61	0·03	0·10	–	–		23
24	0·04	0·42	0·01	–	–	–	–	0·05	0·37	–	–	0·32		24
25	0·05	0·06	–	0·27	–	0·39	–	~~0·43~~	–	–	–	0·14		25
26	tr *	0·12	–	–	–	tr	–	0·13	0·06	0·01	–	0·42		26
27	–	0·25	–	–	0·05	tr	–	–	0·04	–	0·13	0·47		27
28	–	0·08	–	–	0·16	–	–	–	0·25	0·04	0·01	0·04		28
29	–	×	–	–	~~0·03~~	–	–	–	0·57	–	0·01	0·28		29
30	0·04	×	–	0·33	0·03	–	–	0·70	0·01	0·03	0·33	0·41		30
31	–	×	–	×	0·01	×	–	0·02	×	0·82	×	0·15	Year's Total	31
TOTAL	0·59	2·10	0·29	3·92	0·75 ~~17~~	3·22	1·29	1·58	3·86	3·13	3·63	3·01	27·37	
* Days with .01 in. or more.	7	16	6	21	11	19	6	6	19	15	22	20	168	
* Days with .04 in. or more.	6	12	5	19	6	17	5	5	15	11	17	15	133	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. J. Burra [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 986

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Little Kimble
in the County of Bucks
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
,, Ground ,, Sea Level 370 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·25	·07	27		·03	·08		-	—	·05	·02		1
2	·07	·01	·01			·35	·51	08	-	—	·04	—		2
3	tr			·08		·21	·01		·11	—	·25	—		3
4			20			tr			·26	—	·06	·04		4
5	·13		·02					01	·30	—	·01	·13		5
6	·31					·24		·12	·13	—	·21	·05		6
7	·24		·04						·02	—	·02	·02		7
8	·15		·09						·01	—	·40	·10		8
9	·27		·06				·22		·18	·01	-	·01		9
10	·04						·16	tr	·02	—	-	—		10
11				·04			·09	tr	-	—	·58	—		11
12				·21		·30	·18		·22	—	·49	·12		12
13				·01		·38			-	·03	·07	·36		13
14		·05				·03	·68		·12	·05	-	·34		14
15		·02				·03	·01		·05	—	-	·06		15
16	·18	·05					tr		-	—	·38	·01		16
17	·13	·60			1·15				-	tr	·15	·12		17
18		·15				·49	·12		-	·02	·01	·10		18
19	·30	·05	·03	·02		·21		·02	-	—	-	—		19
20	·03	·21	·06	·16		·16	·04		1·13	—	-	—		20
21				·22	·01	·23	tr		·09	—	-	—		21
22	·13	·34	·04		·18		·17		-	—	-	·13		22
23	·02		·15	·07			·10		-	·07	·01	—		23
24	·09	·23					·02		·11	·22	-	·01		24
25	·01	·01	·14	·11		tr	·05		·20	·07	·07	—		25
26	·01	·10	·17			·06	tr		-	·02	-	·01		26
27	·05		tr						·07	·06	-	—		27
28	·68	·01	·05				·17		tr	—	-	·12		28
29	·31	·12	·07			·36	·02		-	·01	·18	·06		29
30	·06	✕			·19	·19	·06		-	·21	-	—		30
31	·41	✕	·17	✕	·02	✕	·12		✕	·45	✕	·19		31
TOTAL	3·85	2·20	1·37	1·19	1·55	3·24	2·81	·23	3·02	1·22	2·98	2·00	Year's Total 25·69	✓
* Days with .01 in. or more.	22	15	16	10	5	15	19	4	16	12	17	20	171	✓
* Days with .04 in. or more.	18	11	13	8	3	12	15	2	13	7	13	14	129	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 986

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Little Kimble

in the County of Buckinghamshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—			—	—	—	—	·04	—	·40	·54		1
2	·01	·14		·52	—	—	—	—	·05	—		·48		2
3	—	·07			·01	—	—	—	—	—		·12		3
4	·14	·25			·01	—	—	—	—	—		·42		4
5	·09	·04	·28		—	—	·03	—	—	·01		—		5
6	·07	—	·31		·18	—	·15	—	—	—	·04	—		6
7	—	·66		·10	—	—	—	—	·04	—		—		7
8	—	·05			·06	—	—	—	—	—	·17	·20		8
9	—	·01		·15	·08	—	·03	—	·30	—		·14		9
10	—	—	·66	·20	·03	·18	·06	·02	—	—		·12		10
11	·01	—	·24		·39	—	·01	[illegible]	—	—		—		11
12	·10	·17	·15		·29	—	—	—	·07	—		·12		12
13	·18	·05	·30	·01	—	1·63	—	·20	·42	—		·28		13
14	·01	·02	·35	·25	—	·02	—	1·30	·01	—		·02		14
15	·23	·09		·08	—	—	·49	—	·17	—		·04		15
16	—	·05	·47	·69	—	·03	—	·04	·50	—		—		16
17	·55	—	·25	·13	—	—	—	[illegible]	·28	—	·01	—		17
18	·52	·09	·09	·01	—	·17	—	—	—	—	·17	·04		18
19	·06	·03	·02	·05	·01	·35	·06	—	·53	—	·04	·02		19
20	·47	·02		·40	·60	·05	—	—	·02	—		—		20
21	·20	·45	·03	·02	·01	—	·04	—	—	·01		·02		21
22	·30	·01	·03		·14	·08	·05	[illegible]	—	·60	·21	·01		22
23	·17	·02	·03		·30	—	·12	—	—	·36	·01	—		23
24	·25	·35			—	—	·02	—	·12	·42		—		24
25	·18	·35	·05		1·00	—	—	—	·01	·34		—		25
26	TR	·23	·02		·29	—	—	—	—	·11		—		26
27	·01	·11		·20	—	—	—	—	—	1·01		—		27
28	—	·02			—	—	—	—	—	·05		·05		28
29	·01	—			—	·01	—	—	—	·02	·02	·03		29
30	·31	✕			—	—	—	—	—	·02	·15	—		30
31	·27	✕		✕	—	✕	—	—	✕	·13	✕	·03		31
													Year's Total	
TOTAL	4·26	3·28	3·28	2·81	3·40	2·52	1·06	1·56	2·56	3·08	1·22	2·68	31·71	✓
* Days with .01 in. or more.	23	23	16	14	15	9	11	4	14	12	10	18	169	✓
* Days with .04 in. or more.	18	16	11	11	10	6	7	3	11	8	7	12	120	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 986

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 10

REGISTER OF RAINFALL IN 1938

Kept at Little Kimble
in the County of Buckinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft. 10 in.
,, Ground ,, Sea Level 370 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–				·26	–	–	·01	·01	–	·03		1
2	·11	·01		·02	·05		–	–	–	·26	·07	·02		2
3	–	–			·15		–	–	·04	) ✗	–	–		3
4	·10						Tr	·03	–	} ·77	–	·07		4
5	–	–					·35	Tr	Tr	·11	–	–		5
6	·02	–					·04	–	·10	·21	–	–		6
7	·01	–					45	·15	·02	·25	–	·07		7
8	·08	–				·01	·26	·15	·03	–	–	–		8
9	·13	–					·06	·08	–	·10	–	·90		9
10	·18	·05				·07	·05	·20	Tr	–	–	·07		10
11	·21	–					·01	Tr	–	–	·11	·02		11
12	·25	·02			·01		·01	·09	–	·30	–	·09		12
13	·02	·01					–	–	–	–	·12	–		13
14	·32	·01			·05		–	–	·10	–	·01	·01		14
15	·07	–					·19	–	–	·08	Tr	·18		15
16	·25	·02					·01	Tr	–	·03	Tr	·06		16
17	–	·06			·03		–	–	·04	–	–	–		17
18	·03	–			·07		–	·03	·25	·05	·26	–		18
19	–	–					–	·07	·09	–	·20	–		19
20	–	–					–	–	·03	–	·48	·02		20
21	·02	–					–	·15	·02	–	·02	+ }		21
22	–	–		·01		·02	–	·08	–	–	·14	·47 }		22
23	–	–					–	–	–	–	·01	–		23
24	–	–	·12	·01	·03		–	–	·21	–	·02	–		24
25	·05	·03	·08	·07	·16		–	·27	·01	–	·56	·11		25
26	·23	·30	·08				–	–	·09	·18	–	·17	✓	26
27	·05	·04			·22	·19	·23	Tr	·49	·05	·34	–		27
28	·18	·01			·88	·03	–	·97	·01	–	·01	·11		28
29	·25	×			·36		–	·19	·01	–	·10	·16		29
30	·01	×		·01	·01	·03	–	–	·11	·01	·14	·06		30
31	·14	×		×	·18	×	–		×	·13	×	·19		31
TOTAL	2·74	·56	·18	·12	2·20	·61	1·66	2·46	1·66	2·54	2·65	2·81	Year's Total 20·19	✓
* Days with .01 in. or more.	23	11	3	5	13	7	11	13	18	16	16	20	156	✓
* Days with .04 in. or more.	16	4	3	1	9	3	8	11	10	13	11	14	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. J. Burra

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 986

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Kimble

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 370 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	tr	·41	·40	–	·04	·20	·07	–	–	–		1
2	·03	–	–	·05	–	-	-	·36	·30	–	·01	·04		2
3	33	–	–	·10	–	-	-	·35	–	tr	·27	·21		3
4	03	–	·26	·10	TR	-	·01	·12	–	·14	·03	·02		4
5	·32	–	–	·25	·13	-	·10	·52	–	·16	·33	·50		5
6	–	–	–	·03	–	-	·20	·01	–	–	·14	-		6
7	·03	06	–	-	–	-	-	·01	–	·01	·19	·13		7
8	-	·07	·11	-	–	-	·11	·26	–	·37	·33	·35		8
9	·03	·11	–	-	–	-	-	·04	–	·15	–	·10		9
10	·29	–	–	-	–	·35	-	·22	tr	–	-	-		10
11	–	–	·19	=	–	·09	-	-	·02	–	-	·01		11
12	–	·08	tr	-	TR	·03	-	–	–	–	·02	-		12
13	–	–	tr	TR	–	-	·01	–	·07	·74	tr.	-		13
14	36	–	·01	07	·27	-	·11	–	·02	·10	·17	-		14
15	·22	–	·04	-	·42	·25	·06	–	·07	·85	·05	·01		15
16	·17	-	·07	TR	·12	·39	·07	-	–	·04	·35	-		16
17	·25	TR	·03	·01	·07	-	·09	-	–	1·86	·04	-		17
18	·19	·01	·04	-	TR	·22	·27	-	–	·04	·30	-		18
19	·14	TR	–	-	–	-	·21	-	–	·15	·05	-		19
20	·20	-	–	-	02	·08	·46	·04	–	–	–	·01		20
21	·05	·17	·31	-	–	·04	·23	·42	·09	·01	-	-		21
22	·12	·36	·05	·02	–	-	·01	–	·01	–	·11	-		22
23	·02	-	·01	08	–	·02	·13	–	–	·02	·70	-		23
24	·20	-	–	·15	–	-	·20	–	–	·15	-	·02		24
25	·76	·06	·07	–	–	-	·50	–	-	·01	·27	-		25
26	·28	06	·02	02	–	·01		·07	-	·14	·30	·02		26
27	-	·06	·10	TR	–	-	·01	·04	–	·10	·12	-		27
28	·02	·12	·11	–	–	-	·01	-	–	·03	·17	·08		28
29	-		–	·35	–	-	·49	-	-	·17	·05	-		29
30	-	✕	–	·76	–	·11	·01	-	–	·03	·15	·05		30
31	-	✕	–	✕	–	✕	·23	·01	✕	–	✕	-		31
TOTAL	4·05	1·16	1·42	2·40	1·43	1·59	3·56	2·74	·65	5·27	4·15	1·55	Year's Total 29·97	✓
* Days with .01 in. or more.	22	11	15	14	7	11	23	15	8	21	21	14	182	✓
* Days with .04 in. or more.	15	10	11	10	6	8	17	12	5	15	18	8	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 986 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Little Kimble

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

,, Ground ,, Sea Level 370 ft.

Jan. adj. for snow.

400

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.005	–	–	–	–	–	–	–	–	.12	–		1
2	–	.06	–	.12	–	–	.14	–	–	.06	.86	–		2
3	–	.20	–	.12	–	–	.03	–	–	.16	.72	.01		3
4	–	.06	–	.03	–	–	.01	–	–	.18	.43	.02		4
5	–	.01 ~~.005~~	–	–	–	–	.33	–	–	.05	.52	.07		5
6	.08	.10	–	–	.10	–	.18	–	–	.17	.28	–		6
7	.21	.23	–	–	.04	–	–	–	.03	–	–	tr		7
8	–	–	–	.02	–	–	–	–	tr	.21	.02	.22		8
9	–	–		.01	–	.25	–	tr	.05	.01	.12	.01		9
10	–	–		–	–	–	.47	tr	–	.17	.19	.04		10
11	–	–	tr	.06	–	–	–	–	–	–	.55	tr		11
12	–	.02	.02	tr	–	–	.11	–	.08	–	.02	–		12
13	–	.02	.58	.01	–	–	.04	–	.02	–	1.08	–		13
14	–	–	.09	.04	–	–	–	tr	.06	.24	–	.29		14
15	–	–	.04	.02	.04	tr	.15	–	–	.05	.30	–		15
16	.05	.11	.25	.02	–	.03	.44	–	.15	.54	.71	.01		16
17	–	–	.36	–	–	–	.05	–	.03	–	.05	–		17
18	–	.40	.28	.39	–	–	.01	–	–	.13	.23	.15		18
19	–	.13	.09	.13	–	–	.07	–	.07	–	.09	.02		19
20	–	tr	.04	.02	–	–	.14	tr	–	.16	.03	–		20
21	.08	–	.01	–	.25	–	.15	–	–	.08	.47	–		21
22	.04	–	.06	tr	.45	.35	–	–	.11	–	–	–		22
23	–	.09	.01	.09	.04	.25	–	–	tr	tr	–	.01		23
24	–	–	–	.13	–	–	.13	–	–	–	–	.02		24
25	–	–	.22	–	–	–	.10	–	–	–	–	–		25
26	1.00	.06	.05	.02	.03	.14	.03	–	–	–	–	–		26
1 97 27	.38	.15	–	.13	.32	–	.02	–	–	.03	–	tr		27
20 28	.20	.06	–	.03	.09	–	–	–	–	–	–	–		28
29	(+30) –	.04	.08	–	.08	.06	–	–	–	–	–	.25		29
30	.05	✕	–	.19	–	–	–	–	–	.09	–	.02		30
31	.04	✕	–	✕	–	✕	–	–	✕	.58	✕	.02		31
2.43 TOTAL	~~2.44~~ 2.13	1.74	2.18	1.58	1.44	1.08	2.60	–	.60	2.91	6.79	1.16	Year's Total 24.51	✓
* Days with .01 in. or more.	10	~~15~~ 16	15	19	10	6	19	–	9	17	19	15	155	✓
* Days with .04 in. or more.	10 ✓	13 ✓	12 ✓	10 ✓	9 ✓	5 ✓	14	– ✓	6 ✓	15 ✓	16	6	116	✓ ✓

† Spare column, no entries required.

(Signed) Rv L. T. Burra

* See Instruction 3 (f) on other side.

P.T.O.

S.c. X HALTON Camp X

CO

Section **A** for the entry of Daily C

Station No. 986/7

AIR MINISTRY.—MET FALL ORGANIZATION.

FORM 1090.

REGISTER 936.

986/7

HALTON CAMP.
BUCKS
1936 - 1940

780206

Kept at Halton

in the County of Bucking

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·31										1
2														2
3														3
4														4
5														5
6								0·28						6
7														7
8														8
9														9
10														10
11											·65			11
12														12
13												0·51		13
14							0.84							14
15														15
16														16
17		0·72			0·36									17
18						0·57								18
19														19
20									1·36					20
21														21
22														22
23														23
24														24
25														25
26			0·26											26
27														27
28	·76													28
29														29
30		✕												30
31		✕		✕		✕			✕	0·53	✕			31
													Year's Total	
TOTAL	4·53	2·80	1·53	1·66	0·62	3·87	3·64	0·45	3·59	1·81	3·46	2·65	30·51	
*Days with ·01 in. or more.	23	16	17	11	7	18	20	4	17	11	17	20	181	
*Days with ·04 in. or more.	18	12	13	10	3	14	15	2	13	9	15	14	138	
40-9999	115·1	71·2	38·9	39·5	15·7	98·2	92·4	11·4	97·1	46·1	87·8	67·2	774 6	

† Spare column, no entries required.

*See Instruction 2 (*f*) on other side.

(Signed) X R.A.F. Inst. of Pathology X

[P.T.O.

S.c. X HALTON Camp X

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 986/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Halton

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 544 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·31										1
2														2
3														3
4														4
5														5
6								0·28						6
7														7
8														8
9														9
10														10
11											·65			11
12														12
13												0·51		13
14							0·84							14
15														15
16														16
17		0·72			0·36									17
18						0·57								18
19														19
20									1·36					20
21														21
22														22
23														23
24														24
25														25
26			0·26											26
27														27
28	·76													28
29														29
30		×												30
31		×		×		×			×	0·53	×			31
TOTAL	4·53	2·80	1·53	1·66	0·62	3·87	3·64	0·45	3·59	1·81	3·46	2·65	Year's Total 30·51	
*Days with ·01 in. or more.	23	16	17	11	7	18	20	4	17	11	17	20	181	
*Days with ·04 in. or more.	18	12	13	10	3	14	15	2	13	9	15	14	138	
	115·1	71·2	38·9	39·5	15·7	98·2	92·4	11·4	91·1	46·1	87·8	67·2	774·6	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) X R.A.F. Inst. of Pathology X

[P.T.O.

N

986/7
150/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Halton Camp
in the County of Bucks.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 544 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											·43	·72	1
2													2
3													3
4													4
5													5
6													6
7		·73											7
8													8
9													9
10			·64										10
11													11
12						·63							12
13													13
14								1·71					14
15							·50						15
16				·70									16
17	·59								·77				17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25					·95								25
26													26
27										1·13			27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	4·81 ✓	4·10 ✓	3·71 ✓	3·18 ✓	3·36 ✓	1·98 ✓	1·24 ✓	2·02 ✓	2·85	3·34 ✓	1·53 ✓	3·02 ✓	YEAR'S TOTAL 35·14 ✓
*Days with 0·2 mm. or more.	21	20	19	12	12	11	11	3	16	11	9	22	167 ✓
*Days with 1·0 mm. or more.	18	16	12	11	11	7	7	3	11	9	6	14	125 ✓
	122·1	104·0	94·2	80·8	85·4	50·2	31·4	51·2	72·5	84·8	38·9	76·7	892·2 ✓

(144W)
40-9999

(Signed)

[P.T.O.

150/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 986/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at Halton Camp

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 544 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2				·02										2
3										·84				3
4														4
5														5
6														6
7							·49							7
8														8
9												1·15		9
10														10
11														11
12														12
13														13
14	·35													14
15														15
16														16
17														17
18														18
19														19
20											·59			20
21														21
22														22
23														23
24			·17											24
25														25
26		·37												26
27						·24			·52					27
28					·82			1·00						28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	84·6	18·6	9·7	1·0	52·0	16·3	49·1	65·8	45·0	83·1	81·8	100·2	610·2	
* Days with 0.2 mm. or more.	22	11	3	2	11	8	12	14	16	18	17	22	156	
* Days with 1.0 mm. or more.	18	4	3	0	10	6	9	12	10	13	13	15	113	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999 3·33 ·73 ·38 ·04 2·051 ·645 1·93 (Signed) 1·77 3·27 3·34 3·94 24·01 [P.T.O.

2·59

~~[illegible]~~
986/7

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Halton Camp

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 544 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2									·20				2
3													3
4													4
5								·50				·49	5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13										74			13
14													14
15					·63	·41							15
16													16
17													17
18													18
19													19
20													20
21			·34				·57						21
22		·43											22
23											73		23
24													24
25	1·13												25
26													26
27													27
28													28
29													29
30		✕		·77									30
31		✕		✕		✕			✕		✕		31
TOTAL	142·1	36·8	36·9	70·1	45·5	50·1	90·3	69·9	18·5	104·3	119·7	44·3	YEAR'S TOTAL 828·5
Days with 0·2 mm. or more.	23	11	13	16	9	12	23	15	9	21	23	14	189
Days with 1·0 mm. or more.	17	10	10	11	6	9	15	11	6	16	17	7	135
	5·59	1·45	1·45	2·76	1·79	1·97	3·56	2·75	·73	4·11	4·71	1·74	32·61

(144W)
40-9999

(Signed)

P.T.O.

150/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 986/7 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 193

Kept at Halton Camp
in the County of Bucks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 544 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12									·20					12
13			·69								1·24			13
14												·34		14
15														15
16							·40							16
17														17
18		·64		·37										18
19														19
20														20
21					·42									21
22						·39								22
23														23
24														24
25														25
26	1·17													26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕	·82	✕			31
													Year's Total	
TOTAL	~~486~~ 60·6	57·7	63·3	46·8	38·3	28·3	57·7	tr	24·6	81·3	205·7	39·3	703·6 ✓	
* Days with 0.2 mm. or more.	~~5~~ 6	14	15	16	11	7	19	0	10	16	19	15	148 ✓	
* Days with 1.0 mm. or more.	~~5~~ 6	12	10	13	10	5	15	0	8	16	16	7	118 ✓	

(141w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·39 ~~1·91~~ 2·27 2·49 1·84 1·51 1·11 2·27 ·00 ·97 3·20 8·10 1·55 27·70

(Signed) .... [P.T.O.

987

Section **A** for the entry of Daily

AIR MINISTRY.—MET

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

3/.

987

WESTON TURVILLE

1931-1940

480206

Kept at Weston Turvill

in the County of Buckingha

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMEN ... **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·06	–	·09	·12	·72	–	–	·09	–	·01	–	1
2	–	·12	–	·31	–	–	–	–	·46	–	–	–	2
3	·10	–	–	·24	·22	–	–	·01	·69	–	·14	·20	3
4	–	–	–	·02	·04	–	·24	·42Th	·10	–	·30	–	4
5	–	–	–	·15	–	·47Th	·12	–	·03	–	·02	·26	5
6	–	·13	–	·11	–	–	–	–	–	·33	·30	–	6
7	–	–	–	·02	·03	·07	·11$^{T°}$	·22	–	·04	·11	–	7
8	–	–	–	–	–	·04	–	·63	–	·08	·10	·04	8
9	–	–	–	–	–	·07	·05	–	–	·02	·24	·02	9
10	·18	·01	–	–	–	·03	·31	·24	·08	–	·20	–	10
11	·26	·38	–	–	–	–	–	–	–	–	·14	–	11
12	–	–	–	–	–	–	·05	·13	·36	–	–	–	12
13	–	–	–	–	–	–	·18	·02	–	–	–	–	13
14	–	–	–	–	·07	–	1·62	·33	–	–	–	·07	14
15	–	–	–	·19	·11	–	·11	·08	–	–	–	–	15
16	–	·21	–	·10	·19	·07	–	·33	–	–	–	–	16
17	–	·22^{s}	–	·52^{s}	·26	·05	·15	–	·30	·01	–	–	17
18	–	·03	–	·23	·02	·18	–	·23	–	–	·43	–	18
19	–	·01	–	·38	–	·12	·36	·14	·22	–	–	–	19
20	–	–	–	·18	–	–	·01	·14	–	–	–	–	20
21	–	–	–	–	·38	–	–	·05	·02	–	–	–	21
22	·12	–	–	·06	·03	–	–	–	–	–	–	–	22
23	–	–	–	·03	·31	–	·10	–	–	–	·18	–	23
24	–	–	–	·17	·25	–	·05	–	–	–	–	·08	24
25	–	–	–	·35	·05	–	·55	–	–	–	·05	–	25
26	–	–	–	·05	–	–	·78	–	–	–	·45	–	26
27	} ·20	·37	–	·01	·24	–	·07	–	–	·02	·18	–	27
28		–	–	·10	·21	–	–	–	–	–	–	·03	28
29	·05	·17^{s}	–	–	·10	–	·10	–	–	·32	–	·05^{s}	29
30	·05	×	–	–	–	–	·01	·05	–	–	–	–	30
31	·22	×	–	×	–	×	–	–	×	–	×	·01^{s}	31
TOTAL	1·18	1·91	–	3·31	2·63	1·22	4·97	3·02	2·35	·82	2·85	·76	YEAR'S TOTAL 24·82
*Days with ·01 in. or more.	9	11	–	20	17	10	19	15	10	7	15	9	142
*Days with ·04 in. or more.	9	8		16	14	9	17	13	8	4	13	6	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. J. Eland

[P.T.O.

987

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Weston Turville

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·06	–	·09	·12	·12	–	–	·09	–	·01	–	1
2	–	·12	–	·31	–	–	–	–	·46	–	–	–	2
3	·10	–	–	·24	·22	–	–	·01	·69	–	·14	·20	3
4	–	–	–	·02	·04	–	·24	·42 Th	·10	–	·30	–	4
5	–	–	–	·15	–	·47 Th	·12	–	·03	–	·02	·26	5
6	–	·13	–	·11	–	–	–	–	–	·33	·30	–	6
7	–	–	–	·02	·03	·07	·11 T°	·22	–	·04	·11	–	7
8	–	–	–	–	–	·04	–	·63	–	·08	·10	·04	8
9	–	–	–	–	–	·07	·05	–	–	·02	·24	·02	9
10	·18	·01	–	–	–	·03	·31	·24	·08	–	·20	–	10
11	·26	·38	–	–	–	–	–	–	–	–	·14	–	11
12	–	–	–	–	–	–	·05	·13	·36	–	–	–	12
13	–	–	–	–	–	–	~~[illegible]~~ ·18	·02	–	–	–	–	13
14	–	–	–	–	·07	–	1·62	·33	–	–	–	·07	14
15	–	–	–	·19	·11	–	·11	·08	–	–	–	–	15
16	–	·21	–	·10	·19	·07	–	·33	–	–	–	–	16
17	–	·22 S	–	·52 S	·26	·05	·15	–	·30	·01	–	–	17
18	–	·03	–	·23	·02	·18	–	·23	–	–	·43	–	18
19	–	·01	–	·38	–	·12	·36	·14	·22	–	–	–	19
20	–	–	–	·18	–	–	·01	·14	–	–	–	–	20
21	–	–	–	–	·38	–	–	·05	·02	–	–	–	21
22	·12	–	–	·06	·03	–	–	–	–	–	–	–	22
23	–	–	–	·03	·31	–	·10	–	–	–	·18	–	23
24	–	–	–	·17	·25	–	·05	–	–	–	–	·08	24
25	–	–	–	·35	·05	–	·55	–	–	–	·05	–	25
26	–	–	–	·05	–	–	·78	–	–	–	·45	–	26
27	} ·20 +	·37	–	·01	·24	–	·07	–	–	·02	·18	–	27
28	1	–	–	·10	·21	–	–	–	–	–	–	·03	28
29	·05	·17 S	–	–	·10	–	·10	–	–	·32	–	·05 S	29
30	·05	X	–	–	–	–	·01	·05	–	–	–	–	30
31	·22	X	–	X	–	X	–	–	X	–	X	·01 S	31
TOTAL	1·18	1·71	–	3·31	2·63	1·22	4·97	3·02	2·35	·82	2·85	·76	YEAR'S TOTAL 24·82
*Days with ·01 in. or more.	9	11	–	20	17	10	19	15	10	7	15	9	142
*Days with ·04 in. or more.	9	8		16	14	9	17	13	8	4	13	6	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. J. Eland

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Weston Turville

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·10	1·11 Th	·05	·10	·27	·02	·21	·07	—	1
2	—	—	—	·11	·10	—	—	—	·12	·07	·02	·15	2
3	·02	—	—	·26	·11	—	—	—	·30	—	—	—	3
4	—	—	—	—	—	—	·20	—	~~·10~~	·02	·28	—	4
5	·22	—	—	—	·09	—	·02	—	·10	—	—	—	5
6	·53	—	—	·09	—	—	·12	—	·13 ~~·04~~	—	—	—	6
7	·03	—	·12	·05	—	—	—	—	·04 ~~·10~~	~~·22~~	—	—	7
8	—	—	·11	·02	—	—	—	—	·46 ~~·05~~	·22	~~·05~~	—	8
9	·21	—	—	·05	·20	—	—	—	·05	·01	·05	—	9
10	·31	·02 S	—	·20	—	·19	—	—	—	·06	·	—	10
11	·01	—	—	·04	·09	—	·03	·10	—	·30	·07	·02	11
12	·05	—	—	—	·18	—	—	—	—	·50	—	—	12
13	·05	—	—	·13	—	—	—	—	·07	·03	—	—	13
14	·24	—	—	·04	—	—	—	·21	—	·02	·02	·03	14
15	·20	—	—	·03	·25	—	·02	—	—	—	·06	—	15
16	—	—	—	·25	·04	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	—	·20	~~·06~~	—	17
18	—	—	—	—	—	—	—	—	·25	—	·08	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	·25	·08 Th	—	·06	·73 Th	—	·91	—	—	20
21	—	—	—	·25 Th	1·53	—	—	·80	—	x	—	—	21
22	·01	—	·37	—	·25	—	·42	—	·33	} ·53 x	·31	·02	22
23	—	—	—	—	·14	—	—	—	·09	·64	—	—	23
24	—	·08	—	—	—	—	1·36	—	·02	·05	—	—	24
25	—	—	·10	—	—	—	·13	—	·15	·37	·05	—	25
26	—	—	·34	·35	—	—	·09	—	—	·03	—	—	26
27	—	—	—	·08	·49	—	·21	—	·02	·10	·06	—	27
28	—	—	·13	·06	·18	·53 Th	·17	—	—	·10	—	—	28
29	—	—	·33	·14	·31	—	·01	—	·03	·27	—	—	29
30	—	×	·23	·08	·36	·52	—	·02	·12	·02	—	·18	30
31	—	×	·10	×	—	×	·01	—	×	·25	×	·06	31 d
TOTAL	1·94	·10	1·83	2·58	5·51	1·29	2·95	2·13	2·30	4·91	1·07	·46	YEAR'S TOTAL 27·07
*Days with ·01 in. or more.	~~13~~	~~2~~	~~9~~	~~20~~	~~17~~	~~4~~	~~15~~	~~6~~	~~17~~	~~23~~	~~11~~	~~6~~	~~143~~
*Days with .04 in. or more.	9	1	9	18	17	4	10	5	13	17	9	3	115

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Eland

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Weston Turville

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 320 ft.

Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·20	·10	–	·01	–	–	–	–	–	–	–		1
2	·18	–	·20	–	·15	–	–	–	–	–	–	–		2
3	–	·16	·06	–	·08	–	–	–	–	–	–	–		3
4	·10	–	·10	–	·08	–	–	–	–	–	–	–		4
5	–	·06	·12	–	·35	–	–	–	–	–	–	–		5
6	–	–	·27	–	·15	–	–	–	–	·03	·08	–		6
7	·12	·06	·05	–	·01	–	–	–	–	– } ·11	–	–		7
8	·08	–	·05	–	·05	–	·24	–	–		–	–		8
9	–	–	–	–	·09	–	·12	–	–	·02	·12	–		9
10	–	·45Th	–	–	–	·02	·50	–	–	·16	·04	–		10
11	·15	–	–	–	·01	·02	·10	–	–	·05	–	–		11
12	–	–	–	–	–	·16	–	–	·46	–	·08	–		12
13	–	–	–	–	·20	·15	·27	–	·13	–	–	–		13
14	–	–	–	–	·01	–	·01	–	–	·03	·27	–		14
15	·33	–	–	–	–	–	·12	·26	–	–	·45	–		15
16	–	–	·67	–	–	·15	·09	–	–	·08	–	–		16
17	·18^{S}	–	·25	–	–	·05	·01	–	·06	–	–	–		17
18	–	·07^{S}	·03	–	–	·03	–	–	–	–	–	–		18
19	–	·03^{S}	·30Th	–	–	–	–	–	·17	–	·05	–		19
20	–	–	·13	·08	–	·07	–	–	·17	–	–	–		20
21	–	–	–	–	–	–	–	·06	·26	·08	–	–		21
22	–	–	–	–	·02^{T}	·12	–	·08	–	·36Th	–	–		22
23	–	·05^{S}	–	·12	–	–	–	–	·14	·16	–	–		23
24	–	·32^{S}	–	·16	·02	·35	–	–	·16	–	·10	–		24
25	–	1·02^{SR}	–	·38	–	–	–	–	·15	–	·02	·10		25
26	–	·48	–	·03	–	–	–	–	·05	·05	–	–		26
27	–	–	–	–	·28	–	–	–	·14	–	·10	–		27
28	–	–	–	·03	–	–	–	–	–	} ·33	·03	·08		28
29	–	–	–	·22Th	–	–	·10	–	–		–	–		29
30	·25	X	·03	–	–	–	·01	·10	–	·02	–	·12		30
31	·04	X	·06	X	–	X	–	↓	X	·02	X	–		31 Small d
TOTAL	1·40	2·90	2·42	1·02	1·51	1·12	1·57	·50	1·89	1·50	1·34	·30	Year's Total 17·47 ✓	
*Days with ·01 in. or more.	~~10~~	~~11~~	~~15~~	~~7~~	~~15~~	~~10~~	~~11~~	~~4~~	~~11~~	~~16~~	~~11~~	~~3~~	~~124~~	
*Days with .04 in. or more.	10	~~11~~ 10	~~15~~ 13	~~7~~ 5	~~15~~ 9	~~10~~ 7	~~11~~ 8	4	11	~~16~~ 11	~~11~~ 9	3	~~124~~	100

40-9999

*See Instruction 2 (*f*) on other side.

P

† Spare column, no entries required.

(*Signed*) J. Eland

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Weston Turville

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 320 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	–	–	–	–	·25	·22	–	–	·44		1
2	·20	–	–	–	–	–	–	–	·66	·08	–	·26		2
3	–	·12	·10	~~·16~~	–	–	–	–	–	·30	–	–		3
4	·08	·01	·09	·28	–	–	–	–	–	·45	·14	·32		4
5	–	–	·15	–	·05	–	–	–	–	–	–	·24		5
6	–	–	–	–	·35	·06	–	·05	–	·18	·07	·50		6
7	–	–	–	–	·09	·07	–	·25	–	·11	–	·18		7
8	–	–	–	–	–	–	–	·04	·05	–	·18	·03		8
9	–	–	·05	–	–	–	–	–	–	–	1·47	·44		9
10	–	–	x	·12	–	–	–	·04	–	–	·16	·03		10
11	·35	–	·50 x	·10	–	–	–	–	–	–	–	·15		11
12	–	–	·03	–	–	–	·04	·36	–	–	–	·04		12
13	·43	–	·15	–	–	–	·27	·04	–	–	·07	·60		13
14	·06	–	·36	·03	–	–	–	–	–	–	·35	·17		14
15	·10	–	·06	–	·05	–	–	–	–	·12	·08	·23		15
16	·11	–	·18	–	·06	–	–	–	·04	·10	–	–		16
17	–	–	–	–	–	–	–	–	–	·10	–	·15		17
18	·23	–	–	·27	–	–	·46	–	·07	–	–	·07		18
19	–	–	·17	·01	–	·05	–	–	·12	–	–	·12		19
20	–	–	·17	–	–	·12	·04	–	–	·02	–	–		20
21	–	–	–	–	–	–	–	·08	–	·06	–	–		21
22	–	–	–	·12	–	–	–	–	·25	–	–	–		22
23	–	–	–	·21	–	·36^{Ts}	–	–	–	–	–	·03		23
24	–	·05	·10	·11	–	·04	·80^{Ts}	–	·08	–	–	–		24
25	·11	–	–	·06	–	·43	·10	–	–	–	–	·21		25
26	·10	–	–	·12	–	–	–	–	·01	·10	–	08		26
27	·03	–	–	·02	–	·11	–	–	–	–	–	·34		27
28	–	·03	–	·05	–	·18	–	·75	–	–	–	·27		28
29	–	–	–	–	–	–	–	–	–	–	–	·04		29
30	·05	✕	–	–	–	–	–	–	·75	·03	–	·05		30
31	–	✕	–	✕	–	✕	–	–	✕	·01	✕	·03		31
TOTAL	1·87	·21	2·11	1·50	·60	1·42	1·71	1·86	1·65	1·66	2·52	5·02	Year's Total 22·13	✓
*Days with ·01 in. or more.	13	4	14	13	5	9	6	9	10	13	8	25	~~129~~	
*Days with .04 in. or more.	12	2	13	10	5	9	6	9	9	10	8	21	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G Eland

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Weston Turville

in the County of Buchs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 220 ft.

320

Total Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	'23	–	–	'02	'10	'15	–	–	–	'03	'52	–		1
2	–	–	–	–	–	'02	–	–	'03	'23	'13	'03		2
3	–	'06	'06	'02	–	'08	–	–	'31	'36	'16	–		3
4	–	'03	–	'06	–	–	–	–	'51	'30	–	–		4
5	–	'36 sleet	'02	'04	–	'22	–	–	'46	–	–	–		5
6	–	'08	'03	'28	–	'35	–	–	–	–	–	–		6
7	'02	–	–	'49	–	'06	–	–	–	–	'55	'28		7
8	–	–	–	'26	–	'45	–	'05	–	'32	'05	'16		8
9	–	–	–	'32	–	–	–	–	–	'93	'23	–		9
10	–	–	–	'24	–	–	–	–	–	'02	'08	–		10
11	'20 S	–	–	'03	–	'07	'99 T	–	–	–	'25	'02		11
12	'11	–	–	'10	–	'24	–	–	–	–	'01	–		12
13	–	'17	–	–	'11	'04	–	–	–	–	–	–		13
14	–	–	–	'06	'20	–	–	–	–	–	'16	'15		14
15	–	'16	'03	'50	'03	'33	–	–	'47	–	'32	'12		15
16	–	'07	–	'04	'01	'36 T	–	–	'27	–	'48	–		16
17	–	–	–	'09	–	'10	–	–	'05	–	'43	–		17
18	–	–	–	'46	–	'08	'42	–	'46	–	'12	–		18
19	–	–	–	'18	'14	'03	'08	–	–	–	'11	'09		19
20	–	'14	–	'17	'13	'11	'10	–	'15	–	'21	–		20
21	–	'28	'06	'01	–	–	–	–	'13	'11	'16	–		21
22	–	'02	'08	'07	–	–	–	'03	'47	–	–	–		22
23	–	–	'12	–	–	–	–	'55	–	'07	–	–		23
24	'03	'44	'02	–	–	–	–	'13	'45	–	–	'42		24
25	'07	'18	–	'22	–	'42 T	–	–	–	–	–	'07		25
26	–	–	–	–	–	–	–	'17	'11	'02	–	} '95		26
27	–	'34	–	–	'02	–	–	–	'06	–	'15			27
28	–	–	–	–	'17	–	–	–	'17	'04	–	'04		28
29	–	'16	–	–	–	–	–	–	'67	–	'01	'32		29
30	–	×	–	'01	'04	–	–	'64	'06	'04	'35 T°	'38		30
31	'07	×	–	×	–	×	–	–	×	'59	×	'21		31
													Year's Total.	
TOTAL	'53	2'49	'42	3'67	'95	3'11	1'59	1'57	4'53	3'06	4'48	3'24	29'64	
* Days with .01 in. or more.	7	14	8	22	10	17	4	6	17	13	20	15 ✓	153	
* Days with .04 in. or more.	5	12	4	17	7	15	4	5	16	10	18	13	126	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. Eland

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days. ack

Kept at Weston Turville

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 310 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in. S 9 sleet	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·41	·12	·48	–	·03	·12		–	–	·10	–		1
2	·15	·12	–	–	–	·36	·53	} ·09	–	–	·02	–		2
3	·01	–	·21	–	–	·12	·18	–	–	–	·30			3
4	–	–	–	·05 S	–	·02	–	–		–	–	} ·10 sleet		4
5	·14	–	–	–	–	–	·01	–	} ·35	–	·08	·10		5
6	·12	–	·05	–	–	·22	–	·28	·14	–	·18	–		6
7	·37	–	·12	–	–	–	–	–	·03	–	–	–		7
8	·17	–	·04	–	–	–	–	–	–	–	·44	–		8
9	·28	–	–	–	–	–	·23	–	·07	–	–	–		9
10	·13	–	–	–	–	–	·17	–	–	–	–	–		10
11	–	–	–	·03 S+R	–	–	·18	–	–	–	·50	–		11
12	–	–	–	·16 S+R	–	·31	·26	–	·57	–	·50	–		12
13	–	–	–	·11	–	·65	–	–	–	–	·03	·25		13
14	–	–	–	–	–	·04	·26	–	·33	·17	·06	·50		14
15	–	–	–	–	–	·03	·54	–	·04	–	–	·02		15
16	·14 S	–	–	–	–	–	–	–	–	–	·37	·05		16
17	–	·72	–	–	·39 Th	·75 Th	–	–	–	–	·22	·00		17
18	–	·15	–	–	–	–	·12	·02	–	–	–	·07		18
19	·47	·07	·03	–	–	·45 Th	–	–	–	·18	–	–		19
20	·06	·20	·05	·20	–	·10 T	·04	–	1·20	–	–	–		20
21	–	–	–	·22	–	·32 T	–	–	·45	–	–	–		21
22	·06	·41	·05	–	·12	–	·16	–	–	–	–	–		22
23	–	–	·11	·10	–	–	·10	–	–	·09	–	·14		23
24	·13	·21	–	–	–	·01	·04	–	·14	·20	–	–		24
25	–	–	·14	·13	–	–	·05	–	·20	–	–	–		25
26	–	·11	·28	–	–	·06	–	–	–	·14	–	–		26
27	·07	–	–	–	–	–	·04	–	·15	·10	–	–		27
28	·71	–	–	–	–	–	·14	–	–	–	·30	·16		28
29	·40	·05	·13	–	–	·33	·16	–	–	·01	–	·05		29
30	·06	✕	–	–	·18	·24	–	–	–	·20 ·2~~4~~	–	–		30
31	·42	✕	·11	✕	–	✕	·21	–	✕	·46	✕	·05		31 "d"
TOTAL	4·02	2·45	1·44	1·48	·69	4·04	3·54	·39	3·67	1·56	3·10	1·49	Year's Total 27·87	✓ ? low
* Days with .01 in. or more.	19	10	13	9	3	17	20	4	13	9	13	~~12~~ 13	143	14~~2~~3
* Days with .04 in. or more.	18	10	12	8	3	13	19	2	12	8	11	11	127	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Weston Turville

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

Note June & July unfortunately transposed -

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	–	–	–	–	–	–	·05	–	·40	·53		1
2	·02	·14	–	·56	–	–	–	–	·08	–	–	·34		2
3	·10	·04	–	–	–	–	–	–	–	–	–	·50 S+R		3
4	·11	·32	·22 R+S	–	–	–	–	–	–	–	–	–		4
5	–	·03	·30 S	–	–	·11	–	–	–	–	–	–		5
6	·13	–	–	–	·11	·12	–	–	·02	–	–	–		6
7	–	·64	–	·10	–	–	–	–	–	–	–	– ·20 S+R		7
8	–	·06	–	–	·06	–	–	–	–	–	·25			8
9	–	–	–	–	·08	·07	–	–	·34	–	–	·16		9
10	–	–	·65	·40	–	·11	–	–	–	–	–	·15		10
11	–	–	·40	–	·50	–	·27 TS	–	–	–	–	–		11
12	·12	·21	·18	–	·16	·02	·81	–	·08	–	–	·04		12
13	·15	·05	·17	–	–	–	1·30	·28	·22	–	–	·41		13
14	·06	·02	·60	·33	–	–	–	1·79	·01	–	–	–		14
15	·10	·08	–		–	·53	–	–	·18	–	–	–		15
16	·14	·08	·45	·85	–	–	·01	·08	·36	–	–	·08		16
17	·50	·02	·28	·22	–	–	·14	–	1·32	–	·24	–		17
18	·60	·08	·07	–	–	–		–		–		–		18
19	·08	·05	·03	·08	–	·13	·22	–	·03	–	–	·04		19
20	·53	–	–	–	·60	–		–	(–)	–	–	–		20
21	·18	·38	–	·40	·02	·04	–	–	–	–	·22	·08		21
22	·15	·06	·08 S	·02	·12	·03	–	–	–	·48				22
23	·43	–	–	–	·38	·18	–	–	–	·66	–	–		23
24		·36	–	–	–	–	–	–	·13	·26	–	–		24
25	·12	·26	·01 S	–	1·12 TS	–	–	–	–	·46	–	–		25
26	–	–	–	–	·30	–	–	–	–	·02	–	–		26
27	–	·04 R+S	·02	·16	–	–	–	–	–	1·08	–	–		27
28	–	·12 S	–	–	–	–	–	–	–	·08	–	–		28
29	·04 S	–	–	–	–	–	–	–	–	·05	·18	–		29
30	·35		–	–	–	–	–	–	–			·08		30
31	·28		–		–		–	–		·14		·03		31 "d"
TOTAL	4·44	3·04	3·46	3·12	3·45	1·34	2·78	2·15	2·82	3·23	1·29	2·64	Year's Total 33·76	✓
* Days with .01 in. or more.	22	20	14	11	11	10	7	3	13	9	8	13	~~141~~	✓
* Days with .04 in. or more.	21	17	11	10	10	8	6	3	10	8	6	12	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Eland

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Weston Turville

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✓	–	–	–	–	·12	–	–	–	–	–	–		1
2	·12 x	·05	–	–	·02	–	–	–	–	·33	·08 x	–		2
3	–	–	–	–	·71	–	–	–	–	·60	–	·08		3
4	–	–	–	–	–	–	–	–	–	·14	–	·04		4
5	–	–	–	–	–	–	·65	–	·11	·17	–	–		5
6	·13	–	–	–	–	–	–	–	–	–	–	–		6
7	✓	–	–	–	–	–	·42	·07	·01	·54	–	–		7
8	·08 x	–	–	–	–	–	·30	·28	–	·10	–	–		8
9	–	–	–	–	–	·06	·13	–	–	–	–	1·05		9
10	·13	–	–	–	–	–	·07	·23	–	–	–	·08		10
11	·35	·08	–	–	–	–	–	·07	–	–	·11	–		11
12	·27	–	–	–	–	–	–	·16	–	·27	–	·02		12
13	·30	–	–	–	–	–	–	–	–	–	·11	·12		13
14	·31	–	–	–	·05	–	–	–	–	–	–	–		14
15	·03	–	–	–	–	–	·15	–	–	·14	–	x		15
16	·31	–	–	–	–	–	–	–	–	·05	–	·23 x		16
17	–	–	–	–	–	–	·01	·11	·11	·05	–			17
18	–	–	–	–	·11	–	–	·02	–	·01	·31	–		18
19	–	–	–	–	–	–	–	–	·30	–	·08	–		19
20	–	–	–	–	–	–	–	–	–	–	·63			20
21	–	–	–	–	–	–	–	·22	–	–	–	·28 x	S	21
22	–	–	–	–	–	–	–	·03	·05	–	–	x	✓	22
23	–	–	–	–	–	–	–	–	–	–	·20			23
24	–	–	·18	–	–	–	–	–	·25	–	–			24
25	·11	x	–	·02	·10	–	–	·13	–	–	·61	·34 x	S	25
26	·28	x	·11	–	–	–	·02	·01	·10	·23	–	x	✓	26
27	·05	·50 x	·08	·01	·11	·21	·22	–	·45	·05	·40	x		27
28	·12	·03	–	–	·94	·03	–	·89	·06	–	–	·40	S+R	28
29	–	–	–	–	·25	–	–	·07	–	·02	–	x	✓	29
30	·40	✕	–	·01	·18	·06	–	–	·10	–	·30	·03	S	30
31	·21	✕	–	✕	·21	✕	–	–	✕	·05	✕	·20		31 d"
TOTAL	3·20	·66	·37	·04	2·08	·48	1·97	2·29	1·54	2·75	2·83	2·87	Year's Total 21·08	
* Days with .01 in. or more.	18	6~~5~~	3	3	10	5	9	13	10	15	10 x	16 ~~18~~	~~120~~	118
* Days with .04 in. or more.	15	5	3	0	9	4	7	10	9	13	10	14	99	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Eland

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Weston Turville

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	~~·45~~	·45	·41	–	–	·31	·10	–	–	–		1
2		–	–	–	–	–	–	·30	·20	–	–	–		2
3	·40 S+r	–	~~·15~~	·15	–	–	–	·45	–	·06	·28	·36		3
4	·06	–	·29	–	–	–	–	–	–	·12	–	·04		4
5	–	–	~~·28~~	·28	·11	–	·16	·78	–	·17	·36	·53		5
6	·38	–	–	–	–	–	·17		–	–	·12	–		6
7			–	–	–	–	–	–	·20	–	·12	·08		7
8	·08 –	·18	–	–	–	–	·08	·03	–	·28	·28	·48		8
9	–	·16	·12	–	–	–	–	·94	–	·31	·06	·10		9
10	·35	–	–	–	–	·35	–	·18	·02			–		10
11	–	–	·18	–	–	·20	–	–	·08	–	–	–		11
12	–	–	–	–	–	·05	–	–	–	–	–	–		12
13		–	–	–	–	–	–	–	·06	·48	–	–		13
14	·34	–	–	–	·24	·05	·19	–	–	·29	·18	–		14
15	·27	–	·11	–	·40			–	–	·80	–	–		15
16	·35	–	–	·20	–	·60	–	–	–	·12	·38	–		16
17	–	–	·18	·01	·21	–	·02	–	–	·90	·04	–		17
18	·40	–		–	–	·20	·66	–	–	·08	·35	–		18
19	·18	–	–	–	–	–		–	–	·18	–	–		19
20		–	–	–	–	·21	·36	–	–	–	–	–		20
21	·24	·69	·46 sleet	–	–	–	·68	·20	–	–	·80	–		21
22	·10	–	–	·01	·02	·06	·08		–	–	–	–		22
23	·10	–	~~·11~~	·11	–	–	·14	–	–		–	–		23
24	S+sleet	·06	–	·12	–	–	·34	–	–	·15	–	–		24
25	·77	–	·18 S+r	–	–	–	–	–	–	·13	1·38	–		25
26	·50	·05	–	·12	–	–	·60	·06	–	·18	·20	·03		26
27	·05	–	·10	–	–	–	–	–	–	–	·42	–		27
28	–	–	–	–	–	–	–	–	–	–	·18	·05 S		28
29	–	·27	–	·28	–	–	·68	·06	–	·20	·05	–		29
30	–	✕	–	·78	–	–	–	–	–	–	·15	·03 S		30
31	–	✕	–	✕	–	✕	·18	–	✕	–	✕	–		31
TOTAL	4·57	1·41	1·62	2·51	1·39	1·72	4·34	3·31	·66	4·40	5·35	1·70	Year's Total 32·98	
* Days with .01 in. or more.	~~16 21~~	~~6 7~~	~~10 8~~	~~11~~	~~6~~	~~8 9~~	~~16 14~~	~~12 10~~	~~6~~	~~16 19~~	~~17~~	~~9 10~~	~~14 11 127~~	
* Days with .04 in. or more.	18 ~~16~~	7 ~~6~~	9 ~~8~~	9 ~~9~~	5 ~~5~~	9 ~~8~~	15 ~~13~~	9 ~~9~~	5 5	15 ~~15~~	17 ~~17~~	7 ~~7~~	~~118~~	125

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Eland

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 987

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Weston Turville
in the County of Buckingham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
,, Ground ,, Sea Level 320 ft.

[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	·03	–		1
2	–	–	–	– ·30	–	–	·12	–	–	–	1·41	–		2
3	–	·28	~~·23~~ –	–	–	–	–	–	–	·23	·68	–		3
4	–	·10	–	–	–	–	–	–	–	·21	·45	–		4
5	–	–	–	–	–	–	·26	–	–	–	·46	·13		5
6		·11	–		·09	–	·12	–	–	·20	·35	–		6
7	·35	·24	–	~~·09~~ ·02	–	–	·10	–	–	–	–	–		7
8	–	–	–		–	–	–	–	–	–	–	–		8
9	–	–	–	–	–	1·00 R 2	–	–	–	·21	·12	·30		9
10	–	–	–	–	–	–	·23	–	·15	·33	·27	·05		10
11	–	–	–	–	–	–	–	–	–	–	·65	–		11
12	–	–	–	–	–	–	–	–	·35	–	·07	–		12
13	–	·03 S	·53	–	–	–	–	–	–	–	1·20	–		13
14	–	–	·15 S	·15 acc^d	·16	–	·12	–	·08	·13	·01			14
15	–	–	–	–		–	·08	–	–	·04	·23	·25		15
16	·01 S	·08 S		–	–	·06	·42	–	·15	·60		–		16
17	–	–	·78	–	–	–	·08	–	–	–	·87	–		17
18	–	·45	·20	·35	–	–	·04	–	–	–	·22			18
19	–	·20	·13	·15	–	–	·04	–	·07	–	–	·17		19
20	–	–	–	–	–	–	–	–	–	·17	·15	–		20
21	·09 S	–	–	–	·74	–	–	–	–	–	·38	–		21
22	–	–	·10	–		·30	·32	–	·10	–	·03	–		22
23	–	·23	–	–	–	·28	–	–	–	–	–	–		23
24	–	–	–	·23	–	–	·15	–	–	–	–	–		24
25	·91	–	·26	–	–	–	·10	–	–	–	–	–		25
26		–	–	–	·15	–	–	–	–	–	–	–		26
27	·54 S	·15	–	·35	·13	–	·15	–	–	–	–	–		27
28	·20 S	·05	–	–	·10	–	–	–	–	·30	–	–		28
29	–	·03	·09	–	·06	–	–	–	–	–	–	·36		29
30	–	×	–	·35	–	–	–	–	–	·30	–	·02		30
31	·07 sleet	×	–	×	–	×	–	–	×	–	×			31
TOTAL	2·17	1·95	2·47	1·67	1·43	1·64	2·33	–	·90	2·72	7·58	1·28	Year's Total 26·14	
* Days with .01 in. or more.	8 ~~7~~	15	~~8~~ 9	13 ~~8~~	10 ~~9~~	4	15	–	7 ~~6~~	13 ~~12~~	21 ~~16~~	9	~~112~~	124
* Days with .04 in. or more.	6	10	9	9	8	4	15	–	6	12	16	6	101	

6" 27

9" 28

30 "

31 d"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Eland

[P.T.O.

989

989 — 261666

TRING — BULBOURNE

1931 – 1940

780206

Section A for the entry of D

AIR MINISTRY.

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGIST 1931

~~[illegible]~~ during this period
district, but Mentmore Gdns
18/2/32.

August

6/2/32

Kept at Bulbourne Wo

in the County of Buckingham

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		·06	·09	·08	·01		·04				1
2	·04	·06		·35	·01				·43			·06	2
3				·18	26			·05	·63		·17	·16	3
4		Snow ·01		·03	·08		·21	·14	·12		·19	·02	4
5				16		·34	·04		·03		·03	·22	5
6		·12		·10					·02	26	·26		6
7						·08	·16	·56		·07	·11	·06	7
8		·04	Snow ·01	·03		·09		·49		02	·09		8
9		·08	Snow ·02	02		·03	·05	·01		·01	·21	·02	9
10	·01	·09	·03			·02	·29	·18			·17		10
11	·22.	·25							·06		·03		11
12		Snow ·06					·02	·08	·27				12
13							·16	·04					13
14	·04	·06			·04	·05	1·42	·44					14
15		·01		14	·08		·16	·20				·07	15
16		Snow ·09		15	·21	·06		·41	·19				16
17	·03.	Snow ·17		Snow ·55	·24		·15		07		·56		17
18	·06	·08	·04	·22		·24		·27					18
19	·02			·49		·19	·21	·03	·09				19
20			·02	·13			·06	·26		·01	·01		20
21	·01				·46			·07	·03				21
22	·09								·05				22
23	·05			·04	·31	·05			·02		·12	·03	23
24				·29	·24	·02	·11		·01				24
25	·03			·29	·08		·54				·05	·03	25
26		03		·08			·73				·40		26
27	·09	·36		·02	·25		·05			·01	·18		27
28	·06	Snow ·24		·05	·03							·08	28
29	·03	✕			·08		·06			20		·02	29
30	Snow ·08	✕						·06	·01				30
31	·18	✕		✕		✕		·01	✕		✕	·02	31
TOTAL	1·07	1·82	0·12	3·38	2·46	1·25	4·46	3·30	2·10	0·56	2·58	0·79	YEAR'S TOTAL 23·91
*Days with ·01 in. or more.	16	19	5	20	15	12	18	17	16	7	15	12	170
*Days with ·04 in. or more.	10	14	1	16	13	9	16	14	10	3	12	6	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

989

Section **A** for the entry of D

AIR MINISTRY.

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Bulbourne Works, Tring

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 401 ft.

August is apparently O.K. ~~Thunderstorms~~ Heavy falls during this period were registered in this district, but Mentmore Gdns also missed them.

18/2/32.

See August

6/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		06	·09	·08	·01		·04				1
2	·04	·06		·35	·01				·43			·06	2
3				·18	26			·05	·63		·17	·16	3
4		Error ·01		·03	·08		·21	·14	·12		·19	·02	4
5				16		·34	·07		·03		·03	·22	5
6		·12		·10					·02	26	·26		6
7						·08	·16	·56		·07	·11	·06	7
8		·04	Error ·01	·03		·09		·49		02	·09		8
9		·08	Error ·02	02		·03	·05	·01		·01	·21	·02	9
10	·01	·09	·03			·02	·29	·18			·17		10
11	·22	·25							·06		·03		11
12		Error ·06					·02	·08	·27				12
13							·10	·04					13
14	·04	·06			·04	·05	1·42	·44					14
15		·01		14	·08		·16	·20				·07	15
16		Error ·09		15	·21	·06		·41	·19				16
17	·03	Error ·17		Error ·55	·24		·15		07		·56		17
18	·06	·08	·04	·22		·24		·27					18
19	·02			·49		·19	·21	·03	·09				19
20			·02	·13			·06	·26		·01	·01		20
21	·01				·46			·07	·03				21
22	·09								·05				22
23	·05			·04	·31	·05			·02		·12	·03	23
24				·29	·24	·02	·11		·01				24
25	·03			·29	·08		·54				·05	·03	25
26		03		·08			·73				·40		26
27	·09	·36		·02	·25		·05			·01	·18		27
28	·06	Error ·24		·05	·03							·08	28
29	·03	×			·08		·06			20		·02	29
30	Error ·08	×						·06	·01				30
31	18	×		×		×		·01	×		×	·02	31
TOTAL	1·04	1·82	0·12	3·38	2·46	1·25	4·46	3·30	2·10	0·56	2·58	0·79	YEAR'S TOTAL 23·91
*Days with ·01 in. or more.	16	17	5	20	15	12	18	17	16	7	15	12	170
*Days with ·04 in. or more.	10	14		10	13	9	16	14	10	3	12	6	124

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bulbourne Works

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 401 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·04		·07	·70	·03		·82	·03	·17	·02	·01	1
2	·03			·15	·09			·01	·22	·06	·07	·14	2
3				·19	·14				·09	·02			3
4								·01			·18		4
5	·14				·04		·24		·06				5
6	·34		·01	·03	·04		·07		·10				6
7	·01		·10	·04			·37		·04	·02			7
8			·05	·06					·55	·15			8
9	·17	[illegible] ·04		·02	·17				·03				9
10	·14	[illegible] ·03	[illegible] ·03	·11	·03				·01	·07	·02		10
11		[illegible] ·02		·01	·04	·02	·83	·25		·15	·05	·02	11
12	·05				·15			·01	·02	·33	·02		12
13	·04			·21	·01					·03	·11	·02	13
14	·24	·01								·05	·01		14
15				06 ~~·06~~	·33		·03	·01		·02		·01	15
16	·19			·23	·08								16
17				·01			·04			·11			17
18					·01				·27		·06		18
19									·01	·15			19
20				·10	·16		·03	·79	·01	·64	·06		20
21			·06	·27	·92		·02	·60		·37		·03	21
22	·01	·01	·22	·01	·15		·24		·31	·09	·16		22
23		·04			·19				·08	·63		·04	23
24							·91		·01	·08	·03		24
25		·03					·22		·11	·35			25
26			·04	·32	·08		·10						26
27			·28	·10	·27		·15		·02	·08	·03		27
28			·08	·07	·15	·21	·14			·13			28
29			·27	·09	·42	·06		·02	·04	·26	·05	·03	29
30		×	·17	07 ~~·04~~	·01	·31		·02	·06	·07	·27	·11	30
31		×	·02	×		×	·04		×		×	·04	31
TOTAL	1·39	·22	1·33	2·22	4·18	·63	3·43	2·54	2·07	4·03	1·14	·45	YEAR'S TOTAL 23·63
*Days with ·01 in. or more.	12	8	12	21	22	5	15	10	20	23	15	10	173
*Days with ·04 in. or more.	8	3	9	16	18	3	12	4	12	19	8	4	147

40-9999

*See Instruction 2 (*f*) on other side.

CM

per pro GRAND UNION CANAL CO.

(Signed) Hatcher

ASSISTANT MANAGER

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BULBOURNE WORKS

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 401 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·14	·07	—	·04	—	—	—	—	—	—	—		1
2	·14	—	·24	—	·06	—	—	—	—	—	·03	—		2
3	—	·14	·16	—	·30	—	—	—	—	—	—	—		3
4	·10	—	·05	—	·29	—	—	—	—	—	—	—		4
5	·01	·04	·12	—	·07	—	—	—	—	—	·01	—		5
6	—	·05	·08	—	·20	—	—	—	—	·10	·04	—		6
7	·10	·03	·02	—	—	—	—	—	—	·01	·01	·01		7
8	·06	—	·06	—	·05	—	·19	—	—	·02	—	Snow ·01		8
9	—	—	—	—	·10	—	·12	—	—	·05	·09	—		9
10	—	·21	—	—	—	·03	·21	—	—	·22	·04	—		10
11	·12	—	—	—	·02	·02	·10	·04	—	·08	—	—		11
12	·01	—	—	—	—	·14	·02	—	·52	—	—	Snow ·01		12
13	·02	—	—	—	·16	·07	·24	—	·10	—	·08	—		13
14	—	—	—	—	·02	—	—	·05	—	·04	·53	·02		14
15	·29	—	·04	—	—	—	·11	·12	—	·02	·20	—		15
16	Snow ·02	·01	·38	—	·01	·16	·12	—	·03	·08	·03	—		16
17	Snow ·08	—	·19	—	—	·02	·01	—	·05	—	·02	—		17
18	Snow ·03	Snow ·07	·07	—	—	·04	—	—	—	—	—	—		18
19	—	Snow ·01	·31	—	—	·11	—	—	·32	—	·03	—		19
20	—	Snow ·03	·14	·08	—	·05	—	·01	—	—	·01	—		20
21	—	Snow ·03	—	—	—	—	—	·21	·25	·03	—	—		21
22	—	—	—	—	—	·53	—	·08	—	·29	·03	—		22
23	—	—	—	·18	·06	—	—	—	·31	—	—	—		23
24	—	Snow ·31	—	·12	·06	·10	—	—	·23	—	·07	—		24
25	—	·79	—	·25	—	·01	—	—	·06	·01	·03	·04		25
26	—	·28	—	·06	·02	—	—	—	·08	·10	—	·03		26
27	—	—	—	—	·23	—	—	—	·16	·11	—	·09		27
28	—	—	—	—	·06	—	·01	—	—	·28	—	·04		28
29	·07	×	—	·56	—	—	·12	—	—	·09	—	·02		29
30	·14	×	·14	—	—	—	·04	—	·02	—	—	·10		30
31	·04	×	·06	×	—	×	—	·13	×	·06	×	—		31
TOTAL	1·32	2·14	2·13	1·25	1·75	1·31	1·29	0·64	2·13	1·59	1·25	0·37	Year's Total 17·17	
*Days with ·01 in. or more.	16	14	16	6	19	12	12	4	12	14	16	10	155	
*Days with ·04 in. or more.	11	9	15	6	13	8	9	6	10	12	7	4	110	

40-9999

*See Instruction 2 (*f*) on other side.

DCM

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BULBOURNE WORKS

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 401 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·06	—	—	—	—	—	—	0·27	0·12	0·01	—	0·29		1
2	0·17	—	0·06	—	0·01	—	—	0·01	0·49	0·08	—	0·14		2
3	0·01	0·14	—	0·06	—	—	—	—	—	0·22	—	0·02		3
4	0·06	0·02	0·03	0·15	0·02	—	—	—	—	0·20	0·09	0·39		4
5	—	—	0·05	—	0·02	—	—	0·08	—	0·03	0·06	0·26		5
6	—	—	0·13	0·01	0·38	0·07	—	0·02	—	0·14	—	0·37		6
7	0·02	—	—	—	—	0·05	—	0·17	—	0·14	—	0·20		7
8	—	—	—	—	0·08	—	—	0·04	0·07	—	0·18	0·03		8
9	—	—	0·05	—	—	—	—	—	—	—	0·79	0·29		9
10	0·01	—	0·23	0·11	—	—	—	0·02	—	—	0·05	0·02		10
11	0·43	—	0·25	0·09	—	—	—	—	—	—	—	0·09		11
12	—	—	0·30	0·01	—	—	0·02	0·33	—	—	—	0·03		12
13	0·51	—	0·05	0·03	—	—	0·15	0·05	—	0·02	0·06	0·40		13
14	0·05	—	0·43	—	—	—	—	0·01	—	0·01	0·33	0·19		14
15	0·09	—	0·06	—	0·05	—	—	—	0·03	0·02	0·09	0·15		15
16	0·10	—	0·21	—	0·04	—	—	—	—	0·07	—	—		16
17	0·02	—	—	—	0·02	—	—	—	—	0·07	0·04	0·12		17
18	0·16	—	—	0·28	—	—	0·29	—	0·11	—	—	0·07		18
19	—	—	0·26	0·02	—	0·04	—	—	0·09	0·02	—	0·06		19
20	—	—	0·15	0·02	—	—	0·02	—	0·01	—	—	—		20
21	—	—	0·04	0·06	—	0·08	—	0·07	—	0·09	—	—		21
22	—	—	—	—	—	—	—	0·15	0·22	—	—	0·01		22
23	—	—	—	0·17	—	0·24	—	—	—	—	—	0·03		23
24	—	0·04	0·10	0·01	—	0·04	0·52	—	0·09	—	—	—		24
25	0·30	0·04	—	0·09	—	0·27	—	—	—	0·09	—	0·28		25
26	0·02	—	0·01	0·12	—	0·01	—	—	0·03	0·02	—	0·07		26
27	0·05	0·02	—	—	—	0·09	—	—	—	0·02	—	0·30		27
28	—	0·02	—	0·27	—	0·11	—	0·79	—	—	—	0·22		28
29	—	✕	—	—	—	—	—	0·11	0·11	—	—	0·04		29
30	0·05	✕	—	—	—	—	—	—	—	—	—	0·06		30
31	0·02	✕	—	✕	—	✕	0·04	—	✕	0·29	✕	0·07		31
TOTAL	2·03	0·28	2·41	1·50	0·62	1·00	1·04	2·12	1·37	1·54	1·69	4·20	Year's Total 19·80	
* Days with .01 in. or more.	18	6	17	16	8	10	6	14	11	18	9	27	160	
* Days with .04 in. or more.	12	3	15	10	4	9	4	10	8	10	9	21	115	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) CM

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BULBOURNE WORKS

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 401 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	-	-	.01	.01	.03	.07	-	.02	.02	.24	-		1
2	.01	-	-	-	-	.08	-	-	.01	.20	.09	-		2
3	-	.16	.08	.07	-	.03	-	-	.23	.56	.18	.01		3
4	-	-	-	.12	-	.02	-	-	.58	.10	-	.10		4
5	-	.37	.04	.06	-	.29	.04	-	.36	-	.02	-		5
6	-	.03	.01	.29	-	.46	-	-	-	-	-	-		6
7	.01	-	-	.37	-	-	-	-	-	.08	.64	.13		7
8	-	-	-	.25	-	-	-	.01	-	.25	.13	.09		8
9	-	-	-	.26	-	.42	-	-	-	.91	.09	.02		9
10	-	-	-	.14	-	.03	-	-	-	-	.09	.03		10
11	.22	-	-	-	-	.04	.38	-	-	-	.18	.01		11
12	-	.03	-	-	-	.20	-	.01	.01	-	.02	-		12
13	.11	.16	-	.20	.16	.04	-	-	-	-	-	-		13
14	-	-	-	.03	.12	-	-	-	-	-	.26	.14		14
15	-	.19	-	.34	.10	.27	-	-	.12	-	.28	.12		15
16	-	.08	.06	.09	.01	.47	-	-	.35	.09	.51	.08		16
17	-	-	-	.03	-	.09	-	-	.03	-	.26	-		17
18	-	-	-	.31	.05	.10	.67	-	.24	.04	.15	.01		18
19	-	.01	-	.11	.25	.02	.20	-	.09	-	.09	.07		19
20	.02	.12	-	.15	.24	.10	.06	-	.05	-	.07	-		20
21	-	.28	.01	.03	-	-	-	-	.05	.02	.13	-		21
22	-	.03	.06	.17	-	-	-	.31	.36	-	-	-		22
23	-	-	.08	.01	-	-	-	.41	.02	.15	-	.10		23
24	.03	.33	.02	-	-	-	-	.04	.32	-	-	.26		24
25	.08	.26	-	.19	-	59 [illegible]	-	-	-	-	-	.11		25
26	-	.09	-	-	-	.01	-	.10	.10	.02	-	.42		26
27	-	.21	-	-	.10	-	-	-	.10	.01	.13	.47		27
28	-	.11	-	-	.03	-	-	-	.17	.05	.02	.04		28
29	-	-	-	-	-	-	-	-	.61	-	-	.30		29
30	.10	×	-	.09	.11	-	-	.57	.02	.04	.10	.28		30
31	-	×	-	×	-	×	-	.01	×	.69	×	.10		31
TOTAL	.81	2.46	.36	3.32	1.18	3.29	1.42	1.46	3.84	3.23	3.68	2.89	Year's Total 27.94	
* Days with .01 in. or more.	9	16	8	22	11	19	6	8	21	16	21	21	178	
* Days with .04 in. or more.	5	12	5	17	8	13	6	5	15	12	18	16	132	

40-9999

* See Instruction 2 (f) on other side.

CM

† Spare column, no entries required.

(*Signed*) C. A. Wilson Engineer

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BULBOURNE WORKS

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 401 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	0.27	0.14	0.28	-	0.13	0.12	-	-	-	0.03	0.04		1
2	0.10	0.07	0.02	0.01	-	0.38	1.30	0.06	-	-	0.06	-		2
3	0.01	-		0.06	-	0.25	0.11	-	0.23	-	0.27	0.05		3
4	-	-	0.15	-	-	0.09	-	-	0.32	-	0.06	0.05		4
5	0.16	-	0.07	-	-	-	-	0.02	0.13	-	0.01	0.07		5
6	0.27	-	-	-	0.11	0.19	0.01	0.16	0.18	-	0.17	0.05		6
7	0.28	-	0.03	-	-	0.03	0.09	-	0.01	-	0.07	0.03		7
8	0.22	-	0.05	-	0.02	-	-	-	0.05	-	38 ~~0.38~~	0.11		8
9	0.36	-	0.05	-	-	-	0.40	-	0.11	0.02	-	0.02		9
10	0.13	-	-	-	-	-	0.12	-	0.27	-	-	-		10
11	-	-	-	0.18	-	-	0.11	0.01	-	-	67 ~~0.67~~	-		11
12	-	-	-	0.16	-	0.44	0.30	-	0.19	-	43 ~~0.43~~	13 ~~0.13~~		12
13	-	-	-	0.01	-	0.94	0.01	-	-	0.04	09 ~~0.09~~	36 ~~0.36~~		13
14	-	0.06	-	-	-	0.04	0.72	-	0.19	0.07	-	0.44		14
15	-	0.04	-	-	-	-	0.05	-	0.04	-	-	0.13		15
16	~~Snow~~ 0.19	0.07	-	-	-	-	-	-	-	-	37 ~~0.37~~	01 ~~0.01~~		16
17	~~Snow~~ 0.14	0.70	-	-	0.16	-	-	-	-	0.01	22 ~~0.22~~	0.14		17
18	-	0.16	-	-	-	0.26	0.16	-	-	0.29	06 ~~0.06~~	0.09		18
19	0.33	0.06	0.02	0.04	-	0.35	-	0.03	-	0.03	-	-		19
20	0.04	0.12	0.03	0.17	-	-	0.10	-	0.77	-	-	-		20
21	-	-	-	0.31	0.04	0.57	-	-	0.55	-	-	-		21
22	Snow 0.14	0.49	0.07	-	0.20	0.01	0.18	-	-	-	-	12 ~~0.12~~		22
23	-	0.02	0.04	0.12	-	-	0.12	-	-	0.09	-	-		23
24	0.11	0.33	-	-	-	-	0.06	-	0.12	0.23	-	-		24
25	0.03	0.03	0.16	0.14	-	0.04	0.10	-	0.29	0.09	05 ~~0.05~~	03 ~~0.03~~		25
26	0.02	0.13	0.22	0.08	-	0.13	-	-	0.01	0.08	-	-		26
27	0.07	-	-	-	-	-	-	-	0.21	0.10	-	-		27
28	0.68	0.02	06 ~~0.06~~	-	-	-	0.23	-	0.01	-	-	15 ~~0.15~~		28
29	0.29	0.16	09 ~~0.09~~	-	-	0.10	0.05	-	-	0.03	21 ~~0.21~~	07 ~~0.07~~		29
30	0.08	✕	-	-	0.11	0.31	0.08	-	-	0.23	-	-		30
31	0.41	✕	18 ~~0.18~~	✕	-	✕	0.13	-	✕	0.47	✕	25 ~~0.25~~		31
TOTAL	4.21	2.73	1.38	1.56	0.64	4.26	4.55	0.28	3.68	1.78	3.15	2.34	Year's Total ~~30.56~~	30·56
* Days with .01 in. or more.	22	16	16	12	6	17	22	5	18	14	16	20	184	
* Days with .04 in. or more.	19	13	12	10	5	15	20	2	15	10	14	16	151	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) CM

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 1.

Dey

uf.

Kept at Bulbourne Works

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 401 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.17	-	0.02	-	-	-	-	-	0.06	-	0.44	0.71		1
2	0.02	0.17	0.01	0.56	-	-	-	-	0.07	-	-	0.43		2
3	-	0.19	0.02	-	-	-	-	-	-	-	-	0.15		3
4	0.14	0.23	-	-	-	-	-	-	-	-	-	Snow 0.53		4
5	0.16	0.03	0.24	-	-	-	0.05	-	-	-	-	0.01		5
6	0.08	-	0.36	0.01	0.17	-	0.14	-	-	0.02	0.03	-		6
7	-	0.68	0.09	0.13	-	-	0.04	-	0.06	-	-	-		7
8	-	0.07	-	-	0.08	0.03	-	-	-	-	0.29	Snow 0.21		8
9	-	0.02	-	0.16	0.08	-	0.06	-	0.29	-	-	Snow 0.27		9
10	-	-	0.64	0.29	0.03	0.23	0.19	-	-	-	-	Snow 0.22		10
11	-	-	0.24	-	0.49	0.01	0.01	-	-	-	-	0.03		11
12	0.16	0.29	0.12	-	0.32	0.44	0.01	-	0.09	-	-	0.17		12
13	0.17	0.05	0.31	0.02	0.01	1.06	-	1.01	0.14	-	-	0.29		13
14	0.02	0.01	0.51	0.22	-	-	-	0.68	0.02	-	-	Snow 0.02		14
15	0.22	0.09	-	0.12	-	-	0.60	-	0.14	-	-	Snow 0.02		15
16	0.04	0.11	0.44	0.90	-	0.09	-	0.07	0.33	-	-	0.02		16
17	0.57	0.01	0.24	0.21	-	0.02	-	-	0.45	-	0.02	-		17
18	0.49	0.11	0.03	0.02	0.02	0.09	-	-	-	-	0.29	-		18
19	0.10	0.04	0.04	0.11	-	0.18	0.03		0.66	-	0.05	0.08		19
20	0.56	0.03	-	0.31	0.61	-	-	-	-	-	-	0.02		20
21	0.19	0.38	0.06	0.03	0.04	-	0.04	0.02	-	-	-	0.02		21
22	0.40	0.02	0.03	-	0.15	0.40	0.07	-	-	0.54	0.24	0.03		22
23	0.17	-	0.06	-	0.45	-	0.16	-	-	0.77	0.02	-		23
24	0.28	0.38	0.01	-	-	-	0.02	-	0.19	0.30	-	0.02		24
25	0.09	0.40	0.01	-	1.00	-	-	-	-	0.12	-	0.01		25
26	0.01	0.28	0.07	-	0.25	-	-	-	0.02	0.12	-	-		26
27	0.02	0.25	0.03	0.19	-	-	-	-	0.04	0.95	-	-		27
28	-	0.13	-	0.01	-	-	-	-	-	0.07	-	0.07		28
29	Snow 0.04	×	-	-	-	-	-	-	-	0.03	0.04	0.04		29
30	0.39	×	-	-	-	-	-	-	-	0.08	0.15	-		30
31	0.29	×	-	×	-	×	-	-	×	0.21	×	0.08		31
TOTAL	4.78	3.97	3.58	3.29	3.70	2.55	1.42	1.78	2.56	3.21	1.57	3.45	Year's Total 35.86	
* Days with .01 in. or more.	24 ~~4~~	23 ~~6~~	22 ~~8~~	16 ~~5~~	14 ~~8~~	10 ~~3~~	13 ~~4~~	4 ~~1~~	14 ~~8~~	11 ~~7~~	10 ~~3~~	23 ~~10~~	~~51~~	184
* Days with .04 in. or more.	20	17	14	11	11	7	9	3	12	9	7	13	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Jw Ball [P.T.O.

CM

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bulbourne Works.
in the County of Buckinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 401 ft.

~~Days~~ W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0·10						0·05		1
2	0·19				0·06					0·32		0·01		2
3		0·05			0·10				0·03	0·73	0·04			3
4	0·10									0·20		0·11		4
5							0·42			0·09				5
6	0·06						0·04		0·12	0·11				6
7	0·03						0·42	0·11	0·02	0·40		0·04		7
8	0·14						0·23	0·13	0·04	0·12				8
9	0·09	0·01					0·13	0·29				1·07		9
10	snow 0·12	0·08				0·06	0·08	0·17				0·06		10
11	0·29							0·19			0·12	0·02		11
12	0·24	0·04					0·02	0·16		0·32	0·01			12
13	0·03	snow 0·04									0·12	0·14		13
14	0·28	snow 0·03			0·05		0·02		0·09					14
15	0·03	0·01					0·18			0·10		0·19		15
16	0·30				0·01		0·01			0·04	0·03	0·17		16
17		0·13					0·02		0·05	0·10				17
18	0·06				0·10				0·21	0·03	0·35			18
19								0·10	0·10		0·27			19
20									0·04		0·59	snow 0·05		20
21	0·03							0·16	0·03		0·02	snow 0·51		21
22				0·01				0·03			0·18	snow 0·35		22
23											0·04			23
24			0·18		0·04				0·24		0·04			24
25	0·08	0·05	0·09		0·09			0·45	0·04	0·02	0·63	snow 0·14		25
26	0·24	0·30	0·14						0·12	0·19		0·18		26
27	0·07	0·07			0·05	0·20	0·23		0·38	0·08	0·42			27
28	0·21	0·03			0·87	0·06		0·79	0·02		0·05	0·09		28
29	0·27			0·01	0·34			0·02			0·15	0·18		29
30	0·02			0·01	0·27	0·06			0·13	0·03	0·20	0·05		30
31	0·26				0·23					0·15		0·25		31
TOTAL	3·14	0·84	0·41	0·03	2·21	0·48	1·80	2·60	1·66	3·03	3·26	3·69	Year's Total 23·15	✓
* Days with .01 in. or more.	22	12	3	3	12	5	12	12	16	17	17	19	150	✓
* Days with .04 in. or more.	17	8	3	–	11	5	8	10	12	14	14	16	118	✓

* See Instruction 3 (f) on other side.

(CM)

† Spare column, no entries required.

(*Signed*) Jas Ball

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bulbourne Works.

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 401.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02		.01	.39	.30		.01	.31						1
2	.02			.01	.01			.40	.21		.03	.07		2
3	.38			.11				.36		.07	.21	.31		3
4	.06		.31	.16			.03	.37		.09	.03	.04		4
5			.01	.25	.10		.02	.71		.13	.36	.52		5
6	.46	- -	- - -	.08		- - -	.23	.03			.14	.02		6
7	.04	.06								.03	.20	.14		7
8	.07	.08	.10				.08	.37		.42	.18	.44		8
9		.11						.05		.19	.01	.16		9
10	.32					.38		.22						10
11			.21			.10			.02			.02		11
12		.02				.03								12
13			.01		.04		.02		.10	.68	.02			13
14	.60			.02	.17	.04	.15		.11	.05	.23			14
15	.39		.07	.01	.66	.34	.03		.14	.58	.10			15
16	.25		.08	.02	.12	.23	.07			.05	.31			16
17	.25		.03	.07	.14		.08			.20	.03			17
18	.18	.03	.08			.11	.10			.10	.35			18
19	.21		.01			.05	.37			.22				19
20	.15				.02	.58	.31	.04				.03		20
21	.12	.10	.28	.01		.14	.40	.10	.12					21
22	.17	.39	.12	.02		.01	.05		.04		.14			22
23	.02		.01	.11		.01	.09			.04	.61			23
24	.16		.02	.10			.12		.01	.16				24
25	1.14	.08	.12	.01			.28	.02			.47			25
26	.56	.03	.04	.13				.03		.11	.44	.10		26
27	.02	.05	.15	.03			.01			.03	.14			27
28	.03	.20	.10				.02			.08	.17	.06		28
29		✕	.01	.47			.39			.22	.06			29
30		✕		.74		.17					.14			30
31		✕		✕		✕			✕		✕			31
TOTAL	5.62	1.15	1.77	2.74	1.56	2.19	286 3.10	3.01	.75	3.45	4.37	1.91	Year's Total 38 31.62	
* Days with .01 in. or more.	23	11	20	19	9	13	21	13	8	19	22	12	190	
* Days with .04 in. or more.	18	8	12	11	7	10	14	10	6	17	17	9	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

CM

(Signed) C. A. Wilson

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 989

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at BULBOURNE WORKS.
in the County of BUCKINGHAMSHIRE.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 401 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.02		.02	.02						.16			1
2		.11		.12			.08			.06	1.19			2
3		.19		.16						.16	.69			3
4		.05		.16						.22	.46	.08		4
5							.01			.05	.60	.15		5
6	.15	.16			.07		.31			.17	.34			6
7	.25	.23			.05		.02				.01			7
8		.01		.06					.09	.17	.02	.29		8
9				.01		1.68			.04	.01	.09	.06		9
10							.29	.04		.19	.26	.05		10
11				.06		.03	.03				.73			11
12		.05	.03				.09		.14		.03			12
13		.03	.70	.01		.01	.02		.03		1.23			13
14			.13	.11				.01	.04	.07		.28		14
15			.02		.21		.11			.03	.23	.01		15
16	.06	.15	.27	.01		.02	.52		.10	.94	.72			16
17			.51				.01				.19			17
18		.49	.29	.32			.05			.08	.29	.15		18
19		.10	.06	.16			.11		.08		.14	.03		19
20		.02	.07	.02		.01	.13	.01		.08	.04			20
21	.12				.29		.20			.07	.48			21
22	.05		.04		.31	.44			.10					22
23		.23	.04		.04	.17					.02			23
24							.13					.02		24
25			.21				.20							25
26	1.08	.08	.09		.09	.13	.05					.06		26
27	.41	.15		.41	.11	.		.01		.07				27
28	.29	.02		.01	.07									28
29		.02	.12		.04	.03						.39		29
30	.09	✕		.38						.12		.06		30
31	.04	✕		✕		✕			✕	.73	✕			31
TOTAL	2.54	2.11	2.58	202 2.22	1.30	2.52	2.36	.07	.62	3.22	7.92	1.63	Year's Total 29.09	✓
* Days with .01 in. or more.	10	18	14	16	11	9	18	4	8	17	21	13	159	✓
* Days with .04 in. or more.	10	12	12	10	10	4	13	1	7	15	17	10	121	✓

* See Instruction 3 (f) on other side.

CM

† Spare column, no entries required

(*Signed*) C. A. Wilson Engineer

[P.T.O.

990

990

AYLESBURY S.W.

1931 – 40

780206

Section **A** for the en

AIR·MIN

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REC

31.

Kept at Aylesbury

in the County of B

Diameter of Funnel of Gau

Height of top of Gauge abov

,, Ground ,,

THE MORNING

DAY.

An observer who does not conform to this rule should insert the reading made on January … *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	0·04	[illegible]	0·36	0·02	-	-	-	0·09	-	-	-	1
2	0·05	0·08	-	0·52	0·01	-	0·01	-	0·50	-	-	0·03	2
3	-	0·01	-	0·17	0·12	-	-	0·25	0·80	-	0·19	0·18	3
4	-	-	-	0·04	0·01	-	0·21	0·12	0·12	-	0·28	0·02	4
5	-	0·01	-	0·11	0·05	0·52	0·01	-	0·06	-	0·01	0·35	5
6	-	0·10	-	0·12	-	0·03	0·06	-	-	0·26	0·23	0·01	6
7	-	-	-	0·02	0·02	0·02	0·23	-	-	0·01	0·08	0·06	7
8	-	0·01	-	0·04	-	0·04	0·01	0·54	-	0·06	0·08	0·01	8
9	0·01	0·14	-	0·01	-	0·15	0·04	0·35	-	0·03	0·18	0·01	9
10	-	0·05	-	-	-	0·06	0·36	0·01	-	0·01	0·19	-	10
11	0·21	0·25	-	-	-	0·02	0·05	0·23	0·07	0·01	0·09	0·01	11
12	0·01	0·04	-	0·01	-	-	0·01	0·15	0·36	-	0·01	-	12
13	-	-	-	-	-	-	0·39	0·08	0·01	-	-	-	13
14	0·02	0·08	-	-	0·02	0·11	1·30	0·25	-	-	-	-	14
15	0·01	0·01	-	0·08	0·09	-	0·23	0·03	-	-	-	0·05	15
16	-	0·10	-	0·10	0·17	0·18	0·01	0·11	0·24	-	-	-	16
17	0·02	0·15	-	0·51	0·24	0·01	0·17	-	0·06	-	-	-	17
18	0·06	0·01	-	0·18	-	0·15	0·11	0·39	-	-	0·41	-	18
19	0·02	-	-	0·33	-	0·08	0·25	0·03	0·26	-	0·01	0·01	19
20	-	0·02	0·03	0·15	-	-	-	0·16	0·01	-	-	-	20
21	0·03	-	-	0·01	0·37	-	-	0·02	-	-	-	-	21
22	0·16	-	-	0·03	0·02	-	-	-	0·01	-	-	-	22
23	0·18	0·01	0·01	0·01	0·29	0·08	-	-	0·01	-	0·21	0·08	23
24	-	-	-	0·20	0·24	0·01	0·03	-	0·01	-	0·01	0·01	24
25	0·02	-	-	0·31	0·03	-	0·51	0·01	-	-	0·06	0·01	25
26	-	0·01	-	0·08	-	-	0·54	-	-	-	0·52	-	26
27	0·07	0·37	-	0·01	0·46	-	0·03	-	-	0·01	0·24	-	27
28	0·13	0·11	-	0·10	0·08	-	-	-	-	0·01	0·01	0·04	28
29	0·04		-	0·01	0·12	-	0·08	-	-	0·27	0·01	0·03	29
30	0·08	×	-	-	-	0·01	0·01	0·05	-	0·01	0·01	0·01	30
31	0·10	×	-	×	-	×	-	-	×	-	×	0·03	31
TOTAL	1·23	1·60	0·04	3·41	2·36	1·47	4·65	2·78	2·61	·68	2·83	·95	YEAR'S TOTAL 24·61
*Days with ·01 in. or more.	19	20	2	25	18	15	23	17	15	10	20	18	202
*Days with ·04 in. or more.	10	12	-	17	11	9	15	12	10	3	13	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W H Taylor

P.T.O.

990

Section **A** for the e… COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Aylesbury Sewage Works
in the County of Buckingham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ Ground „ Sea Level 251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	0·04	[illegible]	0·36	0·02	–	–	–	0·09	–	–	–	1
2	0·05	0·08	–	0·52	0·01	–	0·01	–	0·50	–	–	0·03	2
3	–	0·01	–	0·17	0·12	–	–	0·25	0·80	–	0·19	0·18	3
4	–	–	–	0·04	0·01	–	0·21	0·12	0·12	–	0·28	0·02	4
5	–	0·01	–	0·11	0·05	0·52	0·01	–	0·06	–	0·01	0·35	5
6	–	0·10	–	0·12	–	0·03	0·06	–	–	0·26	0·23	0·01	6
7	–	–	–	0·02	0·02	0·02	0·23	–	–	0·01	0·08	0·06	7
8	–	0·01	–	0·04	–	0·04	0·01	0·54	–	0·06	0·08	0·01	8
9	0·01	0·14	–	0·01	–	0·15	0·04	0·35	–	0·03	0·18	0·01	9
10	–	0·05	–	–	–	0·06	0·36	0·01	–	0·01	0·19	–	10
11	0·21	0·25	–	–	–	0·02	0·05	0·23	0·07	0·01	0·09	0·01	11
12	0·01	0·04	–	0·01	–	–	0·01	0·15	0·36	–	0·01	–	12
13	–	–	–	–	–	–	0·39	0·08	0·01	–	–	–	13
14	0·02	0·08	–	–	0·02	0·11	1·30	0·25	–	–	–	–	14
15	0·01	0·01	–	0·08	0·09	–	0·23	0·03	–	–	–	0·05	15
16	–	0·10	–	0·10	0·17	0·18	0·01	0·11	0·24	–	–	–	16
17	0·02	0·15	–	0·51	0·24	0·01	0·17	–	0·06	–	–	–	17
18	0·06	0·01	–	0·18	–	0·15	0·11	0·39	–	–	0·41	–	18
19	0·02	–	–	0·33	–	0·08	0·25	0·03	0·26	–	0·01	0·01	19
20	–	0·02	0·03	0·15	–	–	–	0·16	0·01	–	–	–	20
21	0·03	–	–	0·01	0·37	–	–	0·02	–	–	–	–	21
22	0·16	–	–	0·03	0·02	–	–	–	0·01	–	–	–	22
23	0·18	0·01	0·01	0·01	0·29	0·08	–	–	0·01	–	0·21	0·08	23
24	–	–	–	0·20	0·24	0·01	0·03	–	0·01	–	0·01	0·01	24
25	0·02	–	–	0·21	0·03	–	0·51	0·01	–	–	0·06	0·01	25
26	–	0·01	–	0·08	–	–	0·54	–	–	–	0·52	–	26
27	0·07	0·37	–	0·01	0·46	–	0·03	–	–	0·01	0·24	–	27
28	0·13	0·11	–	0·10	0·08	–	–	–	–	0·01	0·01	0·04	28
29	0·04		–	0·01	0·12	–	0·08	–	–	0·27	0·01	0·03	29
30	0·08	×	–	–	–	0·01	0·01	0·05	–	0·01	0·01	0·01	30
31	0·10	×	–	×	–	×	–	–	×	–	×	0·03	31
TOTAL	1·23	1·60	0·04	3·41	2·36	1·47	4·65	2·78	2·61	·68	2·83	·95	YEAR'S TOTAL 24·61
*Days with ·01 in. or more.	19	20	2	25	18	15	23	17	15	10	20	18	202
*Days with ·04 in. or more.	10	12	–	17	11	9	15	12	10	3	13	6	118

40-9999

(Signed) W H Taylor

P.T.O.

*See Instruction 2 (*f*) on other side.

990

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Aylesbury Sewage works
in the County of Buckinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 251 ft.

Sept misplotted as 17· O.K.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02		·07	1·70	·05	·04	·01	0·03	0·23	0·02	0·02	1
2	·01			·14	·11		·01	·01	0·34	0·09	0·05	0·19	2
3	·01			·26	·09				0·08	0·01	0·01	0·01	3
4	·03			·01	·01				-	-	0·28	-	4
5	·25		·01		·04	·01	·20		0·08	-	0·01	-	5
6	·37		·01	·03	·02		·26		0·24	-	-	-	6
7	·01		·08	·08	·01		·57		0·02	0·01	-	-	7
8	·01	·01	·07	·06	·01		·01		0·63	0·15	-	-	8
9	·06	·01		·07	·19				0·02	0·03	-	-	9
10	·09		·07	·16	·05	·03			0·01	0·09	0·06	-	10
11	·01			·07	·04	·01	·08	·01	0·01	0·21	0·04	0·01	11
12	·06			·01	·25		·01	·01	0·05	0·19	0·01	0·01	12
13	·06			·14	·01		·10	-	0·01	0·02	0·09	0·04	13
14	·17	·01		·01				0·44	-	0·01	0·01	0·01	14
15	·01			·04	·42			-	-	0·03	-	0·01	15
16	·18			·18	·05			-	-	0·01	-	0·01	16
17	·01			·01			03 ~~08~~	-	-	0·19	-	-	17
18	·01				·01		·01	-	0·34	0·01	0·07	-	18
19								-	0·01	0·22	0·01	-	19
20				·01	·11		·01	1·06	0·01	0·67	0·05	-	20
21	·02		·08	·12	1·46		·01	1·26	-	0 54 ~~[illegible]~~	0·01	0·01	21
22	·01		·27	·01	·06		·42	0·01	0·39	0·13	0·31	0·01	22
23		·04	·02		·14		·03	-	0·07	0·61	0·01	0·03	23
24		·02			·04		·10	-	0·05	0·07	0·04	0·01	24
25		·03					~~[illegible]~~15	-	0·09	0·36	0·03	0·01	25
26		·05	·04	·25	·08		·13	-	0·01	0·02	0·01	-	26
27			·41	·09	·28		·10	-	0·01	0·08	0·07	-	27
28			·08	·06	·26	1·04 ~~[illegible]~~	·23	0·01	-	0·10	0·01	-	28
29			·17	·08	·35	·09	·02	0·01	0·05	0·24	0·04	-	29
30	·01	×	29 ~~[illegible]~~	·08	·04	·35	07 ~~[illegible]~~	0·06	0·12	0·03	0·28	0·20	30
31		×	·11	×		×	·03	0·01	×	0·01	×	0·05	31
TOTAL	1·42	·19	1·71	2·04	5·80	1·58 ~~[illegible]~~	2·62	2·90 ~~[illegible]~~	2·67	4·36	1·52	0·63	YEAR'S TOTAL 27·44
*Days with ·01 in. or more.	21	8	14	24	26	7	22	12	23	28	23	16	225
*Days with ·04 in. or more.	8	2	11	17	19	4	13	4	13	12	12	4	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. H. Taylor

P.T.O.

990

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Station No. 990.

Kept at Aylesbury Sewage Works

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·22	·09	·	·	·	·	·	·	·	·03	·	1
2	19	·	·12	·	·14	·	·	·	·	·	·01	·	2
3	·	·17	·17	·	·05	·		·	·	·		·	3
4	·13	·03	·03	·	·32	·	·	·	·	·	·	·	4
5	·	·01	·12	·	·07	·	·	·	·	·	·02	·	5
6	·	·03	·16	·	·16	·	·	·	·	·12	·03	·	6
7	19	·08	·02	·	·01	·	·	·	·	·03		·01	7
8	·01	·	·07	·	·05	·	·21	·	·	·03	·	·	8
9	·	·01	·01	·	·10	·	·17	·	·	·06	·15	·	9
10	·01	·83	·	·	·01	·03	·43	·01	·	·12	·02	·	10
11	16	·01	·	·	·02	·02	·14	·10	·01	·16	·	·	11
12	·	·	·	·01	·01	·16	·04	·	·47	·01	·	·	12
13	·04	·		·	·15	·02	·23	·	·06	·01	·12	·	13
14	·	·	·		·01	·	·01	·01	·	·20	·38	·01	14
15	·15	·	·04	·	·	·	·15	·15		·03	·27	·	15
16	·01	·01	·68	·	·	·20	·12	·	·05	·06	·02	·	16
17	09	·	·29	·	·	·02	·01	·	·07	·01	·03	·	17
18	·03	·07	·03	·	·	·03	·	·	·01	·	01	·	18
19	·01	·03	·18	·01	·	·03	·	·	·37	·	·01	·01	19
20	·	·01	·15	·04	·	·06	·	·03	·01	·	01	·	20
21	·	·02	·01	·	·	·06	·	·29	·24	·02	·	·	21
22	·	·	·	·	·	·01	·	·12	·	·40	·	·	22
23	·	·	·	·18			·	·	·09	·02	·	·	23
24	·	·60	·	·13	·04	·28	·	·	·21	·	·05	·	24
25	·	76	·	·29	·01	·01	·	·	·04	·	·01	·06	25
26	·	·25	·	·10	·	·		·	·01	·10	·01	·01	26
27	·	·01	·	·01	·30	·	·01	·	·10	·10	·	·05	27
28	·	·	·	·09	·01	·	·	·	·01	·27	·	·03	28
29	·12	X	·01	·21	·	·	·07	·	·	·18	·	·04	29
30	·15	×	·05	·02	·	·	·04	·	·		·	·08	30
31	·09	×	·05	×	·	×	·01	·13	×	·02	×	·	31
TOTAL	1·48	3·15	2·28	1·09	1·46	·93	1·64	·84	1·75	1·95	1·18	·30	YEAR'S TOTAL 18·05
*Days with ·01 in. or more.	16	18	19	11	17	13	14	8	15	20	17	9	177
*Days with ·04 in. or more.	11	8	13	7	10	5	10	5	10	11	5	4	99

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W H Tagley

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 990

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Aylesbury Sewage Works.

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·01	·01	·	·	·	·	·16	·25	·03	·	·50		1
2	·30	·	·07	·	·04	·	·	·01	·72	·02	·	·23		2
3	·02	·11	·01	·02	·01	·	·	·	·01	·16	·	·01		3
4	·05	·01	·07	·21	·01	·	·	·	·04	·29	·06	·26		4
5	·01	·	·07	·01	·	·	·	·06	·	·03	·04	·25		5
6	·	·	·14	·01	·32	·02	·	·02	·	·23	·01	·51		6
7	·01	·	·01	·	·01	·03	·	·19	·	·10	·	·18		7
8	·	·	·	·	·08	·16	·	·07	·04	·	·18	·05		8
9	·01	·	·02	·	·01	·	·	·01	·01	·	·88	·34		9
10	·	·	·21	·11	·	·	·	·03	·	·	·08	·04		10
11	·29	·	·23	·07	·	·	·02	·02	·	·	·01	·14		11
12	·01	·01	·08	·02	·	·	·03	·48	·	·	·	·16		12
13	·37	·01	·06	·02	·	·	·88	·02	·	·01	·09	·62		13
14	·04	·01	·20	·	·01	·	·	·	·	·01	·33	·19		14
15	·10	·	·04	·	·04	·	·	·	·02	·13	·09	·13		15
16	·15	·	·08	·	·03	·	·	·	·	·06	·01	·01		16
17	·04	·	·	·01	·	·11	·	·	·02	·07	·02	·12		17
18	·33	·	·01	·26	·	·01	·14	·	·10	·01	·	·09		18
19	·01	·	·18	·03	·	·03	·	·	·09	·03	·01	·10		19
20	·	·	·12	·02	·	·01	·07	·	·01	·01	·	·01		20
21	·	·	·02	·05	·	·11	·01	·05	·	·12	·	·		21
22	·	·	·	·	·	·	·	·08	·26	·01	·01	·07		22
23	·	·	·	·23	·	·33	·	·01	·	·	·	·01		23
24	·	·07	·07	·06	·	·03	·67	·	·08	·	·	·		24
25	·24	·01	·	·03	·	·45	·01	·	·	·05	·	·18		25
26	·01	·	·01	·12	·	·02	·	·	·05	·02	·	·07		26
27	·04	·02	·	·01	·	·11	·	·	·	·01	·	48 ·48		27
28	·	·01	·	·	·	·19	·01	·85	·	·	·	·31		28
29	·	✕	·	·	·	·	·	·09	·19	·	·	·06		29
30	·04	✕	·	·	·	·	·	·	·02	·	·	·07		30
31	·03	✕	·	✕	·	✕	·01	·	✕	·01	✕	·05		31
TOTAL	2·18	·27	1·71	1·29	·56	1·61	1·85	2·15	1·91	1·41	1·82	5·24	Year's Total 22·00	
*Days with ·01 in. or more.	21	10	21	18	10	14	10	16	16	21	14	29	200	
*Days with ·04 in. or more.	13	2	14	8	4	7	4	9	10	9	8	25	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W.H. Taylor

[P.T.O.

COPY FOR OFFICIAL USE ✓

Section **A** for the entry of Daily Observations. Station No. 490

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Aylesbury Sewage Works

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18		·01	·03	·05	·06	·05	·	·	·03	·15	·		1
2	·01		·01	·01	·	·10	·	·	·02	·15	·04	·02		2
3	·	·08	·08	·05	·	·08	·	·	·16	·38	·10	·05		3
4	·	·01	·01	·08	·	·04	·	·	·31	·06	·	·06		4
5	·	·46	·05	·06	·	·21	·03	·	·34	·	·	·		5
6	·	·02	·01	·19	·	·44	·	·	·	·	·	·		6
7	·01	·	·	·49	·	·02	·	·	·	·08	·34	·16		7
8	·			·20	·	·	·	·	·	·34	·06	·13		8
9	·	·01	·	·25	·	·45	·	·	·	1·18	·35	·		9
10	·	·		·16	·	·	·	·	·	·	·03	·		10
11	·21	·	·	·01	·	·08	·80	·	·	·01	·18	·		11
12	·03	·03	·	·	·	·20	·	·	·	·	·02	·		12
13	·07	·16		·03	·13	·05	·	·	·	·	·	·		13
14	·	·01	·	·11	·13	·01	·	·	·	·	·14	·15		14
15	·	·17	·	·29	·02	·24	·	·	·12	·	·26	·13		15
16	·	·08	·04	·07	·01	·30	·	·	·33	·06	·42	·06		16
17	·	·01	·01	·06	·	·12	·	·	·05	·	·33	·		17
18	·	·	·	·50	·04	·10	·74	·	·51	·05	·11	·		18
19	·	·01		·10	·23	·04	·06	·	·09	·	·13	·04		19
20	·01	·12	·	·15	·00	·12	·06	·	·04	·	·20	·		20
21	·	·25	·02	·09	·	·	·	·	·06	·02	·12	·		21
22	·	·03	·06	·13	·	·	·	·11	·54	·	·	·		22
23	·	·01	·11	·01	·	·	·	·43	·03	·12	·	·10		23
24	·02	·35	·02	·	·	·	·	·08	·59	·	·	·13		24
25	·08	·27	·	·16	·	·50	·	·01	·	·	·	·08		25
26	·01	·12	·	·01	·	·	·	·15	·15	·	·	·24		26
27	·	·17	·	·	·	·	·	·	·09	·01	·17	·40		27
28	·	·04	·	·	·05	·	·	·	·12	·03	·02	·06		28
29	·	✕	·	·	·	·	·	·	·52	·	·01	·17		29
30	·06	✕	·	·18	·03	·	·	·81	·02	·05	·22	·30		30
31	·01	✕	·	✕	·	✕	·	·04	✕	1·14	✕	·13		31
TOTAL	·70	2·41	·43	3·42	·78	3·16	1·74	1·96	4·09	3·41	3·40	2·41	Year's Total 28·21	
* Days with .01 in. or more.	12	21	12	25	10	19	6	7	19	16	21	18	186	
* Days with .04 in. or more.	5	10	4	19	7	14	5	6	16	11	14	14	134	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) W.H. Hayley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 990

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Aylesbury Sewage Disposal Wks.
in the County of Bucks
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level..................ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·24	·06	·42		·03	·18		-	-	·07	·03		1
2	·12	·05				·30	1·06	·07	-	-	·06	-		2
3				·02		·28	·10	·01	·10	-	·23	·06		3
4			·21						·20	-	·07	·04		4
5	·08		·01					·02	·19	-	-	·11		5
6	·22					·19		·17	·10	-	·10	·12		6
7	·28		·02						·01	-	·03	·03		7
8	·21		·19						·02	-	·36	·11		8
9	·28		·02				·23		·30	·03	-	·01		9
10	·12						·19	·06	·12	-	·03	-		10
11				·03			·09		-	-	·34	-		11
12				·13		·40	·39		·19	-	·15	·14		12
13				·06		·78	·01		.	·05	·08	·19		13
14		·06				·03	1·07		·04	·14	-	·34		14
15		·02					·03		·07	-	-	·10		15
16	·08	·03							.	-	·40	·01		16
17	·09	·41			·19		·02		.	·02	·10	·11		17
18		·10				·40	·11		.	·29	·01	·07		18
19	·20	·08	·06	·06		·57		·04	.	-	-	-		19
20	·04	·10	·03	·17		·13	·03		·75	-	-	-		20
21				·18	·03	·35			·37	-	-	-		21
22	·12	·31	·05		·15		·21		.	-	-	·10		22
23	·02		·20	·10			·01		.	·05	-	-		23
24	·09	·06					·15		·11	·27	-	-		24
25	·01	·01	·11	·13		·01	·14		·18	·08	·05	·01		25
26		·13	·17			·08			·01	·11	-	-		26
27	·06		·01				·01		·08	·07	-	-		27
28	·43		·03				·25		·05	-	-	·12		28
29	·34		·03			·52	·02		.	·01	·23	·06		29
30	·05	✕			·12	·19	·08		.	·22	-	-		30
31	·41	✕	·21	✕	·01	✕	·14		✕	·44	✕	·15		31
TOTAL	3·34	1·63	1·41	1·30	·50	4·26	4·52	·37	2·89	1·78	2·31	1·91	Your's total 26·22	
* Days with .01 in. or more.	21	13	16	10	5	15	22	6	18	13	16	20	175	
* Days with .04 in. or more.	19	10.	9	8	3	12.	15.	4.	15	10	13	15	133	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 990

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Aylesbury Sewage Works
in the County of Buckinghamshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
„ Ground „ Sea Level ....ft.

Query sent 17.11.37 for June 20
observer corrected value for June 20 in reply

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-			-	-	-	-	·06		·37	·41		1
2	-	·18		·51	-	-	-	-	·01		~~·005~~ ·01	·26		2
3	·11	·32	·01		-	-	-	-			~~·005~~ ·01	·11		3
4	·15	·38			-	-	-	-				·45		4
5	·13	·01	·25		-	-	·04	-				~~·005~~ ·01 m		5
6	-	·01	·19	·01	·13	-	·21	-			·01			6
7	-	·56	·02	·15	-	-	-	-	·02					7
8	-	·08			·07	-	-	-			·22	·04		8
9	·02	·04		·20	·13	-	·09	-	·39			·14		9
10	-	-	·32	·73	·02	·23	·19	-				·12		10
11	·17	-	·18		·40	-	·01	-				·03		11
12	·16	·21	·12		·15	·27	·01	·14	·10			·08		12
13	·01	·10	·27	·02	·01	1·60	-	·06	·26			·22		13
14	·10	·03	·25	·15	-	-	-	1·62	·01			·01		14
15	·20	·08		·08	-	-	·86	-	·09			·04		15
16	·30	·26	·31	·94	-	·03	-	·07	·33			~~·005~~ ·01		16
17	·49	-	·17	·20	-	-	-	-	·27					17
18	·10	·12	·10	·01	-	·15	-	-		~~·005~~ ·01	·22	·06		18
19	·27	·05		·11	·02	·21	·05	-	·17	~~·005~~ ·01	·04	·04		19
20	·18	-		·33	·60	~~·90~~ ·09	-	-	~~·005~~ ·01	·01				20
21	·27	·39	·02	·03	·01	-	·04	-		~~·005~~ ·01		·02		21
22	·13	·01	·05		·06	·11	·09	-		·52	·15	·02		22
23	·21	-	·04		·35	-	·16	-		·36	~~·005~~ ·01			23
24	·27	·44	·02		-	-	·02	-	·08	·56		~~·005~~ ·01		24
25	-	·22			1·14	-	-	-		·37		~~·005~~ ·01		25
26	-	·48	·01		·41	-	-	-		·04				26
27	-	·12		·21	-	-	-	-	~~·005~~ ·01	·88				27
28	-	·05			-	-	-	-		·07		·04		28
29	·21	×			-	·01	-	-		·03	·03	·01		29
30	·26	×			-	-	-	-		·08	·18	~~·005~~ ·01		30
31	-	×		×	-	×	-	-	×	·11	×	·03		31
TOTAL	3·74	4·14	2·33	3·68	3·50	~~3·51~~ 2·70	1·77	1·89	~~1·80~~ 1·81	~~3·05~~ 3·06	~~1·23~~ 1·24	~~2·155~~ 2·16	Year's Total 31·98	✓ 32 02
* Days with .01 in. or more.	20	22	17	15	14	9	12	4	~~12~~ 13	~~11~~ 13	~~8~~ 9	~~19~~ 21	169	
* Days with .04 in. or more.	18	18	12	11	10	7	9	4	9	9	6	13	126	✓ 3208

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) .... 125 2.2.1 .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 990

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Aylesbury Sewage Works
in the County of Buckinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 251 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		01 ~~·005~~	01 ~~·005~~		01 ~~·005~~	·14	—	—	·02	·01		·05		1
2	·09	01 ~~·005~~	·005	·04	·02	·01	—	—	—	·40	·01	·02		2
3	01 ~~·005~~	—			·07	—	·01	—	01 ~~·005~~	·66	·02	—		3
4	·04	—	01 ~~·005~~			—	01 ~~·005~~	—	—	·26		·14		4
5	01 ~~·005~~	—				—	·33	—	—	·10		01 ~~·005~~		5
6	·03	—				—	·05	01 ~~·005~~	·06	·11	·02	—		6
7	·02	—	01 ~~·005~~			·03	·25	·06	16 ~~·06~~	·45		·07		7
8	·07	—				·03	·33	·27	01 ~~·005~~	·14		·01		8
9	·02	·01				—	·11	·04	—			·65		9
10	·17	·09				·14	·08	·29	—			·06		10
11	·34	—				—	—	—	—		·09	·01		11
12	·29	·01			·01	—	·01	·25	—	·34	~~15~~	01 ~~·005~~		12
13	·01	·01				—	—	·03	—		·09	·04		13
14	·22	·01			·04	—	·04	—	·03		·01	·02		14
15	·06	—			·01	—	16·[illegible]	—	—	·10	·01	·06		15
16	·47	·02			01 ~~·005~~	—	·01	—	—	·08	·01	·08		16
17	01 ~~·005~~	·08				—	·01	—	·02	·04		—		17
18	·03	01 ~~·005~~			·05	—	—	·03	·19	·03	·28	—		18
19	—	—			01 ~~·005~~	—	—	·08	·13		·17	—		19
20	—	—				—	—	—	·02		·42	—		20
21	·01	—				—	—	·03	·01		·01	·03		21
22	—	—				·01	—	·03	—		·13	·48		22
23	—	—				—	—	—	—		·08	01 ~~·005~~		23
24	—	—	·18		·04	—	—	—	·19		·02	—		24
25	·09	·08	·08	·03	·09	—	—	·16	01 ~~·005~~	·01	·68	·05		25
26	·23	·32	·10		01 ~~·005~~	·02	—	—	·08	·20	~~15~~	·10	✓	26
27	·09	·06		01 ~~·005~~	·18	·25	·23	·01	·38	·03	·48	—		27
28	·18	·04			·91	·09	01 ~~·005~~	·88	·01		·04	·11		28
29	·34	✕			·26	—	—	·02	01 ~~·005~~	·01	·08	·15		29
30	·01	✕		01 ~~·005~~	·17	·15	—	—	·15	·03	·19	·06		30
31	·18	✕		✕	·24	✕	—	—	✕	·21	✕	·20		31
TOTAL	3·02 ~~[illegible]~~	·76 ~~[illegible]~~	39 44 ~~·38~~	·09 ~~·08~~	2·13 ~~[illegible]~~	·87	1·64 ~~[illegible]~~	2·19 ~~2·155~~	1·49 ~~[illegible]~~	3·21	2·84	2·42 ~~2·405~~	Year's Total ~~19·31~~	[illegible] 5
* Days with .01 in. or more.	24	~~N~~13	5	3	185	10	134	14	146	19	20	20	173	21·05
* Days with .04 in. or more.	15	6	3	21	10	5	9	8	~~7~~8	13	12	15	105	2110

Corrd 9/48. Noted in 10 yr book & graphics copy of B.R. & [illegible] copy

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) C. L. Percy.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 990

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

9.12.39 Reminder sent for January return.

Copy by B.R.O.

Kept at Aylesbury, Sewage Works

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 251 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	–	·47	·23	–	~~·005~~ ·01	·07	·02	–	–	·02		1
2	·03	–	–	·06	–	–	–	·36	·29	–	·02	·07		2
3	·40	–	–	·16	–	–	–	·50	–	·03	·15	·24		3
4	·02	–	·21	·30	–	–	·01	·05	–	·10	·02	·05		4
5		–	·02	·27	·06	–	·07	·25	–	·20	·20	·58		5
6	·49	–	–	·01	–	–	·20	·05	–	~~·005~~ ·01	·09	·01		6
7	·06	·05	–	–	–	–	·11	·01	–	~~–~~	·32	·18		7
8		·12	·13	–	–	–	·10	·39	–	·47	·18	·57		8
9	·06	·18	–	–	–	–	–	·06	–	·32	~~·005~~ ·01	·12		9
10	·30	·18	–	–	–	·32	–	·08	–	–	~~·005~~ ·01	~~·005~~ ·01		10
11		–	·18	–	–	·07	–	–	·02	–	·01	~~·005~~ ·01		11
12		–	·01	–	–	·06	–	–	–	~~·005~~ tr	–	–		12
13		·03	·01	·01	–	–	·01	–	·04	·56	–	–		13
14	·26	–	·06	·02	·24	·03	·09	–	~~·005~~ ·01	·12	·22	–		14
15	·14	–	–	–	·20	·39	·13	–	·02	·45	·09	–		15
16	·34	–	·09	·04	·09	·52	·08	–	–	·08	·47	–		16
17	·22	~~·005~~ ·01	·02	[illegible]	·06	–	·13	–	–	2·05	·04	–		17
18	·13	~~·005~~ ·01	·05	–	[illegible]	·23	·34	–	–	·04	·45	–		18
19	·20	·03	–	–	–	–	·25	–	–	·14	·02	–		19
20	·19	–	~~·005~~ ·01	–	–	·12	·23	·02	–	–	–	–		20
21	·08	·08	·33	·03	–	·12	·97	·25	·05	·01	–	–		21
22	·17	·24	·16	·03	–	·03	·08	–	~~·005~~ tr	–	·14	–		22
23	·02	–	–	·11	–	·01	·20	–	–	·04	·65	·02		23
24	·08	–	~~·005~~ ·01	·12	–	–	·11	–	–	·11	~~·005~~ ·01	~~·005~~ ·01		24
25	·63	·09	·27	–	–	–	·18	–	–	–	·42	–		25
26	·28	·05	~~·005~~ ·01	·02	–	–	~~·005~~ ·01	·12	–	·08	·45	~~·005~~ ·01		26
27	~~·005~~ ·01	·03	·07	·01	–	–	·01	–	–	·02	·11	–		27
28	·01	·14	·06	–	–	·03	·42	–	–	·01	·19	·06		28
29			–	·33	–	–	·44	–	–	·15	·05	–		29
30			–	·44	–	·01	–	–	–	·01	·11	·04		30
31			–		–		·07	·06		–		·02		31
TOTAL	4·14 ~~4·135~~	1·24 [illegible]	1·70 1·69 [illegible]	2·43	·88	1·94	4·25 [illegible]	277 272	·45	5·00	4·43 [illegible]	2·02 [illegible]	Year's Total [illegible]	[illegible]
* Days with .01 in. or more.	22	~~12~~ 13	~~15~~ 17	17	6	13	22	14	~~8~~ 7	~~20~~ 21	~~24~~ 21	~~13~~ 15	191	31 20
* Days with .04 in. or more.	17	9	11	10	6	8	18	14	3	15	18	9	138	3125

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 990

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Aylesbury (Sewage Wks)

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

,, Ground ,, Sea Level ~~370~~ ft. ? 251?

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	~~·005~~ ·01	-	·02	·01	-	-	-	-	-	·20	-		1
2	-	·03	-	·07	-	-	·09	-	-	·06	1·53	-		2
3	-	·13	-	·16	-	-	-	-	-	·09	·68	-		3
4	-	·10	-	·07	-	-	-	-	-	·22	·83	·07		4
5	-	·01	-	-	-	-	·02	-	-	·03	·44	·17		5
6	·11	·11	-	-	·10	-	·30	-	-	·16	·30	-		6
7	·25	·21	-	-	·04	-	·09	-	·01	-	-	·01		7
8	·01	~~·005~~	-	·02	-	·23	-	-	-	·12	·03	·25		8
9	-	-	-	-	-	-	-	·01	·04	·03	·05	·04		9
10	-	-	-	-	-	·09	·58	-	-	·12	·27	·06		10
11	-	-	·01	·06	-	-	·05	-	-	-	·74	-		11
12	-	~~·005~~	·04	-	-	-	·08	-	·12	-	·03	·01		12
13	-	~~·005~~ ·01	·56	-	-	-	·02	-	·06	-	·89	-		13
14	-	-	·07	·12	·01	-	·06	·01	·06	·10	-	·21		14
15	-	-	·02	·02	·09	-	·10	-	·01	·08	·21	·01		15
16	-	·08	·61	-	-	·02	·36	-	·18	·55	·70	·01		16
17	-	-	·21	-	-	-	·01	-	-	·01	·03	-		17
18	-	·49	·14	·26	-	-	·08	-	-	·11	·15	·16		18
19	-	·14	·06	·14	-	-	·01	-	·07	-	·19	·01		19
20	-	·02	·21	·02	-	-	·05	·03	-	·17	·01	-		20
21	·09	·05	·04	-	·27	-	·18	-	-	·10	·26	-		21
22	·01	-	·05	-	·44	·29	-	-	·14	-	-	-		22
23	-	·12	·10	·05	·06	·20	-	-	-	·05	-	·02		23
24	·01	-	·01	·13	-	-	·12	-	-	-	·01	-		24
25	-	-	·01	-	-	-	·08	-	-	-	-	-		25
26	1·22	·05	·05	·01	·04	·01	·12	-	-	-	-	~~·005~~ ·01		26
246 27	·54	·13	-	·09	·25	-	·05	-	-	-	-	-		27
25 28	·61	·04	-	-	·08	-	-	-	-	-	-	~~·005~~ -		28
29	-	·04	·09	-	·01	·09	-	-	-	-	-	·38		29
30	·01	✕	-	·30	-	-	-	-	-	·16	-	·02		30
31	·08	✕	-	✕	-	✕	-	-	✕	·46	✕	·01		31
TOTAL	2·94	1·77	2·28	1·54	1·40	·93	2·45	·05	·69	2·62	7·55	1·45	Year's Total 25·67	✓
* Days with .01 in. or more.	11	~~16~~ 18	17	16	12	7	20	3	9	18	20	~~16~~ 17	168	✓
* Days with .04 in. or more.	7	13	13	11	9	5	16	-	7	15	15	8	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. H. Taylor, Esq.

[P.T.O.

991

991

MENTMORE GARDENS

1931 - 1940

1933, 1934, MISSING

780206

Section **A** for the entry of Daily

AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGISTER

31 .

Kept at Mentmore Gard

in the County of Buck

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMEN **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09	·24										1
2				·21	·10				·10		·09		2
3		·05		·51	·25			·22	·49			·18	3
4	·10			·23	[illegible]			·25	·66		·30		4
5			·04	·99					·09	·37		·42	5
6		·14		·14		·06	·31				·29		6
7			·05	·10		·28		·12			·10		7
8	·09	·09				·09	·40	·62		·12	·07		8
9						·07		·25		·04	·18		9
10		·20	·09	[illegible]		·20			·10		·20		10
11	·15	·27				·05	·46		·39		·10		11
12							·10	·10					12
13			·04	·04			·24						13
14	·05	·09						·06					14
15					·14	·07	1·21	·37				·07	15
16	·06				·21		·28	·12	·39				16
17		·19		·12	·35		·15	·15					17
18		·15		·10		·12							18
19	·10			·26		·15	·25	·37	·25		·53		19
20			·04	·53			·06						20
21	·06			·20	·23	·04		·12	·06				21
22	·12	·07			·10	·06							22
23					·31						·25		23
24	·23			·25	·25		·05						24
25		·05		·36	·09						·07		25
26				·34	·						·41		26
27	·18				·10		·71				·19		27
28		·49			·17		·61			·36			28
29					·05		·10					·14	29
30	·14	×					·09						30
31		×		×		×		·04	×		×		31 [illegible]
TOTAL	1·28	1·88	·46	3·48	2·65	1·69	5·02	2·74	2·53	·89	2·78	·81	YEAR'S TOTAL 26·26
*Days with ·01 in. or more.	11	12	6	15	13	11	15	13	9	4	13	4	126
*Days with ·04 in. or more.	11	12	~~5~~ 6	15	13	11	15	13	9	4	13	4	126

40-9999

(Signed) T. Lindores.

P.T.O.

*See Instruction 2 (*f*) on other side.

991

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Mentmore Gardens.

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 15 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09	·24										1
2				·21	·10				·10		·09		2
3		·05		·51	·25			·22	·49			·18	3
4	·10			·23				·25	·66		·30		4
5			·04	·09					·09	·37		·42	5
6		·14		·14		·26	·31				·29		6
7			·05	·10		·28		·12			·10		7
8	·09	·09				·09	·40	·62		·12	·07		8
9						·07		·25		·04	·18		9
10		·20	·09			·20			·10		·20		10
11	·15	·27				·05	·46		·39		·10		11
12							·10	·10					12
13			·04	·04			·24						13
14	·05	·09						·06					14
15					·14	·07	1·21	·37				·07	15
16	·06				·21		·28	·12	·39				16
17		·19		·12	·35		·15	·15					17
18		·15		·10		·12							18
19	·10			·26		·15	·25	·37	·25		·53		19
20			·04	·53			·06						20
21	·06			·20	·23	·04		·12	·06				21
22	·12	·07			·10	·06							22
23					·31						·25		23
24	·23			·25	·25		·05						24
25		·05		·36	·09						·07		25
26				·34	·						·41		26
27	·18				·10		·71				·19		27
28		·49			·17		·61			·36			28
29					·05		·10					·14	29
30	·14	×					·09						30
31		×		×		×		·04	×		×		31 [illegible]
TOTAL	1·28	1·88	·46	3·48	2·65	1·69	5·02	2·79	2·53	·84	2·78	·81	YEAR'S TOTAL 26·26
*Days with ·01 in. or more.	11	12	6	15	13	11	15	13	9	4	13	4	126
*Days with ·04 in. or more.	11	12	6	15	13	11	15	13	9	4	13	4	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) T. Lindores.

[P.T.O.

991

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No 991.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at MENTMORE GARDENS.
in the County of Bucks.

Diameter of Funnel of Gauge 5. in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 400. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·16	·83			·15	·11	·34			1
2	·7			·15	·28				·15	·15	·12	·24	2
3				·26	·16				·24				3
4											·23		4
5	·21				·7		·22		·10				5
6	·30		·7				·19		·21				6
7				·5									7
8				·10	·15				·47	·21			8
9	·8			·9									9
10	·18			·12.	·14				·6	·11			10
11						·10	·55	·18					11
12					·18					·31	·11		12
13	·7			·14	·4					·29	·9		13
14	·15			·10						·9			14
15					·39					·10			15
16	·29				·41								16
17										·7			17
18									·36		·9		18
19				·5						·20			19
20							·14	·78		·68	·9.		20
21			·4	·22	1·35		·22	1·21		·57			21
22	·7	·6	·40				·32		·43	·12	·36		22
23									·15	·71			23
24			·7				1·10		·9.	·7	·10		24
25		·11					·50		·11	·50			25
26				·40			·38						26
27			·35	·12	·40		·33	·21		·12	·11		27
28			·24	·7	·37		·44			·11			28
29			·23	·12	·71				·14	·34			29
30		×	·26	·10		·34		·9		·15	·25	·19	30
31		×		×		×	·5		×		×	·10	28 ·54 31
TOTAL	1·54	·17	1·66	2·25	5·48	·44	4·$\overset{4}{3}$4	2·62	2·62	5·24	1·55	·53	YEAR'S TOTAL ~~28·74~~
*Days with ·01 in. or more.													
*Days with .04 in. or more.	10	2	8	16	14	2	12	6	13	20	10	3	116

40-9999
*See Instruction 2 (*f*) on other side.

(Signed) T. Lindous

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 991

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mentmore Gardens. X

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

Ave. 25·0

W.D. ✓ 1st Mar. onwards Corrected for W.D. 13.7.36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·15)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25				·09						1·21			1
2	·01			·04			·16		·04	·11	·20 ~~1·41~~	·29		2
3		·19	·10			·11				·16	·03			3
4		·02		·03		·09			·53	·56	·07	·01		4
5		·45	·05	·16					·43	·09				5
6		·17	·02	·10		·25			·26	·04	·02			6
7	·01			·19		·44				·31				7
8				·50		·03					·68	·17		8
9				·21				·04			·03	·11		9
10				·15		·44				·98	·12	·01		10
11	x ✓			·13		·02					·05	·03		11
12	·28	·03		·03		·06	·41				·17			12
13	·15	·18				·15					·02			13
14		·01			·25									14
15		·20		·15	·22									15
16		·56	·06	·30	·05	·18			·14		·45			16
17	·01	·01		·05		·57			·16		·47	·15		17
18				·04		·15				·06	·46			18
19				·46		·07	·28		·45		·05			19
20	·03	·11		·12	·42	·06	·07		·08	·09	·20	·18		20
21	·01	·16		·16	·12	·13	·17				·07			21
22			·02	·02					·33		·08			22
23		·02	·11	·07				·06	·16					23
24	·03	·32	·18					·65		·15		x		24
25	·14	·25	·04						·58			x ·29		25
26		x		·20		·47						·04		26
27		x ·28						·21	·14	·05		·25		27
28	·01	·13			·07				·09	·02	·25	·04		28
29	·10								·87	·03		x		29
30								·04	·08			x		30
31			–	·09	·14	–	–	·50	–	1·21	–	x ·27	"d"	31
TOTAL	1·33	3·09	·58	3.10 ~~3·[illegible]~~	1.27 ~~·26~~	3·22	1·09	1·50	4·34	3.86 ~~2·65~~	3.42 ~~4·63~~	(·15) ·99 ~~·84~~	Year's Total 79 ~~28·64~~	
* Days with .01 in. or more.	13 ~~7~~	18 ~~5~~	8 ~~2~~	21 ~~3~~	7 ~~0~~	16 ~~2~~	5 ~~0~~	6 ~~0~~	15 ~~0~~	14 ~~2~~	18 ~~4~~	17 ~~3~~	~~28~~	~~158~~
* Days with .04 in. or more.	5 ✓	13 ~~12~~	6 ✓	18 ~~7~~	7 ~~8~~	14 ✓	5 ✓	6 ✓	15 ✓	12 ~~11~~	14 ✓	14 ~~10~~	~~123~~	129

O.K. print

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Mr T. Lindores X [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 991.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~Mentmore Gardens~~

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

832727/28

Days.

acy

W. D. as far as Oct 23rd

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·35	·20	·31		·06	·30	·14			·05	·04		1
2	·12	·24	·12	·35		·05	·12				·04			2
3	·03	·04	·02	·02		·28	1·69	·04			·29	·05		3
4	·01				·01	·08	·02		·06			·02		4
5			·16			·31			·24		·09	·10		5
6	·10		·05			·16			·25		·14	·10		6
7	·08				·08		·22	·24						7
8	·35		·05		·01				·09		·22	·12		8
9	·16		·14		·02									9
10	·18		·06			·03	·43		·33	·04		·01		10
11	·10						·15		x		·39			11
12				·03			·09		- ·42		·34	·13		12
13				·12		·29	·38	·02	x	·04	·09	·09		13
14				·10		·93					·04	·38		14
15		·09				·05	·54		·06	·10		·01		15
16		·02				·23	·68		·09		·42	·09		16
17	·15	·01							·01	·02	·14	·09		17
18		·50			·22					·02	·06	·01		18
19		·06					·10			·11				19
20		·03	x	x		·55		·03		·01				20
21		·12	x ·10	x	·02	·01	·05		·49					21
22				x ·43		·42	·02		·58			·10		22
23	·07				·35		·23			·08		·02		23
24				·09			·05			·30		·02		24
25	·13	·12					·09		·11	·05	·04	·03		25
26		·03	·14			·01	·12		·42	·14				26
27	·03	·20	·10	·03		·10				·06				27
28	·04	–							·16			·13		28
29	·46	·20	·10				·35		·04	·05	·25	·03		29
30	·48	✕				·11	·29		–	·30		·01		30
31	·04	✕	·31	✕	·15	30 ✕	·06		✕	·47	✕	·05	"d"	31
TOTAL	·35 2·88 ~~2·71~~	1·67 ~~1·62~~	1·38 ~~1·24~~	1·17 ~~1·48~~	·06 92· ~~·86~~	3·71 ~~3·49~~	·14 5·88 ~~5·96~~	·36 ~~·30~~	3·31	1·99	2·61	1·61 ~~1·56~~	Year's Total ~~27·49~~	27·21
* Days with .01 in. or more.	18 ~~3~~	13 ~~4~~	13 ~~12~~ ~~3~~	10 ~~9~~ ~~3~~	9 ~~8~~ ~~4~~	17 ~~3~~	20 ~~2~~	5 4 ~~2~~	16 ~~15~~ ~~X~~	15 ~~3~~	15	22 ~~5~~	~~55~~	✓ (173) ~~170~~
* Days with .04 in. or more.	15	9	12 ~~7~~	7 ~~6~~	5 ~~4~~	14	18 ~~19~~	2 ~~3~~	15 ~~14~~	12	15	13	~~136~~	✓ ✓ (138)

† Spare column, no entries required.

* See Instruction 6 (f) on other side.

(Signed) T. Lindores

[P.T.O.

~~Mr. T. Lindores~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 991

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lantmore Gardens

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

W. D. Day

✓ aR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·24	·20								·20	·18		1
2	·27								·07		·43	·58		2
3	·03	·10	·01	·56								·50		3
4		·11	·02		·05						·01	·21		4
5	·09	·49										·38		5
6	·19	·02	·20				·03							6
7	·12	·01	·36		·17		·18				·04			7
8		·54	·08	·15			·02		·03					8
9	·02	·09									·26	·09	Snow.	9
10		·02		·06	·19		·17		·36			·46		10
11	·02		·26	·42		·26	·06					·15		11
12	·		·29		·54		·02					·04		12
13	·15	·20	·12		·19	·04		·01	·10			·05		13
14	·14	·05	·12			1·30		·45	·06			·21		14
15	·04	·03	·50	·18				·79				·01		15
16	·04	·07		·09			·53		·07			·07	Snow	16
17	·11	·23	·32	·71				·11	·31			·02		17
18	·33	·01	·17	·27		·02			·32					18
19	·45	·10	·09	·02	·03	·29			·05			·02		19
20	·10	·10	·01	·10		·20			·55			·08		20
21	·27	·04		·45	·64	·03			·05					21
22	·17	·31	·04	·04	·02		·08	·01				·04		22
23	·25	·06	·07	·02	·05	·27	·04			·39	·16	·02		23
24	·20		·08		·28		·21			·76	·18	·01		24
25	·19	·38					·02		·08	·19		·02		25
26	·09	·28	·04		1·40				·03	·28		·01		26
27	·01	·35	·09		·33					·03				27
28	·03	·05	·02	·19					·03	·97	·02			28
29				·01						·07		·06		29
30	·04	✕								·03		·03		30
31	·24 ·26	✕ ·20		✕		✕			✕	·02	✕ ·18	·02		31
TOTAL	~~3·66~~ 3·85	~~3·88~~ 3·84	~~3·09~~ 2·89	3·27	3·89	2·41	1·36	1·37	2·11	~~2·74~~ 2·94	~~1·30~~ 1·28	~~2·46~~ 2·80 ·02	Year's Total ~~32·04~~	32·01
* Days with .01 in. or more.	26~~5~~	24~~5~~	20~~4~~	15~~3~~	12~~2~~	8~~2~~	11~~4~~	5~~2~~	14~~3~~	10 9~~3~~	8~~2~~	24~~2~~	~~44~~	177
* Days with .04 in. or more.	21	19	~~17~~ 18	12	10	6	7	3	11	~~6~~ 7	6	~~15~~ 14	~~135~~	134

† Spare column, no entries required

(*Signed*) T. Lindow [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 991

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Mentmore Gardens,

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

WD

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .35

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02		.04		.02	.22	.06			.09	.12	.15		1
2			.01			.17			.06		.05	.05		2
3	.12	.05		.03	.05					.38		.03		3
4	.02				.10		.02		.02	.50	.03			4
5	.12									.18		.06		5
6							.34			.19	.02	.07		6
7	.05						.03		.03	.40				7
8	.03						.37	.07	.04			.09		8
9	.08					.04	.33	.09						9
10	.06						.13	.66				.73		10
11	.08	.01					.06	.19				.05		11
12	.38						.01	.38			.08	.01		12
13	.25	.03			.01			.27		.35	.01			13
14	.03	SNOW .05						.02		.02	.08	.05		14
15	.21	SNOW. .03			.03		.01		.09		.01			15
16	.29	.01					.18			.09	.02	.05		16
17		.04								.04		.21		17
18		.09			.02				.03	.06				18
19	.04				.14				.02	.09	.33			19
20								.06	.18		.26			20
21									.04		.33	SNOW .10		21
22									.03		.03	SNOW .38		22
23											.12	SNOW .08		23
24					.01						.05			24
25			.21		.05				.29		.03			25
26	.09	.07	.10		.05				.09		.61	SNOW .04		26
27	.25	.28	.13			.01			.08	.21				27
28	.07	.05	.10		.01	.24	.18	.12	.35		.50			28
29	.16	·04			.83	.06		.83	.19	.01	.06	.02		29
30	.30	✗		.02	.14						.06	.25		30
31	.03	✗	—	·02 ✗	.01	·06 ✗	—	—	·09 ✗	.01	·15 ✗	.09		31
TOTAL	2·66 ~~2.68~~	·75 ~~.71~~	·55 ~~.59~~	·07 ~~.05~~	·22 ~~1·62~~ ~~1.47~~	·58 ~~.74~~	1·66 ~~1.72~~	✓ 2.69	1·63 ~~1.54~~	~~·72~~ 2·65 ~~2.62~~	2·83 ~~2.80~~	·35 ~~2·71~~ ~~2.51~~	Year's Total ~~20.12~~	✓ 20·45
* Days with .01 in. or more.	20	12	5	3	14	6	11	10	16	15	20	19	~~43~~	151 ✓
* Days with .04 in. or more.	16 ✓	8	4	—	8	5 ✓	7	9 ✓	11	12 ✓	13 ✓	16 ✓	~~108~~	109 ✓

† Spare column, no entries required.

(*Signed*) T. Lindores.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Mentmore Gardens

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·12	·04	·03	·73		·02	·17 THUNDER RAIN	·02			·12		1
2	Snow ·03				·27			·05	·39					2
3				·11				·31	·25			·27		3
4	Snow ·26			·16				·34			·04			4
5	·05			·25			·03	·05		·07	·15			5
6					·08			·85		·13	·19	·75		6
7	·55				·02		·07	·02			·09			7
8			·14				·18	·03		·03	·13	·10		8
9							·13	·17		·35	·17	·68		9
10	·15	·08						·08		·35				10
11						·44		·16	·02			·09		11
12						·14			·02					12
13	·03		·05	·02		·03								13
14		·14	·01		·04	·02			·06	·57				14
15	·29				·47	·31			·18	·25	·22			15
16	·11	·02		·04	·04	·44	·02		·08	·54				16
17	·25		·10	·09	·34		·03		·02	·09	·38			17
18	·15		·11	·02			·27 THUNDER RAIN			1·42	·03			18
19	·15					·24	·16			·02	·12			19
20	·17					·14	·22			·23				20
21	·07	·05				·23	·29	·02						21
22	·15		·29			·14	·15		·06					22
23	·07	·28	·15	·04		·03	·09		·02		·12			23
24		·01		·11			·14			·04	·62			24
25	Snow ·07			·13			·01			·15				25
26	Snow ·43		·24				·22				·42			26
27	·54			·08			·01	·11		·17	·29			27
28	·02		·16	·03						·15	·36	Snow ·30		28
29			·02				·57			·07	·19			29
30		✕		·37						·21	·04			30
31		✕	·12	✕		✕			✕		✕			31
TOTAL	3·54	·70	1·43	1·48	1·99	2·16	2·61	2·36	1·12	4·84	3·56	2·31	Year's Total 28·10	
* Days with .01 in. or more.	19	7	12	14	8	11	18	13	11	18	17	7	~~81~~	155
* Days with .04 in. or more.	16	5	10	~~9~~ 10	7	8	12	~~11~~ 10	6	16	16	7	123	

† Spare column, no-entries required.

*See Instruction 3 (f) on other side.

(*Signed*) T. Lindores

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 991

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Mentmore Gardens
in the County of Bucks.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 400 ft.

Days 1.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·48						·45			1
2		·15			·06						·19			2
3		~~·15~~		·13						·08	·79			3
4		·09		·12						·15	·71	·04		4
5		~~·09~~					·05			·20	·70			5
6		·16								·02	·50			6
7	·12				·08		·41			·11	·52			7
8	·26				·05		·08							8
9				·05			·03		·10	·14	·03	·30		9
10						1·15			·23	·17	·04	·05		10
11							·37	·07			·34			11
12				·04		·03	·03				·75	·05		12
13			·05				·13		·09		·03			13
14			·77	·15			·05		·10		1·08			14
15		SNOW ·16	·11	~~·15~~			·08		·07	·06	·21			15
16					·18			·02	·02	·03	·70	·14		16
17			·25			·02	·54		·15	·76	·18	·03		17
18			·55				·02				·10			18
19		·39	·26	·29							·09	·04		19
20			·14	·14					·10	·10	·07			20
21							·18			·07	·23			21
22	SNOW. ·36		·05		·19		·12			·09				22
23			·04			·44			·15					23
24	–	·24		·05		·09					·03			24
25	–			·15			·12					·02		25
26	– Snow.	·04	·14			·03	·23							26
27	·69	·14	·15		·09							·07		27
28	SNOW. ·90				1·01		·10	·01		·07				28
29		·05	·04		·17									29
30		X			·07	·09						·43		30
31		X	~~·04~~	X		X			X	·12	X	·06		31 "d"
TOTAL	2·33	1·42	2·55	~~1·12~~ 1·60	~~2·38~~ 1·90	1·85	2·54	·10	1·01	~~2·77~~ 2·52	~~8·74~~ 8·29	1·22	Year's Total 27·43	1·35
* Days with .01 in. or more.	6 ~~5~~	11 ~~9~~	13	12 ~~9~~ ~~10~~	~~10~~ 9	~~8~~ 7	18 ~~21~~	~~2~~ 3	~~1~~ 9	16 ~~2~~ 15	28 ~~27~~	~~2~~ 11	~~16~~	~~127~~
* Days with .04 in. or more.	5	9	12	~~9~~ 10	~~10~~ 9	4	13	1	8	~~13~~ 14	17 ~~18~~	9	111	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) T. Lindores.

P.T.O.

992

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

REGISTE

992

QUAINTON

1931 - 1940

780206

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

93 1.

Supplied by ram. Stas.

Kept at Quainton,

in the County of Buckingham

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM … **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.06	.04	.01			.14				1
2	.03	.07		.55			.03		.59			.08	2
3	09		~~.55~~	.13	.08			.12	.75		.42	.16	3
4			Ill	.06			.15	.09	.25		.28		4
5			Not	.12		.44	.06		04		03	.53	5
6		.16	taken daily	.08	.02	.48	.06			.29	.22		6
7				.01		.04	1.17	.30		.01	.02		7
8		.03		.05	.02	.04		26		.08	.21		8
9		.17				.44	.15			.04			9
10					.01	.05	.35	.23			.16		10
11	.33	.27							07		.18		11
12	.01	.04					.12	08	.43				12
13							.09	19					13
14	.01	.06		.08	.05	.15	1.15	.27					14
15		.03			.15		.18					04	15
16	.01	Snow			.16	.20		28	.24				16
17	.02	.37		Snow .60	.28	.05	.17		.08				17
18	.08			.22		.17	.06	.29			.36		18
19	.01		02	.33			.18	02	03				19
20	.01	.02		.10				.16					20
21	.02		.02		.41			.04					21
22	.23	01		.05	.08				.02				22
23	.17	.01			.29	.01					.30	.09	23
24		.01		.12	.29	.04	.03						24
25	03			.27	.04		.39				.11		25
26		02		.09			.48				.25		26
27	.09			.01			.08				.16		27
28	.15	.55		.06						.02			28
29	.03				40		.06		.02	.25		.13	29
30	.07	×			.20			12			.01		30
31	.20	×		×		×			×		×		31
TOTAL	1.59	~~1.38~~ 1.85	~~.59~~ .04	2.99	2.52	2.12	4.96	2.45	2.67	.69	2.73	1.03	YEAR'S TOTAL 25.64
*Days with ·01 in. or more.	19	19	2	19	16	13	19	14	12	6	14	6	159
*Days with ·04 in. or more.	9	10	0	17	13	11	17	13	9	4	11	6	120

40-9999

(Signed) Zenas H Cosc [P.T.O.

*See Instruction 2 (*f*) on other side.

992

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Quainton,
in the County of Buckingham

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 14 in.
" Ground " Sea Level abt 350 ft.

adjusted by near Stas.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.06	.04	.01			.14				1
2	.03	.07		.55			.03		.59			.08	2
3	09		~~.55~~	.13	.08			.12	.75		.42	.16	3
4			All	.06			.15	.09	.25		.28		4
5			not	.12		.44	.06		04		03	.53	5
6		.16	taken daily	.08	.02	.48	.06			.29	.22		6
7				.01		.04	1.17	.30		.01	.02		7
8		.03		.05	.02	.04		26		.08	.21		8
9		.17				.44	.15			.04			9
10					.01	.05	.35	.23			.16		10
11	.33	.27							07		.18		11
12	.01	.04					.12	08	.43				12
13							.09	19					13
14	.01	.06		.08	.05	.15	1.15	.27					14
15		.03			.15		.18					04	15
16	.01	Snow			.16	.20		28	.24				16
17	.02	.37		Snow .60	.28	.05	.17		.08				17
18	.08			.22		.17	.06	.29			.36		18
19	.01		02	.33			.18	02	03				19
20	.01	.02		.10				.16					20
21	.02		.02		.41			.06					21
22	.23	01		.05	.08				.02				22
23	.17	.01			.29	.01					.30	.09	23
24		.01		.12	.29	.04	.03						24
25	03			.27	.04		.39				.11		25
26		02		.09			.48				.25		26
27	.09			.01			.08				.16		27
28	.15	.55		.06						.02			28
29	.03				40		.06		.02	.25		.13	29
30	.07	×			.20			12			.01		30
31	.20	×		×		×			×		×		31
TOTAL	1.59	~~1.38~~ 1.85	~~.59~~ .04	2.99	2.52	2.12	4.96	2.45	2.67	.69	2.73	1.03	YEAR'S TOTAL 25.64
*Days with ·01 in. or more.	19	19	2	19	16	13	19	14	12	6	14	6	159
*Days with ·04 in. or more.	9	10	0	17	13	11	17	13	9	4	11	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Zenas H. Wise

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Quainton

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

" Ground " Sea Level abt 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		04		07	1.88		.04	.03	.02	.33		.01	1
2				.15	.17			.01	.20	.09	.10	.19	2
3				.20	.08								3
4	.06								~~09~~		.30		4
5	.23				.03		.20		.09				5
6	.36		05				.13						6
7			.07	.06			.01		01				7
8			.06	.09					1.51	.06			8
9	.06			.02	.14				.04				9
10	.04			.10	.04				.01	.11	.02		10
11				.12	.05	01	.22	02		.21	.02		11
12	.22				.24				01	27	.01		12
13	.05	.04		.20	.01		09		.05	.02		07	13
14	.26			.02				.10		.01	02		14
15					.32					.03			15
16	.30			.27	12								16
17							.09			.15			17
18					04				.50		.04		18
19									.03	.20	.01	.02	19
20				02	.16			.56		.60	.06		20
21	03		.17	.18	1.45			1.73		.53			21
22	.01		.18	.01			.20		.37	.11	.30		22
23		05			.40				.09	.50	.03	.04	23
24							1.38		.03	.05	.07		24
25		07					.19			.33			25
26			.06	.29	.10		.16		10				26
27			.36	.15	.34		.30			.06	.09		27
28			.33	.11	.37		.31			.10			28
29			.18	07	.28	06			06	.24	.04		29
30		×	.15	.08		36		.15	12	.03	.35	.26	30
31		×	.22	×		×	03		×		×	.06	31 d
TOTAL	1.62	.20	1.83	2.41	6.19	.43	3.35	2.60	3.40	4.03	1.40	.65	YEAR'S TOTAL 28.11
*Days with ·01 in. or more.	~~11~~	~~4~~	~~11~~	~~19~~	~~19~~	~~3~~	~~14~~	~~7~~	~~17~~	~~21~~	~~15~~	~~7~~	~~148~~
*Days with ·04 in. or more.	9	4	11	15	17	2	12	4	11	17	8	5	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ____________________

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level abt 350 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.06										1
2	.17	.56	24	.15 →									2
3			23	16 →									3
4	.21	.18	06	33 →									4
5		.02	20								.02		5
6			07	08 →						.08	.03		6
7	.13	07	04										7
8	.06		05				.16						8
9				09 →						16	.17		9
10	.04	.42		01 →		.02	73			23			10
11	.20	.02		02 →			13	.17		02			11
12				06 →		16	.04		.54				12
13	.06			14 →		05	20		06		.10		13
14				02 →						26	.40		14
15	.40		03					.15		05	.13		15
16			67			15	.06		02	10	.03		16
17	.08		34			04			03			after	17
18	.05		04			02						thaw	18
19		07	20			04			.22			.06	19
20			14	.02		20							20
21						14		.28	26	.04			21
22								15		.40			22
23		06		19	.10				15				23
24		30		14		23			16		.05		24
25		.56		24					05			.05	25
26		.18		08					01	.10			26
27					.41				09			02	27
28	Rain if any included in Feb.			05						.31		03	28
29			01	19			.08			.19			29
30		×	.04	.01			.03					08	30
31		×		×		×			×	.05	×		31 Summed 16.71
TOTAL	1.46	2.39	2.42	.92	1.57	1.05	1.40	.75	1.59	~~2.44~~ 1.99	~~.91~~ .93	.24	YEAR'S TOTAL ~~17.20~~
*Days with ·01 in. or more.	11	11	16	8	12	10	8	4	11	13	8	5	117
*Days with .04 in. or more.	11	8	14	6	9	8	6	4	8	12	5	2	93

40-9999

*See Instruction 2 (*f*) on other side.

0

(*Signed*) (Sir) Leonard H West

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level 350 ft.

Sir Leonard H West

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14	02						.23	09	09		.36		1
2	.29		.05						57	01		.20		2
3	.03	07	.02							.30		.01		3
4	.03	03	.05	.29					.12	28		.33		4
5	-		.02		.01			.07		03	.12	.15		5
6	-		.10	.02	.36	.03				16	07	.65		6
7	.04				.08	.15		.22		10		.23		7
8								.10	.04		.22	.07		8
9			.03		01						1.02	.19		9
10			.12	.13				05			06	05		10
11	.37		.26	.09				02				23		11
12			.07	.02			01	.14				13		12
13	.23		.06				.50	.10		02	08	.86		13
14	.04		.16								34	.19		14
15	.07		.04						.44	15	12	.11		15
16	.16		.14		06					05	01	.01		16
17	.04						.18		08	.08		23		17
18	.11			.27					07			.06		18
19			18						.10	03		.09		19
20			15	.02			.02					-		20
21			03	02		12		.06		12		-		21
22								.08	25			03		22
23				.20		.42						09		23
24		.14	08			03	.13		.15					24
25	.19	.04		.17						05		30		25
26	02			.11		02			.07	01		22		26
27	01	.04		05		.19				.04		44		27
28						.04		.53				35		28
29								01	.24			02		29
30	04	×							.01			09		30
31	02	×		×		×	07	.39	×	02	×	04		31
TOTAL	1.89	.32	1.56	1.39	.52	1.00	.91	2.00	2.23	1.55	2.06	5.65	Year's Total 21.08	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level about 350 ft.

acc/ A days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17		01	03	05	.19	.05		02	01	.17			1
2	.01		01			09				.07	.04			2
3		.10	.03			.12			.37	24	13	.10		3
4						.21			.30	15				4
5		.56	06	.09		.25			.23					5
6			01	.40								02		6
7	.02					20					.38	16		7
8						23				24	.13	07		8
9				*		.47				.76	33			9
10	02			1.25		03					.06	02		10
11	.23					.09	1.15				.25			11
12	.01	.02				.31			.01		03			12
13	.09	.15		.03	.15	.04						07		13
14		.01			.15	02					.23	10		14
15		.12		.40	05	16			15		.25	20		15
16		.04	05	.18		45			.20		.28			16
17				05		15					.42			17
18				.33		14	.45		.42		.16			18
19				.16	.42	05	.06		05		.11			19
20	.03	.14		.37	.23	.14	.06		.05		.09	*		20
21		.16		05					.45	.05	05	.34		21
22			07	04				.18	.41					22
23	01	02	05					.57		.13				23
24	.05	.33	03					.11	.65					24
25		.18		.20		25						.11		25
26	02	02						.27	.15			.24		26
27	.01	.12			17				.08			.50		27
28									.22			.04		28
29								.03	.44			.14		29
30	08	×		20	04			.86			61	.24		30
31		×		×		×		.03	×	1.07	×	.13	"d"	31
TOTAL	.75	1.97	.32	3.78	1.26	3.59	1.76	2.05	4.30	2.72	3.72	2.42	Year's Total. 28.64	
* Days with .01 in. or more.	* Record not taken daily owing to illness or absence on these dates												..	
* Days with .04 in. or more.													..	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) (Sir) Leonard H West

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level abt. 350 ft.

Jan 16-17 amts estd for 2 snow days

Acc 4.3.37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	07	.22	.11	.57		04	.23				.09			1
2	01		.01	01		45	1.30	.07			.08			2
3						02			.18		.21			3
4			.21			.07			.27		.08	.05		4
5	.12		.05					.02	.24			.11		5
6	.31				.10	.13		15	.11		.05	.08		6
7	.14		.03			.01								7
8	.25		.22						01		.25	.14		8
9	.33		.05				.38		30	.03		.01		9
10	01						.14	.30	.07					10
11							.10				.38	01		11
12				.10		.48	.41		.20		.17	.11		12
13				.01		.80	05			05		20		13
14		.05				.04	.66		.02	.16		.27		14
15	Snow	.03		.04		.02	.02		.07			.11		15
16	(.20)	.05		.03							35			16
17	(.05)	.25			.17		14				17	.11		17
18		.05				.27	.17		01	.10	02			18
19	.32	.06	.02	.03		.23		02				.02		19
20	.05		.03	.14		.08	.06		.55	01				20
21		.10		19		28	03		.47					21
22	09	.38	.03		.25		.18			05		.12		22
23	.01		.19	.11	03		02							23
24	.08	.07					.26		.13	30				24
25	.04	.10	.11	x			25		.33	.08		.03		25
26				.10		07			.01	.13				26
27	.06	.14	.01				01		.15	08				27
28	.50						.44					.14		28
29	.25	.10	.13			.14				01	26	.03		29
30	.03	✕			18	.17	07			.30				30
31	.30	✕	.12	✕		✕	12		✕	.67	✕	.14		31
TOTAL	3.~~37~~ 32	1.54	1.30	1.33	.73	3.30	5.04	.56	3.12	1.97	2.11	1.68	Year's Total ~~26.75~~	26.00
* Days with .01 in. or more.	21	13	15	12	5	17	21	5	17	13	12	17	168	
* Days with .04 in. or more.	17	12	9	8	4	14	17	3	13	10	11	12	129	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level abt 350 ft.

Days 24.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09			.02					.03		41	.35		1
2	.01	.16		.44					.05			.19		2
3		.48												3
4	.08	.56										.51		4
5	.11	.01	.22				.03							5
6	.14	.01	.33	.02	.13		.16			.01	.02			6
7		.35							.06					7
8		.06			.04						.35	02		8
9			01	.25	.05		.32		.22			.12		9
10			.16	.76		.15	.14							10
11			.09		.37		.03					.22		11
12	.18	.20	.10		.29	.17	.03	.08	.49			.07		12
13	.19	.07	.25			.66		.02	.31			.07		13
14	.02	.02	.25	.15				.78	.02					14
15	.19	.08		.12			1.07		.12			.13		15
16	.05	.12	.26	.64				.09	.59					16
17	.25		.68	.16					.10					17
18	.34	.12	.10	.02		.16					.27	.05		18
19	.10	.04	.03	.09	.14	.15			.10		.06			19
20	.18			.44	.60				.01					20
21	.27	.40	.05	.02	.04						.30	.06		21
22	.30		.05		.10	.17	.13			.37				22
23	.12		.04		.36		.09			.32				23
24	.15	.26			.02				.09	.39		02		24
25	.16	.21			1.30				.02	.58				25
26		.62	.06		.33					.07				26
27		.15		.28						.79				27
28		.02								.05		05		28
29	.02	×								.04	.04	03		29
30	.22	✕								09	.20	04		30
31	.29	✕		✕		✕			✕	.10	✕	.02		31
TOTAL	3.46	3.94	2.68	3.41	3.77	1.46	1.94	.97	1.91	2.81	1.65	1.95	Year's Total 29.95	
* Days with .01 in. or more.	22	20	16	14	13	6	9	4	14	11	8	16	153	
* Days with .04 in. or more.	19	16	14	10	12	6	6	3	10	10	7	12	125.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level abt 350 ft.

Sir Leonard H West OBE LLD J.P.

corr. for Dec 19–26 snow, notified 24/2/34 W.J.H.

Alt Dec totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.02	.24			01			.11		1
2	04	.01		02	.03		.01		~~.07~~	.42				2
3					.08		.01			.64				3
4										.47		.16		4
5	.11						.29			.20				5
6	.03					02	.02		.17	.04		.10		6
7	.01						.15	.07	.09	.29				7
8	.02					.13	.40	.93		16				8
9	.25						.05	.03		.05		.52		9
10	.29	.05				.11	.08	.21		.25		.04		10
11	.20										.10	02		11
12	.20				.03		02							12
13					.05						.05	08		13
14	.33	.02	.01				.09		06	[illegible]				14
15	.05						.29			.40		.09		15
16	.43									.03	02	05		16
17		.10			.02				04	08				17
18					.07				32		.38			18
19								07	.06		.20			19
20									.04		.57			20
21												~~41~~		21
22								.11			.19		Snow	22
23											.07	(1·30)		23
24			.13		.10				.10		.03			24
25	.10	.18	.09		.04			.16		.05	.49			25
26	24	.24	.10						06	.16		~~.19~~		26
27	07	.05			08	25	21	.03	.52	.07	41			27
28	.20				.71	.19		1.00	.02			14		28
29	.30				.16						.05	17		29
30	.82	✕			.01				.15	.03	28	10		30
31	.10	✕		✕	.30	✕			✕	.20	✕	21		31
TOTAL	9 2.79	.75	.33	.02	68 1.~~70~~	.94	1.62	2.61	1.65	3.24	2.79	(3.09) ~~2.69~~	Year's Total ~~21.15~~	71 21.~~58~~
* Days with .01 in. or more.	19	7	4	1	14	6	12	9	13	17	13	19	134	
* Days with .04 in. or more.	15	5	3	0	9	5	8	7	11	15	11	17	106	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 992

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

,, Ground ,, Sea Level abt 350 ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07			.53	.25						02			1
2	.09			05				35	.41		04	05		2
3	.18			09	03			37			10	24		3
4	-		.28	.61			02	.15				05		4
5	-			46			.06	.39		10	18	49		5
6	.58			03	25		.30	06		14	02			6
7	.03	07			03		.06				20	.15		7
8	.	.11	13				.04	32		37	09	.57		8
9	.04	.12						08		20		.10		9
10	.27	.02		04		.48		.11		04				10
11			.22			07					01			11
12						07					.13			12
13			.01				02		07	58				13
14	.52				18	03	.11			10	13			14
15	.13		.10		.35	35	04		.14	59	03			15
16	29		.13	.13	08	.35	.45			06	.41			16
17	.17		02		02		.21			2.30	03			17
18	.08	.02				.22	.51				41			18
19	.27		01				.71			.06				19
20	.23		05			.13	.30	03			02			20
21	.07	12	.23			.18	.73	.17	01					21
22	.26	.15	.05	03		06	.11		.02		13			22
23	.01			09		02	.08			10	.69			23
24	.19		02	07			05			.11				24
25	27		.16	02			.13				26			25
26	.19		02	02				.14		03	52			26
27	.01	02	.12	04			.02			04	06			27
28	.02	.16	09								.18			28
29			.02	37			.19			17	01	.14		29
30		✕		55							08			30
31		✕		✕		✕	03	03	✕	02	✕			31
TOTAL	3.97	.79	1.65	3.13	1.19	1.96	4.17	2.20	.65	5.01	3.73	1.73	Year's Total 30.18	✓
* Days with .01 in. or more.	22	9	17	16	8	11	21	12	5	17	23	8	169	✓
* Days with .04 in. or more.	18	6	11	12	5	9	17	10	3	15	18	8	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Leonard H Weir

[P.T.O.

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

992

Kept at Quainton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level abt 350 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.06							.65		1
2				.02			.08			.02	.12		2
3		.14		.08				.05		.12	1.43	.02	3
4		.11		.08						.20	.67		4
5					.09		.03			.02	.45	.16	5
6	.06	.14					.12			.11	.24		6
7	.29	.20			.01		.16		.01			.02	7
8				03		.05				.06	.03	.20	8
9						.07			.02		.01	.04	9
10							1.55				.27	.07	10
11				05		.13				02	.63		11
12			.02				.10		.07		.03		12
13		.04	.60	.02			.30		.12		.98		13
14			.15	.12	.03				.07	.12		.24	14
15					.13	.09	.02				.22	.01	15
16			.31				.47		.14	.79	.63	.02	16
17		.07	.36										17
18		.45	.33	.20			.01		.10	.08	.17	.12	18
19			.11	.23			.04			.10	.22		19
20		.06	.05	.02			.11	.01			.03		20
21			.03		.33		.01				.28		21
22	.03		.10		.40	.30			.20				22
23	.15	.25	.03	.03	.20	.23				.10			23
24				.10			13					.07	24
25			08				15			02			25
26	.97	.07			.07	.03	.14						26
27	.35	.12	.01	.41	.14		.18						27
28	.30	.03			.32								28
29	.01		.10		.01	.03						.34	29
30		×	04	.26						.23		.07	30
31		×		×		×			×	.50	×		31
TOTAL	2.16	1.68	2.32	1.71	1.73	.93	3.60	.06	.73	2.51	7.06	1.38	YEAR'S TOTAL 25.87
Days with ·01 in. or more.	8	12	15	15	11	8	17	2	8	15	18	13	142
Days with ·04 in. or more.	6	11	11	10	8	6	13	1	6	11	14	9	106

40-9999

(Signed) Leonard H West

P.T.O.

993

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

993

ETON. W.W.

1931 - 1940

78 02 06

Kept at The Waterworks, ETON

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - f

" Ground " Sea Level 67

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.17	.11	-	-	-	-	-	-	.02	-	-	1
2	.05	.07	-	.11	-	.06	-	.03	.02	-	-	-	2
3	-	.09	-	.41	-	-	-	.01	.49	-	-	.07	3
4	.03	-	.03	.15	.50	-	-	.28	.60	-	.05	.12	4
5	.03	-	-	-	-	-	.06	.12	.40	-	.11	.03	5
6	-	.01	-	.26	.10	.48	.05	-	-	-	.01	.14	6
7	-	.01	-	.12	-	-	.04	-	-	.22	.33	-	7
8	-	.01	-	-	.15	.04	-	.59	-	.06	.18	.06	8
9	.01	.08	.01	.02	.01	.19	-	.27	-	-	.11	.03	9
10	-	.06	.01	.03	-	-	-	-	.19	-	.41	.01	10
11	.05	.07	-	-	-	.02	.09	.13	-	-	.29	-	11
12	.01	.21	-	-	-	-	-	-	.03	.01	.16	-	12
13	-	-	-	-	-	-	-	.01	.31	-	-	-	13
14	-	-	-	-	-	-	.17	.20	-	-	-	-	14
15	.01	.11	-	-	-	.02	1.07	1.16	-	-	-	-	15
16	.01	.01	-	.16	.08	-	.19	.17	-	-	-	.06	16
17	-	.11	-	.10	.24	.04	-	.12	.11	-	-	-	17
18	.03	.01	-	.57	.02	.05	.19	.02	.09	-	-	-	18
19	.05	.03	.10	.15	-	.08	.01	.96	-	-	.58	-	19
20	.03	-	-	.41	-	.18	.32	.07	.14	-	-	-	20
21	-	.01	-	.13	-	-	.08	.14	-	-	.02	-	21
22	.03	-	-	-	.45	-	-	-	-	-	-	-	22
23	.20	-	-	.05	.02	-	-	-	-	-	-	-	23
24	.24	.01	-	.03	.45	.03	-	-	-	-	.13	.04	24
25	-	-	-	.33	.09	.11	.10	.01	-	-	-	-	25
26	.04	-	-	.47	.12	-	.66	-	-	-	.01	-	26
27	-	.03	-	.20	-	-	.38	-	-	-	.26	-	27
28	.12	.35	-	.12	.44	-	.06	-	-	-	.04	-	28
29	.03		-	.01	.02	-	-	-	-	.05	-	.06	29
30	.09	×	-	-	.09	-	.11	-	-	.37	-	.02	30
31	.03	×	-	×	-	×	.02	.14	×	-	×	-	31
TOTAL	1.14	1.45	.26	3.83	2.78	1.30	3.60	4.43	2.38	.73	2.69	.64	YEAR'S TOTAL 25.23
*Days with ·01 in. or more.	20	20	5	20	15	12	17	18	10	6	15	11	169
*Days with ·04 in. or more.	8	10	2	16	11	8	15	13	8	4	12	7	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. McRae.

BOROUGH ENGINEER,
WINDSOR

P.T.O.

993.

Section **A** for the entry of Daily Ob COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Waterworks, ETON.

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 8 in.

,, Ground ,, Sea Level 67.80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.17	.11	-	-	-	-	-	-	.02	-	-	1
2	.05	.07	-	.11	-	.06	-	103	.02	-	-	-	2
3	-	.09	-	.41	-	-	-	.01	.49	-	-	.07	3
4	.03	-	.03	.15	.50	-	-	.28	.60	-	.05	.12	4
5	.03	-	-	-	-	-	.06	.12	.40	-	.11	.03	5
6	-	.01	-	.26	.10	.48	.05	-	-	-	.01	.14	6
7	-	.01	-	.12	-	-	.04	-	-	.22	.33	-	7
8	-	.01	-	-	.15	.04	-	.59	-	.06	.18	.06	8
9	.01	.08	.01	.02	.01	.19	-	.27	-	-	.11	.03	9
10	-	.06	.01	.03	-	-	-	-	.19	-	.41	.01	10
11	.05	.07	-	-	-	.02	.09	.13	-	-	.29	-	11
12	.01	.21	-	-	-	-	-	-	.03	.01	.16	-	12
13	-	-	-	-	-	-	-	.01	.31	-	-	-	13
14	-	-	-	-	-	-	.17	.20	-	-	-	-	14
15	.01	.11	-	-	-	.02	1.07	1.16	-	-	-	-	15
16	.01	.01	-	.16	.08	-	.19	.17	-	-	-	.06	16
17	-	.11	-	.10	.24	.04	-	.12	.11	-	-	-	17
18	.03	.01	-	.57	.02	.05	.19	.02	.09	-	-	-	18
19	.05	.03	.10	.15	-	.08	.01	.96	-	-	,58	-	19
20	.03	-	-	.41	-	.18	.32	.07	.14	-	-	-	20
21	-	.01	-	.13	-	-	.08	.14	-	-	.02	-	21
22	.03	-	-	-	.45	-	-	-	-	-	-	-	22
23	.20	-	-	.05	.02	-	-	-	-	-	-	-	23
24	.24	.01	-	.03	.45	.03	-	-	-	-	.13	.04	24
25	-	-	-	.33	.09	.11	.10	.01	-	-	-	-	25
26	.04	-	-	.47	.12	-	.66	-	-	-	.01	-	26
27	-	.03	-	.20	-	-	.38	-	-	-	.26	-	27
28	.12	.35	-	.12	.44	-	.06	-	-	-	.04	-	28
29	.03		-	.01	.02	-	-	-	-	.05	-	.06	29
30	.09	X	-	-	.09	-	.11	-	-	.37	-	.02	30
31	.03	X	-	X	-	X	.02	.14	X	-	X	-	31
TOTAL	1.14	1.45	.26	3.83	2.78	1.30	3.60	4.43	2.38	.73	2.69	.64	YEAR'S TOTAL 25.23
*Days with ·01 in. or more.	20	20	5	20	15	12	17	18	10	6	15	11	169
*Days with ·04 in. or more.	8	10	2	16	11	8	15	13	8	4	12	7	114

40-9999

(Signed) J. McRae.

BOROUGH ENGINEER.
WINDSOR

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 993

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Waterworks, Eton.

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft 6 in.

,, Ground ,, Sea Level 67.80 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	Nil	Nil	.05	.02	Nil	.57	Nil	Nil	.17	Nil	.21	1
2	.10	"	"	.10	.58	"	.01	.19	.03	.16	.02	Nil	2
3	.03	"	"	.15	.03	"	Nil	.05	.18	.09	.06	.09	3
4	Nil	"	"	.14	.07	"	"	Nil	.31	.14	Nil	Nil	4
5	"	"	"	Nil	Nil	.29	"	"	Nil	Nil	.07	"	5
6	.12	"	.01	"	.04	.02	.25	"	.08	"	Nil	"	6
7	.43	"	"	.12	.04	Nil	Nil	"	.09	"	"	"	7
8	Nil	"	.09	.03	.02	"	.01	"	.10	.04	"	"	8
9	"	"	.10	.06	.25	"	Nil	"	.17	.20	"	"	9
10	.24	"	Nil	.07	.46	"	Nil	"	Nil	.01	"	"	10
11	.56	"	.06	.22	.09	.08	"	"	"	.21	.19	"	11
12	Nil	"	Nil	.10	.01	Nil	.06	.14	"	.22	.03	.03	12
13	.07	"	"	Nil	.02	"	Nil	.02	"	.19	.01	Nil	13
14	.12	"	"	.14	.01	"	.03	Nil	"	.27	.09	.03	14
15	.20	"	"	.09	.04	"	Nil	"	"	.02	.10	Nil	15
16	Nil	.01	"	.02	.36	"	"	"	"	.07	.02	"	16
17	.27	Nil	"	.15	.02	"	.05	"	"	Nil	Nil	"	17
18	Nil	"	"	.01	Nil	"	.02	"	"	.02	.02	"	18
19	"	"	"	Nil	"	"	Nil	"	.17	Nil	.11	"	19
20	"	"	"	"	"	"	"	"	.03	.24	Nil	"	20
21	"	"	"	.18	.11	"	"	.83	.08	.68	.19	"	21
22	.02	"	.03	.10	1.45	"	.04	.20	Nil	.22	Nil	.05	22
23	.01	"	.28	Nil	.07	"	.21	Nil	.15	.27	.25	Nil	23
24	Nil	.04	Nil	.08	.03	"	Nil	"	.03	.76	.01	.07	24
25	"	.02	"	.02	Nil	"	.31	"	.10	.05	.06	Nil	25
26	"	.01	"	Nil	"	"	.40	"	.04	.12	Nil	.01	26
27	"	Nil	.13	.05	.05	"	.03	"	Nil	.03	"	Nil	27
28	"	"	.22	.16	.35	"	.14	"	"	.29	.09	.02	28
29	"	"	.06	.02	.13	"	.17	"	"	.04	Nil	Nil	29
30	"	×	.37	.09	.03	.07	.01	.05	.10	.29	.04	"	30
31	"	×	.03	×	Nil	×	.02	Nil	×	.01	×	.16	31
TOTAL	2.29	.08	1.38	2.10	4.29	.40	2.35	1.48	1.66	4.80	1.36	.67	YEAR'S TOTAL 22.86
*Days with ·01 in. or more.	13	4	11	23	24 24	4	17	7	15	26	17	9	170
*Days with .04 in. or more.	9	1	8	17	15	2	10	6	12	21	11	5	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J McRae

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 993

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Waterworks, Eton

in the County of Bucks

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 8" in.

„ Ground „ Sea Level 67·80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·12	nil	·02	·01	nil	nil	nil	·11	·03	·06	nil		1
2	·13	·11	·09	nil	·09	„	„	„	nil	·05	·01	„		2
3	·18	nil	·32	„	·31	„	„	„	„	nil	·01	„		3
4	nil	·15	·11	„	·02	„	„	„	„	„	nil	„		4
5	·28	·01	·01	„	·35	„	„	„	„	„	·09	„		5
6	·01	nil	·21	„	·05	„	„	„	„	„	nil	„		6
7	nil	·07	·02	„	·21	„	„	„	„	·05	·07	„		7
8	·14	·05	·03	„	·02	„	„	„	„	·08	nil	·01		8
9	·04	nil	·03	„	·08	„	·15	„	„	nil	„	·01		9
10	nil	„	Nil	„	·09	„	·13	„	„	·17	·04	Nil		10
11	·02	·89	„	„	nil	·03	·20	„	„	·20	·01	„		11
12	·26	nil	„	„	·04	nil	·05	·12	·09	nil	nil	„		12
13	·02	„	„	·04	nil	·12	nil	nil	·70	„	·05	„		13
14	·07	„	„	nil	·07	nil	·21	„	·09	„	·09	„		14
15	nil	„	„	„	nil	„	·02	·06	nil	·13	·44	·05		15
16	·21	„	·11	„	„	·06	·49	·07	„	nil	·03	nil		16
17	nil	„	·46	„	„	·21	·11	nil	·01	·05	·02	„		17
18	·01	„	·48	„	„	·09	nil	„	·10	nil	·05	„		18
19	·13	·02	·19	„	„	·20	„	„	nil	„	nil	„		19
20	nil	nil	·08	„	„	·16	„	„	·40	„	·02	·02		20
21	„	·01	·04	·11	„	·20	„	·06	nil	„	nil	nil		21
22	„	·04	·02	nil	„	·06	„	·14	·18	„	„	„		22
23	„	nil	Nil	„	„	·22	„	·13	nil	·33	·04	„		23
24	„	„	„	·22	„	·02	„	nil	·75	·02	nil	„		24
25	„	·63	„	·08	·01	·07	„	„	·26	nil	·03	„		25
26	„	·73	„	·28	nil	nil	„	„	·02	·05	nil	·04		26
27	„	·49	„	·11	„	·08	„	„	·02	·06	„	·06		27
28	„	·01	„	nil	·05	·01	„	„	nil	·16	„	·05		28
29	„		"	„	·06	nil	„	„	·01	·27	„	·02		29
30	·11	×	·01	·10	nil	„	·06	„	nil	·07	„	·05		30
31	·08	×	·08	×	„	×	·06	„	×	nil	×	·14		31
													Year's Total	
TOTAL	1·74	3·33	2·29	0·96	1·46	1·53	1·48	0·58	2·74	1·72	1·06	0·45	19·34	
*Days with ·01 in. or more.	16	14	17	8	15	14	10	6	13	15	16	10	154	
*Days with ·04 in. or more.	12	10	11	7	11	11	9	6	8	13	9	6	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) F. N. McRae A.M.I.C.E.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 993

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934 .

Kept at The Waterworks, Eton,

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 8 in.

,, Ground ,, Sea Level 67.80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.07

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	†	
1	-	.04	.02	-	-	-	-	.05	-	.01	.19	-		1
2	.03	-	.07	-	-	-	-	.18	-	.01	.01	.45		2
3	.05	-	-	-	.03	-	-	-	.52	.15	-	.16		3
4	.05	.01	-	.03	-	-	-	.05	-	.28	-	.04		4
5	.05	-	.08	.11	.03	-	-	-	-	.17	.07	.30		5
6	-	-	.01	.01	.01	-	-	.04	-	.04	.02	.41		6
7	-	-	.31	-	.18	.03	-	.09	-	.18	-	.41		7
8	.04	-	-	-	-	.01	-	.19	-	.08	-	.19		8
9	-	-	-	-	.06	-	-	.02	.11	-	.27	.01		9
10	.05	-	.02	-	-	-	-	-	-	-	1.12	.41		10
11	.03	-	.16	.13	-	-	-	.07	-	-	.13	.01		11
12	.23	-	.33	.07	-	-	.02	.29	-	-	-	.17		12
13	.02	-	.04	-	-	-	.05	.46	-	-	-	.06		13
14	.33	-	.20	.01	-	-	.47	.02	-	-	.04	.35		14
15	.07	-	.35	-	-	.03	-	-	-	.05	.24	.39		15
16	.04	-	.02	-	.02	-	-	-	.01	.15	.10	.21		16
17	.14	-	.17	-	.03	-	-	-	-	.12	Tr	-		17
18	.05	-	-	.02	.06	-	-	-	.04	.03	-	.12		18
19	.12	-	.05	.17	-	-	-	-	.02	-	-	.10		19
20	-	-	.24	-	-	-	-	-	.06	.02	-	.11		20
21	-	-	.09	.01	-	.05	.25	.02	-	-	-	Tr		21
22	-	-	.05	.09	-	.15	.05	.02	-	.03	-	-		22
23	-	-	-	-	-	-	.35	.33	.18	-	-	.06		23
24	-	-	-	.21	-	.28	-	.09	-	-	-	.03		24
25	-	.02	.08	.10	-	.04	.68	.09	.33	-	-	-		25
26	.13	.04	-	.16	-	.15	-	-	-	.04	-	.34		26
27	.01	-	-	.28	-	.05	-	-	.01	-	-	.51		27
28	.02	-	-	.01	-	.24	-	-	-	-	-	.37		28
29	-	X	-	.04	-	.05	.01	.79	-	-	.08	.20		29
30	-	X	-	-	-	-	.06	-	.09	-	-	.03		30
31	.01	X	-	X	-	X	-	.02	X	-	X	.15		31
TOTAL	1.47	0.11	2.29	1.45	0.42	1.08	1.94	2.82	1.37	1.36	2.27	5.59	Year's Total. 22.17	
* Days with .01 in. or more.	19	4	18	16	8	11	9	18	10	15	11	26	165	
* Days with .04 in. or more.	13	2	14	10	3	8	7	13	7	10	9	22	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) F. N. McRae

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 993

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at the Waterworks, Eton

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 8 in.

,, Ground ,, Sea Level 67·80 ft.

Duration

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·03	-	·05	·03	·07	·60	-	·02	Tr	·15	-		1
2	-	-	·02	Tr	-	-	-	-	·31	·12	·03	-		2
3	-	·01	·02	·07	-	·34	-	-	·29	·70	·17	·01		3
4	-	Tr	-	·18	-	·04	-	-	·35	·30	-	·02		4
5	-	·15	·04	·02	-	·21	-	-	·31	·01	-	Tr		5
6	-	-	-	·26	-	·47	-	-	-	-	·05	·03		6
7	-	-	-	·42	-	·02	-	-	-	·11	·90	·15		7
8	-	-	-	·37	-	·01	-	-	-	·20	·11	·01		8
9	-	-	-	·16	-	·63	-	-	-	·54	·10	·01		9
10	Tr	-	-	·01	-	Tr	-	-	-	-	·21	·02		10
11	·25	-	-	·08	-	·08	·72	-	-	Tr	·28	Tr		11
12	-	-	-	-	-	·16	·72	·04	Tr	-	·48	-		12
13	·08	·14	-	·20	·13	-	·72	-	-	-	-	-		13
14	-	-	-	·01	·17	·03	-	-	-	-	·09	·10		14
15	-	·18	-	·43	-	·73	-	-	·19	-	·33	·06		15
16	-	·05	·03	·02	-	·03	-	-	·19	Tr	·67	·02		16
17	-	-	Tr	·01	-	·20	-	·02	·04	-	·24	Tr		17
18	-	-	-	·19	·10	·16	·06	-	·22	·02	·03	Tr		18
19	-	Tr	-	·08	·19	·05	·06	-	·01	·01	·10	·09		19
20	-	·16	-	·16	·39	·08	·05	-	·01	-	·33	-		20
21	-	·21	Tr	Tr	-	-	-	-	·02	·04	·01	-		21
22	-	·02	·07	-	-	-	-	·27	·09	-	-	-		22
23	-	·01	·19	-	-	-	-	·45	·10	·13	-	·22		23
24	·06	·57	-	-	·02	-	-	·23	·45	-	-	·17		24
25	·16	·27	-	·27	Tr	·71	-	-	-	-	-	·09		25
26	-	·21	-	-	-	-	-	·34	·07	-	-	·37		26
27	·01	·40	-	-	·01	-	-	·01	·13	-	·11	·28		27
28	-	·08	-	-	·06	-	-	-	·11	·04	Tr	·10		28
29	-	×	-	-	-	-	-	-	·71	-	-	·20		29
30	·03	×	-	·04	-	-	-	·51	·13	·26	·24	·37		30
31	-	×	-	×	-	×	-	-	×	·32	×	·18		31
													Year's Total	
TOTAL	0·72	2·49	0·37	3·03	1·10	4·02	1·49	1·87	3·75	2·80	4·63	2·50	28·77	
* Days with .01 in. or more.	7	15	6	20	9	18	5	8	20	14	20	20	162	
* Days with .04 in. or more.	5	11	3	15	6	14	5	6	16	11	17	13	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. McRae

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 993.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936 D

Kept at The Waterworks, C.B.n.

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 8 in.

,, Ground ,, Sea Level 67·80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·06	·03	·16	-	·02	·18	·11	-	-	·03	·05		1
2	-	-	-	·04	-	·37	·09	·08	Tr	-	·70	-		2
3	-	-	Tr	·23	-	·01	·01	-	·27	-	·29	-		3
4	Tr	-	·15	-	-	·11	-	-	·28	-	·04	·03		4
5	·35	-	·03	-	-	-	-	·01	·46	-	-	·08		5
6	·21	-	-	-	-	·11	-	·02	·08	Tr	·21	·03		6
7	·25	-	·04	-	-	·03	·06	-	·02	-	·22	·06		7
8	·20	-	·10	-	-	-	·07	-	-	-	·33	·10		8
9	·49	-	·02	-	-	-	·27	-	·16	·02	-	·01		9
10	-	-	Tr	-	-	-	·13	·17	-	-	-	-		10
11	-	-	-	·17	-	-	·08	-	Tr	-	1·04	-		11
12	-	-	-	·14	Tr	·56	·14	-	·24	-	·31	·12		12
13	-	-	-	·03	-	·16	-	-	-	·02	·07	·21		13
14	-	·11	-	-	-	·03	·42	-	·05	Tr	·06	·26		14
15	-	·05	-	-	-	-	-	-	·02	-	·01	·06		15
16	·26	·16	-	-	-	-	·05	-	·03	-	·44	·06		16
17	·23	·57	-	-	·07	·11	·01	-	Tr	·01	·12	·11		17
18	·03	·10	-	-	-	·48	·15	Tr	-	·05	·01	·08		18
19	·29	·04	·06	·02	-	·14	·11	·05	-	-	-	-		19
20	·11	·08	·03	·37	-	·05	·01	-	·61	-	-	-		20
21	-	Tr	-	·27	·02	·25	·02	-	Tr	-	-	-		21
22	·14	·47	·08	Tr	·27	·06	·17	-	-	-	-	·11		22
23	·04	Tr	·13	·07	·01	-	·09	-	-	·05	-	-		23
24	·07	·07	-	-	-	-	·05	-	·02	·38	-	-		24
25	·02	-	·11	·19	-	·02	·20	-	·17	·15	·03	Tr		25
26	·01	·10	·13	·10	-	·04	·01	-	·02	·12	-	·01		26
27	·20	·04	Tr	-	-	-	Tr	-	·09	·19	-	-		27
28	·80	-	·07	-	-	-	·46	-	·01	Tr	-	·07		28
29	·08	·06	·05	-	-	·14	·12	-	-	·02	·14	·11		29
30	·07	✕	Tr	-	·07	·19	·04	-	-	·23	-	-		30
31	·38	✕	·29	✕	-	✕	·16	-	✕	·44	✕	·32		31
TOTAL	4·58	1·91	1·32	1·79	0·44	2·88	3·10	0·44	2·53	1·68	4·05	1·88	Year's Total 26·60	
* Days with .01 in. or more.	21	13	15	12	5	19	25	6	16	12	17	19	180 ✓	
* Days with .04 in. or more.	18	13	11	10	3	15	20	4	10	8	13	15	140 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. McRae

[P.T.O.

Section **A** **for the entry of Daily Observations**

Station No. 993

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at The Waterworks, Eton

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 67.80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	–	·01	·06	–	–	Trace.	–	·06	–	·40	·58.		**1**
2	–	·09	·01	·53.	–	–	–	–	·01	–	–	·52.		**2**
3	–	·20.	·01	Trace.	–	–	–	–	–	–	–	·03.		**3**
4	·07	·31	–	–	–	–	–	–	–	–	–	·30.		**4**
5	·13	·07	·18	–	–	–	·09	–	–	–	–	–		**5**
6	·03.	·04	·64	Trace.	·21	–	·06	–	–	·07	·04	–		**6**
7	–	·77	·02	·12	–	–	–	–	–	–	·01	–		**7**
8	–	·02	–	Trace.	·06	·30	–	–	–	–	·05	·18		**8**
9	Trace.	·05	–	·23	·15	·01	·05	–	·25	–	·01	·09		**9**
10	Trace.	–	·62	·10	·01	·26.	·05	·01	–	–	–	·24		**10**
11	–	–	·12	–	·23	Trace.	·05.	–	–	–	–	·01		**11**
12	·16	·22	·14	–	·34	·33	·04.	·01	·06	–	–	·15.		**12**
13	·17	·08	·44	–	–	·15	–	·08.	·46.	–	–	·98		**13**
14	·10	·02	·24	·01	–	·01	–	1·12	·03.	–	–	·01		**14**
15	·21	·12	Trace.	·16	–	–	·31.	–	·06.	–	–	–		**15**
16	·02	·25	·28	·32	–	·03	–	·20	·34	–	–	–		**16**
17	·48	·01	·09	·13	–	–	–	–	·73	–	–	–		**17**
18	·25	·08	·01	·04	·08	·83	–	–	–	–	·10	·13		**18**
19	·05	·05	·08	·11	–	·23	·41	–	·04.	–	–	·04		**19**
20	·43.	·01	·02.	·18	·70	–	–	–	·01	–	–	·01.		**20**
21	·28	·77	·05	·07	·04	–	·04	–	–	·01	–	·01		**21**
22	·39	·01	Trace.	–	·06.	·18	·05	–	–	·72	·31	·03		**22**
23	·25	·04	·02	–	·41.	–	–	–	–	·30	–	·01		**23**
24	·29	·54	·04	–	·01	–	–	–	·14	·29	–	·01		**24**
25	·12.	·45	·11	–	·34.	–	–	–	·07	·64	–	Trace.		**25**
26	·01	·23	·01	–	·05	–	–	–	–	·09	–	–		**26**
27	·02	·13	–	·12	–	–	–	–	·01	·67	–	–		**27**
28	·20	·09	–	–	–	–	–	–	–	·09	·01	·01		**28**
29	·03.	×	–	–	–	·03	–	–	–	·04	·06	·02		**29**
30	·31		–	–	–	Trace.	–	–	–	·03	·21	Trace		**30**
31	·30		–		–		–	–		·12.		·02		**31**
TOTAL	4·63	4·65	3·14	2·18	2·69	2·36.	1·15	1·42	2·27.	3·07	1·20.	3·38.	Year's Total 32·14	✓ ✓
* Days with .01 in. or more.	24.	25.	21	14.	14.	11.	10.	5.	14.	12.	10	21	181	✓ ✓
* Days with .04 in. or more.	19.	20.	13.	13.	12.	7.	10.	3.	10.	10.	7.	10.	134	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

BOROUGH ENGINEER,
WINDSOR.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 993.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Windsor Corporation Waterworks, Eton.

in the County of Buckinghamshire.

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	Trace	Trace	–	.06	.20	–	–	.01	.01	Trace	–		1
2	.05	–	–	.04	.04	–	–	–	–	.24	.01	.05		2
3	–	–	–	–	.31	–	.09	–	–	.53	.01	–		3
4	.01	–	–	–	–	.02	.06	–	–	.08	–	.06		4
5	.01	–	Trace	–	–	Trace	.12	.30	.02	.11	–	–		5
6	.04	–	Trace	–	–	–	.08	.01	.13	.01	–	–		6
7	–	–	.01	–	–	–	.26	–	.03	.13	–	.02		7
8	.07	–	–	–	–	–	.17	.55	.04	.30	–	–		8
9	.14	.02	–	–	–	–	.01	.02	–	.02	–	.59		9
10	.17	.02	–	–	–	.05	.01	.18	–	–	–	.09		10
11	.25	–	–	–	–	–	–	.23	–	–	.28	.05		11
12	.23	.01	–	–	.02	–	–	.10	–	.14	.01	.01		12
13	.14	(snow) .01	–	–	–	–	–	.08	–	.01	.09	.12		13
14	.26	–	–	–	.06	–	.04	–	.01	–	.01	.02		14
15	.07	.01	–	–	–	–	.21	–	–	.24	.01	.10		15
16	.28	Trace	–	–	.01	–	.01	–	–	.02	.02	.23		16
17	–	.09	–	–	.06	–	–	–	.01	.14	Trace	–		17
18	.03	–	–	–	.05	–	–	–	.04	.02	.34	–		18
19	–	.01	–	–	–	–	–	–	.07	–	.15	Trace		19
20	–	–	–	–	–	–	–	.05	.02	–	.36	(Snow) .05		20
21	.01	–	–	–	–	–	–	–	.05	–	.03	(snow) .37		21
22	.01	–	–	.01	–	.01	–	.06	–	–	.14	(snow) .17		22
23	–	–	–	.01	–	–	–	.02	.02	Trace	.02	–		23
24	–	–	.11	–	.04	–	–	–	.20	.01	.05	–		24
25	.08	.02	.12	.03	.11	–	.02	.01	.02	.02	1.06	(snow) .09		25
26	.15	.17	.04	–	–	–	–	–	.29	.19	–	(snow) .20		26
27	.10	.03	–	–	.05	.20	.22	.04	.32	.03	.25	Trace		27
28	.01	.03	–	–	.72	.03	–	.54	.04	–	.02	.10		28
29	.14	X	–	–	.18	–	–	Trace	.01	.01	.09	.18		29
30	.01	×	–	.02	.09	.13	–	–	.10	.07	.14	–		30
31	.14	×	–	×	.11	×	–	–	×	.11	×	.18		31
													Year's Total	
TOTAL	2.40"	.42"	.28"	.11"	1.91"	.64"	1.30"	2.19"	1.43"	2.44"	3.09"	2.68"	18.89	✓
* Days with .01 in. or more.	23	11	4	5	15	7	13	14	19	22	20	19	172	✓
* Days with .04 in. or more.	16	2	3	3	13	4	9	9	10	12	11	16	108	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. McRae

BOROUGH ENGINEER
WINDSOR.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 993

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at The Waterworks, Eton

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 67.80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·01	·52	·31	-	-	·13	·42	-	-	·02		1
2	·02	-	-	·01	·01	-	-	·51	·91	·01	·04	·01		2
3	·80	-	-	·19	-	-	-	·23	-	-	·34	·15		3
4	·10	-	·24	·24	·01	-	·05	·17	-	·35	·06	·01		4
5	-	-	·01	·42	·10	-	·01	·16	-	·21	·27	·09		5
6	·38	-	-	·01	·32	-	·24	·01	-	Trace	·49	·01		6
7	·01	·11	-	-	Trace	-	-	·01	-	·03	·16	·15		7
8	-	·09	·20	-	-	-	·03	·18	-	·52	·27	·27		8
9	·03	·06	Trace	-	-	-	-	·01	-	·18	·09	·15		9
10	·23	-	-	-	-	·23	-	·19	·03	·12	·01	-		10
11	-	Trace	·18	-	-	-	-	-	Trace	·39	Trace	-		11
12	-	·01	Trace	-	-	Trace	-	-	-	·02	Trace	-		12
13	-	-	-	·02	-	Trace	·02	-	·02	1·15	·01	-		13
14	·39	-	Trace	-	·06	·01	·06	-	-	·20	·30	·02		14
15	·24	-	·09	Trace	·54	·27	·08	-	·05	·71	·06	-		15
16	·39	-	·07	·02	·08	·14	·07	-	·08	·03	·44	-		16
17	·18	-	·01	·04	·19	-	·06	-	-	·04	·07	-		17
18	·18	·02	·07	-	-	·14	·14	-	-	·03	·21			18
19	·18	-	·01	-	-	-	·15	-	-	·12	·01	·01		19
20	·18	-	-	-	-	·20	·48	·08	-	-	-	·03		20
21	·02	·10	·16	-	-	·02	·19	·01	·05	-	-	-		21
22	·10	·27	·03	·03	-	·03	·08	-	-	·01	·05	-		22
23	·01	-	·03	·12	-	·01	·01	-	-	·02	·63	·01		23
24	·50	-	-	·03	-	Trace	·05	-	-	·19	-	·01		24
25	·99	·16	·04	-	-	-	·04	·02	-	·01	·46	Trace		25
26	·13	Trace	·01	·05	-	-	-	·02	-	·17	·21	Trace		26
27	·01	·04	·04	·03	-	·01	-	-	-	·05	·18	-		27
28	·02	·18	·05	·07	-	·02	·23	-	-	·05	·17	·12		28
29	-	×	-	·19	-	-	·08	-	-	·13	·05	-		29
30	-	×	-	·64	-	·12	-	-	-	-	·18	·03		30
31	-	×	-	×	-	×	·04	-	×	·02	×	-		31
TOTAL	4·80	1·04	1·25	2·63	1·62	1·20	2·11	1·73	1·56	4·76	4·76	1·11	Year's Total 28·57	✓
* Days with .01 in. or more.	23	10	17	17	9	12	20	14	7	25	24	17	195	✓
* Days with .04 in. or more.	15	8	10	10	7	6	16	8	5	16	21	6	128.	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 993.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Windsor Corporation Waterworks, Tangier Island, ETON.

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 67·80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0·02	-	-	Trace	-	-	-	-	-	0·12	0·01		1
2	-	0·11	-	0·11	-	-	0·06	-	-	0·07	0·46	-		2
3	-	0·22	-	0·09	-	-	-	-	-	0·15	1·18	0·05		3
4	-	0·09	-	0·05	-	-	-	-	-	0·15	0·09	0·06		4
5	-	0·02	-	-	-	-	0·01	0·01	-	0·04	0·30	0·05		5
6	0·22	0·19	-	-	0·04	-	0·35	-	-	0·17	0·05	-		6
7	0·28	0·17	-	-	0·07	-	0·03	-	-	-	-	-		7
8	-	-	-	0·03	Trace	-	-	-	0·03	0·34	0·01	0·28		8
9	-	-	-	0·01	-	-	-	0·06	0·02	0·17	0·09	0·04		9
10	-	-	0·01	-	-	-	0·14	-	0·01	0·13	0·09	0·01		10
11	-	-	0·01	0·05	-	-	-	-	-	-	0·73	-		11
12	-	0·01	0·06	Trace	-	0·02	0·08	-	0·07	-	Trace	-		12
13	-	0·01	0·68	0·01	-	-	0·09	-	0·15	0·01	1·70	Trace		13
14	-	-	0·22	0·12	0·02	-	-	-	-	0·15	-	0·21		14
15	-	-	0·02	0·02	0·06	-	0·26	-	0·02	0·04	0·31	0·01		15
16	0·03	0·18	0·37	Trace	-	-	0·33	-	0·21	0·74	0·68	0·01		16
17	-	-	0·40	-	-	-	0·02	-	-	0·01	0·44	-		17
18	-	0·32	0·13	0·28	-	-	0·26	-	-	0·19	0·27	0·09		18
19	-	0·18	0·03	0·12	-	-	0·04	-	0·44	-	0·11	0·01		19
20	-	0·01	0·01	0·03	-	-	-	0·01	-	0·10	0·05	-		20
21	0·02	Trace	0·01	-	0·44	-	0·08	-	-	0·14	0·51	-		21
22	0·01	-	0·02	0·01	0·56	0·50	-	-	0·05	Trace	-	-		22
23	-	0·06	0·07	0·11	0·03	0·11	-	-	-	0·01	-	-		23
24	-	-	Trace	0·22	-	-	0·21	-	-	-	0·01	-		24
25	-	-	0·47	-	-	-	0·10	-	-	-	Trace	-		25
26	1·05	0·07	0·31	0·24	0·16	-	Trace	-	-	-	-	-		26
27	0·49	0·17	-	0·07	0·01	-	0·01	-	-	Trace	-	-		27
28	0·47	-	-	Trace	0·01	-	-	-	-	-	-	-		28
29	0·05	0·08	0·09	0·01	0·03	0·01	-	-	-	-	-	0·31		29
30	-	✕	-	0·19	Trace	-	-	-	-	0·11	-	Trace		30
31	0·04	✕	-	✕	-	✕	-	-	✕	0·51	✕	0·02		31
TOTAL	2·66	1·91	2·93	1·77	1·43	0·64	2·07	0·08	1·00	3·23	7·20	1·16	Year's Total	26·08
* Days with .01 in. or more.	10	17	17	19	11	4	16	3	9	19	19	14		158
* Days with .04 in. or more.	7	13	10	12	6	2	12	1	5	16	17	8		109

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

16·1·41

(*Signed*) ....

BOROUGH ENGINEER, WINDSOR

[P.T.O.

TN 94 994

Section **A** for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
INFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

994

SLOUGH UPTON

1931- 1940

760206

Kept at Slough Upto

in the County of Buckin

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07		·10		·13		·01	·07				1
2	·10	·10		43				01	·45	·01		·07	2
3	02		·04	16	·52			34	·51		·07	·12	3
4					·02		·08	·13	·42		·10	·01	4
5		·03		29	·10	·48	·06				·01	·13	5
6		·11		12		·01	·02			·22	·37		6
7		·01			·15	·05		·56		·06	·20	·05	7
8	·01	·08		02		21		28			·11	·02	8
9		·05		·03				13	·18		·43	·01	9
10		·07	·03			·01	·08				·32	·01	10
11	·06	·19							·02		·12		11
12							·03	·01	·32				12
13							·08	·11					13
14	·02	·10				·02	·97	1·00					14
15	·01	·01		·19	·09		·18	·18				·06	15
16		·07		·11	·24	·05		·09	·14				16
17	·06			·48	·04	·02	·18	·01	·03				17
18	·07	·02	·08	·23		·07	·02	·98			·51		18
19	·02			·37		·19	·24	·02	·10				19
20		·03		·10			·07	·12			·01	·01	20
21	·01				·42								21
22	·21			·01									22
23	·24			·02	·42	·03					·12	·04	23
24				·44	·10	·11	·09	·01					24
25	·03			·31	·13		·59				·01		25
26		·03		·15			·44				·28		26
27	·12	·35		·13	·39		·10				·05		27
28	·04	·12		·02	·01					·04		·07	28
29	·09				·07		·10			·26	·01	·01	29
30	·02	×						·11					30
31	·16	×		×	·01	×			×		×	·01	31
TOTAL	1·29	1·44	·15	3·71	2·71	1·38	3·33	4·10	2.24	59	2·72	·62	YEAR'S TOTAL 24·28
*Days with ·01 in. or more.	18	17	3	20	15	13	17	18	10	5	16	14	166
*Days with ·04 in. or more.	10	11	2	15	12	8	14	12	8	4	12	7	115

40-9999 M

(*Signed*) R. Bentley [P.T.O.

*See Instruction 2 (*f*) on other side.

N 94 994

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Slough Upton

in the County of Buckinghamshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

150

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07		10		13		·01	·07				1
2	·10	·10		43				01	·45	·01		·07	2
3	02		·04	16	·52			34	·51		·07	12	3
4					·02		·08	13	·42		·10	·01	4
5		·03		29	·10	·48	06				01	13	5
6		11		12		·01	02			22	37		6
7		·01			15	·05		56		·06	·20	05	7
8	·01	·08		02		21		28			·11	02	8
9		·05		·03				13	·18		·43	·01	9
10		·07	·03			·01	·08				·32	·01	10
11	·06	19							·02		·12		11
12							03	·01	·32				12
13							08	11					13
14	02	·10				02	97	1·00					14
15	01	01		·19	·09		18	18				·06	15
16		·07		11	24	·05		09	·14				16
17	·06			48	04	·02	18	01	·03				17
18	07	02	08	23		·07	·02	98			·51		18
19	·02			37		19	24	02	·10				19
20		·03		·10			·07	·12			·01	·01	20
21	01				·42								21
22	·21			·01									22
23	·24			·02	·42	·03					·12	·04	23
24				44	·10	·11	·09	·01					24
25	·03			31	·13		59				·01		25
26		·03		·15			44				·28		26
27	12	35		·13	39		·10				·05		27
28	·04	·12		·02	·01					·04		·07	28
29	·09				·07		·10			·26	·01	·01	29
30	·02	×						·11					30
31	·16	×		×	·01	×			×		×	·01	31
TOTAL	1·29	1·44	·15	3·71	2·71	1·38	3·33	4·10	2·24	59	2·72	·62	YEAR'S TOTAL 24·28
*Days with ·01 in. or more.	18	17	3	20	15	13	17	18	10	5	16	14	166
*Days with ·04 in. or more.	10	11	2	15	12	8	14	12	8	4	12	7	115

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) R. Bentley [P.T.O.

✓ ✓ ✓ CK.

994

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Slough, Upton

in the County of Bucks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

150

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·09	·65			·25	·01	·16	·02		1
2	·02			·15	·02			·02	·25	·06	·03	·10	2
3				·17	·06				·25	·10			3
4						·27					·08		4
5	·13		·01		·04	·01	·23		·10				5
6	·49			·19	·03				·09				6
7			·09	·07	·01				·13	·03			7
8			·09	·09	·36				·16	·19			8
9	·22		·05	·06	·39					·03			9
10	·54			·19	·09	·02				·19	·19		10
11				·10	·01		·04	·21	·02	·23	·02	·02	11
12	·06				·03			·02	·01	·19	·01		12
13	·12			·13			·03			·26	·12	·03	13
14	·19			·10	·02					·02	·15		14
15		·01		·03	·29					·09			15
16	·48			·16	·04		·05						16
17				·01			·01			·02			17
18									·17		·14		18
19									·01	·23			19
20				·17	·07			·52	·08	·65	·19		20
21	·02		·03	·10	1·40			·11		·24		·04	21
22	·01		·25		·01		·17		·14	·25	·27		22
23		·07		·04	·11				·02	·73	·02	·08	23
24							·35		·09	·04	·07		24
25		·01					·36			·13		·01	25
26			·13	·04	·07		·04			·04			26
27			·22	·17	·33		·21			·29	·10	·02	27
28			·10		·20		·12			·07		·01	28
29			·35	·08	·24	·07		·04	·10	·29	·04	·01	29
30		×	·03	·09		·50			·17	·01	·20	·14	30
31		×	·03	×		×	·03		×		×	·06	31
													YEAR'S TOTAL
TOTAL	2·37 ✓	·09 ✓	1·38 ✓	2·23 ✓	4·47 ✓	·87 ✓	1·64 ✓	1·17 ✓	1·80 ✓	4·54 ✓	1·65 ✓	·52 ✓	22·73 ✓
*Days with ·01 in. or more.	12 ✓	3 ✓	12 ✓	21 ✓	22 ✓	5 ✓	12 ✓	7 ✓	17 ✓	25 ✓	16 ✓	11 ✓	163 ✓
*Days with ·04 in. or more.	9 ✓	1 ✓	8 ✓	19 ✓	15 ✓	3 ✓	9 ✓	5 ✓	12 ✓	20 ✓	11 ✓	5 ✓	117 ✓

40-9999

(Signed) R. Bentley

P.T.O.

*See Instruction 2 (*f*) on other side.

Ex. by Cards for TV.

994

Section **A** for the entry of Daily Observations.　　　COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Slough Upton

in the County of Bucks

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

TV
150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·11	09		·17	–					·01		1
2	·18		·32		36						·01		2
3		·17	·14		·02								3
4	·27	·01	·05		·36						·07		4
5	·01		·23		·01								5
6		·06	·02		·22					·06	·08		6
7	·14	·09	·17		·03					·08		·02	7
8	·05		·03		·07		·13					·01	8
9					·04		·12			·12	·05		9
10		·81				·03	·12			·15	·01		10
11	·27				·04	·01	·08	·10	·08				11
12				·09	·02	·12	·04		·67		·01		12
13	·05				·08		·18		·05		·09		13
14							·01			·11	·43		14
15	·23		·11			·14	·61	·06			·03		15
16			·50			·20	·21		·02	·02			16
17	·02		·44			·05			·07		·08		17
18	·12	·02	·11			·16							18
19	·01		·11			·13			·39		03	·08	19
20		·01	·06	·12		·18							20
21		·05				·07		·29	·17				21
22					·01	·23		·13		·39	·03		22
23				·21		·02			·68	·03			23
24		·66		·08		·06			·25		·05		24
25		·72		·28					·03		·01	·05	25
26		·47		·13		·07			·01	·06		·07	26
27		·02			·03					·15		·05	27
28		·01			·01					·28		·02	28
29	·10			·08			·05			·09		·01	29
30	·08	X	·14						·03			·17	30
31	·14	X	·02	X		X		·12	X	·05	X		31
TOTAL	1·78	3·21	2·54	·99	1·47	1·47	1·55	·70	2·45	1·59	·99	·48	YEAR'S TOTAL 19·22
*Days with ·01 in. or more.	15	14	16	7	15	14	10	5	12	13	15	9	145
*Days with ·04 in. or more.	12	9	13	7	8	11	9	5	8	11	7	5	105

40-9999

(Signed) R. Bentley

P.T.O.

*See Instruction 2 (*f*) on other side.

A M

Exc BL

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Slough Upton

in the County of Bucks

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

150
400 T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03							·16			·01	·43		1
2	·06		·07		·03				·51	·17		·18		2
3	·01	·01		·05						·26		·01		3
4	·06		·08	·11	·04					·18	·07	·32		4
5			·01					·06		·01	·02	·41		5
6			·30	·01	·18	·01		·13		·17		·40		6
7	·04							·10		·09		·19		7
8					·07			·03	·10		·25	·01		8
9			·03								1·18	·42		9
10	03		·17	·12			·01	·10			·12	·02		10
11	·28		·32	08				·31				·16		11
12	02		·04				·07	·41				·06		12
13	33		·19				·50	·01			·03	·32		13
14	08		·33			·01					·20	·36		14
15	·06		·03		·02				·01	·15	·09	·21		15
16	·13		·16							·13				16
17	·01			·02	·05				02	·05		·11		17
18	·16			·15					·02			·10		18
19			·23			01			·10	·01		·13		19
20			·10	·02			·21	·02	·01		·01			20
21				·11		·15	·02	·02		·04	·01			21
22							·16	·36	·25			·06		22
23				·23		·31	·01	·10	·06			·03		23
24		·02	·08	·11		·06	·47	·03	·22					24
25	·15	·07		·25		·22				·03		·33		25
26	·01			·25		·05						·53		26
27	·01			·01		·21				·03		·33		27
28		·03		·01		09	·01	·79			·09	·20		28
29							·04		·10			·03		29
30	·02	✕						·08	·01			·14		30
31	·03	✕		✕		✕	·01		✕	·26	✕	·07	Year's Total	31
TOTAL	1·47	·13	2·14	1·53	·39	1·12	1·51	2·71	1·41	1·58	2·08	5·56	21·63	
*Days with ·01 in. or more.	19	4	15	15	6	10	11	16	12	14	12	27	161	
*Days with ·04 in. or more.	10	1	12	10	4	7	6	11	7	10	7	22	107	

0-9999

*Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) R. Bentley Esq.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Slough Upton

in the County of Bucks

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

150

400

TV

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14	.02		.04	.02	.07	.61		.02	.02	.16	.02		1
2	.01		.05						.30	.11	.03			2
3		.02	.12	.06		.41			.40	.72	.18	.01		3
4				.15		.10			.14	.13		.05		4
5		.14	.03	.03		.28			.33			.01		5
6			.01	.27		.45					.07	.03		6
7				.42		.01				.09	.93	.15		7
8				.36						.19	.10	.04		8
9				.15		.57				.53	.10	.02		9
10				.01							.18	.01		10
11	.25			.05		.08	.61			.02	.27			11
12						.16		.04			.45			12
13	.08	.15		.18	.13									13
14				.03	.16	.03					.09	.08		14
15		.20		.40	.01	.60			.18		.31	.09		15
16		.05	.03	.04		.05			.17		.67	.04		16
17				.03		.21		.02	.06		.24			17
18				.20	.09	.14	.02		.23	.02	.03	.01		18
19				.08	.20	.05	.05		.01		.09	.10		19
20		.14		.12	.48	.07	.04		.03		.26			20
21		.19	.01	.03					.01	.04	.02			21
22		.02	.08					.33	.11					22
23		.01	.21					.47	.10	.13		.20		23
24	.04	.51			.03			.18	.45			.19		24
25	.26	.14		.22		.61						.12		25
26		.20				.01		.34	.07			.35		26
27		.39			.03				.13		.11	.29		27
28		.07			.05				.17	.05	.01	.09		28
29									.59			.20		29
30	.03	✕		.07				.48	.11	.23	.25	.36		30
31		✕		✕		✕			✕	.31	✕	.19		31
TOTAL	.81	2.25	.54	2.94	1.20	3.90	1.33	1.86	3.61	2.59	4.55	2.65	Year's Total 28.23	
*Days with ·01 in. or more.	7	15	8	21	10	18	5	7	20	14	21	23	169	
*Days with .04 in. or more.	5	11	4	16	6	15	4	6	16	11	17	16	127	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(Signed) R. Bentley

[P.T.O.

Jan. 21st adjusted by aver. figs for T V.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Slough, Upton

in the County of Bucks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TL 150

Copy by B.R.O. 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·07	·03	·16		·15	·17	·182		–	·03	·04		1
2	·01			·03		·24	·085	·052		–	·05	–		2
3				·22			·015		·308	–	·28	–		3
4			·15			·17			·192	–	·05	·03		4
5	·34		·03					·008	·325	–	·01	·07		5
6	·19					·15		·018	·078	·002	·19	·05		6
7	·23		·03			·01	·09		·03	–	·21	·03		7
8	·21		·10				·048			–	·35	·14		8
9	·66		·02				·298		·18	·03	–	·01		9
10							·16	·12	·002	·005	~~–~~	–		10
11				·11			·132			–	·92	–		11
12				·14		·58	·165		·235	–	·42	·13		12
13				·01		·24	·002			·022	·04	·21		13
14		·10				·02	·388		·042	·005	·07	·32		14
15		·08					·002		·015	–	~~·0~~	·06		15
16	·21	·13					·055		·028	–	·45	·03		16
17	·21	·56			·07	·16	·002			·01	·14	·14		17
18	·02	·08				·29	·148	4 ~~005~~		·035	–	·06		18
19	·28	·03	·04	·04		·15	·11	·05		–	–	–		19
20	·09	·09	·02	·33					·705	–	–	–		20
21	·15			·24	·02	·22	·012		·002	–	–	–		21
22		·39	·06		·27	·04	·195			–	–	·08		22
23	·03	·01	·11	·06			·05			·06	–	–		23
24	·07	·07							·032	·395	–	–		24
25	·03		·10	·17		·15	·15		·145	·148	·03	TR		25
26	·01	·11	·15	·12		·03	TR ~~005~~		·015	·145	–	·01		26
27	·21	·05					01 ~~005~~		·11	·12	–	–		27
28	·81		·05				·44		·01	–	–	·07		28
29	·09	·05	·05			·08	·02			·012	·13	·09		29
30	·08	X			·06	·21	·058			·202	–	TR		30
31	·32	X	·29	X	·01	X	·15		X	·46	X	·28		31
TOTAL	4·61	1·82	1·23	1·63	·43	2·89	2·955	·438	2·45	1·652	3·37	1·85	Year's Total. 25·31	
* Days with .01 in. or more.	22	14	15	12	5	17	25	6	16 ~~18~~	512	19	21	183	
* Days with .04 in. or more.	17	12	10	10	3	14	18	4	10	7	13	14	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

The Late (Signed) R. Bentley, [P.T.O.

Miss Bentley

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

150

T.L Copy by B.R.O.

400

Kept at Slough, Upton

in the County of Buckinghamshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	–	·01	·05		–	–	–	·05		·41	·52		1
2	·01	·10	·01	·56		–	–	–	·01		–	·68		2
3	–	·21	–	–		–	–	–	–		–	·02		3
4	·06	·28	–	–		–	–	–	–		–	·31		4
5	·18	·08	·18	–		–	·08	–	–		–	–		5
6	·02	·02	·51	–	·23	–	·07	–	–	·06	·02	·01		6
7	–	·74	·01	·15	·01	–	–	–	·04		–	–		7
8	–	·02	–	–	·08	·01	–	–	–		·07	·17		8
9	–	·06	–	·24	·13	·01	·06	–	·25		–	·09		9
10	–	–	·59	·09	·04	·22	·04	·06	–		–	·22		10
11	–	–	·14	–	·22	·01	·05	–	–		–	·01		11
12	·14	·23	·14	–	·37	·32	·03	·02	·06		–	·12		12
13	·16	·09	·42	–		·20	–	·06	·59		–	·96		13
14	·02	·03	·25	·01		·01	–	·92	·02		–	–		14
15	·17	·12	–	·14		–	·27	–	·06		–	–		15
16	·01	·29	·27	·35		·06	–	·22	·30		–	·02		16
17	·45	–	·08	·14		–	–	–	·82		–	–		17
18	·24	·06	–	·02	·09	·67	–	–	–		·12	·11		18
19	·06	·09	·09	·10		·27	·52	–	·04		–	·05		19
20	·40	·01	·02	·19	·66	·01	–	–	–		–	·01		20
21	·27	·76	·03	·08	·02	–	·04	–	–		–	·01		21
22	·36	–	Tr	–	·04	·16	·06	–	–	·69	·30	·03		22
23	·24	·03	·02	–	·32	–	–	–	–	·33	–	–		23
24	·29	·52	·03	–	·01	–	–	–	·13	·25	–	·01		24
25	·08	·43	·11	–	·44	–	–	–	·06	·58	–	–		25
26	·01	·25	·01	–	·07	–	–	–	–	·07	–	–		26
27	·01	·12	·01	·11		–	–	–	·01	·61	–	–		27
28	·02	·10	–	–		–	–	–	–	·09	–	·01		28
29	·03	–	–	–		·04	–	–	–	·02	·08	·02		29
30	·30	✕	–	–		–	–	–	–	·03	·20	–		30
31	·32	✕	–	✕		✕	–	–	✕	·19	✕	·02		31
TOTAL	4·2~~2~~3	4·64	2·93	2·23	2·73	1·99	1·22	1·28	2·44	2·92	1·20	3·40	Year's Total 31·21	✓
* Days with .01 in. or more.	2~~4~~5	23	20	14	15	13	10	5	14	11	~~9~~ 7	2X1	178	✓
* Days with .04 in. or more.	17	18	11	12	12	8	9	4	11	9	6	10	127	✓

40-9999. † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) .... [P.T.O.

Adjusted by nr. Stns. for T.V.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Slough, Upton

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 78 ft.

TV

Copy by B.R.O. 150

T-L 400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–		·07	·14	–	–	·02	–	–	TR		1
2	·06	–	–	04	·10		–	–	–	·26	–	·05		2
3	–	–	–		·24		·07	–	–	·60	·01	–		3
4	·01	–	–			·04	·04	·30	–	·06	TR	·08		4
5	–	–	–				·13	–	·01	·14	–	–		5
6	·03	–	–				·09	–	·35	·01	–	–		6
7	–	–	–				·24	·60	·04	·16	–	·02		7
8	·08	–	–				·11	·05	·08	·28	–	–		8
9	·13	·02	–			·02	·01	·24	–	·01	–	·61		9
10	·16	–	–			·01	·01	·19	–	–	–	·09		10
11	·27	·01	–				–	–	–	–	·26	·05		11
12	·24	·02	–		·01		–	·08	–	·14	·01	TR		12
13	·14	·01	–				–	–	–	·02	·08	·11		13
14	·28	–	–		·06		·03	–	·02	–	·01	·02		14
15	·05	–	–				·18	–	–	·23	TR	·10		15
16	·31	–	–				tr	–	–	·02	·02	·23		16
17	–	·07	–		·05		–	–	–	·13	·01	–		17
18	·04	–	–		·06		–	–	·05	·04	·39	–		18
19	–	–	–				–	·05	·07	–	·14	–		19
20	–	–	–				–	–	·02	–	·38	·05		20
21	–	–	–				–	·10	·05	–	·03	·49		21
22	·01	–	–			·01	–	·02	–	–	·14	·17		22
23	–	–	–				–	–	·01	–	·02	–		23
24	–	–	–		·04		–	–	·20	–	·04	–		24
25	·08	·02	·10	·03	·11		·01	·02	·01	·02	1·06	·09		25
26	·14	·16	·10				–	–	·29	·17	–	·22		26
27	·09	·03	·05		·05	·16	·21	·03	·34	·03	·24	–		27
28	·06	·01	–		·69	·03	–	·54	·05	–	·01	·10		28
29	·15	–	–		·14		–	–	–	Tr	·09	·20		29
30	·01	✕	–	·03	·09	·14	–	–	·07	·08	·15	·01		30
31	·12	✕	–	✕	·10	✕	–	–	✕	·10	✕	·19		31
TOTAL	2·46	·35	·25	·10	1·81	·55	1·13	2·22	·68	2·50	2·09	2·88	Year's Total 19·02	✓
* Days with .01 in. or more.	21	9	3	2	14	8	12	12	17	19	19	19	156	✓
* Days with .04 in. or more.	17	2	3	1	13	4	8	9	11	13	11	16	108	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Lucy R. Beattey

[P.T.O.

.70

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Slough, Upton

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 78 ft.

T V

150

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·02	·46	·28	—	—	·52	·66	—	—	·01		1
2	·02	—	—	·01	·02	—	—	47	·96	—	·03	·01		2
3	·45	—	—	·20	—	—	—	·19	—	·01	·29	·16		3
4	·09	—	·24	·42	·01	—	·04	21	—	·27	·05	—		4
5	—	—	01	·42	·09	—	·01	·18	—	·17	·24	·09		5
6	·37	—	—	·02	·33	—	·20	·02	—	·01	·55	·02		6
7	·02	·10	—	—	—	—	—	·01	—	·03	·17	·13		7
8	·01	·11	·19	—	—	—	·02	·10	—	54	·38	·28		8
9	·02	·07	—	—	—	—	—	·01	—	·15	·01	·16		9
10	·23	tr	—	—	—	·26	—	19	·02	·09	·01	—		10
11	TR	—	·16	—	—	—	—	—	—	38	·01	—		11
12	—	—	—	—	—	—	—	—	—	·01	—	—		12
13	—	—	—	·02	—	·04	·06	—	·01	1·11	·01	—		13
14	39	—	—	·01	·06	·01	·02	—	·01	·26	·28	·02		14
15	·23	—	·07	TR	·51	·31	·08	—	·05	·73	·16	·01		15
16	·38	—	·07	·02	·11	·12	·08	—	·06	·02	·36	—		16
17	·18	·01	·02	·02	·25	—	·13	—	—	·03	·05	—		17
18	·18	tr	·08	—	—	·10	·13	—	—	·09	·21	—		18
19	·20	—	·01	—	—	—	25	—	—	·08	·02	—		19
20	·16	—	·01	—	—	·19	38	·14	—	—	—	·02		20
21	·03	·06	·19	—	—	·02	·11	·01	·03	—	—	—		21
22	·13	·28	·03	·01	—	·02	·11	—	·01	—	·06	—		22
23	·02	—	—	·10	—	·01	·01	—	—	·02	·61	·02		23
24	·50	—	—	·02	—	·01	·03	—	—	16	—	—		24
25	1·01	·15	·03	—	—	—	·04	·02	—	·10	·43	tr		25
26	·15	·01	·01	·04	—	—	—	·03	—	·13	·20	—		26
27	·01	·03	·05	·02	—	·01	—	—	—	·04	·16	—		27
28	·02	·15	·05	·06	—	·02	·31	—	—	·05	·17	11		28
29	TR	X	·01	·22	—	—	·02	—	—	·14	·05	—		29
30	—	✕	—	·59	—	14	—	—	—	—	·20	·05		30
31	—	✕	—	✕	—	✕	·20	—	✕	·01	✕	—		31
													Year's Total	
TOTAL	4·81	·97	1·25	2·66	1·66	1·26	2·23	2·10	1·81	4·63	4·71	1·09	29·18	
* Days with .01 in. or more.	24	10	~~8~~ 18	~~8~~ 18	29	~~7~~ 14	20	14	5 9	25	25	14	200	
* Days with .04 in. or more.	15	7	9	9	7	7	14	8	4	17	19	7	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Slough (Upton)
in the County of Buckinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 78 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·02	-	-	-	-	-	-	-	-	·10	-		1
2	-	·12	-	·09	-	-	·07	-	-	·10	·48	-		2
3	-	·20	-	·06	-	-	-	-	-	·09	1·10	·06		3
4	·01	·10	-	·03	-	-	-	-	-	·17	·07	·03		4
5	tr	·02	-	-	-	-	·01	-	-	·05	·33	·05		5
6	·21	·17	-	-	·03	-	·33	-	-	·19	·03	-		6
7	·27	·18	-	-	·06	-	·03	-	-	-	-	-		7
8	tr	·01	-	·04	-	-	-	-	tr	·34	-	·28		8
9	-	-	-	-	-	-	-	·09	·02	·14	·08	·04		9
10	-	-	·01	-	-	-	·12	-	-	·08	·10	·02		10
11	-	-	-	·06	-	-	-	-	-	-	·73	·01		11
12	-	·01	·07	-	-	·11	·09	-	·09	-	-	-		12
13	-	·01	·66	-	-	-	·06	-	·09	-	1·11	·01		13
14	-	-	·15	·14	·02	-	-	-	-	·14	-	·18		14
15	-	-	·05	·02	·04	-	·28	-	·06	·01	·30	tr		15
16	·02	·17	·51	-	-	-	·28	-	·17	·74	·68	·02		16
17	-	-	·32	-	-	-	tr	-	-	-	·46	-		17
18	-	·33	·09	·27	-	-	·35	-	·01	·16	·18	·09		18
19	-	·19	·01	·12	-	-	·03	-	·44	-	·12	·01		19
20	-	·01	·02	·02	-	-	-	-	·01	·10	·02	-		20
21	·04	·02	-	-	·68	-	·04	tr	-	·09	·48	-		21
22	tr	-	·02	-	·41	·58	-	-	·04	tr	-	-		22
23	-	·04	·06	·15	·04	·02	-	-	-	-	-	-		23
24	-	·01	-	·22	-	-	·22	-	-	-	-	-		24
25	-	-	·51	-	-	-	·13	-	-	-	-	-		25
26	1·05	·06	·25	·24	·20	-	-	-	-	-	-	-		26
27	·47	·17	-	·16	·07	-	·03	-	-	tr	-	-		27
28	·34	-	-	tr	·02	-	-	-	-	-	-	-		28
29	·04	·08	·07	-	·05	-	-	-	-	-	-	·33		29
30	·12	×	-	·21	-	-	-	-	-	·10	-	·02		30
31	·04	×	-	×	-	×	-	-	×	·51	×	·01		31
TOTAL	2·61	1·92	2·80	1·83	1·62	·41	2·07	·09	·93	3·01	6·37	1·16	Year's Total 25·12	✓
* Days with .01 in. or more.	11	20	15	15	11	3	15	1	9	16	17	8	141	✓
* Days with .04 in. or more.	9 ✓	12 ✓	11 ✓	12 ✓	8 ✓	2 ✓	11 ✓	1 ✓	6 ✓	15	15	7	109	✓

20·6
21

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Mrs. L. K. Bentley [P.T.O.

994/2

SLOUGH WINDSOR RD

1934 - 1938

780206

994/2

III/Bucks. 13

FORM 1090. **B** M… S… …tation.

‚ The following register of mon… &c., is NOT required if daily… values are given on the othe… …his section and also the space for …ing to this register should be sent:— SLOUGH

RAINFALL IN 193

G.M.T. 09.00 in Summer 09.00

At X SLOUGH (WIND…

In the County of BUCKS

Distance 840 yds Direction from gauge NNE

Nearest Parish Church at SLOUGH Distance 400 yds Direction from gauge NE & N

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 0 *ft* 11 *in.*
- *Height of Ground above Sea Level* 69 *ft.*

Nature of objects nearest to gauge	SMALL SHED	TREE	PALING	FENCES
Height of objects	8'	30'		
Distances	6 yds	15 yds	5 yds	10 yds.
Directions from gauge	S.E. & E	W. by S.	N.	S.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·45	Unreliable			
FEB.	0·15	·09	28th	4	2
MAR.	2·14	Unreliable			
APRIL	1·55	0·42	26th	10	9
MAY	0·37	Unreliable			
JUNE	1·12	Unreliable			
JULY	1·53	0·46	13th	8	6
AUG.	2·76	0·71	28th	16	10
SEPT.	1·40	Unreliable			
OCT.	1·53	0·34	3rd	14	10
NOV.	2·07	1·13	9th	12	8
DEC.	5·56	0·55	26th	23	21
Total	21·63	Part'l		—	—

Signature X F.K. Hare Esq. X

X F.K. Hare Esq. X OK print.

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Owing to personal reasons, I was at certain times unable to make measurements more often than on alternate days. Where this was so, only the monthly totals are inserted. These however are accurate, dating from 09.00 GMT on the 1st. of each month. The cause of alternate readings was finally removed during 1935 and I should be able to take daily readings.

D **INSTRUCTIONS.**

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

FORM 1090. **B** Monthly Summary.

994/2
111/Bucks./3

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At * ~~Slough (Windsor Rd.)~~

In the County of Bucks

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 0 *ft* 11 *in.*

Height of Ground above Sea Level 69 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·45	Unreliable			
FEB.	0·15	·09	28th	4	2
MAR.	2·14	Unreliable			
APRIL	1·55	0·42	26th	10	9
MAY	0·37	Unreliable			
JUNE	1·12	Unreliable			
JULY	1·53	0·46	13th	8	6
AUG.	2·76	0·71	28th	16	10
SEPT.	1·40	Unreliable			
OCT.	1·53	0·34	3rd	14	10
NOV.	2·07	1·13	9th	12	8
DEC.	5·56	0·55	26th	23	21
Total	21·63	Part ?		—	—

Signature ~~F. K. Hare Esq~~

F. K. Hare Esq.

6K print.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
F. K. HARE, 146, WINDSOR ROAD SLOUGH
BUCKS

G.M.T.

~~Hour~~ of observation by the clock—in Winter 09.00 in Summer 09.00

Nearest Railway Station Slough Distance 840 yds Direction from gauge NNE

Nearest Parish Church at Slough Distance 400 yds Direction from gauge NE & N

Nature of objects nearest to gauge	Small Shed	Tree	Paling	Fences
Height of objects	8'	30'		
Distances ..	6 yds	15 yds	5 yds	10 yds.
Directions from gauge ..	S.E. & E	W. by S.	N.	S.

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Owing to personal reasons, I was at certain times unable to make measurements more often than on alternate days. Where this was so, only the monthly totals are inserted. These however are accurate, dating from 09.00 GMT on the 1st. of each month. The cause of alternate readings was finally removed during 1935 and I shall be able to take daily readings.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\ \cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 994/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SLOUGH

in the County of BUCKS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 69 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

~~*An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*~~

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·13	0·01	trace	0·03	0·03	0·06	0·40	–	0·03	0·01	0·14	trace		1
2	trace	trace	0·05	trace	–	trace	–	trace	0·41	0·11	0·06	trace		2
3	–	0·01	0·10	0·07	–	0·44	–	–	0·43	0·68	0·17	trace		3
4	–	–	–	0·13	trace	0·10	–	–	0·11	0·28	–	0·04		4
5	trace	0·13	0·03	0·03	–	0·30	trace	–	0·32	trace	trace	–		5
6	trace	trace	trace	0·26	–	0·50	–	–	–	–	trace	0·03		6
7	trace	–	–	0·44	–	trace	–	–	–	0·12	1·00	0·14		7
8	–	trace	trace	0·35	trace	0·02	–	–	–	0·16	0·07	0·03		8
9	–	–	trace	0·15	trace	0·62	–	–	trace	0·56	0·13	trace		9
10	trace	trace	0·02	trace	–	trace	–	–	–	–	0·19	0·02		10
11	0·23	–	–	0·02	–	0·08	0·78	trace	–	0·03	0·27	trace		11
12	trace	trace	–	trace	–	0·14	trace	0·04	trace	–	0·45	–		12
13	0·06	0·16	trace	0·20	0·12	–	–	–	–	trace	trace	–		13
14	–	–	trace	0·02	0·16	0·02	–	–	trace	trace	0·09	0·10		14
15	–	0·22	–	0·42	trace	0·66	–	–	0·20	trace	0·28	0·06		15
16	–	0·07	0·03	0·02	0·01	0·05	–	–	0·19	trace	0·67	–		16
17	trace	–	trace	0·01	–	0·20	trace	0·01	0·07	–	0·24	–		17
18	–	trace	–	0·20	0·07	0·14	0·03	trace	0·25	0·02	0·03	trace		18
19	–	trace	–	0·05	0·24	0·04	0·07	–	0·02	–	0·09	0·11		19
20	trace	0·14	–	0·12	0·60	0·07	0·06	–	0·05	–	0·29	–		20
21	trace	0·19	trace	trace	–	–	–	–	trace	0·05	0·02	–		21
22	–	0·01	0·06	trace	–	–	–	0·29	0·14	–	–	–		22
23	–	0·01	0·24	trace	–	–	–	0·44	0·09	0·13	–	0·20		23
24	0·05	0·55	trace	–	0·05	–	–	0·16	0·46	–	–	0·20		24
25	0·27	0·13	–	0.22	trace	0·50	–	trace	–	–	–	0·10		25
26	0·01	0·19	trace	–	–	trace	–	0·38	0·06	trace	–	0·38		26
27	0·01	0·39	–	–	0·02	trace	trace	trace	0·10	trace	0·11	0·25		27
28	–	0·10	–	–	0·04	–	trace	–	0·17	0·04	trace	0·08		28
29	–	×	–	–	–	–	–	–	0·58	trace	trace	0·19		29
30	0·03	×	trace	0·06	–	trace	–	0·47	0·11	0·23	0·27	0·36		30
31	–	×	–	×	trace	×	–	0·01	×	0·32	×	0·18		31
TOTAL	0·79	2·31	0·53	2·80	1·34	3·94	1·34	1·80	3·79	2·74	4·55	2·47	Year's Total. 28·40	
* Days with .01 in. or more.	8	15	7	19	10	17	5	8	19	14	19	17	158	
* Days with .04 in. or more.	5	11	4	13	7	15	4	6	17	11	17	14	124	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F K Hare

P.T.O.

994/2

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1936.

At Slough

In the County of Bucks

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 0 *ft* 11 *in.*
- *Height of Ground above Sea Level* 69 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·72	0·79	28th	18	19
FEB.	1·70	0·36	18th	14	11
MAR.	1·25	0·46	26th	13	10
APRIL	1·63	0·40	20th	14	11
MAY	0·40	0·29	23rd	3	2
JUNE	2·75	0·58	12th	11	11
JULY	3·00	0·44	28th	21	18
AUG.	0·51	0·18	1st.	5	5
SEPT.	2·47	0·72	20th	15	13
OCT.	1·58	0·44	24th	10	8
NOV.	3·43	0·98	11th.	14	13
DEC.	1·79	0·47	31st	11	10
Total	25·23 ✓			149 ✓	129 ✓

Signature S.K.Hare

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Address: 146, Windsor Road, Slough, Bucks

Hour of observation by the clock—in Winter 09.00 in Summer 10.00

Nearest Railway Station Slough Distance 1000 yds Direction from gauge N 20° E

Nearest Parish Church at Slough Distance 400 yds Direction from gauge N.E by N

Nature of objects nearest to gauge	Shed	Tree	Paling	Fences
Height of objects	8'	30'	3'	6"
Distances ..	18'	45'	5 yds	10 yds.
Directions from gauge ..	SE	W. by S	N	S

If gauge has been moved during the year state— Has not been moved

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
9 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SLOUGH 146, WINDSOR ROAD

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 11 in.

,, Ground ,, Sea Level 69 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

~~*An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*~~

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·26	trace	–	0·07	–	–	–	–	0·03	–	0·39	0·52		1
2	trace	0·34	0·02	0·52	–	–	–	–	trace	–	–	0·70		2
3	trace	–	trace	–	–	–	–	–	–	–	0·01	0·04		3
4	0·06	0·24	0·16	–	trace	–	trace	–	–	–	–	0·28		4
5	0·20	0·10	0·59	trace	–	–	0·08	–	–	trace	–	–		5
6	0·02	0·04	0·02	0·01	0·24	–	0·06	–	–	trace	0·03	–		6
7	–	0·70	–	0·16	–	–	–	–	0·03	–	–	trace		7
8	–	0·04	–	–	0·08	0·03	–	–	–	–	0·08	0·19		8
9	–	0·06	–	0·23	0·13	0·03	0·10	–	0·27	–	–	trace		9
10	–	trace	0·61	0·07	0·01	0·20	0·05	0·05	–	–	–	0·29		10
11	trace	–	0·14	–	0·26	0·01	0·06	–	–	–	–	trace		11
12	–	0·24	0·15	–	0·34	0·33	0·03	trace	0·06	–	–	0·15		12
13	0·30	0·08	0·45	–	–	0·15	–	0·09	0·12	–	–	0·92		13
14	trace	0·04	0·23	0·01	0·01	0·15	–	0·92	0·03	–	–	–		14
15	0·21	0·13	–	0·14	–	–	0·30	–	0·09	–	–	–		15
16	–	0·20	0·27	0·28	trace	0·08	–	–	0·31	–	trace	0·03		16
17	0·44	0·01	0·09	0·11	–	–	–	–	0·83	–	trace	–		17
18	0·23	0·06	0·01	0·01	0·10	0·68	–	–	trace	–	0·12	0·05		18
19	0·06	0·06	0·07	0·10	–	0·25	0·53	–	0·05	–	–	0·10		19
20	0·38	trace	0·05	0·19	0·68	0·03	–	–	trace	0·02	–	–		20
21	0·28	0·75	trace	0·07	0·03	–	0·05	–	–	–	trace	–		21
22	0·37	trace	trace	–	0·06	0·15	0·06	–	–	0·68	0·30	trace		22
23	0·23	0·03	–	–	0·39	–	0·01	–	–	0·30	trace	–		23
24	0·28	0·53	–	–	0·01	–	–	–	0·13	0·26	–	trace		24
25	trace	0·44	–	–	0·41	–	–	–	0·06	0·62	–	0·04		25
26	trace	0·27	0·13	–	0·06	–	–	–	–	0·16	–	0·01		26
27	trace	0·15	–	0·18	–	–	–	–	trace	0·55	trace	trace		27
28	0·05	0·07	–	trace	–	–	–	–	–	0·09	–	trace		28
29	0·08	×	–	–	–	0·05	–	–	–	trace	0·19	0·02		29
30	0·25	×	–	–	–	trace	–	–	–	0·06	0·10	trace		30
31	0·33	×	–	×	–	×	–	–	×	0·18	×	0·02		31
TOTAL	4·03	4·58	2·99	2·15	2·81	2·14	1·33	1·06	2·01	2·92	1·22	3·36	Year's Total 30·60	✓
* Days with .01 in. or more.	18	22	15	15	15	13	12	3	12	10	8	15	158	✓
* Days with .04 in. or more.	17	20	12	12	11	9	9	3	9	9	6	11	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H Hale [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 994/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

~~Total~~

Kept at Slough

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 11 in.

,, Ground ,, Sea Level 69 ft.

Old gauge readings, i.e. gauge in use from 1933 to 1938. Afe.

☐ = heaviest rainfall day of month in question

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

~~*An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*~~

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·05	—	trace	—	0·06	0·17	—	—	0·02	trace	trace	trace		1
2	trace	trace	—	0·05	0·10	trace	—	—	—	0·24	0·01	0·05		2
3	trace	—	—	—	0·23	—	0·06	—	trace	0·58	0·01	trace		3
4	0·01	—	0·01	—	—	0·02	0·02	0·25	—	0·06	—	0·08		4
5	0·03	—	—	—	—	trace	0·17	trace	trace	0·13	—	—		5
6	—	—	—	—	—	trace	0·09	—	0·38	trace	trace	trace		6
7	—	trace	0·01	—	—	—	0·32	0·59	0·03	0·14	trace	0·02		7
8	0·03	—	—	—	—	trace	0·10	0·05	0·06	0·28	—	trace		8
9	0·17	0·02	—	—	—	0·02	trace	0·23	—	—	—	0·60		9
10	—	0·01	—	—	—	—	0·02	0·19	—	0·01	—	0·10		10
11	0·45	—	—	—	—	—	—	trace	—	—	0·24	0·03		11
12	trace	0·01	—	—	0·02	—	trace	0·09	—	0·14	0·02	—		12
13	0·18	0·01	—	—	trace	—	—	trace	—	0·01	0·08	—		13
14	0·31	trace	trace	—	0·06	—	0·05	—	trace	trace	0·02	0·01		14
15	0·05	0·01	—	—	0·01	—	0·19	trace	—	0·23	0·01	0·09		15
16	0·30	trace	—	—	—	—	0·01	trace	—	0·02	0·03	0·21		16
17	—	0·06	—	—	0·03	—	trace	—	0·01	0·14	0·01	—		17
18	0·03	—	—	—	—	—	—	trace	0·06	0·02	0·37	trace		18
19	—	—	—	—	0·06	—	—	0·05	0·07	—	0·13	trace		19
20	—	trace	—	—	—	—	—	trace	0·02	—	0·33	0·02		20
21	0·04	trace	—	trace	—	—	—	0·16	0·04	—	0·04	0·51		21
22	0·01	—	—	0·01	trace	0·02	—	0·02	trace	—	0·13	0·29		22
23	—	—	—	0·01	trace	—	—	—	0·02	—	0·03	trace		23
24	—	—	0·14	—	0·05	—	—	—	0·19	—	0·05	trace		24
25	0·07	0·03	0·08	0·04	0·11	—	0·01	0·01	0·01	trace	0·98	0·13		25
26	0·13	0·15	0·05	0·01	—	trace	—	—	0·29	0·18	—	0·17		26
27	0·08	0·03	—	trace	0·07	—	0·20	0·03	0·36	0·03	0·23	—		27
28	0·04	0·02	—	trace	0·70	0·03	—	0·54	0·05	—	0·02	0·09		28
29	0·12	—	—	trace	0·16	—	—	—	0·01	0·01	0·09	—		29
30	0·01		—	0·02	0·09	0·15	—	trace	0·07	0·17	0·14	trace		30
31	0·10		—		0·15		—	—				0·17		31
TOTAL	2·18	0·35	0·29	0·14	1·90	0·41	1·24	2·21	1·69	2·39	2·97	2·57	Year's Total 18·34	
* Days with .01 in. or more.	20	10	5	6	15	6	12	12	17	18	21	16	158	
* Days with .04 in. or more.	13	2	3	2	12	2	8	9	10	12	11	12	96	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) F. H. Hall

[P.T.O.

C

Section A for the entry of Daily

AIR MINISTRY.—M

Station No. 994/23

NFALL ORGANIZATION

FORM 1090

REGISTE 938

994/3
SLOUGH
(WINDSOR RD) NEW GAUGE
1938–1939.
780206

Kept at 146 Windsor Road

in the County of Buckingh

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level .

Totals

uge, brought on Jan. 22. 38.

THE MORNING MEASUREMENT OUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Gauge not yet installed	—	trace	—	0.06	0.17	—	—	0.02	trace	trace	trace		1
2		trace	—	0.04	0.10	trace	—		—	0.23	0.01	0.05		2
3		—	—	—	0.23	—	0.06	—	trace	0.56	0.01	trace		3
4		—	0.01	—	—	0.02	0.02	0.28	—	0.06	—	0.07		4
5		—	—	—	—	trace	0.16	trace	trace	0.13	—	—		5
6		—	—	—	—	trace	0.09	—	0.36	trace	trace	trace		6
7		trace	0.01	—	—	—	0.32	0.59	0.03	0.13	trace	0.02		7
8		—	—	—	—	trace	0.10	0.04	0.06	0.25	—	—		8
9		0.02	—	—	—	0.02	trace	0.24	—	—	—	0.59		9
10		0.01	—	—	—	—	0.02	0.19	—	0.01	—	0.10		10
11		—	—	—	—	—	—	trace	—	—	0.24	0.03		11
12		0.01	—	—	—	—	trace	0.08	—	0.14	0.01	—		12
13		0.01	—	—	0.02	—	—	trace	—	0.01	0.08	—		13
14		trace	trace	—	0.06	—	0.05	—	trace	trace	0.01	0.01		14
15		0.01	—	—	0.01	—	0.19	trace	—	0.23	0.01	0.09		15
16		trace	—	—	—	—	0.01	trace	—	0.02	0.03	0.20		16
17		0.07	—	—	0.03	—	trace	—	0.02	0.14	0.01	—		17
18		—	—	—	—	—	—	trace	0.06	0.03	0.36	trace		18
19		—	—	—	0.06	—	—	0.05	0.08	—	0.13	trace		19
20		trace	—	—	—	—	—	trace	0.02	—	0.35	0.02		20
21		trace	—	trace	—	—	—	0.16	0.05	—	0.03	0.55		21
22	0.01	—	—	0.01	trace	0.02	—	0.02	trace	—	0.12	0.25		22
23	—	—	—	0.01	trace	—	—	—	0.02	—	0.03	trace		23
24	—	—	0.14		0.05	—	—	—	0.19	—	0.05	trace		24
25	0.07	0.02	0.08	0.04	0.11	—	0.02	0.01	0.01	trace	0.98	0.11		25
26	0.12	0.15	0.05	0.01	—	trace	—	[redacted]	0.29	0.17	—	0.17		26
27	0.08	0.03	—	trace	0.07	—	0.20	0.02 [redacted]	0.35	0.03	0.22	—		27
28	0.04	0.02	—	trace	0.67	0.03	—	0.51 [redacted]	0.04	—	0.02	0.09		28
29	0.12	×	—	trace	0.14	—	—	—	0.01	0.01	0.07	—		29
30	0.01	✕	—	0.02	0.08	0.15	—	trace	0.07	} 0.17	0.14	trace		30
31	0.10	✕		✕	0.16	✕	—	—	✕		✕	0.17		31
TOTAL	imp	0.35	0.29	0.13	1.85	0.41	1.24	2.19	1.68	2.32	2.91	2.52	Year's Total —	imp
* Days with .01 in. or more.		10	~~4~~ 5	6	15	6	12	12	17	18	21	16	—	imp
* Days with .04 in. or more.		2	3	2	12	2	8	9	10	11	11	12	—	4B 6.3.39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N N

(*Signed*) J.K. Hart

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 994/23

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 146 Windsor Road Slough

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 69 ft.

Totals

New Gauge, brought into operation on Jan. 22. 38.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

~~*An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*~~

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Gauge not yet installed	—	trace	—	0·06	0·17	—	—	0·02	trace	trace	trace		1
2		trace	—	0·04	0·10	trace	—		—	0·23	0·01	0·05		2
3		—	—	—	0·23	—	0·06	—	trace	0·56	0·01	trace		3
4		—	0·01	—	—	0·02	0·02	0·28	—	0·06	—	0·07		4
5		—	—	—	—	trace	0·16	trace	trace	0·13	—	—		5
6		—	—	—	—	trace	0·09	—	0·36	trace	trace	trace		6
7		trace	0·01	—	—	—	0·32	0·59	0·03	0·13	trace	0·02		7
8		—	—	—	—	trace	0·10	0·04	0·06	0·25	—	—		8
9		0·02	—	—	—	0·02	trace	0·24	—	—	—	0·59		9
10		0·01	—	—	—	—	0·02	0·19	—	0·01	—	0·10		10
11		—	—	—	—	—	—	trace	—	—	0·24	0·03		11
12		0·01	—	—	—	—	trace	0·08	—	0·14	0·01	—		12
13		0·01	—	—	0·02	—	—	trace	—	0·01	0·08	—		13
14		trace	trace	—	0·06	—	0·05	—	trace	trace	0·01	0·01		14
15		0·01	—	—	0·01	—	0·19	trace	—	0·23	0·01	0·09		15
16		trace	—	—	—	—	0·01	trace	—	0·02	0·03	0·20		16
17		0·07	—	—	0·03	—	trace	—	0·02	0·14	0·01	—		17
18		—	—	—	—	—	—	trace	0·06	0·03	0·36	trace		18
19		—	—	—	0·06	—	—	0·05	0·08	—	0·13	trace		19
20		trace	—	—	—	—	—	trace	0·02	—	0·35	0·02		20
21		trace	—	trace	—	—	—	0·16	0·05	—	0·03	0·55		21
22	0·01	—	—	0·01	trace	0·02	—	0·02	trace	—	0·12	0·25		22
23	—	—	—	0·01	trace	—	—	—	0·02	—	0·03	trace		23
24	—	—	0·14		0·05	—	—	—	0·19	—	0·05	trace		24
25	0·07	0·02	0·08	0·04	0·11	—	0·02	0·01	0·01	trace	0·98	0·11		25
26	0·12	0·15	0·05	0·01	—	trace	—	— [illegible]	0·29	0·17	—	0·17		26
27	0·08	0·03	—	trace	0·07	—	0·20	0·02 [illegible]	0·35	0·03	0·22	—		27
28	0·04	0·02	—	trace	0·67	0·03	—	0·51 [illegible]	0·04	—	0·02	0·09		28
29	0·12	×	—	trace	0·14	—	—	—	0·01	0·01	0·07	—		29
30	0·01	×	—	0·02	0·08	0·15	—	trace	0·07	0·17	0·14	trace		30
31	0·10	×		×	0·16	×	—	—	×		×	0·17		31
TOTAL	imp	0·35	0·29	0·13	1·85	0·41	1·24	2·19	1·68	2·32	2·91	2·52	Year's Total -	imp
* Days with .01 in. or more.		10	~~4~~ 5	6	15	6	12	12	17	18	21	16	-	imp
* Days with .04 in. or more.		2	3	2	12	2	8	9	10	11	11	12	-	4B

N N

† Spare column, no entries required.

(*Signed*) F. K. Hart

* See Instruction 3 (f) on other side.

[P.T.O.

SLOUGH (WINDSOR RD) NEW GAUGE **COPY FOR OFFICIAL USE**

Section **A** for the entry of Daily Observations

Station No. 994/43

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SLOUGH (146, WINDSOR ROAD)

in the County of BUCKINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 69 ft.

Heaviest Day's falls in red. (Jan. 3 in error)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	trace	—	0·01	0·46	0·27	trace	trace	0·58	0·40	—	—	0·01		1
2	trace	—	—	0·01	0·09	—	trace	0·46	0·92	trace	0·04	0·01		2
3	0·45	—	—	0·17	0·01	—	—	0·17	—	trace	0·29	0·13		3
In error 4	0·09	trace	0·22	0·36	0·01	—	0·05	0·18	—	0·31	0·06	trace		4
5	—	—	—	0·45	0·09	—	0·01	0·17	—	0·20	0·22	0·08		5
6	0·37	—	trace	0·01	0·30	—	0·21	0·02	—	—	0·56	—		6
7	0·01	0·10	—	—	trace	—	0·02	0·01	—	0·03	0·16	0·15		7
8	trace	0·12	0·15	—	—	—	trace	0·12	—	0·53	0·30	—		8
9	0·01	0·06	—	—	—	—	—	0·01	—	0·15	0·01	0·15		9
10	0·21	trace	—	—	—	0·24	—	0·20	0·03	0·08	trace	—		10
11	—	—	0·15	—	trace	trace	—	0·01	—	0·28	trace	—		11
12	—	trace	trace	—	trace	trace	—	—	trace	0·01	0·01	—		12
13	—	—	—	0·02	—	0·02	0·07	—	0·02	1·06	trace	—		13
14	0·36	—	trace	0·01	0·07	0·02	0·01	—	trace	0·25	0·26	—		14
15	0·21	—	0·07	trace	0·51	0·32	0·07	—	0·05	0·63	0·17	0·02		15
16	0·36	—	0·07	0·02	0·07	0·11	0·07	trace	0·06	0·02	0·35	—		16
17	0·16	—	0·01	0·02	0·30	—	0·10	—	0·01	0·02	0·04	—		17
18	0·16	0·01	0·07	—	trace	—	0·14	—	—	0·08	0·20	—		18
19	0·19	trace	trace	—	—	—	0·19	—	—	0·06	0·02	—		19
20	0·16	—	0·17	—	—	0·25	0·40	✗	—	—	—	0·02		20
21	0·02	0·07	—	—	—	0·02	0·09	0·19	0·05	—	—	—		21
22	0·10	0·25	—	0·01	—	0·02	0·12	—	trace	—	0·06	—		22
23	0·01	—	—	0·09	—	0·01	0·01	—	trace	0·03	0·58	—		23
24	0·42	trace	trace	trace	—	0·01	0·04	—	trace	—	—	—		24
25	1·11	0·14	0·04	0·02	trace	—	0·06	✓	—	0·08	0·43	trace		25
26	0·~~[illegible]~~14	0·01	0·01	0·02	—	—	trace	✓	—	0·11	0·21	—		26
27	0·01	0·04	0·02	0·01	—	0·01	trace	—	—	0·04	0·15	—		27
28	0·01	0·13	0·02	0·04	—	0·02	0·32	—	trace	0·04	0·16	0·13		28
29	trace	✗	trace	0·20	—	0·01	0·02	—	—	0·12	0·09	—		29
30	—	✗	trace	0·59	—	0·15	trace	—	—	trace	0·16	0·03		30
31	—	✗	—	✗	—	✗	0·17	0·02	✗	0·02	✗	0·01		31
TOTAL	4·56	0·93	1·01	2·51	1·72	1·21	2·17	2·14	1·54	4·15	4·53	0·74	Year's Total 27·21	
* Days with .01 in. or more.	21	10	13	18	10	14	20	? 15	8	22	23	11	?	185
* Days with .04 in. or more.	15	8	8	8	8	5	15	? 8	5	16	20	5	?	119

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) F.K. Hare

F.K. HARE ESQ

P.T.O.

X TAPLOW (Beechwo

994/5

TAPLOW (BEECHWOOD)

1933-1940

780206

994/5

Section **A** **for the entry of Da**

AIR MINISTRY.—

AINFALL ORGANIZATION.

Station No. 994/5

FORM 1090.

REGIST

1933 .

Bucks/3

Kept at Wm WOOD & SON, LTD, BEEC

Circ Hand 15/6/34

in the County of BUCKINGH

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

40/32

THE MORNING MEASURE … **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·13	·12	—	·15	—	—	—	—	—	—	—	1
2	·14	—	·28	—	·35	—	—	—	—	—	—	—	2
3	—	·19	·09	—	·04	—	—	—	—	—	—	—	3
4	·21	·01	·19 }	—	·45	—	—	—	—	—	·15	—	4
5	·03	TRACE		—	—	—	—	—	—	—	—	—	5
6	—	·05	·03	—	·16	—	—	—	—	·05	—	—	6
7	·15	·07	·11	—	·035	—	—	—	—	·07	—	~~·02~~	7
8	·04	—	·025	—	·095	—	·17	—	—	·015	·08	TRACE	8
9	—	—	—	—	·07	—	·195	—	—	·04	·05	—	9
10	—	·37	—	—	—	·02	·10	—	—	·15	TRACE	—	10
11	·29	—	—	—	·01	—	·17	·05	·065	—	—	—	11
12	·01	—	—	—	·025	·17	·055	—	·59	—	—	—	12
13	·04	—	—	—	·07	—	·15	—	·025	—	·07	—	13
14	—	—	—	—	—	—	·015	—	—	·095 }	·42	TRACE	14
15	·21	—	·08	—	—	·015	·18	·04	—		·03	—	15
16	—	—	·48	—	—	·26	·115	—	—	·01	TRACE	—	16
17	·02	—	·35	—	—	·19 }	—	—	·05	—	·075	—	17
18	·13	·01	·15	—	—		—	—	—	—	—	—	18
19	—	·01	·15	TRACE	—	·285	—	—	·45	—	·02	TRACE	19
20	—	·02	·07	·10	—	·08	—	—	—	—	·TRACE	—	20
21	—	·01	—	—	—	·285	—	·10	·13	·02	TRACE	—	21
22	—	—	—	—	—	·145	—	·17	—	·36	·025	—	22
23	—	—	—	·27	—	—	—	—	·42	TRACE	TRACE	—	23
24	—	·67	—	·11	—	·63	—	—	·28	—	·035	—	24
25	—	·81	—	·225	—	—	—	—	·045	—	·01	·08	25
26	—	·44	—	·10	—	·075	—	—	·01	·065	—	·08	26
27	—	·01	—	—	·03	—	TRACE	—	—	·135	—	·03	27
28	—	TRACE	—	TRACE	—	—	—	—	—	·375 }	—	·02	28
29	·10	×	·015	·14	—	—	·035	—	—		—	·01	29
30	·09	×	·055	—	—	—	·01	—	·025	—	—	·17	30
31	·19	×	·05	×	—	×	—	·115	×	·055	×	—	31
TOTAL	1·76	2·80	2·24 ~~2·245~~	·95 ~~·445~~	1·4~~55~~ 9	2·15~~5~~	1·19~~5~~	·47~~5~~	2·09	1·44	·9~~65~~ 7	·41	YEAR'S TOTAL 14·96~~5~~
*Days with ·01 in. or more.	15	14	17	6	12	12	11	5	11	15	11	4	136
*Days with .04 in. or more.	12	8	13	6	8	9	8	5	8	10	6	3	96

40-9999

*See Instruction 2 (*f*) on other side

X Wm. Wood & Son. Ltd X

(Signed) G. Stevens

PP Wm WOOD & SON LTD.

P.T.O.

X TAPLOW (Beechwo

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 99415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wm WOOD & SON, LTD, BEECHWOOD, TAPLOW

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level ....ft.

cf 995 996

NR 1932

Bucks/3

Circ Hand 15/6/34

f 207440/32

Circular & height of a etc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·13	·12	—	·15	—	—	—	—	—	—	—	1
2	·14	—	·28	—	·35	—	—	—	—	—	—	—	2
3	—	·19	·09	—	·04	—	—	—	—	—	—	—	3
4	·21	·01	·19 }	—	·45	—	—	—	—	—	·15	—	4
5	·03	TRACE		—	—	—	—	—	—	—	—	—	5
6	—	·05	·03	—	·16	—	—	—	—	·05	—	—	6
7	·15	·04	·11	—	·035	—	—	—	—	·04	—	~~·02~~	7
8	·04	—	·025	—	·095	—	·14	—	—	·015	·08	TRACE	8
9	—	—	—	—	·04	—	·195	—	—	·04	·05	—	9
10	—	·34	—	—	—	·02	·10	—	—	·15	TRACE	—	10
11	·29	—	—	—	·01	—	·14	·05	·065	—	—	—	11
12	·01	—	—	—	·025	·14	·055	—	·59	—	—	—	12
13	·04	—	—	—	·04	—	·15	—	·025	—	·04	—	13
14	—	—	—	—	—	—	·015	—	—	·095 }	·42	TRACE	14
15	·21	—	·08	—	—	·015	·18	·04	—		·03	—	15
16	—	—	·48	—	—	·26	·115	—	—	·01	TRACE	—	16
17	·02	—	·35	—	—	·19 }	—	—	·05	—	·045	—	17
18	·13	·01	·15	—	—		—	—	—	—	—	—	18
19	—	·01	·15	TRACE	—	·285	—	—	·45	—	·02	TRACE	19
20	—	·02	·04	·10	—	·08	—	—	—	—	TRACE	—	20
21	—	·01	—	—	—	·285	—	·10	·13	·02	TRACE	—	21
22	—	—	—	—	—	·145	—	·14	—	·36	·025	—	22
23	—	—	—	·24	—	—	—	—	·42	TRACE	TRACE	—	23
24	—	·64	—	·11	—	·63	—	—	·28	—	·035	—	24
25	—	·81	—	·225	—	—	—	—	·045	—	·01	·08	25
26	—	·44	—	·10	—	·075	—	—	·01	·065	—	·08	26
27	—	·01	—	—	·03	—	TRACE	—	—	·135	—	·03	27
28	—	TRACE	—	TRACE	—	—	—	—	—	·375 }	—	·02	28
29	·10	X	·015	·14	—	—	·035	—	—		—	·01	29
30	·09	X	·055	—	—	—	·01	—	·025	—	—	·14	30
31	·19	X	·05	X	—	X	—	·115	X	·055	X	—	31
TOTAL	1·76	2·80	2·24 ~~2·25~~	·95 ~~·45~~	1·4~~55~~ 9	2·15	1·19~~5~~	·47	2·09	1·44	·9~~65~~ 7	·41	YEAR'S TOTAL 14·96
*Days with ·01 in. or more.	15	14	17	6	12	12	11	5	11	15	11	4	136
*Days with .04 in. or more.	12	8	13	6	8	9	8	5	8	10	6	3	96

OK print

Printing

40-9999

*See Instruction 2 (*f*) on other side

X Wm. Wood & Son. Ltd X

(Signed) G. Stevens

PP Wm WOOD & SON LTD.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BEECHWOOD ~~Works~~ NURSERY, TAPLOW

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	—	—	—	—	—	·205	—	—	—	·51		1
2	·09	—	·065	—	·045	—	—	—	·59	·13	—	·14		2
3	·01	·01	—	·025	—	—	—	—	·01	·235	—	·02		3
4	·06	—	·09	·095	·03	—	—	—	—	·17	—	·29		4
5	—	—	TRACE	—	—	—	—	·10	—	TRACE	·04	·39		5
6	—	—	·30	—	·19	·05	—	·15	—	·16	—	·37		6
7	·045	TRACE	—	—	—	TRACE	—	·13	—	·10	—	·195		7
8	—	—	—	—	·075	—	—	·02	·15	—	·34	·345 }		8
9	·01	—	·035	—	—	—	—	—	—	—	·95			9
10	·055	—	·145	·14	—	—	—	·05	—	—	·115	·01		10
11	·21	—	·35	·065	—	—	·015	·05	—	—	—	·155		11
12	·01	—	TRACE	—	—	—	·07	·29	—	—	—	·07		12
13	·26	—	·305	—	—	—	·485	·02	—	—	·03	·45		13
14	·09	—	·295	—	TRACE	TRACE	—	—	—	TRACE	·13	·295		14
15	·06	—	·02	—	TRACE	—	—	—	·02	·16	·075	·34		15
16	·165	—	·10	—	·08	—	—	—	—	·09	—	TRACE		16
17	TRACE	—	—	·01	—	—	—	—	—	·055	—	·105		17
18	·145	—	TRACE	·085	—	—	—	—	TRACE	—	·01	·095		18
19	—	—	·195	—	—	·02	—	—	·13	·015	—	·10		19
20	—	—	·075	·055	—	—	·195	·015	·01	—	—	·015		20
21	—	—	—	·07	—	·155		·015	—	·04	—	—		21
22	—	—	—	—	—	—	TRACE	·41	·16	—	·02	·07		22
23	—	TRACE	—	·27	—	·28	—	—	—	—	—	—		23
24	—	·025	·075	·15	—	·05	·195	—	·21	—	—	·01		24
25	·15	·05	—	·11	—	·125	—	—	—	·025	—	·31		25
26	·015	TRACE	—	·24	—	·035	—	—	·01	TRACE	—	·085		26
27	—	TRACE	—	·11	—	·12	—	—	—	·045	—	·32		27
28	—	TRACE	—	—	—	·155	·015	·81	—	—	·06	·235		28
29	—	×	—	—	—	—	TRACE	—	·12	—	—	·05		29
30	·05	×	—	—	—	—	—	·045	·01	TRACE	—	·095		30
31	·035	×	—	×	—	×	—	—	×	·115	×	·06		31
TOTAL	1·52	·085	2·08	1·425	·42	·99	·975	2·31	1·42	1·34	1·80	5·16	Year's Total. 19·52~~5~~3	
* Days with .01 in. or more.	18	3	13	13	5	9	6	14	11	13	10	28	143	
* Days with .04 in. or more.	12	1	11	11	4	7	4	10	6	11	7	24	108	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Y. G. Stevens A. Hynes. Mgr

pp. Wm. WOOD & SON, LTD.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Beechwood Nursery Taplow

in the County of Bucks

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level ..... ft.

..cR

4R

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	·015	TRACE	·07	·02	·05	·20	—	·045	·09	·33	—		1
2	TRACE	—	TRACE	—	—	·01	—	—	·305	·085	·055	·025		2
3	—	·01	·115	·035	—	·145	—	—	·37	·64	·16	·02		3
4	—	—	—	·14	—	·13	—	—	·065	·19	—	·02		4
5	—	·155	·035	—	—	·065	—	—	·245	—	·02	·01		5
6	—	—	—	·285	—	·41	—	—	—	—	·035	·03		6
7	—	—	—	·48	—	·01	—	—	—	·125	·90	·155		7
8	—	—	—	·47	—	—	—	—	—	·185	·295	·015		8
9	TRACE	—	—	·18	TRACE	·68	—	—	—	·57	·05	—		9
10	TRACE	—	—	·025	—	TRACE	—	—	—	TRACE	·065	·015		10
11	·26	—	—	·03	—	·095	·48	—	—	·025	·22	—		11
12	—	—	—	—	—	·18	—	TRACE	TRACE	—	·23	—		12
13	·085	·155	—	·26	·115	TRACE	—	—	—	TRACE	TRACE	—		13
14	—	TRACE	—	·04	·205	·015	—	—	—	TRACE	·09	·10		14
15	TRACE	·26	—	·355	—	·75	—	—	·235	—	·24	·06		15
16	—	·11	·02	·02	—	·18	—	—	·145	—	·50	·03		16
17	TRACE	·11	—	·025	—	·215	·035	—	·07	—	·275	—		17
18	—	—	—	·26	—	·025	·08	—	·285	·05	·03	—		18
19	—	—	—	·045	·31	·04	·055	—	·03	—	·10	·11		19
20	—	·165	—	·14	·67	·06	·115	—	·05	—	·38	—		20
21	TRACE	·12	—	·01	—	—	—	—	·02	·045	·015	—		21
22	—	—	·08	—	—	—	—	·395	·18	—	—	—		22
23	—	—	·22	—	—	—	—	·345	·10	·15	—	·125		23
24	·05	·44	—	—	·025	—	—	·15	·53	TRACE	—	·14		24
25	·33	·23	—	·25	·01	·50	—	—	—	—	—	·20		25
26	TRACE	·14	—	—	—	TRACE	—	·245	·09	—	—	·30		26
27	TRACE	·265	—	—	TRACE	—	—	—	·215	—	·08	·30		27
28	—	·205	—	—	·04	—	—	—	·31	—	TRACE	·08		28
29	—	×	—	—	—	—	—	—	·54	—	—	·19		29
30	·03	×	—	·06	—	—	—	·55	·05	·195	·27	·30		30
31	—	×	—	×	—	×	—	—	×	·29	×	·14		31
TOTAL	·895	2·30	·47	3·21	1·395	3·56	·965	1·685	3·91	2·68	4·34	2·37 ~~2·88~~	Year's Total. ~~[illegible]~~	27·77 ins.
* Days with .01 in. or more.	6	13	5	20	8	18	6	5	20	13	21	21X	156	
* Days with .04 in. or more.	5	11	3	14	5	14	5	5	18	12	14	13X	122	X

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A Lynes. for Wm Wood & Son

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BEECHWOOD NURSERIES, TAPLOW

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·08	·03	·18	—	·11	·185	·085			·04	·05		1
2	·015	TRACE	—	·035	—	·30	·16	·04	—	—	·05	—		2
3	—	—	—	·18	—	—	—	—	·355	—	·24	—		3
4	—	—	·11	TRACE	—	—	—	—	·14	—	·06	·02		4
5	·145	—	·03	—	—	—	—	—	·09	—	TRACE	·14		5
6	·17	—	—	—	—	·25	—	·17	·06	—	·17	—		6
7	·31	—	·04	—	—	—	·12	—	·025	—	·16	·05		7
8	·18	—	·12	—	—	—	·185	—	—	—	·35	·11		8
9	·39	—	·05	—	—	—	·24	—	·225	·03	—	—		9
10	TRACE	—	—	—	—	—	·19	·015	—	·04	—	—		10
11	—	—	—	·14	—	—	·05	—	·01	—	1·08	—		11
12	—	—	—	·10	—	·485	·14	—	·33	—	·65	·155		12
13	—	—	—	TRACE	—	·12	—	—	—	·02	·145	·16		13
14	—	·12	—	—	—	·02	·36	—	—	TRACE	[illegible]	·23		14
15	—	·035	—	—	—	—	—	—	·05	—	·02	·06		15
16	·20	·13	—	—	—	—	·03	—	—	—	·46	·05		16
17	·16	·50	—	—	·06	·11	TRACE	—	—	·015	—	·145		17
18	·03	·10	—	—	—	·40	·13	·01	—	·035	·075	·12		18
19	·28	·02	·09	—	—	·16	·05	·08	—	—	—	—		19
20	·07	—	·08	·34	—	·12	—	—	·71	—	—	—		20
21	—	·035	—	·25	·015	·20	·06	—	·01	—	—	—		21
22	·155	·45	·065	—	·20	—	·19	—	—	—	—	—		22
23	·04	—	·115	·07	—	—	·03	—	·15	·075	—	—		23
24	·07	—	—	—	—	—	·01	—	—	·53	—	—		24
25	·015	—	·10	·13	—	TRACE	·10	—	·12	·15	·03	—		25
26	TRACE	·19	·155	·08	—	·03	·03	—	—	·15	—	·03		26
27	·195	·015	TRACE	—	—	—	—	—	·095	·185	—	—		27
28	·695	—	·07	—	—	TRACE	·58	—	—	—	—	·125		28
29	·10	·045	·085	—	—	·19	·015	—	—	·08	·16	·075		29
30	·125	×	—	—	·045	·21	·065	—	—	·27	—	—		30
31	·245	×	·38	×	—	×	·09	—	×	·37	×	·28		31
TOTAL	3·74	1·72	1·52	1·505	·32	2·705	3·01	·4	2·37	1·86	3·69	1·8	Year's total 24·~~23~~64	
* Days with .01 in. or more.	21	12	15	10	4	14	22	6	14	13	15	16	162	
* Days with .04 in. or more.	18	8	13	9	3	12	17	4	11	8	13	14	130	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) G. G. Stevens [P.T.O.

Wm. WOOD & SON LTD.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BEECHWOOD NURSERIES, TAPLOW

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	—	—	·06	—	—	—	—	·025	—	·36	·49		1
2	TRACE	·17	·02	·50	—	—	—	—	·06	—	—	·72		2
3	—	·16	·03	—	—	—	—	—	—	—	—	·04		3
4	—	·31	—	—	—	—	—	—	—	—	—	·35		4
5	·24	·04	·145	TRACE	—	—	·05	—	—	—	—	—		5
6	·025	·015	·48	—	·205	—	·275	—	—	·045	—	—		6
7	—	·68	·015	·59	—	—	—	—	·065	—	—	—		7
8	—	·025	—	—	·10	·015	—	—	—	—	·11	·28		8
9	—	·06	—	·23	·085	·02	·105	—	·26	—	—	·13		9
10	—	—	·49	—	—	·205	·05	·085	—	—	—	·27		10
11	—	—	·165	—	·23	—	·04	—	—	—	—	—		11
12	·12	·25	·12	—	·34	·31	—	·02	·L	—	—	·09		12
13	·185	·09	·43	·01	—	·02	—	·05	·44	—	—	·55		13
14	·02	·05	·21	—	—	—	—	1·80	·03	—	—	TRACE		14
15	·19	·13	—	·16	—	—	·37	—	·065	—	—	—		15
16	—	·10	·31	·34	—	·035	—	—	·265	—	—	·015		16
17	·31	TRACE	·09	·13	—	—	—	·225	·605	—	—	—		17
18	·24	·085	·01	·05	·03	·635	—	—	·18	—	·10	—		18
19	·085	·08	·035	·095	—	·15	·91	—	·10 ✓ }	—	—	·12		19
20	·29	·75 }	—	·18	·65	—	—	—		—	—	—		20
21	·215	✓	·045	·065	—	—	·065	—	—	—	—	·045		21
22	·36	TRACE	—	—	—	·18	·065	—	—	·54	·31	·03		22
23	·415 }	·52 }	·025	—	·56	—	—	—	—	·41 }	—	—		23
24			·03	—	—	—	—	—	·135		—	—		24
25	·11	·33	·09 }	—	·86	—	—	—	—	·30	—	—		25
26	—	·235		—	·24	—	—	—	—	·115	—	—		26
27	—	·07	—	·08	—	—	—	—	—	·58	—	—		27
28	·01	·11	—	—	—	—	—	—	—	·085	—	·02		28
29	·04	✕	—	—	—	~~—~~	—	—	—	·02	·11	·02		29
30	·285	✕	—	—	—	—	—	—	—	—	·20	—		30
31	·29	✕	—	✕	—	✕	—	—	✕	·095	✕	·03		31
TOTAL	3·6	4·26	2·74	2·49	3·3	1·68	1·93	2·18	2·23	2·19	1·19	3·2	Year's Total 31·02 ✓	
* Days with .01 in. or more.	20 ✓	~~23~~ 22	19 ✓	13 ✓	10	10	9	5	13 ✓	10 ✓	6	16	154 3 ✓	
* Days with .04 in. or more.	17 ✓	~~21~~ 19	N 12	12 ✓	9	6	9	4	N 10	9 ✓	6	11	~~125~~ 124 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. Steven [P.T.O.

Wm. WOOD & SON LTD.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BEECHWOOD NURSERY, TAPLOW

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

„ Ground „ Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·025	—	—	·08	·09	—	·02	·015	TRACE	TRACE		1
2	·03	—	—	·07	·04	—	—	—	—	·245	—	·03		2
3	·01	—	—	—	·30	—	—	—	—	·645	—	—		3
4	·01	—	—	—	—	—	—	·32	—	·07	—	·11		4
5	·01	—	—	—	—	—	·13	—	·11	·19	—	—		5
6	—	—	—	—	—	—	·12	—		·045	—	—		6
7	—	—	—	—	—	—	·35	·37	·15	·205	—	·02		7
8	·13	—	—	—	—	—	·04	·02		·30	—	—		8
9		·035	—	—	—	—	—	·21	—	TRACE	—	·51		9
10	·175	·015	—	—	—	—	TRACE	·14	—	—	—	·10		10
11	·275	—	—	—	—	—	TRACE	—	—	—	·14	—		11
12	·25	—	—	—	·03	—	TRACE	·05	—	·15	—	—		12
13	·115	TRACE	—	—	—	—	—	—	—	TRACE	·16	·12		13
14	·19	TRACE	—	—	—	—	·06	—	·015	—	—	·035		14
15	·08	TRACE	—	—	·04	·01	·29	—	—	·22	·02	·075		15
16	·33	TRACE	—	—	TRACE	—	—	—	—	·05	·02	·15		16
17	—	·045	—	—	—	—	—	—	—	·065	—	—		17
18	·035	—	—	—	·12	—	—	—	—	—	·295	—		18
19	TRACE	—	—	—	—	—	—	·06	·10	—	—	TRACE		19
20	TRACE	—	—	—	—	—	—	—	—	—	·43	TRACE		20
21	·015	—	—	—	—	—	—	·12	—	—	—	·87		21
22	—	—	—	—	—	—	—	—	—	—	·15	·24		22
23	—	—	—	TRACE	—	—	—	—	—	—	·015	—		23
24	—	—	·165	—	—	—	—	—	·41	—	·02	—		24
25	·08	·03		·03	·10	—	—	—	·01	·035	·83	·08		25
26	·15	·165	—		—	—	—	—	·24	·125	—	·16		26
27	·135	·05	—	TRACE	·07	·23	·17	—	·315	—	·23	—		27
28	—	—	—	—	·66	·03	—	·56	—	—	—	·10		28
29	·335	X	—	—	·14	—	—	—	·06	·09	·065	·20		29
30	·025	X	—	·01	·14	·18	—	—	·09		·195	·01		30
31	·14	X	—	X	·11	X	—	—	X	·09	X	·20		31 "d"
TOTAL	2·52	·34	·19	·11	1·75	·53	1·25	1·85	1·52	2·54	2·57	3·01	Year's Total 18·18	✓
* Days with .01 in. or more.	21	6	~~3~~ 4	~~4~~ 3	11	5	8	9	13	17	13	17	127	✓
* Days with .04 in. or more.	14	3	~~2~~ 3	1	10	3	8	8	8	14	9	13	9~~5~~4	✓

† Spare column, no entries required.

(Signed) G. Stevens .... Wm WOOD & SON LTD. [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BEECHWOOD NURSERIES, TAPLOW

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·01	·47	·30	—	—	·28	·17	—	—	—		1
2	·03	—	—	TRACE	—	—	—	·43	·46	—	—	—		2
3	·39	—	—	·15	—	—	—	·30	—	—	·37	·17		3
4	·06	—	·21	·43	—	—	·03	·17	—	·35	·05	—		4
5	—	—	—	·43	·08	—	·09	·19	—	·14	·29	·13		5
6	·40	—	—	—	·32	—	·19	·01	—	—	·49	—		6
7	—	·15	—	—	—	—	·01	·02	—	·03	·13	·16		7
8	—	·11	·17	—	—	—	·02	·06	—	·58	·20	·28		8
9	·06	·07	—	—	—	—	—	·02	·04	·08	·04	·20		9
10	·20	—	—	—	—	·30	—	·19	—	·15	·01	—		10
11	—	—	·16	—	—	—	—	—	—	·15	—	—		11
12	—	TRACE	—	·04	—	—	—	—	—	—	—	—		12
13	—	—	—	—	·18	—	·13	—	—	1·16	—	—		13
14	·31	—	—	·04	·12	·02	—	—	·04	·24	·30	—		14
15	·11	—	·04	—	·43	·38	·11	—	·05	·48	·20	—		15
16	·37	—	·09	—	·17	·11	·09	—	—	·02	·38	—		16
17	·15	—	—	·04	—	—	·06	—	—	·02	·05	—		17
18	·18	—	·07	—	—	·10	·16	—	—	·07	·23	—		18
19	·20	—	TRACE	—	—	—	·11	—	—	·08	—	—		19
20	·17	—	—	—	—	·06	·64	—	—	—	—	—		20
21	·09	—	·23	—	—	—	—	·14	·04	—	—	·04		21
22	·04	·23	—	—	—	·05	·12	—	·03	—	·07	—		22
23	·11	—	·04	·18	—	—	·02	—	—	·17	·67	—		23
24	—	—	—	—	—	·02	·05	—	—	—	—	—		24
25	1·15	·13	—	—	—	—	·07	—	—	·04	·48	—		25
26	·14	·03	—	—	—	—	—	·11	—	·15	·21	—		26
27	·01	·02	—	·09	—	—	—	—	—	·06	·15	—		27
28	—	·12	—	—	—	—	·33	—	—	·02	·14	·11		28
29	·12	X	—	·19	—	—	·10	—	—	·14	·10	—		29
30	—	✕	—	·66	—	·09	—	—	—	—	·21	—		30
31	—	✕	—	✕	—	✕	·10	·02	✕	—	✕	—	"d"	31
TOTAL	4·29	·86	1·02	2·72	1·6	1·13	2·43	1·94	·83	4·13	4·77	1·09	Year's Total 26·81	✓
* Days with .01 in. or more.	20	8	9	11	7	9	19	13	7	20	21	7	151	✓
* Days with .04 in. or more.	18	6	8	11	7	7	15	9	6	16	20	7	130	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) T. J. Steven

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 994/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Beechwood Nursery Lapton

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 12 in.

,, Ground ,, Sea Level ....ft.

corrected for B.A.
Jan 28th est. from nearby stns.
Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2				·12			·04			·08	·46			2
3		·34		·06							1·0	·09		3
4		·04		·04							·05	·08		4
5							·015			·20	·40			5
6		·14	·02		·01		·30			·08				6
7	·24	·20			·06					·07				7
8	·21			·63					·015	·40		·32		8
9			·05						·03	·13	·14	·03		9
10							·15			·08				10
11				·06			·05			·04	·90			11
12		·02				·12	·12		·11	·90				12
13			·25								1·20	·05		13
14			·20	·14	~~·04~~ ·05					·08		·20		14
15		·15			·05		·25		·10	·14	·35			15
16	·02		·65				·29		·30	·70	·68	·02		16
17			·14	·03			·01				·46			17
18		·35	·24	·39			·35				·20			18
19		·18	·01	·09			·18		·29		·23			19
20		·02		·03			·15			·35				20
21	·08		·03		·36		·06		·11	·06	·52			21
22			·03		·53									22
23		·05	·06	·12	·19	·48								23
24				·18		·02	·33							24
25			·36				·10							25
26	1·06	·08	·24	·34	·11		·015					·50		26
27	·34		·07	·07	·21		·005							27
28	(·38) ~~·60~~				·06		·01							28
29	·04		·07	·12		·03				~~·08~~	·50			29
30	·09	✕		·22	·05					·08 ~~·44~~		·02		30
31	·06	✕		✕		✕			✕	·44	✕			31
TOTAL	~~1·83~~ 2·55	1·63	2·42 ~~2·40~~	2·61	1,68	·65	2·55 ~~2·40~~	0·00	·95	3,83	7·09 ~~6·49~~	1·31	Year's Total ~~26·78~~	– 27·27
* Days with .01 in. or more.	10	11	15	16	11	4	18	0	7	16	14	9	131	–
* Days with .04 in. or more.	9	9	11	14	10	2	13	0	5	16	14	6	109	–

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Lines

[P.T.O.

995

995
TAPLOW COURT
1931 - 32

760206

Section **A** for the entry of Da

AIR MINISTRY.— AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTE 1931.

Kept at Taplow Court

in the County of Buckingh

Diameter of Funnel of Gauge 8"

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	0·06	0·09	0·06	·	0·08	·	Trace	Trace	·	·	Fog	1
2	0·10	0·08	·	0·28	·	·	Trace	·	0·44	Trace	·	Fog	2
3	0·04	Trace	0·05	0·13	0·39	·	·	Thunder 0·40	0·62	·	0·06	0·27	3
4		·	·	·	·	·	Trace	Thunder 0·16	0·21	0·04	0·10	0·01	4
5	Frost & Fog	·	·	0·28	0·05	0·43	0·70	Thunder ·	Trace	·	·	0·17	5
6		0·13	·	0·15	·	·	0·10		·	0·28	0·37	·	6
7		·	Slight snow	–	0·17	0·03	·	0·42	·	·	0·15	0·06	7
8		0·08	Slight snow	·	0·05	0·10	·	0·30	·	0·08	0·15	0·03	8
9		0·02		0·06	·	·	·		·	Trace	0·37	Trace	9
10	0·02	0·16		·	·	0·06	Trace	0·12	·	·	0·47	0·01	10
11	0·09	0·21		·	·	·	·	·	Trace	·	0·18	Trace	11
12	Trace	·		·	·	·	0·06	Trace	0·36	·	·	·	12
13		·		·	·	·	0·08	0·13	·	·	·	·	13
14	Slight snow	Short Rain 0·09		·	·	·	0·47	Thunder 0·78	·	·	·	·	14
15		–		0·20	0·13	Trace	0·22	0·27	·	·	·	0·03	15
16		0·04 Snow.		0·12	0·23	0·03	·	0·22	·	·	·	·	16
17	0·06	Snow 0·02	Frost	Short Rain 0·46	0·06	·	0·21	0·39	0·16	·	·	·	17
18	0·07	Snow. 0·03	0·07	0·11	·	0·08	·	0·52	·	·	0·51	·	18
19	0·03	·	·	0·35	·	0·32	0·29	0·18	·	·	Trace	·	19
20	Trace	0·04	·	0·13	·	·	·	·	·	·	0·03	·	20
21	Trace	·	·	·	0·40	·	·	·	Trace	·	·	·	21
22	0·10	·	·	·	·	·	·	·	Trace	·	·	·	22
23	0·26	·	·	0·03	0·42	Trace	·	·	Trace	·	0·14	0·02	23
24	·	·	·	0·23	0·16	0·15	Trace	Trace	·	·	Trace	Trace	24
25	0·04	·	·	0·32	0·11	·	0·43	·	·	·	0·03	·	25
26	·	0·02	·	0·11	Trace Thunder	·	0·47	·	·	·	0·30	·	26
27	0·16	0·38	·	0·10	0·27	·	0·07	·	·	·	0·5	·	27
28	0·07	Snow	·	0·10	·	·	0·12	·	·	0·06	Fog Trace	Rain 0·06 Snow.	28
29	0·11	·	·	0·02	0·35	·	0·03	·	·	0·28	Fog 0·02	·	29
30	Snow.	X	·	·	·	·	·	0·14	Trace	·	–	Slight snow. 0·03	30
31	0·17	X	·	X	·	X	·	Trace	X	·	X	Slight snow.	31
TOTAL	1·32	1·36	0·21	3·24	2·79	1·29	3·05	4·03	1·79	0·74	2·93	0·69	YEAR'S TOTAL 23·42
*Days with ·01 in. or more.	14	14	3	19	13	9	13	13	5	5	15	10	133
*Days with ·04 in. or more.	12	10	3	17	13.	7	12	13	5	5	12	4	113

40-9999

(Signed) G. A. Emmett.

"Head Gardener"

[P.T.O.

*See Instruction 2 (*f*) on other side.

995

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Taplow Court Gardens

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 214 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	0·06	0·09	0·06	·	0·08	·	Trace	Trace	·	·	Fog	1
2	0·10	0·08	·	0·28	·	·	Trace	·	0·44	Trace	·	Fog	2
3	0·04	Trace	0·05	0·13	0·39	·	·	Thunder 0·40	0·62	·	0·06	0·27	3
4		·	·	·	·	·	Trace	Thunder 0·16	0·21	0·04	0·10	0·01	4
5	Frost & Fog	·	·	0·28	0·05	0·43	0·70	Thunder ·	Trace	·	·	0·14	5
6		0·13	·	0·15	·	·	0·10	·	·	0·28	0·37	·	6
7		·	Slight snow	·	0·14	0·03	·	0·42	·	·	0·15	0·06	7
8		0·08	Slight snow	·	0·05	0·10	·	0·30	·	0·08	0·15	0·03	8
9		0·02		0·06	·	·	·		·	Trace	0·37	Trace	9
10	0·02	0·16		·	·	0·06	Trace	0·12	·	·	0·47	0·01	10
11	0·09	0·21		·	·	·	·	·	Trace	·	0·18	Trace	11
12	Trace	·		·	·	·	0·06	Trace	0·36	·	·	·	12
13		·	Frost	·	·	·	0·08	0·13	·	·	·	·	13
14	Slight snow	Short Rain 0·09		·	·	·	0·97	Thunder 0·78	·	·	·	·	14
15		–		0·20	0·13	Trace	0·22	0·27	·	·	·	0·03	15
16		0·04 Snow		0·12	0·23	0·03	·	0·22	·	·	·	·	16
17	0·06	Snow 0·02		Short Rain 0·46	0·06	·	0·21	0·39	0·16	·	·	·	17
18	0·04	Snow 0·03	0·07	0·11	·	0·08	·	0·52	·	·	0·51	·	18
19	0·03	·	·	0·35	·	0·32	0·29	0·18	·	·	Trace	·	19
20	Trace	0·06	·	0·13	·	·	·	·	·	·	0·03	·	20
21	Trace	·	·	·	0·40	·	·	·	Trace	·	·	·	21
22	0·10	·	·	·	·	·	·	·	Trace	·	·	·	22
23	0·26	·	·	0·03	0·42	Trace	·	·	Trace	·	0·14	0·02	23
24	·	·	·	0·23	0·16	0·15	Trace	Trace	·	·	Trace	Trace	24
25	0·06	·	·	0·32	0·11	·	0·43	·	·	·	0·03	·	25
26	·	0·02	·	0·11	Trace Thunder	·	0·47	·	·	·	0·30	·	26
27	0·16	0·38	·	0·10	0·27	·	0·07	·	·	·	0·5	·	27
28	0·07	Snow	·	0·10	·	·	0·12	·	·	0·06	Fog Trace	Rain 0·06 Snow	28
29	0·11	·	·	0·02	0·35	·	0·03	·	·	0·28	Fog 0·62	·	29
30	Snow	×	·	·	·	·	·	0·14	Trace	·	–	Slight snow 0·03	30
31	0·14	×	·	×	·	×	·	Trace	×	·	×	Slight snow	31
TOTAL	1·32	1·36	0·21	3·24	2·49	1·29	3·05	4·03	1·44	0·44	2·93	0·69	YEAR'S TOTAL 23·42
*Days with ·01 in. or more.	14	14	3	19	13	9	13	13	5	6	15	10	133
*Days with ·04 in. or more.	12	10	3	14	13.	4	12	13	5	5	12	4	111

40-9999

(Signed) G. H. Emmett.

" Head Gardener "

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 995

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Taplow Court Gardens

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8" ~~upto Oct [illegible]~~ in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ~~207 - Nov 296 ft~~

× Old gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Rain & Snow 0.15	–	–	0.10	0.69	0.05	0.10	0.16	0.03	0.06	0.04	–	1
2	0.04	–	–	0.13	0.05	–	–	Trace	0.03	0.02	0.03	0.13	2
3	Trace	–	–	0.14	0.08	–	–	0.03	0.62	0.10	–	–	3
4	Trace	–	–	–	–	0.22	–	Trace	–	–	0.09	–	4
5	0.20	–	–	–	0.02	–	0.21	–	0.12	–	–	–	5
6	gale 0.44	–	–	Hail 0.25	Trace	–	–	–	0.10	–	–	–	6
7	–	–	0.04	0.07	–	–	0.02	–	0.08	Trace	–	–	7
8	–	–	0.17	0.04	0.03	–	–	–	0.32	0.22	–	–	8
9	gale 0.14	Slight Snow	–	Hail 0.09	0.54	–	–	–	–	–	–	–	9
10	calm 0.44	–	Slight Snow and Rain 0.03	Snow & Hail 0.17	0.08	Trace	–	–	–	0.15	0.18	–	10
11	–	–	–	Snow 0.10	0.05	0.15	0.47	0.82	–	0.44	0.03	–	11
12	0.07	–	–	–	0.05	–	–	0.05	0.01	0.20	0.02	–	12
13	0.05	–	–	0.10	Trace	–	0.03	–	–	0.13	0.10	0.05	13
14	Hail 0.21	–	–	0.07	0.02	–	–	0.03	–	0.14	0.11	Trace	14
15	Trace	–	–	0.02	0.22	–	Trace	–	–	0.08	Trace	Trace	15
16	0.25	–	–	0.17	0.01	–	Trace	–	–	–	–	Trace	16
17	–	–	–	Trace	Trace	–	Trace	–	–	0.08	Trace	–	17
18	–	–	–	–	–	–	0.02	–	0.22	–	0.13	–	18
19	–	–	–	–	–	–	–	–	–	0.37	0.01	–	19
20	–	–	–	0.07	0.46	–	Trace	1.27	0.07	0.77	0.18	–	20
21	0.02	–	–	Rain & Hail 0.19	1.64	–	0.01	0.26	–	0.24	–	0.08	21
22	0.03	Trace	–	–	0.02	–	Trace	–	0.18	0.17	0.30	Trace	22
23	–	0.05	0.35	0.03	0.14	–	0.27	–	0.04	0.71	0.03	0.08	23
24	–	0.07	Trace	Trace	–	Trace	0.27	–	0.05	0.04	0.09	–	24
25	–	Trace	–	0.05	–	Trace	0.30	–	0.03	0.16	0.05	–	25
26	–	–	0.14	0.13	–	–	0.69	–	–	0.08	Trace	–	26
27	–	–	0.26	0.04	0.40	Trace	0.31	–	–	0.16	0.14	0.03	27
28	–	–	0.13	0.08	0.18	0.13	0.26	–	–	0.10	Trace	Trace	28
29	–	–	0.38	–	0.16	Trace	0.03	Trace	0.09	0.26	0.05	Trace	29
30	–	×	Hail 0.44	0.02	–	0.38	–	Trace	0.14	0.01	0.18	0.17	30
31	–	×	0.05	×	–	×	0.04	Trace	×	–	×	0.07	31
TOTAL	2.04	0.12	1.99	2.06	4.84	0.93	2.43	2.62	2.13	~~4.44~~ 4.62	1.76	0.61	YEAR'S TOTAL 26.15
*Days with ·01 in. or more.	12	2	~~7~~ 10	~~8~~ 21	~~5~~ 19	5	15	~~2~~ 7	16 ~~4~~	~~1~~ 23	~~5~~ 18	7 ×	155
*Days with ·04 in. or more.	10	2	9	18	14	5	10	5	12	~~9~~ 21	13	6	125

First Rain for 32 days

Heat wave

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible]

print P.T.O.

(995/1

Section **A** for the entry of Daily ‹ — COPY FOR OFFICIAL USE.

AIR MINISTRY.—MET — L ORGANIZATION.

FORM 1090.

REGISTER

2. Bucks/3

995/1

TAPLOW COURT GDNS.

1932-1940

780206

Kept at Taplow Court Ga

in the County of Bucks.

Diameter of Funnel of Gauge 5" i

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule … *making made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											0·03	—	1
2											0·03	0·10	2
3											—	—	3
4											0·09	—	4
5											—	—	5
6											—	—	6
7										(·20)	—	—	7
8										5" Gauge 0·18	—	—	8
9										—	—	—	9
10										0·14	0·20	—	10
11										0·46	0·02	—	11
12										0·20	0·02	—	12
13										0·14	0·11	0·04	13
14										0·13	0·11	Trace	14
15										0·08	Trace	Trace	15
16										—	—	Trace	16
17										0·07	Trace	—	17
18										—	0·12	—	18
19										0·29	Trace ~~[illegible]~~	—	19
20										0·68	0·18	—	20
21										0·23	—	0·07	21
22										Hail 0·17	0·28	Trace	22
23										0·71	0·02	0·08	23
24										0·04	0·07	—	24
25										0·16	0·03	—	25
26										0·07	Trace	—	26
27										0·16	0·15	0·03	27
28										0·10	Trace	Trace	28
29										0·25	0·04	Trace	29
30		×								0·01	0·17	0·16	30
31		×		×		×			×	—	×	0·06	31
TOTAL										(4·47) ~~4·45~~	1·67	0·54	YEAR'S TOTAL 2~~5~~82
*Days with ·01 in. or more.										~~2~~	6	1	~~31~~
*Days with ·04 in. or more.										~~21~~	11	6	~~12~~3

40-9999

(Signed) G.H.EMMETT.

P.T.O.

*See Instruction 2 (*f*) on other side.

(995/1)

Section **A** for the entry of Daily ~~Observations.~~ COPY FOR OFFICIAL USE.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Bucks / 3

Kept at Taplow Court Gardens
in the County of Bucks.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 212 ft.

New gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											0·03	–	1
2											0·03	0·10	2
3											—	–	3
4											0·09	–	4
5											—	–	5
6											—	–	6
7										(·20)	—	—	7
8										5" Gauge 0·18	—	—	8
9										—	—	—	9
10										0·14	0·20	–	10
11										0·46	0·02	–	11
12										0·20	0·02	—	12
13										0·14	0·11	0·04	13
14										0·13	0·11	Trace	14
15										0·08	Trace	Trace	15
16										—	–	Trace	16
17										0·07	Trace	–	17
18										–	0·12	–	18
19										0·29	Trace ~~0·03~~	–	19
20										0·68	0·18	–	20
21										0·23	–	0·07	21
22										Hail 0·17	0·28	Trace	22
23										0·71	0·02	0·08	23
24										0·04	0·07	–	24
25										0·16	0·03	–	25
26										0·07	Trace	–	26
27										0·16	0·15	0·03	27
28										0·10	Trace	Trace	28
29										0·25	0·04	Trace	29
30		×								0·01	0·17	0·16	30
31		×		×		×			×	—	×	0·06	31
TOTAL										(4·47) 4·45	1·67	0·54	YEAR'S TOTAL 23·82
*Days with ·01 in. or more.										~~2~~	6	1	~~31~~
*Days with ·04 in. or more.										~~27~~	11	6	~~123~~

40-9999

(Signed) G. H. EMMETT.

[P.T.O.

*See Instruction 2 (*f*) on other side.

N

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Taplow Court Gardens (new g.)

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·10	0·12	0·14	—	0·15	—	—	—	—	—	Trace	—		1
2	0·15	—	0·28	—	0·29	—	—	—	—	—	0·05	—		2
3	Trace	0·19	0·06	—	0·13	—	—	—	—	—	—	—		3
4	0·26	—	0·07	—	0·17	—	—	—	—	—	0·06	—		4
5	0·02	0·01	0·10	—	0·32	—	—	—	—	—	Trace	—		5
6	—	0·04	0·16	—	0·17	—	—	—	—	0·07	0·07	—		6
7	0·15	0·08	0·11	—	Trace	—	—	—	—	0·07	Trace	0·25		7
8	0·05	Trace	0·02	—	0·15	—	0·18	—	—	0·03	—	Snow		8
9	—	—	—	—	0·05	—	0·21	—	—	0·05	0·05	—		9
10	—	0·46	—	—	Trace	Trace	0·06	Trace	—	0·13	Trace	Snow		10
11	0·31	—	—	—	0·01	—	0·15	0·05	0·19	0·05	0·01	—		11
12	—	—	—	—	Trace	0·13	—	—	0·50	—	Trace	—		12
13	0·01	—	—	—	0·10	0·05	0·22	Trace	0·13	—	0·07	—		13
14	—	—	—	—	—	—	0·01	—	—	0·10	0·33	0·01		14
15	0·21	—	—	—	—	0·18	0·12	0·09	—	0·01	0·13	—		15
16	Sleet	—	0·55	—	—	0·26	0·12	—	—	0·02	—	—		16
17	0·02	—	0·38	—	—	0·05	—	Trace	0·07	—	0·08	—		17
18	0·13	Snow	0·12	—	—	0·14	—	~~0·08~~ —	—	—	Trace	—		18
19	0·02	Snow	0·16	—	—	0·26	—	Trace	0·55	—	0·01	0·01		19
20	—	Melted Snow 0·06	0·07	0·10	—	0·27	Trace	0·08	—	—	Trace	—		20
21	—	—	—	—	—	0·15	—	—	0·14	0·02	Trace	—		21
22	—	Snow	—	—	—	0·23	—	0·18	0·05	0·38	0·03	—		22
23	—	—	—	0·22	Trace	—	—	—	0·39	0·01	—	—		23
24	—	0·47	—	0·16	Trace	Thunder 0·78	—	—	0·23	—	0·04	—		24
25	—	Rain-Snow 0·83	—	0·24	—	—	—	—	0·07	—	0·01	0·09		25
26	—	0·39	—	0·12	—	0·10	—	—	0·02	0·02	—	0·08		26
27	—	0·02	—	0·03	0·06	Trace	Trace	—	0·01	0·22	—	0·025		27
28	—	—	—	Trace	—	—	Trace	—	—	0·23	—	0·03		28
29	—	—	—	0·26	—	—	0·04	—	—	0·13	—	Trace		29
30	0·22	×	0·05	—	0·02	—	0·02	—	0·04	0·03	—	0·18		30
31	0·21	×	0·05	×	—	×	Trace	0·13	×	0·06	×	—	19·27	31
TOTAL	1·86	2·67	2·32	1·13	1·62	2·60	1·13	·53	2·39	1·63	·9~~3~~4	·45	Year's Total 19·27	
*Days with ·01 in. or more.	14	~~2~~ 11	15	7	12	12 ~~+~~	~~2~~ 10	~~+~~ 5	~~2~~ 13	18 ~~7~~	~~4~~ 13	~~5~~ 8	~~30~~ 138	
*Days with ·04 in. or more.	10	9	14	6	10	12	8	5	11	11	9	3	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) G. W. Everett.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Taplow Court Gardens

in the County of Buckingham.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·05	Trace	—	—	—	—	—	0·22	0·02	0·02	—	0·57		1
2	0·11	—	0·07	—	0·06	—	—	—	0·58	0·13	—	0·17		2
3	0·01	0·03	—	0·01	—	—	—	—	—	0·36	—	Trace		3
4	0·07	Trace	0·08	0·14	Trace	—	—	—	—	0·25	0·08	0·34		4
5	—	—	0·02	—	0·03	Trace	—	0·12	—	0·01	Trace	0·34		5
6	0·01	—	0·30	Trace	0·19	0·05	—	—	—	0·18	—	0·53		6
7	0·05	—	—	—	—	Trace	—	0·30	—	0·12	—	0·23		7
8	—	—	—	—	0·08	—	—	0·03	0·14	—	0·27	Trace		8
9	0·01	—	0·03	—	0·01	—	—	Trace	—	—	0·94	0·36		9
10	0·05	Trace	0·15	0·13	—	—	—	0·08	—	—	0·10	0·02		10
11	0·20	—	0·40	0·08	—	—	0·01	0·05	—	—	Trace	0·14		11
12	0·01	Trace	0·01	0·01	—	—	0·13	0·32	—	—	—	0·10		12
13	0·26	—	0·29	0·01	—	—	0·46	0·03	—	Trace	0·02	0·40		13
14	0·05	—	0·38	—	—	Trace	—	Trace	—	Trace	0·14	0·27		14
15	0·11	—	0·01	—	0·03	—	—	—	0·01	0·18	0·06	0·38		15
16	0·17	Trace	0·11	—	0·09	—	—	—	—	0·10	0·03	—		16
17	0·01	—	Trace	Trace	—	—	—	—	0·06	0·07	0·01	0·13		17
18	0·20	—	—	0·09	—	—	Trace	—	0·01	Trace	—	0·11		18
19	—	—	0·18	Trace	Trace	0·03	—	—	0·10	0·01	0·01	0·15		19
20	—	—	0·08	0·02	—	Trace	0·15	0·03	0·02	Trace	0·01	0·02		20
21	—	—	Trace	0·16	—	0·16	0·10	0·03	—	0·05	Trace	0·06		21
22	—	—	—	—	—	—	0·01	0·35	0·16	—	0·01	—		22
23	—	—	—	0·25	—	0·30	—	0·05	—	—	—	0·04		23
24	—	0·04	0·08	0·17	—	0·06	0·23	Trace	0·23	—	Trace	0·01		24
25	0·10	0·06	—	0·11	Trace	0·48	—	—	—	0·05	—	0·32		25
26	0·09	—	—	0·30	—	0·04	—	—	0·01	—	—	0·12		26
27	0·03	—	—	0·08	—	0·10	—	—	—	0·05	—	0·23		27
28	Trace	0·01	—	Trace	—	0·17	0·02	0·84	—	Trace	0·09	0·32		28
29	—	×	—	—	—	—	—	Trace	0·16	Trace	0·01	0·05		29
30	0·02	×	—	—	—	—	—	0·07	0·01	—	—	0·11		30
31	0·01	×	—	×	Trace	×	—	—	×	0·10	×	0·04		31
TOTAL	1·62	0·14	2·19	1·56	0·49	1·39	1·11	2·52	1·51	1·68	1·78	5·56	Year's Total. 21·55	
* Days with .01 in. or more.	821	84	415	414	87	19	38	414	613	315	14	278	161 ~~148~~	
* Days with .04 in. or more.	13	2	11	10	4	8	5	10	7	12	7	24	113	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. H. Emmett

P.T.O.

File No. 940524/29

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. **Station No.** 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Taplow Court Gardens.

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·17	0·01	Tr.	0·07	0·03	0·05	0·21	—	0·08	0·10	0·42	0·02		1
2	0·02	Tr.	0·01	Tr	0·05	0·01	—	—	0·24	0·10	0·10	Tr.		2
3	Tr.	Tr	0·09	—	—	0·13	—	Tr.	0·11	0·62	0·18	0·05		3
4	—	0·02	—	0·19	Tr.	Tr.	—	—	0·23	0·18	0·03	Tr.		4
5	—	0·15	0·02	0·04	—	0·15	—	—	0·37	—	0·02	Tr.		5
6	—	0·01	0·03	0·27	—	0·44	—	—	—	—	0·01	0·04		6
7	—	Tr.	—	0·54	—	0·03	—	—	—	Tr.	1·0	0·17		7
8	—	—	—	0·38	Tr.	Tr.	—	—	—	0·31	0·28	0·02		8
9	—	—	—	0·13	—	0·64	—	—	—	0·50	0·13	—		9
10	—	Tr	—	0·14	—	0·02	—	—	—	0·06	0·07	0·02		10
11	0·28	Tr.	—	0·02	—	0·11	0·80	—	—	0·02	0·26	0·01		11
12	—	Tr.	—	0·23	—	0·19	—	Tr.	Tr	—	0·22	—		12
13	0·09	0·17	—	—	0·05	0·04	—	—	—	—	0·01	—		13
14	—	Tr.	—	0·34	0·23	0·02	—	—	Tr.	Tr	0·14	0·13		14
15	—	0·28	—	0·03	Tr.	0·76	—	—	0·23	Tr.	0·23	0·06		15
16	—	0·10	0·03	0·03	—	0·09	—	—	0·15	—	0·59	0·05		16
17	Tr.	—	0·02	0·04	—	0·23	0·09	Tr.	0·10	—	0·28	Tr.		17
18	—	—	—	0·29	0·04	0·05	0·10	Tr.	0·30	0·05	0·04	0·02		18
19	—	Tr.	—	0·10	0·26	0·04	0·08	—	Tr.	—	0·10	0·11		19
20	Tr.	0·19	—	0·11	0·68	0·07	0·09	—	0·10	—	0·42	—		20
21	Tr.	0·13	—	0·01	—	Tr.	—	—	0·01	0·05	0·02	—		21
22	—	0·05	0·10	Tr.	—	—	—	0·10	0·14	—	—	—		22
23	0·01	0·04	0·22	—	—	—	—	0·30	0·02	0·14	—	0·20		23
24	0·05	0·34	0·01	—	Tr.	—	—	0·35	0·64	0·04	—	0·16		24
25	0·35	0·28	—	0·24	0·03	0·44	—	0·23	—	—	—	0·15		25
26	—	Tr.	Tr.	—	Tr.	Tr.	—	Tr.	0·09	Tr.	—	0·22		26
27	—	0·36	—	—	Tr.	—	—	—	0·23	Tr.	0·14	0·37		27
28	—	0·25	—	—	0·04	—	—	—	0·11	0·05	Tr.	0·08		28
29	—	✕	—	—	—	—	—	—	0·65	Tr.	Tr.	0·23		29
30	0·03	✕	—	0·03	Tr.	—	—	0·57	0·18	0·21	0·29	0·36		30
31	—	✕	—	✕	Tr.	✕	—	Tr.	✕	0·28	✕	0·10		31
TOTAL	1·00	2·38	·53	3·23	1·41	3·51	1·37	1·55	3·98	2·71	4·98	2·57	Year's Total. 29.22	
* Days with .01 in. or more.	8	16	9	20	9	19	6	5	19	15	23	21	~~36~~	169
* Days with .04 in. or more.	5	12	3	15	7	15	6	5	17	14	18	16	133	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. H. Emmett

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Taplow Court Gardens,

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·14	0·10	0·03	0·35		0·07	0·16	0·13	Trace		0·05	0·04		1
2	0·03	Trace	Trace	0·03		0·37	0·35	0·01			0·01	0·02		2
3	Trace			0·27	Trace	Trace	0·02		0·12		0·30	Trace		3
4	Trace		0·18	Trace		0·10	Trace		0·37			Trace		4
5	0·11		0·05		Trace	Trace	Trace	0·02	0·11	Trace	0·07	0·18		5
6	0·13				Trace	0·17	Trace	0·12	0·7		0·17	Trace		6
7	0·39		0·04			Trace	0·04	Trace			0·18	0·05		7
8	0·21		0·12				0·34		0·02	Trace	0·34	0·10		8
9	0·48		0·07				0·26		0·21	0·03	0·02	Trace		9
10	0·02		Trace			Trace	0·23	0·01	0·07	0·07		Trace		10
11				0·11		Trace	0·06	Trace		Trace	0·97			11
12				0·08	Trace	0·37	0·14	Trace	0·42		0·87	0·18		12
13				Trace		0·23	0·03	Trace		Trace	0·02	0·23		13
14		0·12	Trace	Trace		0·04	0·30	Trace	0·04	0·02	0·18	0·33		14
15		0·07				Trace	0·17		0·08		Trace	0·02		15
16	0·10	0·12					0·05		0·05	Trace	0·48	0·09		16
17	0·28	0·43			0·11		0·01			0·02	0·09	0·15		17
18	0·08	0·16				0·44	0·15	Trace		Trace	Trace	0·11		18
19	0·26	0·06	0·05	Trace		0·19	0·04	0·10		0·06	Trace			19
20	0·07	0·03	0·09	0·37		0·04	Trace	Trace	0·66	Trace				20
21				0·27	Trace	0·27	0·07		0·03					21
22	0·15	0·48	0·06	Trace	0·13	0·01	0·17					0·10		22
23	0·05	0·01	0·15	0·08	0·05		0·08		Trace	0·08				23
24	0·08	0·06		Trace	Trace		Trace		[illegible]·20	0·44	Trace	0·01		24
25	0·02	Trace	0·08	0·13	Trace	Trace	0·14		0·16	0·08	0·04			25
26	Trace	0·18	0·20	0·03		0·04	Trace		0·06	0·26	Trace	Trace		26
27	0·13	0·04					Trace		[illegible]·08	0·21		0·02		27
28	0·67	Trace	0·07				0·48		Trace			0·06		28
29	0·20	0·04	0·05			0·55	0·25			0·05	0·19	0·08		29
30	0·15	✕	0·05		0·05	0·19	Trace			0·14		Trace		30
31	0·25	✕	0·18	✕		✕	0·17		✕	0·44	✕	0·16		31
TOTAL	4·00	1·90	1·47	1·72	0·34	3·08	3·71	0·39	3·38	1·90	3·98	1·93	Year's Total 27·80	✓
* Days with .01 in. or more.	~~8~~ 22	~~2~~ 14	~~1~~ 16	~~1~~ 10	4	~~1~~ 15	~~8~~ 23	~~8~~ 6	~~2~~ 17	13 ~~8~~	16 ~~8~~	18 ~~4~~	~~26~~	✓174
* Days with .04 in. or more.	19	12	15	9	4	14	20	3	15	10	13	14	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. H. Emmett

[P.T.O.

File No. 940524/29

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 99511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Days

Kept at Taplow Court Gardens

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·32	Tr.	Tr.	0·04	—	—	Tr.	—	0·02	—	0·40	0·50		1
2	Tr.	0·19	0·02	0·54	—	—	—	—	0·10	Tr.	0·01	0·93		2
3	Tr.	0·15	0·02	Tr.	Tr.	—	Tr.	—	—	—	—	0·06		3
4	0·06	0·32	0·19	Tr.	Tr.	Tr.	Tr.	—	—	—	—	0·38		4
5	0·14	0·09	0·48	Tr.	—	—	0·07	Tr.	—	—	Tr.	—		5
6	0·09	0·05	0·01	0·01	0·20	—	0·27	—	—	0·05	0·03	—		6
7	—	0·65	Tr.	0·71	—	—	—	—	0·07	Tr.	Tr.	Tr.		7
8	—	0·05	—	—	0·06	0·01	—	—	—	—	0·10	0·14		8
9	—	0·07	—	0·12	0·16	0·02	0·09	Tr	0·28	—	Tr.	0·28		9
10	—	—	0·43	0·22	Tr.	0·23	0·04	0·04	—	—	—	0·18		10
11	0·01	—	0·26	Tr.	0·24	Tr.	0·04	Tr.	—	—	—	—		11
12	0·12	0·26	0·25	Tr.	0·49	0·34	0·04	0·05	0·07	—	—	0·13		12
13	0·15	0·10	0·49	0·02	Tr.	0·03	Tr.	0·05	0·37	—	—	0·50		13
14	0·05	0·06	0·16	0·04	Tr.	0·01	—	1·94	0·04	—	—	Tr		14
15	0·09	0·15	0·29	0·11	Tr.	Tr.	0·49	—	0·03	—	—	—		15
16	0·10	0·11	0·12	0·35	—	0·03	—	0·25	0·29	—	—	0·02		16
17	0·25	0·01	Tr.	0·17	—	Tr.	Tr.	—	0·88	—	Tr.	—		17
18	0·30	0·08	Tr.	0·07	0·03	0·65	—	Tr.	0·35	—	0·11	0·04		18
19	0·09	0·10	0·03	0·11	—	0·17	0·88	—	0·10	—	—	—		19
20	0·33	Tr.	Tr.	0·22	0·63	Tr.	—	—	0·03	—	—	0·11		20
21	0·24	0·68	0·04	0·07	0·09	—	0·08	Tr.	Tr.	—	—	0·03		21
22	0·30	0·07	—	—	0·04	0·21	0·02	—	Tr.	0·42	0·35	0·02		22
23	0·26	0·02	—	—	0·52	—	0·05	—	—	0·43	0·02	0·01		23
24	0·21	0·48	0·07	—	0·02	Tr.	—	—	0·08	0·24	—	0·01		24
25	0·13	0·37	0·09	—	0·85	Tr.	—	—	0·11	0·31	—	—		25
26	—	0·28	—	—	0·38	Tr.	~~Tr.~~	Tr.	—	0·02	—	Tr.		26
27	—	0·12	—	0·09	—	—	—	—	—	0·70	Tr.	Tr.		27
28	—	0·10	—	Tr.	—	Tr.	—	—	—	0·08	—	0·02		28
29	—	×	—	—	—	0·13	—	—	—	0·02	0·10	0·01		29
30	0·35	×	—	—	—	Tr.	—	Tr.	—	0·01	0·21	—		30
31	0·31	×	—	×	—	×	—	—	×	0·08	×	0·05		31
													Year's Total	
TOTAL	3.90	4.56	2.95	2.89	3.81	1.83	2.07	2.33	2.82	2.36	1.33	3.42	34.27	
* Days with .01 in. or more.	~~1~~ 21	~~2~~ 24	~~4~~ 16	~~2~~ 16	~~2~~ 13	~~5~~ 11	~~1~~ 11	5	~~3~~ 15	~~3~~ 11	~~3~~ 9	~~7~~ 19	~~35~~	171
* Days with .04 in. or more.	20	22	12	14	11	6	10	5	12	8	6	12	138	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) G. A. Emmett

[P.T.O.

File No. 940524/29

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Taplow Court Gardens

in the County of Bucks.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 212 ft.

as snow,

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	Tr.	Tr.	—	Tr.	0·09	0·04	—	0·03	0·08	—	0·01		1
2	0·03	Tr.	—	0·04	0·04	Tr.	Tr.	—	—	0·28	0·03	0·02		2
3	Tr.	Tr.	—	Tr.	0·30	—	Tr.	—	Tr	0·58	0·01	—		3
4	0·03	—	—	—	—	Tr.	0·01	0·22	—	0·10	Tr.	0·04		4
5	Tr.	—	—	Tr	—	Tr.	0·18	Tr.	0·02	0·22	Tr.	0·07		5
6	0·03	—	—	—	—	—	0·14	—	0·05	0·01	Tr.	0·01		6
7	Tr.	Tr.	—	—	—	Tr.	0·36	0·27	0·12	0·27	Tr.	Tr.		7
8	0·09	—	—	—	—	Tr.	0·05	0·22	0·09	0·31	—	0·01		8
9	0·10	0·03	—	—	—	Tr.	0·01	0·13	—	Tr.	—	0·50		9
10	snow 0·17	0·02	—	—	—	Tr.	0·02	0·25	—	—	—	0·06		10
11	0·27	—	—	—	—	—	Tr.	Tr.	—	—	0·13	0·04		11
12	0·28	snow. Tr.	—	—	0·03	—	Tr.	0·05	—	0·13	0·04	0·02		12
13	0·13	Tr.	—	—	Tr.	—	—	Tr.	—	0·04	0·19	0·10		13
14	0·22	Tr.	—	—	0·05	—	0·03	—	0·01	—	0·02	0·08		14
15	0·17	Tr.	—	—	Tr.	—	0·34	Tr.	—	0·20	Tr.	0·14		15
16	0·31	Tr.	0·01	—	Tr.	—	0·02	0·01	—	0·04	0·02	—		16
17	—	0·06	Tr.	—	Tr.	—	Tr.	Tr.	Tr.	0·08	—	—		17
18	0·04	—	Tr.	Tr.	0·09	Tr.	Tr.	Tr.	0·03	0·02	0·30	—		18
19	Tr.	—	—	—	Tr.	—	—	0·08	0·08	—	0·14	3		19
20	Tr.	Tr.	—	—	—	—	—	—	0·02		0·32	0		20
21	0·03	—	—	—	—	—	—	Tr.	0·04	—	—	4 2		21
22	Tr.	—	—	0·01	—	0·02	—	—	—	—	0·15	5 4		22
23	—	—	—	Tr.	Tr.	Tr.	—	—	—	—	0·02	1·12		23
24	Gale Tr.	—	0·10	—	0·04	—	—	Tr.	0·28	—	0·03	Melted snow		24
25	0·09	0·02	0·09	0·01	0·09	—	Tr.	—	0·04	0·02	0·93	~~1·12~~ 4		25
26	0·19	0·19	0·06	0·01	Tr.	—	—	—	0·25	0·18	—	0·~~24~~ 4		26
27	0·13	0·05	Tr.	0·02	0·08	0·23	0·20	0·02	0·34	0·01	0·25	[illegible]		27
28	0·22	0·05	—	—	0·60	0·03	—	0·60	0·01	—	Tr.	0·10		28
29	0·18	×	—	Tr.	0·14	—	—	0·07	0·04	0·02	0·04	0·22		29
30	0·03		—	0·02	0·20	0·22	—	—	0·17	0·06	0·21	0·01		30
31	0·16		—		0·14		—	—		0·08		0·20		31
TOTAL	2·90	0·42	0·26	0·11	1·80	0·59	1·40	1·92	1·62	2·68	2·83	2·76	Year's Total 19·29	
* Days with .01 in. or more.	~~5~~ 21	~~8~~ 7	~~1~~ 4	~~5~~ 6	~~1~~ 12	~~2~~ 5	~~5~~ 12	~~2~~ 11	17 ~~6~~	~~5~~ 20	~~6~~ 17	~~X~~ 21	153 ~~48~~	
* Days with .04 in. or more.	16✓	4✓	3✓	1✓	11✓	3✓	7✓	9✓	11✓	15✓	10✓	~~12~~ 15	106 ~~103~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. H. Emmett

P.T.O.

File No. 940524/29

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at TAPLOW COURT GARDENS.

in the County of BUCKS

Diameter of Funnel of Gauge 5 ins in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 212 ft.

Da/75

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	-	Tr.	0·53	0·34	-	-	0·28	0·16	-	0·01	0·01		1
2	0·04	-	Tr.	Tr.	0·02	-	Tr.	0·37	0·36	Tr.	0·04	0·02		2
3	0·22	Tr.	-	0·17	-	-	-	0·55	Tr.	Tr.	0·33	0·17		3
4	0·22	-	0·23	0·43	Tr	-	0·01	0·10	-	0·30	0·05	Tr.		4
5	-	-	Tr.	0·53	0·09	-	0·07	0·26	-	0·27	0·31	0·11		5
6	0·37	-	-	0·03	0·32	-	0·29	0·02	-	0·04	0·52	Tr.		6
7	0·04	0·15	-	-	-	-	0·02	0·03	-	0·04	0·12	0·09		7
8	Tr.	0·14	0·20	-	-	-	-	0·08	-	0·35	0·14	0·40		8
9	0·04	0·08	-	-	-	-	-	0·02	-	0·33	0·08	0·17		9
10	0·20	Tr.	-	-	-	0·27	-	0·16	0·03	0·12	0·01	-		10
11	Tr.	Tr	0·16	-	-	Tr.	-	-	0·03	0·12	0·01	-		11
12	-	Tr.	Tr.	-	Tr.	Tr.	0·01	-	-	0·02	Tr	-		12
13	-	-	Tr.	0·02	-	Tr.	0·16	-	0·02	0·83	0·02	-		13
14	0·34	-	Tr.	0·08	0·06	0·03	0·08	-	Tr.	0·50	0·28	-		14
15	0·11	-	0·02	Tr	0·45	0·28	0·13	-	0·05	0·51	0·01	Tr.		15
16	0·38	-	0·08	0·02	0·04	0·23	0·18	-	Tr.	0·03	0·54	Tr.		16
17	0·15.	-	Tr.	0·04	0·15	Tr.	0·17	-	-	0·04	0·09	-		17
18	0·20	Tr.	0·07	-	-	0·15	0·55	-	Tr.	Tr.	0·23	-		18
19	0·21	-	Tr.	-	-	-	0·04	-	-	0·15	0·02	-		19
20	0·10	-	Tr.	-	-	0·05	0·15	0·18	0·04	-	Tr	0·04		20
21	0·13	-	0·24	-	-	0·01	0·03	0·01	-	-	-	-		21
22	0·10	0·08	0·02	0·05	-	0·03	0·08	-	0·01	-	0·04	-		22
23	0·02	0·11	0·04	0·12	-	Tr.	0·06	-	-	0·03	0·73	Tr		23
24	-	-	-	0·09	-	0·03	0·07	Tr.	-	0·14	Tr.	0·02		24
25	0·62	0·13	0·04	-	-	-	-	Tr.	-	0·10	0·48	Tr.		25
26	0·77	-	Tr.	Tr	-	-	0·05	0·12	-	0·08	0·16	Tr.		26
27	0·01	0·01	0·05	0·06	-	Tr.	Tr	Tr.	-	0·04	0·13	-		27
28	0·01	0·13	0·06	0·03	-	Tr.	0·08	-	-	0·04	0·20	0·11		28
29	Tr.	✕	Tr.	0·17	-	0·01	0·26	-	-	0·08	0·10	-		29
30	Tr	✕	-	0·73	-	0·10	-	-	-	Tr.	0·23	0·05		30
31	-	✕	-	✕	-	✕	0·12	0·01	✕	0·02	✕	-		31
													Year's Total	
TOTAL	4·28	0·83	1·21	3·10	1·47	1·19	2·61	2·19	0·70	4·18	4·88	1·19	27·83	✓
* Days with .01 in. or more.	~~3~~ 21	~~1~~ 8	~~2~~ 12	~~3~~ 16	~~1~~ 8	~~5~~ 11	~~4~~ 21	~~5~~ 14	~~4~~ 8	~~7~~ 23	~~6~~ 26	~~3~~ 11	179 ~~[illegible]~~	✓
* Days with .04 in. or more.	18	7	10	12	7	6	17	9	4	19	20	8	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 995/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Taplow Court Gardens

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 212 ft.

G. S. Hals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0-18	–	Trace	Trace	–	–	–	–	–	0-16	–		1
2	–	0-12	–	0-13	–	–	0·07	–	–	0·01	0·48	Trace		2
3	–	0·35	–	0·07	–	–	Trace	–	–	0·21	0·96	0·07		3
4	–	0·09	Trace	0·04	–	–	–	–	–	0·20	0·13	0·05		4
5	Trace	0·02	–	–	Trace	–	Trace	–	–	0·08	0·26	0·07		5
6	0·26	0-16	–	–	0·03	–	0·28	–	–	0·21	0-16	Trace		6
7	0·22	0·23	–	Trace	0·05	–	Trace	–	Trace	–	Trace	Trace		7
8	Trace	Trace	–	0·02	Trace	Trace	–	–	Trace	0-25	Trace	0·31		8
9	–	–	–	–	–	Trace	–	Trace	0·07	0·08	0-18	0·04		9
10	–	–	Trace	Hail	–	–	0-14	0·01	Trace	0-13	0-11	0·03		10
11	–	Snow	0·01	0·03	–	–	Trace	–	–	–	0·82	Trace		11
12	–	Snow	0·05	0·03	–	0-18	0-14	–	0-10	–	0·04	Trace		12
13	–	Snow	0·54	0·02	–	Trace	Trace	Trace	0·07	–	1-13	Trace		13
14	–	0·02	0-17	0-12	0-04	–	Trace	Trace	0·02	0·08	0·01	0·28		14
15	–	–	0·03	0·04	0·06	Trace	0·26	–	Trace	0-18	0·36	0·01		15
16	Snow	0·03	0·67	0·01	–	0·02	0·34	–	0·30	0·70	0·64	0·01		16
17	–	Snow	0-12	–	–	–	0·01	–	0·09	Trace	0-44	~~0·44~~		17
18	Snow	0-42	0·20	0·42	–	–	0·34	Trace	Trace	0·21	0-18	0-11		18
19	–	0·22	0·08	0·08	–	–	0-12	–	0·31	Trace	0·03	0-01		19
20	–	0·04	Trace	0·02	–	Trace	0·05	Trace	Trace	0-10	0-14	Trace		20
21	Snow	0·01	–	–	0-19	–	0·05	Trace	Trace	0-15	0-42	Trace		21
22	Snow	Trace	0·05	Trace	0·77	0-48	Trace	Trace	0-16	Trace	0·01	–		22
23	–	0·04	0-11	0·08	0·21	0·07	Trace	Trace	Trace	–	Trace	–		23
24	Snow	Trace	Trace	0-19	–	Trace	0·32	–	–	–	–	–		24
25	–	–	0·26	~~Trace~~	Trace ~~0-12~~	Trace	0-10	–	–	–	–	–		25
26	1-02	0-10	0·27	0·29	0-12	Trace	0·02	–	–	Trace	–	Trace		26
27	0-12	0-11	Trace	0·04	0·10	–	Trace	–	–	Trace	–	Trace		27
28	Snow	Trace	–	Trace	0·37	–	–	–	–	Trace	–	–		28
29	Snow	0·09	0·06	0·03	0·10	–	–	–	Trace	–	–	0·37		29
30	0·02	✕	Trace	0·20	–	Trace	Trace	–	–	0·08	–	Trace		30
31	0-73	✕	Trace	✕	–	✕	–	–	✕	0-48	✕	0·02		31
													Year's Total	
TOTAL	2·37	2·23	2-62	1·86	1-98	0·72	2·24	0·01	1-12	3-12	5·66	1·38	25·31	
* Days with .01 in. or more.	6	17	14	19	11	4	14	1	8	16	20	13	143	
* Days with .04 in. or more.	5	13	12	12	10	3	12	–	7	15	17	8	114	

† Spare column, no entries required.

(*Signed*) G. H. Emmett

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry of Da

AIR MINISTRY.-

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGIST … 931 .

996

996

HITCHAM GRANGE

1931 - 1934

780206

Kept at Hitcham Gra

in the County of Buck

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE … DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·18	·01	·04	—	·07	—	—	—	—	—	—	1
2	·08	—	—	·30	—	—	—	—	·30	·03	—	—	2
3	·03	—	·03	·12	·12	·36	—	·43	·72	—	·27	·05	3
4	—	·01	—	—	—	—	·10	·18	·19	—	—	·19	4
5	—	—	—	·25	·03	·42	·08	—	·01	—	—	·15	5
6	—	·11	—	·09	—	—	·04	—	—	·28	·37	—	6
7	—	—	—	—	—	·02	—	·43	—	·07	·11	—	7
8	—	·06	—	·03	—	·15	—	·31	—	—	·12	·06	8
9	—	·07	—	—	—	—	—	·10	—	—	·32	·03	9
10	—	·08	·02	—	—	·04	·08	—	—	—	·47	—	10
11	·06	·17	—	—	—	—	—	—	·03	—	·15	—	11
12	—	—	—	—	—	—	—	—	·33	—	—	—	12
13	—	—	—	—	—	—	—	·02	—	—	—	—	13
14	—	·09	—	—	·01	—	1·03	·80	—	—	—	—	14
15	—	—	—	·18	·11	—	·20	·35	—	—	—	·03	15
16	—	·04	—	·12	·24	·06	—	·10	—	—	—	—	16
17	·04	·03	—	·45	·05	—	·20	—	·16	—	—	—	17
18	·08	·03	·06	·10	—	·08	—	·84	—	—	·48	—	18
19	·02	—	—	·31	—	·17	·24	·06	·15	—	—	—	19
20	—	·02	—	·14	—	·02	—	·17	—	—	·03	—	20
21	—	—	—	—	·40	—	—	—	—	—	—	—	21
22	·14	—	—	—	—	—	—	—	—	—	—	—	22
23	·14	—	—	—	·42	[illegible]	—	—	—	—	·11	·02	23
24	—	—	—	·20	·16	·15	·15	—	—	—	—	—	24
25	—	—	—	·25	·11	—	·61	—	—	—	·03	—	25
26	—	·02	—	·12	—	—	·45	—	—	—	·23	—	26
27	·17	·35	—	·11	·44	—	·08	—	—	—	·05	—	27
28	·07	·06	—	·02	·03	—	—	—	—	·05	—	·06	28
29	·11	×	—	—	·14	—	·10	—	—	·30	—	—	29
30	—	×	—	—	—	—	—	·15	—	—	—	—	30
31	·13	×	—	×	—	×	·05	—	×	—	×	—	31
													YEAR'S TOTAL
TOTAL	1·07	1·32	12	2·53	2·[illegible]0	1·18	3·41	3·94	1·89	·73	2·74	·59	22·02
*Days with ·01 in. or more.	12	15	4	17	15	10	14	13	8	5	13	8	134
*Days with ·04 in. or more.	10	10	1	15	10	9	14	12	6	4	11	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Cecil S Foley

[P.T.O.

996

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hitcham Grange, Taplow

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·18	·01	·04	—	·07	—	—	—	—	—	—	1
2	·08	—	—	·30	—	—	—	—	·30	·03	—	—	2
3	·03	—	·03	·12	·12	·36	—	·43	·72	—	·27	·05	3
4	—	·01	—	—	—	—	·10	·18	·19	—	—	·19	4
5	—	—	—	·25	·03	·42	·08	—	·01	—	—	·15	5
6	—	·11	—	·09	—	—	·04	—	—	·28	·37	—	6
7	—	—	—	—	—	·02	—	·43	—	·07	·11	—	7
8	—	·06	—	·03	—	·15	—	·31	—	—	·12	·06	8
9	—	·07	—	—	—	—	—	·10	—	—	·32	·03	9
10	—	·08	·02	—	—	·04	·08	—	—	—	·47	—	10
11	·06	·17	—	—	—	—	—	—	·03	—	·15	—	11
12	—	—	—	—	—	—	—	—	·33	—	—	—	12
13	—	—	—	—	—	—	—	·02	—	—	—	—	13
14	—	·09	—	—	·01	—	1·03	·80	—	—	—	—	14
15	—	—	—	·18	·11	—	·20	·35	—	—	—	·03	15
16	—	·04	—	·12	·24	·06	—	·10	—	—	—	—	16
17	·04	·03	—	·45	·05	—	·20	—	·16	—	—	—	17
18	·08	·03	·06	·10	—	·08	—	·84	—	—	·48	—	18
19	·02	—	—	·31	—	·17	·24	·06	·15	—	—	—	19
20	—	·02	—	·14	—	·02	—	·17	—	—	·03	—	20
21	—	—	—	—	·40	—	—	—	—	—	—	—	21
22	·14	—	—	—	—	—	—	—	—	—	—	—	22
23	·14	—	—	—	·42	[illegible]	—	—	—	—	·11	·02	23
24	—	—	—	·20	·16	·15	·15	—	—	—	—	—	24
25	—	—	—	·25	·11	—	·61	—	—	—	·03	—	25
26	—	·02	—	·12	—	—	·45	—	—	—	·23	—	26
27	·17	·35	—	·11	·44	—	·08	—	—	—	·05	—	27
28	·07	·06	—	·02	·03	—	—	—	—	·05	—	·06	28
29	·11	×	—	—	·14	—	·10	—	—	·30	—	—	29
30	—	×	—	—	—	—	—	·15	—	—	—	—	30
31	·13	×	—	×	—	×	·05	—	×	—	×	—	31
TOTAL	1·07	1·32	·12	2·53	2·[illegible]0	1·18	3·41	3·94	1·89	·73	2·74	·59	YEAR'S TOTAL 22·02
*Days with ·01 in. or more.	12	15	4	17	15	10	14	13	8	5	13	8	134
*Days with ·04 in. or more.	10	10	1	15	10	9	14	12	6	4	11	5	107

40-9999

(Signed) Cecil S Foley [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Station No. 996

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hitcham Grange, Taplow
in the County of Bucks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft 9 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·10

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	–	–	·06	·66	–	·06	·16	–	·09	·02	–	1
2	·03	–	–	·13	·03	·06	–	·03	·25	·03	·02	·09	2
3	–	–	–	·13	·07	–	–	–	·34	·16	–	–	3
4	–	–	–	–	–	·22	–	–	–	–	·08	–	4
5	·16	–	–	–	·02	·02	·20	–	·16	–	–	–	5
6	·35	–	·01	·23	–	–	·01	–	·05	–	–	–	6
7	–	–	·08	·06	·02	–	–	–	·08	·02	–	–	7
8	–	–	·08	·07	·16	–	–	–	·23	·17	–	–	8
9	·13	–	–	·05	·38	–	–	–	·02	·005	–	–	9
10	·29	Snow Trace	·02	·14	·08	·04	–	–	–	·19	·18	–	10
11	–	–	–	·08	·02	·14	·57	·72	·02	·33	·02	·02	11
12	·04	–	–	–	·04	–	–	·04	–	·16	·01	–	12
13	·04	–	–	·11	–	–	·03	–	·02	·24	·12	–	13
14	·16	–	–	·05	–	–	–	·01	–	·02	·08	–	14
15	–	–	–	·03	·20	–	–	–	–	·07	–	·01	15
16	·22	–	–	·13	·02	–	–	–	–	·005	–	–	16
17	–	–	–	·01	–	–	·01	–	–	·05	–	–	17
18	–	–	–	–	–	–	–	–	·19	–	·13	–	18
19	–	–	–	–	–	–	–	–	·02	·22	–	–	19
20	–	–	–	·05	·35	–	–	1·32	·05	·65	·18	–	20
21	·03	–	·03	·20	1·57	–	·32	·04	–	·22	–	·05	21
22	–	–	·28	–	–	–	·17	–	·13	·14	·21	–	22
23	–	·05	–	·02	·16	–	·24	–	·04	·68	·01	·06	23
24	–	·05	–	–	–	–	·33	–	·06	·03	·04	·005	24
25	–	–	–	–	–	–	·04	–	·02	·19	·01	–	25
26	–	–	·13	·04	·05	–	·20	–	–	·10	·005	–	26
27	–	–	·23	·11	·35	–	·22	–	–	·14	·10	·31	27
28	–	–	·11	·02	·17	·07	–	–	–	·08	–	–	28
29	–	–	·26	·06	·15	·36	–	–	·08	·24	·03	–	29
30	–	×	·38	·02	–	·30	–	–	·11	·005	·15	·14	30
31	–	×	·05	×	–	×	·03	TR.	×	–	×	·05	22·97 31
TOTAL	1·57	·10	1·66	1·80	4·50	·91	21·9	2·32	1·87	4·21½	13·9½	·43	YEAR'S TOTAL ~~23·04~~
*Days with ·01 in. or more.	11	2	12	22	19	8	14	7	18	26	18	8	165
*Days with .04 in. or more.	9	2	9	17	14	7	9	5	13	20	9	5	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Cecil S. Foley

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 996

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hitcham Grange

in the County of Taplow Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

Ground Sea Level 200 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·10	·11	–	10	–	–	–	–	–	–	–		1
2	·11	–	·27	–	30	–	–	–	–	–	·30	–		2
3	–	·10	·08	–	·03	–	–	–	–	–	–	–		3
4	·24	·005	·02	–	·41	–	–	–	–	–	·06	–		4
5	·02	–	·22	–	·03	–	–	–	–	–	–	–		5
6	–	·01	·06	–	·15	–	–	–	–	·05	·06	–		6
7	·13	·06	·08	–	·03	–	–	–	–	·05	–	·02		7
8	·03	–	·02	–	·09	–	·18	–	–	·01	–	–		8
9	–	–	–	–	·02	–	·19	–	–	·04	·05	–		9
10	–	·36	–	–	–	–	·05	–	–	·15	·005	–		10
11	·27	–	–	–	·005	–	·13	·03	·10	–	–	–		11
12	–	–	–	–	–	·18	–	–	·56	–	–	–		12
13	·05	–	–	–	·08	–	·20	–	·05	–	·06	–		13
14	–	–	–	–	–	–	–	–	–	–	·40	·005		14
15	·20	–	·06	–	–	·08	·08	·05	–	–	·03	–		15
16	·005	–	·47	–	–	·23	·12	–	–	·10	–	–		16
17	snow ·01	–	·35	–	–	·06	=	–	·06	–	·07	–		17
18	snow 13	·02	·11	–	–	·09	–	–	–	–	–	–		18
19	–	snow ·01	·09	–	–	·24	–	–	·49	–	·005	·005		19
20	–	·01	·05	·09	–	·17	–	–	–	–	–	–		20
21	–	snow ·01	–	–	–	·17	–	·06	·13	·02	–	–		21
22	–	–	–	–	–	·19	–	11	–	·37	·02	–		22
23	–	–	–	·26	–	–	–	–	·44	·01	–	–		23
24	–	snow ·52	–	·10	–	·83	–	–	·22	–	·03	–		24
25	–	·74		·23	–	–	–	–	·05	–	·005	·07		25
26	–	·38	–	·12	–	·07	–	–	·02	·06	–	·07		26
27	–	·01	–	·005	·02	–	–	–	–	·14	–	·02		27
28	–	–	–	–	–	–	–	–	–	·21	–	·02		28
29	·10	–	·01	·17	–	–	·05	–	–	·15	–	·02		29
30	·10	×	·03	–	·01	–	·005	–	·03	·005	–	·14		30
31	·16	×	·03	×	–	×	–	·12	×	·05	×	–		31
TOTAL	1·65	~~2·44~~ 2·33	2·06	·97	1·27	2·31	1·00	~~·43~~ ·37	~~2·46~~ 2·15	1·41	~~·86~~ 1·09	~~1·36~~ ·37	Year's Total ~~16·86~~	16·98
*Days with ·01 in. or more.	14	13	17	6	12	11	8	5	14	14	10	7	131	
*Days with .04 in. or more.	11	8	12	6	6	11	8	4	9	8	6	3	95	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Cecil S Isley,

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 996

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hitcham Grange, Taplow

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~·06~~ ~~·07~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	—	—	·15	·01	·01	—	·52		1
2	·09	—	·06	—	·04	—	—	—	·58	·11	—	·18		2
3	Tr	·01	—	·02	—	—	—	—	—	·32	—	·01		3
4	·05	—	·07	·11	·02	—	—	—	—	·22	·04	·31		4
5	—	—	·01	—	·01	—	—	·10	—	Tr	·01	·36		5
6	—	—	·30	—	·18	·04	—	·05	—	·17	—	·47		6
7	·02	—	—	—	—	—	—	·22	—	·10	—	·21		7
8	—	—	—	—	·07	—	—	·03	·14	—	·30	Tr		8
9	·01	—	·02	—	—	—	—	—	—	—	·91	·33		9
10	·05	—	·16	·12	—	—	—	·04	—	—	·10	·01		10
11	·18	—	·39	·05	—	—	·02	·05	—	—	—	·15		11
12	·01	—	—	·01	—	—	·07	·37	—	—	—	·06		12
13	·23	—	·36	—	—	—	·40	·01	—	—	·02	·37		13
14	·12	—	·29	—	—	—	—	—	—	—	·12	·26		14
15	·04	—	·01	—	·05	—	—	—	Tr	·14	·07	·35		15
16	·15	—	·15	—	·02	—	—	—	—	·09	Tr	Tr		16
17	—	—	—	—	—	—	—	—	·05	·06	·01	·10		17
18	·14	—	—	·05	—	—	—	—	Tr	—	—	·09		18
19	—	—	·17	—	—	Tr	—	—	·09	·01	—	·11		19
20	—	—	·07	·04	—	—	·17	—	Tr	—	—	·01		20
21	—	—	—	·11	—	·16	·01	·04	—	·03	—	—		21
22	—	—	—	—	—	—	—	·35	·15	—	—	·06		22
23	—	—	—	·23	—	·27	—	·05	—	—	—	·02		23
24	—	·02	·07	·15	—	·05	·20	—	·20	—	—	—		24
25	·17	·05	—	·09	—	·25	—	—	—	·02	—	·29		25
26	·01	—	—	·28	—	·03	—	—	Tr	Tr	—	·09		26
27	·02	—	—	·07	—	·11	—	—	—	·02	—	·28		27
28	—	·01	—	—	—	·14	—	·82	—	—	·07	·23		28
29	—	×	—	—	—	—	·01	—	·13	—	—	·03		29
30	·01	×	—	—	—	—	—	·04	·01	—	—	·09		30
31	·02	×	—	×	—	×	—	—	×	·10	×	·06		31
													Year's Total	
TOTAL	1·35	·09	2·13	1·33	·39	1·05	·88	2·32	1·36	1·40	1·65	5·05	19·00	
*Days with ·01 in. or more.	18	4	14	13	7	8	7	14	9	14	10	27	145	
*Days with ·04 in. or more.	10	1	11	11	4	7	4	12	7	9	7	22	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Cecil S. Irving.

[P.T.O.

CO

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FORM 1090.

REGISTER

Station No. 997/5 unit Bucks/3.

L ORGANIZATION.

2.

997/5

BURNHAM VICARAGE

1932 – 1936

780206

Kept at Burnham Vica

in the County of Bucks

Diameter of Funnel of Gauge 5 i

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	–	·09	·65	·03	·06	·32	~~·24~~	·10	·03	–	1
2	·03	–	–	·13	·02	·01	–	·01	·24	·04	·03	·10	2
3	·01	–	–	·13	·08	–	–	–	·35	·17	–	–	3
4	–	–	–	·01	·01	·23	–	–	–	–	·07	–	4
5	·13	–	·01	–	·03	–	·20	–	·14	–	–	–	5
6	–	–	–	·23	·01	–	·01	–	·08	–	–	–	6
7	–	–	·10	·08	·01	–	·02	–	·09	·10	–	–	7
8	–	–	·09	·06	·23	–	–	–	·24	·11	–	–	8
9	·14	–	–	·04	·36	–	–	–	–	·01	–	–	9
10	·28	–	–	·14	·09	·02	–	–	·02	·20	·22	–	10
11	·05	–	–	·07	·02	·05	·36	·51	–	·36	·02	·02	11
12	·05	–	–	–	·05	–	·01	·03	·02	·20	·01	–	12
13	·06	–	–	·12	·01	–	·02	–	–	·23	·13	·02	13
14	·16	–	–	·04	·01	–	–	–	–	–	·03	–	14
15	·01	–	–	·03	·24	–	·01	–	–	·10	·01	–	15
16	·28	–	–	·14	·01	–	·08	–	–	–	–	–	16
17	·01	–	–	·02	–	–	·02	–	–	–	·01	–	17
18	–	–	–	–	–	–	–	–	·32	–	·13	–	18
19	–	–	–	–	–	–	–	–	·01	·35	·01	–	19
20	–	–	–	·08	·25	–	–	1·36	·05	·68	·18	–	20
21	·03	–	·10	·17	1·59	–	·01	·04	·01	·22	–	·06	21
22	–	–	·30	·01	·01	–	·13	·02	·17	·17	·29	–	22
23	–	·05	–	·02	·13	–	–	–	·04	·68	·06	·06	23
24	–	·03	–	–	–	–	·26	–	·06	·04	·04	·02	24
25	–	·01	–	–	–	–	·33	–	·04	·16	·03	–	25
26	–	–	·12	·05	·06	–	·04	–	–	·15	–	–	26
27	–	–	·23	·14	·39	–	·15	–	·02	·13	·11	·04	27
28	–	–	·21	·02	·17	·02	·26	–	–	·08	–	–	28
29	–	–	·26	·08	·20	·07	·02	·04	·10	·27	·05	·01	29
30	–	×	·20	·03	–	·32	–	–	·12	·01	·16	·15	30
31	–	×	·02	×	·01	×	·02	–	×	·01	×	–	31 Part of
TOTAL	1·35	·09	1·64	1·93	4·64	·75	2·01	2·33	2·12	4·57	1·62	·48	YEAR'S TOTAL 23·53
*Days with ·01 in. or more.	14 ~~5~~	3 ~~2~~	11 ~~2~~	24 ~~7~~	25 ~~11~~	8 ~~4~~	19 ~~9~~	8 ~~3~~	19 ~~5~~	24 ~~3~~	20 ~~9~~	9 ~~4~~	184 ~~64~~
*Days with .04 in. or more.	9	1	9	17	14	4	10	5	14	21	11	5	120

40-9999

*See Instruction 2 (*f*) on other side.

N (Signed) (Rev) Percy Nott.

P.T.O.

CO

Section **A** for the entry of Daily

Station No. 997/5

unit Bucks/13

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Burnham Vicarage.
in the County of Bucks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 9 in.
,, Ground ,, Sea Level 100 ft. approx.

O.K. print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	–	·09	·65	·03	·06	·32	~~·24~~	·10	·03	–	1
2	·03	–	–	·13	·02	·01	–	·01	·24	·04	·03	·10	2
3	·01	–	–	·13	·08	–	–	–	·35	·17	–	–	3
4	–	–	–	·01	·01	·23	–	–	–	–	·07	–	4
5	·13	–	·01	–	·03	–	·20	–	·14	–	–	–	5
6	–	–	–	·23	·01	–	·01	–	·08	–	–	–	6
7	–	–	·10	·08	·01	–	·02	–	·09	·10	–	–	7
8	–	–	·09	·06	·23	–	–	–	·24	·11	–	–	8
9	·14	–	–	·04	·36	–	–	–	–	·01	–	–	9
10	·28	–	–	·14	·09	·02	–	–	·02	·20	·22	–	10
11	·05	–	–	·07	·02	·05	·36	·51	–	·36	·02	·02	11
12	·05	–	–	–	·05	–	·01	·03	·02	·20	·01	–	12
13	·06	–	–	·12	·01	–	·02	–	–	·23	·13	·02	13
14	·16	–	–	·04	·01	–	–	–	–	–	·03	–	14
15	·01	–	–	·03	·24	–	·01	–	–	·10	·01	–	15
16	·28	–	–	·14	·01	–	·08	–	–	–	–	–	16
17	·01	–	–	·02	–	–	·02	–	–	–	·01	–	17
18	–	–	–	–	–	–	–	–	·32	–	·13	–	18
19	–	–	–	–	–	–	–	–	·01	·35	·01	–	19
20	–	–	–	·08	·25	–	–	1·36	·05	·68	·18	–	20
21	·03	–	·10	·17	1·59	–	·01	·04	·01	·22	–	·06	21
22	–	–	·30	·01	·01	–	·13	·02	·17	·17	·29	–	22
23	–	·05	–	·02	·13	–	–	–	·04	·68	·06	·06	23
24	–	·03	–	–	–	–	·26	–	·06	·04	·04	·02	24
25	–	·01	–	–	–	–	·33	–	·04	·16	·03	–	25
26	–	–	·12	·05	·06	–	·04	–	–	·15	–	–	26
27	–	–	·23	·14	·39	–	·15	–	·02	·13	·11	·04	27
28	–	–	·21	·02	·17	·02	·26	–	–	·08	–	–	28
29	–	–	·26	·08	·20	·07	·02	·04	·10	·27	·05	·01	29
30	–	×	·20	·03	–	·32	–	–	·12	·01	·16	·15	30
31	–	×	·02	×	·01	×	·02	–	×	·01	×	–	31 Part of
													YEAR'S TOTAL
TOTAL	1·35	·09	1·64	1·93	4·64	·75	2·01	2·33	2·12	4·57	1·62	·48	23·53
*Days with ·01 in. or more.	14 ~~5~~	3 ~~2~~	11 ~~2~~	24 ~~7~~	25 ~~11~~	8 ~~4~~	19 ~~9~~	8 ~~3~~	19 ~~5~~	24 ~~3~~	20 ~~9~~	9 ~~4~~	184 ~~64~~
*Days with ·04 in. or more.	9	1	9	17	14	4	10	5	14	21	11	5	120

40-9999

N. (Signed) (Rev.) Percy Nott. [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 997/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Burnham Vicarage
in the County of Bucks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 9 in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·11	·18	-	·16	-	-	-	-	-	·06	-	1
2	·13	-	·21	-	·26	-	-	-	-	-	·03	-	2
3	-	·20	·09	-	·05	-	-	-	-	-	-	-	3
4	·22	·01	·02	-	·37	-	-	-	-	-	·14	-	4
5	·02	·01	·17	-	·09	-	-	-	-	-	-	-	5
6	-	·07	·03	-	·50	-	-	-	-	·05	·08	-	6
7	·15	·07	·03	-	·05	-	-	-	-	·06	·01	·02	7
8	·04	-	-	-	·08	-	·18	-	-	·02	-	-	8
9	-	-	-	-	·02	-	·22	-	-	·05	·05	-	9
10	·01	·22	-	-	-	·03	·13	-	-	·16	·01	-	10
11	·28	-	-	-	-	-	·14	·06	·08	-		-	11
12	-	-	-	-	·01	·15		-	·56	-		-	12
13	·04	-	-	-	·07	-	·23	-	·05	-		-	13
14	-	-	-	-	-	-	·02	-	-	·09	·49	-	14
15	·21	-	·09	-	-	·03	·17	·08	-	·01	·02	-	15
16	-	-	·48	-	-	·26	·06	-	tr.	·02	-	-	16
17	·03	-	·23	-	-	·08	-	-	·07	-	·08	-	17
18	·14	snow. ·03	·16	-	-	·13	-	-	-	-	tr.	-	18
19	-	snow. ·02	·13	tr.	-	·29	-	-	·49	-	·02	·02	19
20	-	·02	·08	·10	-	·09	-	-	·01	-	-	-	20
21	-	·04	-	tr.	-	·14	-	·09	·14	·01	-	-	21
22	-	-	-	-	-	·12	-	·18	-	·37	·03	-	22
23	-	-	-	·27	-	·01	-	-	·41	·01	-	-	23
24	-	·63	-	·11	·02	1·00	-	-	·23	-	·05	-	24
25	-	·80	-	·25	-	tr.	-	-	·04	·01	-	·07	25
26	-	·43	-	·12	-	·08	-	-	·02	·07	-	·08	26
27	-	·02	-	-	·02	-	-	-	·01	·04	-	·04	27
28	-	-	-	-	-	-	-	-	·01	·20	-	·03	28
29	·11		·03	·15	·01	-	·11	-		·11	-	-	29
30	·10	×	·05	tr.	·01	-	·03	-	·03	-	-	·14	30
31	·19	×	·05	×	-	×	-	·12	×	·07	×	-	31
TOTAL	1·83	2·68	2·03	1·00	1·72	2·41	1·29	·53 ·53	2·15	1·35	1·07	·40	YEAR'S TOTAL 18·46
*Days with ·01 in. or more.	15	15	16	6	15	13	10	5	14	17	13	7	146
*Days with .04 in. or more.	12	9	12	6	9	10	8	5	9	11	7	4	102

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) (Rev) Percy Nott.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 997/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 1934.

Kept at Burnham Vicarage.
in the County of Bucks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 9 in.
,, Ground ,, Sea Level 100 ft.

Average 1919–1934 : 24·21 inches

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	–	–	–	–	–	·17	·01	·01	tr	·52		1
2	·10	–	·07	–	–	–	–	·01	·70	·12	–	·16		2
3	·02	·02	–	·03	–	–	–	–	·01	·35	–	·04		3
4	·07		·08	·11	·03	–	–	–	–	·19	·06	·37		4
5	–	–	tr	–	·01	–	–	·09	–	–	·02	·39		5
6	·01	–	·30	–	·19	·04	–	·09	–	·18	–	·37		6
7	·04	–	–	–	tr	–	–	·19	–	·10	–	·20		7
8	–	–	–	–	·08	–	–	·03	·10	–	·38	·01		8
9	·01	–	·04	–	–	–	–		–	–	·90	·34		9
10	·05	tr	·14	·14	–	–	–	·05	–	–	·11	·01		10
11	·20	–	·37	·07	–	–	·01	·06	–	–	–	·17		11
12	·01	·01	·04	–	–	–	·07	·46	–	–	–	·08		12
13	·21	–	·24	·02	–	–	·47	·04	–	–	·04	·42		13
14	·08	–	·25	–	–	–	–	–	–	–	·12	·31		14
15	·06	–	·02	–	·05	–	–	–	·02	·21	·08	·33		15
16	·15	–	·09	–	·05	–	–	–	·01	·09	–	·01		16
17	·01	–	–	·01	–	–	–	–	·06	·06	–	·11		17
18	·19	–	·01	·10	–	–	–	–	·01	tr	–	·10		18
19	–	–	·18	–	–	·02	–	–	·10	·02	·01	·11		19
20	–	–	·08	·06		·01	·19	·03	·01	tr	·01	·01		20
21	–	–	–	·13	–	·17	·01	·02	–	·05	–	–		21
22	–	–	–	–	–	–	·05	·40	·16	–	·01	·06		22
23	–	·01	–	·24	–	·24	–	·04	tr	–	–	·04		23
24	–	·03	·08	·15	–	·05	·30	–	·20	–	–	–		24
25	·14	·04	–	·11	–	·27	·01	–	·01	·03	–	·30		25
26	·02	–	–	·27	–	·04	–	–	·01	·01	–	·08		26
27	·02	·02	–	·08	–	·12	–	–	–	·04	–	·32		27
28	–	×	–	·01	–	·10	–	·79	–		·07	·22		28
29	–	×	–	–	–	–	–	–	·13			·03		29
30	·02	×	–	–	–	–	–	·04	·01	·01		·12		30
31	·05	×	–	×	–	×	·01		×	·12	×	·06	Year's Total.	31
TOTAL	1·50	·13	1·99	1·53	·41	1·06	1·12	2·51	1·55	1·59	1·81	5·29	20·49	
* Days with .01 in. or more.	21	6	15	15	6	10	9	16	16	16	12	29	171	
* Days with .04 in. or more.	13	1	13	11	4	8	5	12	7	11	8	24	117	

40-9999

† Spare column, no entries required.

(*Signed*) (Rev) Percy Nott [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE./

Section **A** for the entry of Daily Observations.

Station No. 997/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Burnham Vicarage

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 100 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·01	-	·06	·05	·05	·21	-	·04	·09	·12	-		1
2	·01	-	·02	-	-	·01	-	-	·29	·09	·06	-		2
3	-	·01	·08	·06	-	·13	-	-	·27	·63	·16	·03		3
4	-	-	-	·14	-	·10	-	-	·19	·13	-	-		4
5	-	·16	·05	·03	-	·33	-	-	·31	-	·02	·01		5
6	-	·01	-	·24	-	·44	-	-	-	·34	·05	·03		6
7	-	-	-	·48	-	·02	-	-	-	·13	·86	·16		7
8	-	-	-	·38	-	-	-	-	-	·20	·29	·02		8
9	-	-	-	·17	-	·66	-	-	-	·51	·05	-		9
10	·01	-	-	·03	-	·02	-	-	-	-	·14	·02		10
11	·24	-	-	·02	-	·10	·32	-	-	·01	·05	tr.		11
12	-	-	-	-	-	·18	-	-	·01	-	·25			12
13	·09	·16	-	·26	·12	·01	-	-	-	-	tr.			13
14	-	·01	-	·03	·20	·03	-	-	-	-	·09	·11		14
15	-	·25	-	·35	-	·72	-	-	·26	-	·27	·06		15
16	-	·08	·04	·03	-	·13	-	-	·14	-	·50	·03		16
17	-	-	·01	·03	-	·22	·10	-	·08	-	·24	[illegible]		17
18	-	-	-	·26	·05	·05	·10	-	·30	·04	·02	·04		18
19	-	-	-	·05	·30	·05	·09	-	·05	-	·11	·09		19
20	-	·17	-	·04	·84	·06	·07	-	·04	-	·36	-		20
21	-	·11	-	·15	-	-	-	-	-	·04	·02	-		21
22	-	·05	·08	-	-	-	-	·17	·17			-		22
23	-	·03	·25	-	-	-	-	·55	·10	·15		·18		23
24	·05	·37	-	-	·02	-	-	·16	·57			·16		24
25	·28	·17	-	·23	·02	·52	-	-				·09		25
26	-	·12	-	-	-	·01	-	·24	·10			·33		26
27	-	·30	-	-	·03	-	-		·23		·13	·28		27
28	-	·15	-	-	·03	-	-		·50	·06	·01	·08		28
29	-	-	-	-	-	-	-		·30		·01	·18		29
30	·03	×	-	·04	-	-	-	·54	·06	·19	·30	·31		30
31	-	×	-	×	-	×	-		×	·48	×	·13		31
													Year's Total.	
TOTAL	·84	2·16	·53	3·08	1·66	3·84	·89	1·66	4·01	3·09	4·11	2·34	28·21	
* Days with .01 in. or more.	8	17	7	21	10	21	6	5	20	15	23	20	173	✓
* Days with .04 in. or more.	5	12	5	15	6	15	6	5	19	14	18	14	134	✓

40-9999

† Spare column, no entries required.

(*Signed*) (Res) Percy Nott

P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 997/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Burnham Vicarage

in the County of Bucks

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft........in.

,, Ground ,, Sea Level about 160 ft.

Print with footnote as below

27.5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·16	0·09	0·03	0·20	–	0·10	0·18	0·23	–	–	0·04	0·05		1
2	0·02	–	–	0·03	–	0·39	0·24	0·05	–	–	0·06	–		2
3	–	–	–	0·18	–	0·01	0·03	–	0·29	–	0·23	–		3
4	–	–	0·17	–	–	–	–	–	0·20	–	0·05	0·02		4
5	0·14	–	0·04	–	–	–	–	0·02	0·15	–	–	0·09		5
6	0·19	–	–	–	–	0·16	–	0·16	0·06	–	0·16	0·04		6
7	0·29	–	0·04	–	–	0·03	0·13	–	0·02	–	0·16	0·02		7
8	0·20	–	0·12	–	–	–	0·25	–	–	–	0·36	0·13		8
9	0·44	–	0·05	–	–	–	0·25	–	0·22	0·05	–	–		9
10	0·01	–	–	–	–	–	0·15	0·03	–	0·04	–	–		10
11	–	–	–	0·14	–	–	0·05	–	0·01	–	1·06	–		11
12	–	–	–	0·10	–	0·53	0·14	–	0·35	–	0·46	0·14		12
13	–	–	–	0·02	–	0·18	0·05	–	–	0·02	0·15	0·16		13
14	–	0·12	–	–	–	0·04	0·32	–	0·03	–	0·02	0·23		14
15	–	0·06	–	–	–	–	–	–	0·03	–	–	0·06		15
16	0·25	0·10	–	–	–	–	0·05	–	0·04	–	0·44	0·08		16
17	0·23	0·48	–	–	0·04	0·02	–	–	–	0·18	0·08	0·12		17
18	0·01	0·10	–	–	–	0·56	0·13	0·08	–	0·04	–	0·11		18
19	0·26	0·02	0·06	0·02	–	0·15	0·06	0·08	–	–	–	–		19
20	0·08	0·04	0·07	0·33	–	0·02	–	–	0·81	–	–	–		20
21	–	0·02	–	0·25	0·03	0·23	0·06	–	0·01	–	–	–		21
22	0·15	0·42	–	–	0·25	0·02	0·18	–	–	–	–	0·08		22
23	0·03	0·01	0·09	0·08	0·01	–	0·07	–	–	0·09	–	–		23
24	0·09	0·06	–	–	–	–	0·01	–	0·16	0·44	–	–		24
25	0·01	–	0·09	0·13	–	–	0·13	–	–	0·16	0·03	–		25
26	0·01	0·16	0·15	0·05	–	0·04	0·03	–	0·02	0·15	–	0·03		26
27	0·17	0·03	0·01	–	–	–	–	–	0·07	0·10	–	–		27
28	0·68	–	0·07	–	–	–	0·56	–	–	–	–	0·05		28
29	0·09	0·06	0·03	–	–	0·24	0·17	–	–	0·03	0·15	0·09		29
30	0·13		0·05	–	–	0·24	0·07	–	–	0·21	–	–		30
31	0·24		0·33		–		0·12			0·37		0·30		31
TOTAL	3·88	1·77	1·40	1·53	0·33	2·96	3·43	0·58	2·47	1·88 1·80	3·45	1·80	Year's Total 25·78	
* Days with .01 in. or more.	23	15	16	11	4	17	24	7	16	13	15	18	179	
* Days with .04 in. or more.	17	11	13	9	2	12	21	4	10	11	13	15	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

These figures have been taken from the Burnham (Bucks) Parish magazine.

(Signed) J W Madeley M.Inst.C.E.

Technical Director

Burnham (Bucks) Waterworks Co. Ltd

P.T.O.

Rev. P. Nott*

* per J. W. MADELEY Esq. C.E.

997/6
BURNHAM W. W.
1937 - 1940
780206

COI

Section **A** for the entry of Daily Ob

AIR MINISTRY.—MET

ation No. 997/6

L ORGANIZATION

FORM 1090

REGISTER

580501/36.

of 997/5?

Kept at Burnham Waterworks Pum

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground /

,, Ground ,, Sea Level

THE MORNING MEASUREMENT S **DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.16	Tr.	Tr	0.04	-	-	Tr	-	0.02	-	0.36	0.61		1
2	Tr	0.18	Tr	0.51	-	-	-	-	0.04	-	-	0.62		2
3	-	0.15	0.02	-	-	-	-	-	-	-	-	0.04		3
4	-	0.30	-	-	-	-	-	-	-	-	-	0.36		4
5	0.05	0.04	0.16	-	-	-	0.05	-	-	-	Tr	-		5
6	0.20	0.01	0.43	-	0.24	-	0.27	-	-	0.05	0.03	-		6
7	0.02	0.70	0.05	0.60	-	-	Tr	-	0.05	Tr	-	-		7
8	-	0.03	-	-	0.10	0.02	-	-	-	-	0.09	0.34		8
9	-	0.07	-	0.24	0.11	0.02	0.10	-	0.26	-	-	0.11		9
10	-	-	0.50	0.14	Tr	0.19	0.04	0.02	-	-	-	0.16		10
11	-	-	0.19	-	0.21	0.01	0.05	-	-	-	-	-		11
12	0.13	0.27	0.11	Tr	0.28	0.31	0.02	0.05	0.07	-	-	0.13		12
13	0.17	0.09	0.44	Tr	-	0.03	-	0.02	0.64	-	-	0.48		13
14	0.02	0.05	0.20	0.02	-	0.01	-	1.27	0.03	-	-	Tr		14
15	0.17	0.14	-	0.11	-	-	0.37	-	0.06	-	-	0.01		15
16	Tr	0.10	0.30	0.32	-	0.04	-	0.25	0.27	-	-	0.01		16
17	0.30	Tr	0.10	0.14	-	-	-	-	0.68	-	-	-		17
18	0.28	0.09	0.03	0.02	0.04	0.52	-	-	0.07	-	0.13	0.13		18
19	0.08	0.08	0.02	0.10	-	0.18	0.63	-	0.15	-	-	-		19
20	0.34	Tr	-	0.22	0.66	Tr	-	-	0.03	-	-	0.01		20
21	0.23	0.68	0.05	0.06	0.01	-	0.07	-	-	-	-	0.02		21
22	0.36	Tr	Tr	-	0.05	0.15	0.06	-	-	0.64	0.32	0.02		22
23	0.20	0.03	0.02	-	0.45	-	0.01	-	-	0.16	0.01	-		23
24	0.27	0.52	-	-	0.01	-	-	-	0.14	0.25	-	-		24
25	0.09	0.33	0.10	-	0.78	-	-	-	0.05	0.32	-	-		25
26	Tr	0.23	0.01	-	0.15	-	-	-	-	0.16	-	-		26
27	0.01	0.11	-	0.10	-	-	-	-	0.01	0.49	-	-		27
28	0.01	0.12	-	Tr	-	-	-	-	-	0.09	-	0.03		28
29	0.04	-	-	-	-	0.07	-	-	-	0.02	0.08	0.01		29
30	0.29	✕	-	-	-	-	-	-	-	0.01	0.19	-		30 print.
31	0.29	✕	-	✕	-	✕	-	-	✕	0.11	✕	0.03		31
TOTAL	3.71	4.32	2.73	2.62	3.09	1.55	1.67	1.61	2.57	2.30	1.21	3.12	Year's Total 30.50	✓ GB
* Days with .01 in. or more.	22	22	17	14	13	12	11	5	16	11	8	18	169	✓
* Days with .04 in. or more.	18	19	12	12	11	7	9	3	12	9	6	10	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) J W Madeley [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 997/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

580501/36

Days ? cont. of 997/5?

Kept at Burnham Waterworks Pumping Station

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.16	Tr.	Tr	0.04	-	-	Tr	-	0.02	-	0.36	0.61		1
2	Tr	0.18	Tr	0.51	-	-	-	-	0.04	-	-	0.62		2
3	-	0.15	0.02	-	-	-	-	-	-	-	-	0.04		3
4	-	0.30	-	-	-	-	-	-	-	-	-	0.36		4
5	0.05	0.04	0.16	-	-	-	0.05	-	-	-	Tr	-		5
6	0.20	0.01	0.43	-	0.24	-	0.27	-	-	0.05	0.03	-		6
7	0.02	0.70	0.05	0.60	-	-	Tr	-	0.05	Tr	-	-		7
8	-	0.03	-	-	0.10	0.02	-	-	-	-	0.09	0.34		8
9	-	0.07	-	0.24	0.11	0.02	0.10	-	0.26	-	-	0.11		9
10	-	-	0.50	0.14	Tr	0.19	0.04	0.02	-	-	-	0.16		10
11	-	-	0.19	-	0.21	0.01	0.05	-	-	-	-	-		11
12	0.13	0.27	0.11	Tr	0.28	0.31	0.02	0.05	0.07	-	-	0.13		12
13	0.17	0.09	0.44	Tr	-	0.03	-	0.02	0.64	-	-	0.48		13
14	0.02	0.05	0.20	0.02	-	0.01	-	1.27	0.03	-	-	Tr		14
15	0.17	0.14	-	0.11	-	-	0.37	-	0.06	-	-	0.01		15
16	Tr	0.10	0.30	0.32	-	0.04	-	0.25	0.27	-	-	0.01		16
17	0.30	Tr	0.10	0.14	-	-	-	-	0.68	-	-	-		17
18	0.28	0.09	0.03	0.02	0.04	0.52	-	-	0.07	-	0.13	0.13		18
19	0.08	0.08	0.02	0.10	-	0.18	0.63	-	0.15	-	-	-		19
20	0.34	Tr	-	0.22	0.66	Tr	-	-	0.03	-	-	0.01		20
21	0.23	0.68	0.05	0.06	0.01	-	0.07	-	-	-	-	0.02		21
22	0.36	Tr	Tr	-	0.05	0.15	0.06	-	-	0.64	0.32	0.02		22
23	0.20	0.03	0.02	-	0.45	-	0.01	-	-	0.16	0.01	-		23
24	0.27	0.52	-	-	0.01	-	-	-	0.14	0.25	-	-		24
25	0.09	0.33	0.10	-	0.78	-	-	-	0.05	0.32	-	-		25
26	Tr	0.23	0.01	-	0.15	-	-	-	-	0.16	-	-		26
27	0.01	0.11	-	0.10	-	-	-	-	0.01	0.49	-	-		27
28	0.01	0.12	-	Tr	-	-	-	-	-	0.09	-	0.03		28
29	0.04	-	-	-	-	0.07	-	-	-	0.02	0.08	0.01		29
30	0.29	X	-	-	-	-	-	-	-	0.01	0.19	-		30
31	0.29	X	-	X	-	X	-	-	X	0.11	X	0.03		31
TOTAL	3.71	4.32	2.73	2.62	3.09	1.55	1.67	1.61	2.57	2.30	1.21	3.12	Year's Total 30.50	
* Days with .01 in. or more.	22	22	17	14	13	12	11	5	16	11	8	18	169	
* Days with .04 in. or more.	18	19	12	12	11	7	9	3	12	9	6	10	128	

print

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) J W Madeley [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 997/~~5~~ 6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Burnham Pumping Station
in the County of Bucks
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Oct.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-				·10	·11	-	·03	·02	TR	-		1
2	·03	-		·05	·07		-	-	-	·28	-	·02		2
3	-	-			·24		tr	-	·01	·63	TR	-		3
4	·01	-					·02	·28	-	·11	-	·13		4
5	-	-					·19	tr	·01	·21	-	-		5
6	·02	-					·14	-	·21	·05	TR	TR		6
7	-	-					·44	·41	·05	·24	-	·02		7
8	·07	-					·01	·03	·07	·31	-	TR		8
9	·09	·02					·01	·23	-	Tr	-	·53		9
10	·15	·01					·01	·11	-	-	-	·08		10
11	·30	-					-	-	-	-	·14	·03		11
12	·29	·01			·03		-	·11	-	·16	·01	TR		12
13	·11	-					·07	-	-	·01	·16	·11		13
14	·20	-			·04		-	-	-	-	·01	·03		14
15	·10	-					·29	-	-	·21	·01	·08		15
16	·38	·01	·01				-	·01	-	·03	·03	·15		16
17	-	·06					-	-	·01	·06	TR	-		17
18	·03	-			·10		-	tr	·04	·02	·27	TR		18
19	-	-					-	·08	·08	-	·11	TR		19
20	-	-					-	-	·01	-	·35	·02		20
21	-	-					-	·12	·03	-	·01	·69		21
22	-	-				·02	-	·01	-	-	·15	·17		22
23	-	-			·01		-	-	-	-	·02	TR		23
24	-	-	·13		·03		-	-	·34	-	·02	-		24
25	·11	·03	·06	·02	·10		·01	-	·01	·02	·88	·09		25
26	·17	·17	·05	·01			-	-	·29	·12	-	·23	✓	26
27	·12	·04		·01	·13	·21	·17	·02	·34	·01	·26	-		27
28	·18	·04			·65	·03	tr	·57	·02	-	-	·09		28
29	·21	X		·01	·20		-	-	·04	·01	·07	·22		29
30	·01	✕		·01	·11	·14	-	-	·08	·06	·14	TR		30
31	·14	✕		✕	·13	✕	-	-	✕	·09	✕	·21		31
TOTAL	2·72	·39	·25	·11	1·84	·53	1·47	1·98	1·67	2·65	2·64	2·90	Year's Total 20·18	✓
* Days with .01 in. or more.	20	9	4	6	13	5	12	12	18	20	17	18	154	✓
* Days with .04 in. or more.	15	4	3	1	10	3	7	8	10	13	10	13	97	✓

† Spare column, no entries required

(*Signed*) J. W. Madeley

[B.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 997/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Burnham Waterworks

in the County of Bucks

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·01	·47	·31	—	—	19	·18	—	—	·01		1
2	·03	—	tr	·01	·02	—	tr	·44	·50	·01	·04	·01		2
3	·36	—	—	·16	—	—	—	·18	—	tr	·33	·15		3
4	·08	—	·23	·40	·01	—	06	·21✓	—	·34	·04	tr		4
5	—	—	tr	·46	·08	—	04	·20✓	—	·14	·34	·13		5
6	·40	—	—	·02	·19	—	·21	tr	—	tr	·48	tr		6
7	·03	·15	—	—	—	—	·01	04	—	·02	·12	·18		7
8	TR	·12	·20	—	—	—	02	·07	—	·54	·18	·31		8
9	·02	·07	—	—	—	—	—	·01	—	·14	·02	·19		9
10	·19	Tr	—	—	—	·26	—	·16	·04	·10	—	tr		10
11	—	—	·17	—	TR	—	—	.	—	·14	—	—		11
12	—	·01	—	—	—	tr	—	.	—	·01	·02	—		12
13	—	—	tr	·02	—	tr	·12	.	tr	1·07	·01	—		13
14	·34	—	—	·07	·07	·02	tr	.	·03	·25	·28	·01		14
15	·11	—	·08	·01	·44	·39	·10	.	·05	·53	·18	—		15
16	·38	—	·08	·01	·04	·12	·12	.	·01	·02	·39	—		16
17	·14	TR	·02	·02	·14	tr	·12	.	—	·02	·05	—		17
18	·19	·01	·05	—	—	·14	·16	.	—	·10	·23	—		18
19	·21	—	·01	—	—	—	·09	.	—	·05	·01	—		19
20	·14	—	tr	—	—	·04	·65	·13	—	—	—	·01		20
21	·03	·04	·24	·01	—	·02	tr	·01	—	—	—	—		21
22	·04	·19	·02	·01	—	tr	06	.	·06	—	·07	—		22
23	·01	—	—	·16	—	·03	·03	.	tr	·01	·70	—		23
24	·48	—	—	·01	—	·02	·01	.	tr	·20	—	—		24
25	1·22	·12	·04	—	—	—	·06	.	—	·05	·49	·02		25
26	·14	·02	·01	·04	—	—	tr	·11	—	·15	·19	—		26
27	TR	·02	·04	·02	—	tr	—	.	—	·06	·09	—		27
28	·01	·12	·04	TR	—	—	·25	.	—	·01	·20	·10		28
29	—		—	·20	—	·01	·12	.	—	·15	·11	—		29
30	—	✕	—	·76	—	·07	tr	.	—	tr	·21	·03		30
31	—	✕	—	✕	—	✕	·14	·02	✕	·01	✕	—		31
TOTAL	4·55	·87	1·24	2·86	1·30	1·12	237	1·77	·87	4·12	4·78	1·15	Year's Total 27.00	✓
* Days with .01 in. or more.	21	11	15	19	9	11	19	13	7	24	24	12	185	✓
* Days with .04 in. or more.	15	7	10	9	7	6	15	10	5	16	20	6	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 997/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Burnham, Waterworks P.S.

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 180 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	·01	tr	-	-	-	-	-	·15	-		1
2	-	·05	-	·12	-	-	·07	-	-	·08	·49	-		2
3	-	·24	-	·06	-	-	-	-	-	·13	·98	·06		3
4	-	·10	-	·03	-	-	-	-	-	·19	·10	·04		4
5	-	·01	-	-	tr	-	·04	-	-	·08	·38	·07		5
6	·26	·16	-	-	·04	-	·25	-	-	·25	·02	-		6
7	·22	·21	-	-	·06	-	TR	-	-	-	-	-		7
8	tr	tr	-	·03	-	-	-	-	·01	·24	-	·31		8
9	-	-	-	·01	-	-	-	·01	·03	·12	·07	·03		9
10	-	-	·01	-	-	-	·18	-	-	·05	·10	·01		10
11	-	-	-	·05	-	-	·02	-	tr	-	·84	tr		11
12	-	·01	·04	-	-	·14	·10	-	·08	-	-	-		12
13	-	·01	·56	-	-	-	-	-	·04	-	1·18	-		13
14	-	-	·15	·13	·09	-	-	-	·02	·09	-	·28		14
15	-	-	·04	·01	·04	tr	·33	-	·08	·10	·32	·01		15
16	·02	·20	·62	tr	-	·01	·27	-	·31	·68	·65	·01		16
17	-	-	·23	-	-	-	TR	-	-	tr	·44	tr		17
18	-	·36	·14	·33	-	-	·28	-	tr	·17	·20	·10		18
19	-	·17	tr	·06	-	-	·20	-	·29	-	·13	·01		19
20	-	·01	·02	·01	-	tr	·06	-	tr	·15	·03	tr		20
21	·05	·01	-	tr	·48	-	·03	tr	-	·06	·52	-		21
22	tr	tr	·02	·01	·39	·45	-	tr	·11	-	-	-		22
23	-	·03	·05	·11	·06	·01	-	·01	-	tr	tr	·01		23
24	-	tr	tr	·16	-	-	·30	-	-	-	·01	-		24
25	-	-	·44	-	tr	-	·10	-	-	-	-	-		25
26	1·08	·09	·13	·39	·11	·01	-	-	-	-	·01	-		26
27	·48	·10	-	·08	·21	-	·05	-	-	-	-	-		27
28	·38	-	-	tr	·02	-	-	-	-	-	-	-		28
29	·03	·08	·06	·01	·04	·01	-	-	tr	-	-	·37		29
30	·09	×	-	·20	-	-	-	-	-	·08	-	tr		30
31	·07	×	tr	×	-	×	-	-	×	·46	×	·02		31
TOTAL	2·68	1·85	2·51	1·81	1·54	·63	2·28	·02	·97	2·93	6·62	1·33	Year's Total 25·17	✓
* Days with .01 in. or more.	10	18	14	19	11	6	15	2	9	16	19	14	153	✓
* Days with .04 in. or more.	8 ✓	11 ✓	11 ✓	11 ✓	10 ✓	2 ✓	13 ✓	- ✓	6 ✓	16 ✓	15	7	110	✓

2·3

21

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

1.

(*Signed*) J. W. Madeley, Esq.

[P.T.O.

997/7

STOKE POGES

(TITHE FARM)

1934-1938

780206

997/7

10/ Bucks/3

FORM 1090. **B** M
S

station.

*** The following register of mon
&c., is NOT required if dail
values are given on the other

this section and also the space for

ting to this register should be sent:—

Stoke Poges Bucks

RAINFALL IN 193

in Summer

At Stoke Poges (T

In the County of Buc

Distance 3 miles Direction from gauge South

Parish Church at Farnham Royal Distance ½ mile Direction from gauge S-W

Rain Gauge
Diameter of Funnel
Height of Top above Ground 1 *ft* *in.*
Height of Ground above Sea Level 164 *ft.*

Nature of objects nearest to gauge	Berberis				
Height of objects	15 ft				
Distances ..	12 ft				
Directions from gauge ..	South				

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1.64				
FEB.	·15				
MAR.	2.19				
APRIL	1·63				
MAY	·42				
JUNE	1·42				
JULY	·89				
AUG.	2·42				
SEPT.	1·50				
OCT.	1·68				
NOV.	2·0				
DEC.	5·51				
Total	45 21·77	Part VI			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature Geo J Mortlock Esq

G.J. MORTLOCK ESQ

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

M.O. 16 M

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is* "*trace*". *The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

997/7

10 | Bucks / 3

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Stoke Poges (TITHE FARM)

In the County of Bucks

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 164 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·64				
FEB.	·15				
MAR.	2·19				
APRIL	1·63				
MAY	·42				
JUNE	1·42				
JULY	·89				
AUG.	2·42				
SEPT.	1·50				
OCT.	1·68				
NOV.	2·0				
DEC.	5·51				
Total	45 21·[illegible]				

Signature X Geo J Mortlock Esq X

X G.J. MORTLOCK ESQ X

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
G. Mortlock
Tithe Farm Stoke Poges Bucks

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Slough Distance 3 miles Direction from gauge South

Nearest Parish Church at Farnham Royal Distance ½ mile Direction from gauge S-W

Nature of objects nearest to gauge	Berberis			
Height of objects	15 ft			
Distances ..	12 ft			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

M.O.
16 M

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big|\Big\}\ \cdot14\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

997/7

✓

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Stoke Poges

In the County of Buckingham

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ~~12~~ *ft* 12 *in.*
- *Height of Ground above Sea Level* .... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·87				
FEB.	2·26				
MAR.	·48				
APRIL	3·17				
MAY	1·49				
JUNE	4·95				
JULY	·71				
AUG.	1·61				
SEPT.	4·15				
OCT.	2·93				
NOV.	4·82				
DEC.	2·20				
Total	29·65 4				

Signature Geo. J. Mortlock

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Tithe Farm
Stoke Poges

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Slough Distance 3½ miles Direction from gauge S.E.

Nearest Parish Church at Stoke Poges Distance 1 mile Direction from gauge S.E.

Nature of objects nearest to gauge	Berberis			
Height of objects	9 ft			
Distances ..	10 ft			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
10 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

997/7

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Stoke Poges

In the County of Bucks

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* ...... *in.*
- *Height of Ground above Sea Level* 160 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·6				
FEB.	1·75				
MAR.	1·35				
APRIL	1·55				
MAY	·35				
JUNE	3·65				
JULY	3·52				
AUG.	·57				
SEPT.	2·50				
OCT.	1·94				
NOV.	3·72				
DEC.	2·3				
Total	✓ 26·99				

Signature Geo. V. Mortlock

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Geo. Mortlock
The Cottage Tithe Farm Stoke Poges

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Slough Distance 3 Direction from gauge S E

Nearest Parish Church at Stoke Distance 1 m Direction from gauge S E

Nature of objects nearest to gauge	Shrubs	Berberis		
Height of objects	8 ft			
Distances ..	9 ft			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

8 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.7

At Stoke Poges

In the County of Bucks

Rain Gauge
- Diameter of Funnel 6 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 164 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·95	—			
FEB.	4·43				
MAR.	2·87				
APRIL	2·88				
MAY	3·07				
JUNE	2·03				
JULY	2·00				
AUG.	2·07				
SEPT.	4·19				
OCT.	2·78				
NOV.	1·37				
DEC.	3·40				
TOTAL	35·04 ✓	✓			

Signature Geo. J. Mortlock

* See Instruction 3 *(f)* below.

C Particulars of Station. 977/7

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station.................. Distance.................Direction from gauge.................

Nearest Parish Church at.................. Distance.................Direction from gauge.................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
17 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 *a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

997/7

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At ......Stoke Poges..............

In the County of ....Bucks........

Rain Gauge
- Diameter of Funnel..................4.5 in.
- *Height of Top above Ground.....1..ft......6....in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.02				
FEB.	·42				
MAR.	·33				
APRIL	·06				
MAY	2.25				
JUNE	·61				
JULY	1.80				
AUG.	1.25				
SEPT.	1.85				
OCT.	3.75				
NOV.	2.40				
DEC.	5.10				
TOTAL	22.84 ✓				

Signature ......Geo. J. Morttock

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter........................in Summer................

Nearest Railway Station..........Slough.......... Distance..3½ miles.. Direction from gauge....S.E.

Nearest Parish Church at......Stoke Poges...... Distance...1 mile... Direction from gauge...S.E.

Nature of objects nearest to gauge		Shrubs		
Height of objects		6 ft		
Distances ...		10 ft		
Directions from gauge ...		South		

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 658/91 S.O. Code No. 40-9999

X MARLOW (HARL

16 997/28

(997/8)

994/8
MARLOW
HARLEYFORD GARDENS
1934 - 1940

78 0206

Section **A** for the entry of
AIR MINISTR

Station No.

RAINFALL ORGANIZATION.

FORM 1090.

REGIS 1934.

11/Bucks/3?

c 1934

Kept at Harleyford

in the County of Buc

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	—	Trace fog	—	—	—	—	·25	—	·01	·01	·62		1
2	·20	—	·08	—	—	—	—	Trace	·64	·13	—	·08		2
3	·02	·01	Trace fog	·04	·10	—	—	—	—	·47	—	·02		3
4	·07	—	·08	·06	—	—	—	—	—	·14	·18	·38		4
5	·01	—	·04	—	·04	—	—	·08	—	·01	Trace	·43		5
6	·01	—	·26	01	·01	—	—	·03	—	·21	—	·54		6
7	·02	·01	·10	—	·27	Trace	—	·32	—	·08	—	·33		7
8	—	—	Trace fog	—	—	·03	—	—	·20	—	·39	·03		8
9	·01	—	·04	—	·11	—	—	·02	Trace	—	1·00	·49		9
10	·03	—	·24	·18	—	—	—	·03	—	—	·08	·04		10
11	·37	—	·33	·10	—	—	·01	·07	—	—	Trace	·25		11
12	·01	—	·08	·01	—	—	·06	·34	—	—	—	·15		12
13	·30	—	·32	·62	—	—	·46	·19	—	—	·03	·53		13
14	·11	—	·36	—	—	·01	—	—	—	—	—	·34		14
15	·10	—	·04	—	·01	—	—	—	·19	·26	·05	·45		15
16	·21	·01	·14	—	·19	—	—	—	·02	·10	·01	·01		16
17	·01	—	—	·02	·01	—	—	—	·03	·15	·01	·26		17
18	·14	—	·01	·18	—	—	·04	—	·07	Trace	Trace fog	·08		18
19	—	—	·18	·01	—	·02	—	—	·10	·02	·01	·23		19
20	—	—	·09	·10	—	—	·22	·08	—	Trace	fog ·01	·06		20
21	—	—	fog ·01	·08	—	·14	Trace	·23	—	·08	fog ·01	fog ·01		21
22	—	—	Trace fog	—	—	—	·01	—	·20	—	Trace	·08		22
23	—	·01	—	·26	—	·48	—	—	—	—	Trace	·04		23
24	·01	·04	·09	·08	—	·10	·36	—	·18	—	—	Trace fog		24
25	·32	·06	Trace fog	·14	—	·61	—	—	—	·05	—	·46		25
26	·02	—	—	·20	—	·01	—	—	·03	·04	—	·40		26
27	—	·01	—	·01	—	·20	—	—	—	—	·03	·35		27
28	—	Trace	—	·01	—	·18	·03	·75	—	Trace	Trace	·35		28
29	—		—	—	—	—	—	—	·14	Trace	—	·03		29
30	·02	×	—		—	—	—	·05	·02	·02	—	·13		30
31	·03	×	—	×	—	×	—	Trace	×	Trace	×	·08		31
TOTAL	2·26	·15	2·52	1·51	·74	1·98	1·19	2·44	1·85	1·77	1·82	4·25	Year's Total 25·48	
*Days with ·01 in. or more.	22	7	18	18	8	10	8	13	12	15	13	30	172	
*Days with ·04 in. or more.	10	2	16	11	5	6	5	10	8	11	5	25	114	

40-9999
*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.
(Signed) X SIR HAROLD CLAYTON Bart X

XMARLOW (HARLEY

COPY FOR OFFICIAL

(997/8)

Section **A** **for the entry of Daily Observations.**

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

III|Bucks|3?

Kept at Harleyford Marlow

in the County of Bucks

Totals

c 1934

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level 97 (about) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	—	Trace fog	—	—	—	—	·25	—	·01	·01	·62		1
2	·20	—	·08	—	—	—	—	Trace	·64	·13	—	·08		2
3	·02	·01	Trace fog	·04	·10	—	—	—	—	·47	—	·02		3
4	·07	—	·08	·06	—	—	—	—	—	·14	·18	·38		4
5	·01	—	·04	—	·04	—	—	·08	—	·01	Trace	·43		5
6	·01	—	·26	01	·01	—	—	·03	—	·21	—	·54		6
7	·02	·01	·10	—	·27	Trace	—	·32	—	·08	—	·33		7
8	—	—	Trace fog	—	—	·03	—	—	·20	—	·39	·03		8
9	·01	—	·04	—	·11	—	—	·02	Trace	—	1·00	·49		9
10	·03	—	·24	·18	—	—	—	·03	—	—	·08	·04		10
11	·37	—	·33	·10	—	—	·01	·07	—	—	Trace	·25		11
12	·01	—	·08	·01	—	—	·06	·34	—	—	—	·15		12
13	·30	—	·32	·02	—	—	·46	·19	—	—	·03	·53		13
14	·11	—	·36	—	—	·01	—	—	—	—	—	·34		14
15	·10	—	·04	—	·01	—	—	—	·19	·26	·05	·45		15
16	·21	·01	·14	—	·19	—	—	—	·02	·10	·01	·01		16
17	·01	—	—	·02	·01	—	—	—	·03	·15	·01	·26		17
18	·14	—	·01	·18	—	—	·04	—	·07	Trace	Trace fog	·08		18
19	—	—	·18	·01	—	·02	—	—	·10	·02	·01	·23		19
20	—	—	·09	·10	—	—	·22	·08	—	Trace	fog ·01	·06		20
21	—	—	fog ·01	·08	—	·14	Trace	·23	—	·08	fog ·01	fog ·01		21
22	—	—	Trace fog	—	—	—	·01	—	·20	—	Trace	·08		22
23	—	·01	—	·26	—	·48	—	—	—	—	Trace	·04		23
24	·01	·04	·09	·08	—	·10	·36	—	·18	—	—	Trace fog		24
25	·32	·06	Trace fog	·14	—	·61	—	—	—	·05	—	·46		25
26	·02	—	—	·20	—	·01	—	—	·03	·04	—	·40		26
27	—	·01	—	·01	—	·20	—	—	—	—	·03	·35		27
28	—	Trace	—	·01	—	·18	·03	·75	—	Trace	Trace	·35		28
29	—		—	—	—	—	—	—	·17	Trace	—	·03		29
30	·02	X	—		—	—	—	·05	·02	·02	—	·13		30
31	·03	X	—	X	—	X	—	Trace	X	Trace	X	·08		31
TOTAL	2·26	·15	2·52	1·51	·74	1·98	1·19	2·44	1·85	1·77	1·82	4·25	Year's Total 25·48	
*Days with ·01 in. or more.	22	7	18	18	8	10	8	13	12	15	13	30	172	
*Days with ·04 in. or more.	10	2	16	11	5	6	5	10	8	11	5	25	114	

40-9999

*See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) XSIR HAROLD CLAYTON Bart.X

COPY FOR OFFICIAL USE. corrected for W.D.

Section A for the entry of Daily Observations. Station No. 997/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Harleyford Gdns.

in the County of Bucks.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Daily values are in some confusion but allowing for W.D., monthly values are in reasonable agreement with near-by stations

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·25)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					-	-	-	-	-	·09	·84	·41		1
2					-	·07	·14	-	-	·05	·08	-		2
3					-	·08	-	-	·14	·14	·10	-		3
4					-	·15	-	-	·65	·65	·16	-		4
5					-	·02	-	-	·07	·24	-	-		5
6					-	·07	-	-	·38	-	-	-		6
7					-	·77	-	-	-	·01	-	·10		7
8					-	·11	-	-	-	·16	·72	·22		8
9					-	-	-	-	-	·17	·24	·02		9
10					-	·82	-	-	-	·66	·20	-		10
11					-	·04	-	-	-	-	·01	-		11
12					-	·05	1·08	-	-	-	·28	·03		12
13					-	·39	-	·01	·02	-	·13	-		13
14					·12	·07	-	-	-	-	-	-		14
15					·10	-	-	-	-	-	·30	·23		15
16					·02	·26	-	-	·17	-	·27	-		16
17					-	·14	-	-	·28	-	·22	·08		17
18					-	·26	-	-	·08	-	·66	-		18
19					·01	·05	·12	-	·40	·04	·02	-		19
20					·31	·04	·12	-	·10	-	·13	-		20
21					·61	·08	·18	-	·09	-	·43	-		21
22					-	-	-	-	-	·04	·02	-		22
23					-	-	-	-	·18	-	-	-		23
24					-	-	-	1·02	·14	·19	-	·10		24
25					-	-	-	·24	·62	-	-	·45		25
26					-	·33	-	-	-	-	-	·07		26
27					-	·01	-	·33	·12	-	-	·43		27
28					-	-	-	-	·11	-	·12	·48		28
29					·07	-	-	-	·18	·07	-	·06		29
30		✕			-	-	-	-	·78	-	-	·33		30
31		✕		✕	·25	✕	-	·63	✕	·14	✕	·38		31
TOTAL					1·49	3·81	1·64	2·23	4·60 ~~4·51~~	3·40 ~~2·65~~	4·50 ~~4·93~~	(·25) (3·23) ~~3·39~~	Year's Total	
* Days with .01 in. or more.													-	
* Days with .04 in. or more.													-	

40-9999. † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) .... [P.T.O.

X Marlow (Harleyford Gardens) X

COPY FOR OFFICIAL USE. (Bucks) 13

Station No. 997/8

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~Harleyford Gardens~~

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in. —

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level 97 ft.

imp 1935. B A

~~Jan~~, Feb, Mar, June, July, Dec corr. for arith.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·13	·03	·24	·—	·44	·18	·8	—	·—	·—	·—		1
2	·01	·03	—	·2	·—	·25	·12	·14	—	·—	·11	·6		2
3	·—	·—	—	·16	·—	14	·2	·—	·12	·—	·30	—		3
4	·—	·—	·21	·—	·—	·11	·—	·—	·43	·—	·9	·3		4
5	·12	·—	·05	·—	·—	·—	·—	·3	·24	·—	·—	·17		5
6	·50	·—	·—	·—	·—	·4	·—	·15	·14	·—	·25	·—		6
7	·20	·—	·04	·—	·—	·9	·—	·—	·4	·—	·23	·4		7
8	·29	·—	·08	·—	·—	·—	·4	·—	·—	·—	·44	·13		8
9	·35	·—	·09	·—	·—	·—	·24	·—	·—	·6	·—	·—		9
10	·10	·—	·—	·—	·—	·—	·5	·—	·35	·—	·62	·—		10
11	—	·—	·—	·5	·—	·—	·12	·—	·10	·—	·50	·—		11
12	—	·—	·—	·8	·—	·42	·18	·—	·38	·—	·15	·—		12
13	—	·—	·—	·50	·—	13	·5	·—	·5	·—	·12	·15		13
14	—	·12	·—	·2	·—	·—	·50	·—	·11	·5	·—	·75		14
15	—	·05	·—	·—	·—	·—	—	·—	·21	·—	—	·9		15
16	·10	·16	·—	·—	·—	—	·3	·—	·6	·—	·56	·7		16
17	·32	50	·—	·—	·32	·—	·4	·—	·—	·—	·10	·13		17
18	·23	·15	·—	·—	·—	·58	·12	·—	·—	·—	·4	·14		18
19	·05	·04	·07	·7	·~~10~~	·50	2	·12	·—	·—	·—	·—		19
20	·06	·10	·13	30	—	·4	·—	·—	·49	·—	·—	·—		20
21	—	·—	·—	·37	·2	·39	·18	·—	·2	·—	·—	·—		21
22	·15	·47	·05	·—	·31	—	·27	·—	·—	·—	·—	·—		22
23	·05	·—	·25	·11	·—	·—	·12	·—	·—	·12	·—	·—		23
24	·15	07	·—	·—	·—	·—	·26	—	·23	·42	·—	·—		24
25	—	·—	·11	·18	·—	·—	·28	·—	·20	·16	·8	·—		25
26	—	·17	·16	·3	·—	·5	·2	·—	·—	·20	·~~15~~	·—		26
27	·14	·—	·02	·—	·—	·—	·18	·—	·—	·16	·8	·—		27
28	·80	·—	·11	·—	·—	·—	·20	·—	·—	·—	·—	·26		28
29	·29	·15	·07	·—	·—	·14	·4	·—	·—	·5	·23	·7		29
30	·17		·09	·—	·12	·42	·—	·—	—	·27	·—	·—		30
31	·35		·28		·—		·18	·—		·43		·5		31
TOTAL	4.68 469	2.24 214	1.84 ~~190~~	213	77	3.74 ~~266~~	~~348~~ 3.44	52	317	192	390	~~212~~ 2.14	Year's Total 30.4/9	
* Days with .01 in. or more.	21	13	17	13	4	15	24	5	16	10	16	14	168	
* Days with .04 in. or more.	20	12	15	10	3	15	20	4	15	10	16	13	153	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A Miles

[P.T.O.

X SIR HAROLD CLAYTON X

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 997/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File No 815097/28

Kept at THE GARDENS. HARLEYFORD

in the County of BUCKS

Diameter of Funnel of Gauge 5½ ins

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level .... ft.

Totals
Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	—	—	·8	—	—	—	—	—	—	·34	—		1
2	·4	·28	—	·48	—	—	—	—	—	—	—	—		2
3	—	·30	—	—	·10	—	—	—	—	—	—	—		3
4	·9	—	—	—	—	—	—	—	—	—	—	·112		4
5	·22	·35	·19	—	—	—	—	—	—	—	—	—		5
6	·6	—	·28	—	·22	—	·4	—	—	·7	—	·7		6
7	—	·74	·34	·51	—	—	—	—	—	—	—	—		7
8	—	·12	—	—	—	—	—	—	—	—	—	—		8
9	—	—	—	·25	·28	—	·20	·48	—	—	·44	—		9
10	—	—	·60	·17	—	·24	—	—	·40	—	—	·45		10
11	—	—	·20	·2	·20	—	—	—	—	—	—	·[illegible]		11
12	·18	·34	·12	—	·38	·16	·28	—	·22	—	—	·12		12
13	·22	·14	·49	·2	—	·40	·12	·42	·67	—	—	·15		13
14	—	—	·28	·10	—	—	—	—	·9	—	—	—		14
15	—	·25	—	·16	—	—	—	—	·10	—	—	—		15
16	·40	·6	·42	·56	—	—	—	·28	·52	—	—	·10		16
17	·24	·4	·17	·14	—	—	—	—	·74	—	—	—		17
18	·48	·16	—	·16	—	79	—	—	—	—	—	—		18
19	·15	·2	·5	·12	—	15	·97	—	·19	—	·18	—		19
20	·39	—	—	·41	·70	—	—	—	—	—	—	—		20
21	·50	·76	·5	·8	·4	—	—	—	—	—	—	·5		21
22	·55	—	—	—	—	·15	·28	—	—	·80	—	·10		22
23	·22	·12	—	—	·34	—	—	—	—	·8	·34	—		23
24	—	·52	·10	—	—	—	—	—	·18	·40	—	—		24
25	—	·55	·11	—	·112	—	—	—	·7	·12	—	—		25
26	—	·20	—	—	·22	—	—	—	—	·5	—	—		26
27	—	·5	—	·14	—	—	—	—	—	·90	—	—		27
28	—	·18	—	—	—	—	—	—	—	·10	—	—		28
29	—	—	—	—	—	·11	—	—	—	—	—	—		29
30	·62	✗	—	—	—	—	—	—	—	·9	·15	—		30
31	·32	✗	—	✗	—	✗	—	—	✗	·8	✗	—		31
TOTAL	5·16	5·18	3·40	3·40	3·60	2·00	1·89	1·18	3·18	2·69	1·45	2·17	Year's Total 35·30	
* Days with .01 in. or more.	~~17~~	~~19~~	~~14~~	~~18~~	~~10~~	~~7~~	~~6~~	~~3~~	~~10~~	~~10~~	~~5~~	~~8~~	~~127~~	
* Days with .04 in. or more.	17	18	14	16	10	7	6	3	10	10	5	8	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Miles

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 997/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HARLEYFORD GARDENS

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level ....ft.

Totals
815097 / 28
Days!
w.J.7

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	·5	—	—	—	—	·30	—		1
2	—	—	—	—	—	—	—	—	—	·20	—	·30		2
3	—	—	—	·5	.3	—	—	—	·15	·43	—	—		3
4	—	—	—	—	·30	—	—	—	—	·90	—	—		4
5	·3.	—	—	—	—	—	·60	—	—	·50	—	·15		5
6	—	—	—	—	—	—	·3	—	—	—	—	—		6
7	·10	—	—	—	—	—	—	—	·75	—	—	—		7
8	—	—	—	—	—	—	·50	1·12	—	—	—	—		8
9	·10	—	—	—	—	—	—	—	·5	·95	—	—		9
10	·10	—	—	—	—	—	—	—	—	—	—	·90		10
11	·40	—	—	—	—	—	—	·35	—	—	—	·14		11
12	—	—	—	—	—	—	—	—	—	·30	·15	—		12
13	·10	—	—	—	2	—	—	—	—	—	—	—		13
14	—	—	—	—	—	—	—	—	—	—	—	—		14
15	—	—	—	—	—	—	—	—	—	—	—	—		15
16	·80	—	—	—	—	—	·50	—	—	·35	—	·7		16
17	—	·10	—	—	·16	—	—	—	—	—	—	·24		17
18	·9	—	—	—	—	—	—	—	—	.15	—	—		18
19	—	—	—	—	—	—	—	—	—	—	·35	—		19
20	—	—	—	—	—	—	—	—	·25	—	·30	·90		20
21	·3.	—	—	—	—	—	—	—	—	—	·90	·31		21
22	—	—	—	—	—	—	—	·30	—	—	—	—		22
23	—	—	—	—	—	—	—	—	—	—	·30	—		23
24	—	—	—	—	—	—	—	—	—	—	—	—		24
25	·40	·3	·20	—	·20	—	—	—	—	—	—	—		25
26	—	—	·18	—	—	—	—	—	—	—	—	—		26
27	·27	·30	—	—	—	—	—	—	·40	·25	1·01	—		27
28	·28	—	—	—	—	·25	—	—	·60	—	·40	—		28
29	·27	—	—	—	·61	—	·35	1·03	—	—	—	·16		29
30	—	×	—	—	·27	—	—	—	—	—	·30	·25	"d"	30
31	.25	×	—	×	·50	×	—	—	×	—	×			31
TOTAL	3.22	·43	·38	·5	2·9	·30	1·98	2·80	2·20	3·80	4·10	2·95	Year's Total 24·30	✓
* Days with .01 in. or more.	~~14~~	~~3~~	~~2~~	~~1~~	~~8~~	~~2~~	~~5~~	~~4~~	~~6~~	~~9~~	~~9~~	~~10~~	..	
* Days with .04 in. or more.	~~12~~	~~2~~	~~2~~	~~1~~	~~6~~	~~2~~	~~4~~	~~4~~	~~6~~	~~9~~	~~9~~	~~10~~	67	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. J. Miles

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 997/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No 815097/28

Kept at HARLEYFORD GARDENS

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

„ Ground „ Sea Level – ft.

march, may, oct and nov. totals corr'd for additn

appears high pl. examine [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~1E46~~

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·—	·—	·25	·—	--	·-	·30	·—	·—	·—	·—	·—		1
2	·—	·—	·—	·60	1·15	·—	·—	·37	·—	·—	·—	·30		2
3	·37	·—	·—	·—	·55	·—	·—	·60	·35	·-	·—	·—		3
4	·—	·—	·—	·22	·—	·—	·—	·35	·—	·—	·55	·35		4
5	1·30	·—	·—	·30	·—	·—	——	·—	·—	·—	·—	·—		5
6	·—	·—	·17	·60	·—	·—	·—	·35	·—	·—	·35	·60		6
7	·—	·—	·—	·—	·60	·—	·50	·—	·—	·45	·75	·—		7
8	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—	·24	·35		8
9	·—	·34	·27	·—	·—	·—	·—	·30	·—	·50	·11	·27		9
10	·—	·—	·—	·—	·—	·—	·—	·—	·—	·34	·—	·21		10
11	·40	·—	·—	·—	·—	·30	·—	·—	·—	·18	·12	·—		11
12	·—	·—	·20	·—	·—	·—	·—	·—	·—	·—	·—	·—		12
13	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—		13
14	·—	·—	·—	·—	·—	·—	·—	·—	·—	·90	·—	·—		14
15	·—	·—	·—	·—	·—	·—	·—	·—	·—	·25	·35	·-		15
16	·70	·—	·—	·—	·56	·—	·45	·—	·—	1·00	·75	·—		16
17	·50	·—	·15	·—	·—	1·20	·—	·—	·—	·—	·—	·—		17
18	·22	·—	·—	·—	·—	·—	·52	·—	·—	1·25	·15	·—		18
19	·—	·—	·—	·—	·—	·30	·20	·—	·—	·—	·30	·—		19
20	·27	·—	·—	·—	·—	·—	·—	·—	·—	·18	·—	·—		20
21	·30	·—	·—	·—	·—	·—	·57		—	·—	·—	·—		21
22	·05	·—	·—	·—	·—	·—	·—	·90	·—	·—	·—	·—		22
23	·17	·60	·35	·—	·—	·—	·—	·—	·—	·—	·10	·—		23
24	·0	·—	·—	·30	·—	·—	·—	·—	·—	·—	·90	·—		24
25	·—	·—	·—	·—	·—	·-	·35	·—	—	·19	·—	·—		25
26	1·50	·14	·—	·—	·—	·—	·30	·—	·—	·—	·—	·—		26
27	·—	·—	·—	·—	·—	·—	·—	·42	·—	·17	·71	·[illegible]		27
28	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—	·—		28
29	·—	·—	·15	·35	·—	·—	·16	·—	·—	·—	·35	·[illegible]		29
30	·—	·25 ✕	·—	·15	·—	·—	·—	·—	·—	·20	·—	·—		30
31	·—	✕	·—	✕	·—	·30 ✕	·30	·—	✕	·—	✕	·— (–)		31
TOTAL	5·78	1·33 ~~1·08~~	1·29 ~~1·50~~	2·52	2 ~~1~~·56	2.10 ~~1·80~~	3.35 ~~3·65~~	3·29	·35	1 5·63	5·73 ~~5·89~~	2·08	Year's Total 36·29	Np Late WH.
* Days with .01 in. or more.	11	3	7	7	~~4~~	3	10	7	1	12	14	6	85	"2"
* Days with .04 in. or more.	11	3	7	7	4	3	10	7	1	12	14	6	85	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. J. Miles

[P.T.O.

X GT MARLOW (HARLEYFORD) X

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 997/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~34~~40

up late 1939

Jan & Feb estd from nearby stns.

Snow circ sent 4/3/41

Kept at Harleyford Gardens

in the County of Bucks.

Diameter of Funnel of Gauge 5 ~~4~~ in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ~~[illegible]~~ 97 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	11	—		1
2	—	—	—	—	25	—	—	—	—	—	54	—		2
3	—	—	—	—	—	—	—	—	—	—	100	—		3
4	—	~~120~~	—	—	—	—	—	—	—	30	20	—		4
5	—	—	—	—	—	—	—	—	—	25	42	—		5
6	—	—	—	—	—	—	—	—	—	8	—	—		6
7	35	~~20~~	—	—	—	—	55	—	—	35	—	60		7
8	—	—	—	—	—	—	15	—	—	—	—	—		8
9	—	—	—	—	—	—	—	—	—	19	13	—		9
10	—	—	—	—	—	—	—	—	—	8	11	—		10
11	—	—	—	—	—	—	25	—	12	—	95	—		11
12	—	—	—	12	—	11	—	—	—	—	—	—		12
13	—	—	—	—	—	—	5	—	5	25	140	—		13
14	—	—	42	—	—	—	—	—	—	—	—	60		14
15	—	—	12	20	—	—	—	—	—	5	43	—		15
16	—	—	70	—	9	—	23	—	—	40	77	—		16
17	—	—	27	—	—	—	32	—	45	—	18	—		17
18	—	—	28	—	—	—	—	—	—	20	17	20		18
19	—	—	—	95	—	—	—	—	—	—	24	—		19
20	—	—	—	—	—	—	—	—	35	20	—	—		20
21	—	—	—	—	—	—	—	—	—	8	—	—		21
22	—	—	—	—	—	—	5	—	—	—	—	—		22
23	—	—	—	—	110	30	—	—	45	—	—	—		23
24	—	—	—	15	—	35	—	—	—	—	—	—		24
25	—	—	—	15	—	—	35	—	—	—	—	—		25
26	—	—	45	—	—	—	30	—	—	—	—	—		26
27	(2.20)	—	15	—	35	—	5	—	—	—	—	—		27
28	—	—	—	95	—	—	—	—	—	—	—	—		28
29	—	—	—	—	15	—	—	—	—	—	—	43		29 print
30	—	×	—	—	25	—	—	—	—	16	—	—		30 UH
31	—	×	—	×	—	×	—	—	×	62	×	—		31
TOTAL	(2.55) ~~35~~	(2.10) ~~140~~	239	252	219	76	230	·00	142	351	665	162	Year's Total ~~2511~~	(28.01)
* Days with .01 in. or more.		1			1						2		,,	
* Days with .04 in. or more.													,,	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H E Keeley

P.T.O.

X SIR HAROLD CLAYTON X

273609.

997 —

GREENLANDS

1931 — 40

780206

997

Section A **for th**

AIR

FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

R **193/.**

Kept at G

in the County of

Diameter of Funnel of Ga 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 116 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	〃	0·10	〃	0·06	〃	0·09	〃	〃	0·08	〃	〃	〃	1
2	0·11	0·06	〃	0·49	〃	〃	〃	〃	0·50	〃	〃	〃	2
3	〃	0·02	0·05	0·17	0·29	〃	〃	0·23	0·38	〃	0·16	0·05	3
4	〃	〃	〃	〃	〃	〃	0·19	0·61	0·05	〃	〃	〃	4
5	〃	〃	〃	0·30	0·04	0·50	0·02	〃	0·05	〃	〃	0·22	5
6	〃	0·16	〃	0·21	〃	〃	0·03	〃	〃	0·26	〃	0·31	6
7	〃	0·10	〃	0·02	0·17	0·10	〃	0·59	〃	〃	0·42	〃	7
8	〃	〃	〃	0·03	0·02	0·13	〃	0·17	〃	0·10	0·12	0·08	8
9	〃	0·10	〃	0·06	〃	〃	〃	0·18	〃	〃	0·15	0·06	9
10	〃	0·08	〃	〃	〃	0·04	0·06	〃	〃	〃	0·44	〃	10
11	〃	0·22	〃	〃	〃	〃	〃	〃	0·04	〃	0·40	〃	11
12	〃	〃	〃	〃	〃	〃	0·02	0·04	0·34	〃	0·07	〃	12
13	〃	〃	〃	〃	〃	〃	0·35	0·21	〃	〃	〃	〃	13
14	〃	0·14	〃	〃	〃	〃	1·70	0·60	〃	〃	〃	〃	14
15	〃	〃	〃	〃	0·13	〃	0·38	0·28	〃	〃	〃	〃	15
16	〃	0·12	〃	0·15	0·18	0·09	〃	0·28	0·07	〃	〃	〃	16
17	〃	0·10	〃	0·23	0·12	〃	0·23	〃	0·04	〃	〃	〃	17
18	0·26	0·02	0·02	0·33	〃	0·24	0·02	0·65	〃	〃	〃	〃	18
19	0·05	0·04	〃	0·27	〃	0·02	0·20	0·02	〃	〃	0·52	〃	19
20	〃	〃	〃	0·13	〃	〃	〃	0·27	〃	〃	〃	〃	20
21	0·02	〃	〃	〃	0·40	〃	〃	〃	〃	〃	〃	〃	21
22	0·21	0·01	〃	0·01	〃	〃	〃	〃	0·04	〃	〃	〃	22
23	0·23	〃	〃	0·10	0·40	0·03	〃	〃	〃	〃	〃	〃	23
24	〃	〃	〃	0·24	0·16	0·12	〃	〃	〃	〃	0·27	〃	24
25	〃	0·02	〃	0·30	0·08	〃	0·65	〃	〃	〃	〃	〃	25
26	〃	〃	〃	0·15	〃	〃	0·64	〃	〃	〃	0·08	〃	26
27	0·18	0·42	〃	0·12	0·43	〃	0·03	〃	〃	〃	0·86	〃	27
28	0·08	0·11	〃	0·04	0·13	〃	〃	〃	〃	〃	〃	0·13	28
29	〃	✕	〃	〃	0·23	〃	0·11	〃	〃	0·30	〃	〃	29
30	0·15	✕	〃	〃	〃	〃	〃	0·06	〃	〃	〃	〃	30
31	0·18	✕	〃	✕	〃	✕	〃	〃	✕	〃	✕	〃	31
TOTAL	1·47	1·82	0·07	3·41	2·78	1·36	4·63	4·19	1·59	0·66	3·49	0·85	YEAR'S TOTAL 26·32
*Days with ·01 in. or more.	10	17	2	20	14	10	15	14	10	3	11	6	132
*Days with ·04 in. or more.	9	13	1	17	13	8	10	13	10	3	11	6	114

40-9999

(Signed) W Lunham

P.T.O.

*See Instruction 2 (*f*) on other side.

997

Section **A** for th

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Greenlands
in the County of Bucks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level 116 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	〃	0·10	〃	0·06	〃	0·09	〃	〃	0·08	〃	〃	〃	1
2	0·11	0·06	〃	0·49	〃	〃	〃	〃	0·50	〃	〃	〃	2
3	〃	0·02	0·05	0·17	0·29	〃	〃	0·23	0·38	〃	0·16	0·05	3
4	〃	〃	〃	〃	〃	〃	0·19	0·61	0·05	〃	〃	〃	4
5	〃	〃	〃	0·30	0·04	0·50	0·02	〃	0·05	〃	〃	0·22	5
6	〃	0·16	〃	0·21	〃	〃	0·03	〃	〃	0·26	〃	0·31	6
7	〃	0·10	〃	0·02	0·17	0·10	〃	0·59	〃	〃	0·42	〃	7
8	〃	〃	〃	0·03	0·02	0·13	〃	0·17	〃	0·10	0·12	0·08	8
9	〃	0·10	〃	0·06	〃	〃	〃	0·18	〃	〃	0·15	0·06	9
10	〃	0·08	〃	〃	〃	0·04	0·06	〃	〃	〃	0·44	〃	10
11	〃	0·22	〃	〃	〃	〃	〃	〃	0·04	〃	0·40	〃	11
12	〃	〃	〃	〃	〃	〃	0·02	0·04	0·34	〃	0·07	〃	12
13	〃	〃	〃	〃	〃	〃	0·35	0·21	〃	〃	〃	〃	13
14	〃	0·14	〃	〃	〃	〃	1·70	0·60	〃	〃	〃	〃	14
15	〃	〃	〃	〃	0·13	〃	0·38	0·28	〃	〃	〃	〃	15
16	〃	0·12	〃	0·15	0·18	0·09	〃	0·28	0·07	〃	〃	〃	16
17	〃	0·10	〃	0·23	0·12	〃	0·23	〃	0·04	〃	〃	〃	17
18	0·26	0·02	0·02	0·33	〃	0·24	0·02	0·65	〃	〃	〃	〃	18
19	0·05	0·04	〃	0·27	〃	0·02	0·20	0·02	〃	〃	0·52	〃	19
20	〃	〃	〃	0·13	〃	〃	〃	0·27	〃	〃	〃	〃	20
21	0·02	〃	〃	〃	0·40	〃	〃	〃	〃	〃	〃	〃	21
22	0·21	0·01	〃	0·01	〃	〃	〃	〃	0·04	〃	〃	〃	22
23	0·23	〃	〃	0·10	0·40	0·03	〃	〃	〃	〃	〃	〃	23
24	〃	〃	〃	0·24	0·16	0·12	〃	〃	〃	〃	0·27	〃	24
25	〃	0·02	〃	0·30	0·08	〃	0·65	〃	〃	〃	〃	〃	25
26	〃	〃	〃	0·15	〃	〃	0·64	〃	〃	〃	0·08	〃	26
27	0·18	0·42	〃	0·12	0·43	〃	0·03	〃	〃	〃	0·86	〃	27
28	0·08	0·11	〃	0·04	0·13	〃	〃	〃	〃	〃	〃	0·13	28
29	〃	×	〃	〃	0·23	〃	0·11	〃	〃	0·30	〃	〃	29
30	0·15	×	〃	〃	〃	〃	〃	0·06	〃	〃	〃	〃	30
31	0·18	×	〃	×	〃	×	〃	〃	×	〃	×	〃	31
TOTAL	1·47	1·82	0·07	3·41	2·78	1·36	4·63	4·19	1·59	0·66	3·49	0·85	YEAR'S TOTAL 26·32
*Days with ·01 in. or more.	10	17	2	20	14	10	15	14	10	3	11	6	132
*Days with ·04 in. or more.	9	13	1	17	18	8	10	13	10	3	11	6	114

40-9999

(Signed) W Lunnham [P.T.O.

*See Instruction 2 (*f*) on other side,

997

Section **A** for the entry of Daily Observations: COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Greenlands
in the County of Bucks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 116 ft.

day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·70	·02		·20					1
2	—	—	—	·20	·07	—	—	—	·25	—	—	·19	2
3	—	—	—	·17	·04	—	·17	—	·50	·08	—	—	3
4	—	—	—	—	—	·09	—	—	·25	—	·21	—	4
5	—	—	—	—	—	—	—	—	·11	—	—	—	5
6	·27	—	·12	·22	—	—		—	—	—	—	—	6
7	·45	—	·10	·09	—	—	·07	—	—	—	—	—	7
8	·22	—	—	·08	·08	—	—	—	·41	·10	—	—	8
9	—	—	—	·05	·24	—	—	—	—	[illegible]	—	—	9
10	·25		·09	·16	·09	·08	—	—	—	·19	·09	—	10
11	—	—	—	—	·02	—	·04	—	—	·29	—	—	11
12	—	—	—	·06	·11	—	—	—	—	·31	—	—	12
13	·11	—	—	·09	—	—	—	—	—	·24	—	—	13
14	·20	—	—	—	—	—	—	·35	—	·12	—	—	14
15	—	—	—	·04	·59	—	—	—	—	—	—	—	15
16	—	—	—	·15	—	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	—	·09	·06	—	17
18	—	—	—	—	—	—	—	—	·33	—	·13	—	18
19	—	—	—	—	—	—	—	—	·02	·35	—	—	19
20	—	—	—	·10	·15	—	—	2·14	—	·69	—	—	20
21	·17	—	—	·22	1·63			·56	—	·31	—	—	21
22	—	—	—	—	—	—	·20	—	—	·11	·33	·07	22
23	—	—	—	—	·04	—	~~·20~~	—	—	·61	—	—	23
24	—	—	—	—	—	—	·47	—	—	·05	—	·08	24
25	—	—	—	·02	—	—	·20	—	·09	·21	—	—	25
26	—	—	—	·13	—	—	·01	—	—	·08	·05	—	26
27	—	—	·31	·22	·31	—	·05	—	—	—	·05	—	27
28	—	—	·34	·05	·12	·10	~~·11~~	—	—	·21	—	—	28
29	—	—	·34	·11	·33	·44	—	—	·09	—	—	—	29
30	—	×	—	·02	—	·13	—	—	·26	·29	·44	·18	30
31	—	×		×	·01	×	·10	—	×	—	×	·06	31
TOTAL	1·67	·00	1·30	2·18	4·53	·86	1·42	3·25	2·31	4·33	1·36	·58	YEAR'S TOTAL 23·79
*Days with ·01 in. or more.	7		6	19	16	6	10	4	10	18	8	5	109
*Days with ·04 in. or more.	7		6	17.	14	5	10.	4	9	18	8	5	103.

40-9999

(Signed) J. F. Moffatt [P.T.O.

*See Instruction 2 (*f*) on other side.

FILE Number 814892/27.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 997.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Greenlands Garden

in the County of Bucks

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	—	·08	—	—	—	—	—	—	—	·06	—	1
2	·33	—	·34	—	—	—	—	—	—	—	·02	—	2
3	—	—	·38	—	·49	—	—	—	—	—	—	—	3
4	·19	—	—	—	·35	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	·25	—	·15	—	—	—	—	—	·05	—	6
7	—	·18	·05	—	—	—	—	—	—	·03	—	—	7
8	·23	·05	—	—	·13	—	·21	—	—	—	—	—	8
9	—	·16	·04	—	·08	—	·21	—	—	·10	·07	—	9
10	—	—	—	—	—	—	·33	—	—	·18	·11	—	10
11	·28	—	—	—	—	—	·13	·20	—	—	—	—	11
12	—	—	—	—	—	·09	—	—	—	—	—	—	12
13	—	—	—	—	·11	—	·23	·02	·54	—	—	—	13
14	—	—	—	—	—	—	·02	·16	·05	·08	·75	—	14
15	·05	—	·16	—	—	—	·23	—	~~Trace~~	—	·07	—	15
16	·07	—	·66	—	—	·18	·15	—	—	·02	·01	—	16
17	·23	—	·48	—	—	·32	—	—	—	—	—	—	17
18	·08	—	·20	—	—	·13	—	—	·02	—	—	—	18
19	—	·12	·20	—	—	·15	—	—	·64	—	—	—	19
20	—	—	·07	—	·03	—	—	[illegible]	·04	—	—	—	20
21	—	—	—	·04	—	·32	—	·05	·15	—	—	—	21
22	—	—	—	—	·08	—	—	·15	·02	·34	—	—	22
23	—	—	—	·22	—	·10	—	—	·40	—	—	—	23
24	—	·97	—	·20	—	—	—	—	·25	—	·06	—	24
25	—	1·29	—	·23	—	—	—	—	·11	—	—	·19	25
26	—	·56	—	·11	—	·05	—	—	·05	·09	—	~~Trace~~	26
27	—	—	—	—	—	—	—	—	—	·08	—	·05	27
28	—	·04	—	·04	—	—	—	—	—	·22	—	·03	28
29	—	×	—	·33	—	—	—	—	—	·05	—	·02	29
30	—	×	·05	—	—	—	—	—	·07	—	—	·21	30
31		×		×		×			×	·01	×		31
TOTAL	1·69	3·37	2·96	1·17	1·42	1·34	1·51	·58	2·27	1·20	1·20	·50	YEAR'S TOTAL 19·21
*Days with ·01 in. or more.	9	8	13	7	8	8	8	5	12	11	9	5	103
*Days with .04 in. or more.	9	8	13	7	8	8	7	5	10	8	7	3	93

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) J. J. Moffatt

P.T.O.

~~COPY FOR OFFICIAL USE~~ File Numbers 814892/27.

Section **A** **for the entry of Daily Observations.** **Station No** 997.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GREENLANDS GARDENS.

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	–	–	0·21.	–	–	–	1·09.	1
2	0·03.	–	0·11	–	0·06	–	–	–	–	0·11.	–	0·19.	2
3	0·16.	–	–	–	–	–	–	–	0·59	0·37.	–	0·09.	3
4	–	–	0·09.	–	–	–	–	–	–	0·05.	–	0·33.	4
5	0·05.	–	0·04	0·15.	0·02.	–	0·02.	0·10.	–	–	–	0·49.	5
6	–	–	0·24	0·02.	0·27.	0·05.	–	–	–	0·22.	–	0·54.	6
7	–	–	–	–	0·07.	–	–	0·30.	–	–	–	0·28	7
8	–	0·02.	–	–	–	–	–	–	0·10.	0·04.	0·31.	0·06.	8
9	0·05.	–	0·05.	–	–	–	–	–	–	–	1·08	0·46.	9
10	0·07.	–	0·26.	0·15.	–	–	0·11.	–	–	–	0·04	–	10
11	–	–	0·25.	–	–	–	–	~~Trace~~	–	–	–	0·32.	11
12	0·39.	–	–	–	–	–	–	0·06.	–	–	–	0·10.	12
13	0·36.	–	0·21.	–	–	–	–	0·26.	–	–	0·05.	0·70	13
14	0·09.	–	0·35.	–	–	–	–	–	–	–	0·10.	0·50	14
15	0·08.	–	0·06.	–	0·08.	0·01.	–	–	0·02.	0·26.	0·04.	0·27.	15
16	0·20.	–	0·21.	–	–	–	0·69.	–	–	0·05.	–	0·01	16
17	0·01.	–	–	–	–	–	–	–	0·06.	0·09.	0·01.	0·26.	17
18	0·18	–	–	0·16.	–	0·07.	–	–	–	–	–	0·06	18
19	–	–	0·21.	–	–	–	–	–	0·12.	–	–	–	19
20	–	–	–	–	–	–	0·15.	–	–	–	–	–	20
21	–	–	0·05	0·06	–	–	–	0·07.	–	0·09.	–	0·10	21
22	–	–	–	–	–	0·10:	–	0·10.	0·22.	–	–	~~Trace~~	22
23	–	–	–	–	–	–	–	–	–	–	–	0·06	23
24	–	0·06	0·04.	–	–	0·35.	–	–	0·17.	–	–		24
25	0·19.	–	–	–	–	0·20	–	–	–	–	–	0·51	25
26	0·10.	–	–	–	–	–	–	–	0·02.	0·05	–	0·06	26
27	–	–	–	–	–	0·29.	–	–	–	0·07.	–	0·34	27
28	–	–	–	–	–	–	–	0·90.	–	–	–	0·33	28
29	–	~~–~~	–	–	–	–	–	–	0·19.	–	–	0·03	29
30	0·04	×	–	–	–	–	–	0·07.	0·03.	–	–	0·13	30
31	0·01.	×		×		×			×		×	0·07.	31
TOTAL	2·01	0·08	2·17	0·54	0·50	1·07	0·97	2·07	1·52	1·40	1·63	7·38	YEAR'S TOTAL 21·34
*Days with ·01 in. or more.	15	2	14	5	5	7	4	9	10	11	7	26	115
*Days with .04 in. or more.	13	1	14	4	4	6	3	9	7	11	6	24	102.

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) J. F. Moffatt.

P.T.O.

FILE. NUMBER 814.829/27.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 997.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at GREENLAND'S GARDENS

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 125 ft.

Totals ✓
Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	0·02	0·10	0·07	—	TRACE	0·04	—	—		1
2	—	—	—	—	—	0·04	—	—	0·10	0·11	—	—		2
3	—	0·03	—	—	—	0·10	—	—	0·67	0·76	0·17	—		3
4	—	—	—	—	—	0·04	—	—	0·25	0·11	—	—		4
5	—	0·27	—	0·32	—	—	—	—	0·32	0·01	—	—		5
6	—	—	0·10½	0·02	0·12	—	—	—	—	—	0·06	—		6
7	—	0·02	—	0·36	—	—	—	—	—	0·12	0·45	0·24		7
8	—	—	—	0·60	—	—	—	—	0·12	0·18	0·05	—		8
9	—	—	—	0·31	—	0·71	—	—	0·37	—	—	—		9
10	—	—	—	0·07	—	0·04	—	—	0·08	0·38	—	~~0·3½~~ ·03½		10
11	0·26	—	—	—	—	0·07	—	—	—		—	—		11
12	—	—	—	—	—	0·19	—	—	—	—	—	—		12
13	0·07	—	—	0·07	—	0·07	—	—	—	—	0·06	—		13
14	—	0·17	—	0·10	0·02	—	—	—	—	—	0·29	0·18½		14
15	—	—	—	0·40	—	0·40	—	—	—	—	0·35	0·05		15
16	—	0·17½	0·06	0·02	—	0·03½	—	—	—	—	0·39	0·05½		16
17	—	0·23½	—	0·05½	—	0·32	—	—	—	—	0·27	0·16½		17
18	—	—	—	0·30	—	0·06	0·06	—	0·35	0·04	0·01	0·02½		18
19	—	—	—	—	0·23	0·06	0·13	—	0·06	—	0·10	—		19
20	—	0·11	—	0·10	0·55	0·08	0·07	—	TRACE	—	0·30	—		20
21	—	—	—	0·08	—	—	—	—	0·06	—	0·01	—		21
22	—	0·08	0·14	0·06	—	—	—	0·05	0·25	0·05	—	—		22
23	—	—	0·13	—	0·63	—	—	0·55	0·08	0·16	—	—		23
24	0·26	0·45	—	—	—	—	—	0·18	0·65	0·02	—	—		24
25	—	0·25	—	0·32	—	0·40	—	—	—	—	—	0·41		25
26	0·02	0·20	—	—	—	—	—	0·27	0·09	TRACE	0·14	0·43		26
27	0·03	0·19	—	—	0·27	—	—	—	0·16	—	—	0·55		27
28	—	0·15½	—	—	—	—	—	1·15	0·10	0·04	—	0·04		28
29	—	—	—	—	—	—	—	0·67	0·70	—	—	0·46		29
30	—	×	—	—	—	—	—	—	0·08	0·04	0·43	0·41		30
31	—	×	—	×	—	×	—	0·31	×	0·74	×	0·21	" d "	31
TOTAL	0·64	2·33 2·33½	·44 0·43½	3·18 3·18½	1·84	2·72 2·71½	0·33	3·18	4·49.	2·80.	3·08	3·26 3·26½	Year's Total. 28·29	
* Days with .01 in. or more.	5	13	4	16	7	16	4	7	18	15	1~~8~~5	14	~~134~~	
* Days with .04 in. or more.	3	11	4	14	5	16	4	7	18	13	~~2~~13	12	120.	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ……………………………… [P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~35

Kept at GREENLANDS GARDEN HENLEY

in the County of BUCKS.

Diameter of funnel of gauge............in.

Height of top of gauge above ground............ft............in.

Height of ground above sea level............ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					02	10	07			04				1
2						04			10	11				2
3		03				10			67	76	17			3
4						04			25	11				4
5		27		32					32	01				5
6			11	02	12						06			6
7		02		36						12	45	24		7
8				60					12	18	05			8
9				31		71			37	38				9
10				07		04			08			03		10
11	26					07								11
12						19								12
13	07			07		07					06			13
14		17		10	02						29	19		14
15				40		40					35	05		15
16		17	06	02		03					39	05		16
17		23		05		32					27	17		17
18				30		06	06		35	04	01	03		18
19					23	06	13		06		10			19
20		11		10	55	08	07				30			20
21				08					06		01			21
22		08	14	06				05	25	05				22
23			13		63			55	08	16				23
24	26	45						18	65	02				24
25		25		32		40						41		25
26	02	20						27	09		14	43		26
27	03	19			27				16			55		27
28		15						115	10	04		04		28
29		X						67	70			46		29
30		X							08	04	43	41		30
31		X		X		X		31	X	74	X	21		31
TOTAL	0·64	2·32	0·44	3·18	1·84	2·71	0·33	3·18	4·49	2·80	3·08	3·27	Year's Total 28·28	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)............(P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations FILE NO. 814 892/27. Station No. 997.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Cofr

Kept at GREENLAND'S GARDENS.

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·13	0·17	0·31	–	0·35	0·15	–	–	–	0·08	0·05		1
2	0·22	0·03	–	TRACE	–	0·21	0·30	0·03½	–	–	0·05	–		2
3	0·01½	–	–	–	–	0·14½	–	–	–	–	0·25	0·01		3
4	0·24	–	–	–	–	0·04	–	–	–	–	0·10	–		4
5	0·10½	–	0·20	–	–	–	–	0·15	–	–	–	0·11		5
6	0·49	–	0·03	–	–	0·13	–	–	0·14	–	0·22½	–		6
7	0·28	–	–	–	0·15	–	–	–	–	–	0·24	0·04		7
8	0·24	–	–	–	–	–	0·05½	–	–	–	0·42	–		8
9	0·04	–	0·19	–	–	–	0·20	–	0·18	–	–	–		9
10	0·03	–	–	–	–	–	0·14 +	–	–	–	1·00	–		10
11	–	–	–	0·15	–	–	+	–	0·11	–	Trace	–		11
12	–	–	–	–	–	0·35	0·29	–	0·32	–	0·10	0·30		12
13	–	–	–	0·08	–	0·14	–	–	–	–	0·11	0·33		13
14	–	–	–	–	–	–	–	–	–	–	Trace	0·42		14
15	–	–	–	–	–	–	0·50	–	–	–	–	0·09		15
16	0·15	0·67	–	–	–	–	0·05	–	0·10	–	0·57	0·02		16
17	1·98	–	–	–	–	0·24	–	–	–	–	0·10½	0·23		17
18	–	–	–	–	–	0·30	0·09	0·09	0·16	–	0·03	0·22		18
19	0·23	–	–	–	–	0·04	TRACE	–	–	–	–	–		19
20	–	–	0·09	0·31	–	0·07	–	–	0·05	–	–	–		20
21	–	–	–	0·34	0·01	0·22	0·12	–	0·00½	–	–	–		21
22	0·13	0·54	–	–	0·13½	–	0·24	–	–	0·13½	–	–		22
23	–	–	0·66	0·10	–	–	0·14	–	–	–	–	0·10		23
24	0·15	–	–	–	–	–	0·11	–	–	0·41	–	–		24
25	–	–	0·11	0·11	–	–	0·12	–	–	0·27	0·05	–		25
26	–	0·14	–	0·07	–	–	–	–	–	0·03	–	–		26
27	–	–	0·04	–	–	–	–	–	0·05	0·10	0·04	–		27
28	0·90	–	0·14	–	–	–	0·37	–	0·00½	–	–	0·15		28
29	0·16½	–	0·06	–	–	0·32	–	–	–	0·06	0·20	0·7½		29
30	0·14	✕	0·03½	–	0·11	0·41	0·05	–	0·08	0·22	–			30
31	0·55	✕	0·30	✕	–	✕	0·14	–	✕	0·35	✕			31
TOTAL	6·05½	1·51	2·02½	1·47	0·40½	2·96½	3·06½	0·27½	1·20	1·57½	3·57	2·54½	Year's Total 26·65½	26·65
* Days with .01 in. or more.	18	5	12	8	4	14	18 ~~17~~	3	9	8	16	15	~~129~~	130
* Days with .04 in. or more.	16	4	10	8	3	14	18 ~~17~~	2	9	7	15	14	149	120

"d"

low?

† Spare column, no entries required.

(*Signed*) J. Molcath [P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~36

Kept at GREENLANDS GARDENS HENLEY

in the County of BUCKS.

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		13	17	31		35	15				08	05		1
2	22	03				21	30	03			05			2
3	01					15					25	01		3
4	24					04					10			4
5	11		20					15				11		5
6	49		03			13			14		23			6
7	28				15						24	04		7
8	24						05				42			8
9	04		19				20		18					9
10	03						·10				100			10
11				15			·04		11					11
12						35	29		32		10	30		12
13				08		14					11	33		13
14												42		14
15							50					09		15
16	15	67					05		10		57	02		16
17	198					24					11	23		17
18						30	09	09	16		03	22		18
19	23					04								19
20			09	31		07			05					20
21				34	01	22	12		01					21
22	13	54			13		24			13				22
23			66	10			14					10		23
24	15						11			41				24
25			11	11			12			27	05			25
26		14		07						03				26
27			04						05	10	04			27
28	90		14				37		01			15		28
29	17		06			32				06	20	·07		29
30	14	X	03		11	41	05		08	22				30
31	55	X	30	X		X	14		X	35	X			31
TOTAL	6·06	1·51	2·02	1·47	0·40	2·97	3·06	0·27	1·21	1·57	3·58	2·14	Year's Total 26·26	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

FILE NO 814892/27

Section **A** for the entry of Daily Observations

Station No. 997

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Greenlands Gdns

in the County of Buckingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·11	0·32.	-	-	-	-	-	-	0·36	-	-	1·25.		1
2	-	-	-	0·49.	-	-	-	-	-	-	-	0·62.		2
3	TRACE	0·13.	-	-	-	-	-	-	-	-	-	0·06.		3
4	0·08	0·37.	-	-	-	-	-	-	-	-	-	0·37.		4
5	0·18	TRACE	0·15.	-	-	-	-	-	-	-	-	-		5
6	0·04	-	0·53.	-	0·23	-	0·35	-	-	0·03.	0·04	-		6
7	-	0·17.	-	0·32.	-	-	-	-	0·04½	-	-	-		7
8	-	0·06.	-	-	-	-	-	-	-	-	-	0·32.		8
9	-	0·07.	-	0·38	0·08	-	0·09	-	0·37.	-	0·34	0·12		9
10	-	-	0·64.	0·25.	-	0·26.	-	0·32.	-	-	-	0·30		10
11	-	-	0·14.	-	0·17.	-	0·05.	-	-	-		—		11
12	0·18	0·30.	0·09.	-	0·27.	0·45.	-	0·04.	0·04.	-	-	0·07.		12
13	0·17	0·07.	0·44.	-	-	0·03.	-	0·36.	0·26.	-	-	-		13
14	0·01	0·03.	0·34.	0·11.	-	-	-	0·33	0·05.	-	-	0·21.		14
15	0·27.	0·15.	-	0·16.	-	-	0·24.	-	0·30.	-	-	0·2½.		15
16	0·02.	-	0·43.	0·53.	-	0·04.	-	0·33.	0·56.	-	-	-		16
17	0·41.	0·10.	0·16½.	0·11.	-	-	-	-	0·20.	-	-	-		17
18	0·37.	0·03.	-	-	-	0·76.	0·25.	0·28	0·14.	-	0·17	-		18
19	0·13½	0·11.	-	0·10.	-	0·14.	-	-	0·18.	-	-	-		19
20	0·45.	0·08.	-	0·30.	0·26.	-	0·10½.	-	-	-	-	-		20
21	0·33.	0·65.	0·05.	0·07.	0·07.	-	0·01.	-	-	-	-	-		21
22	0·35.	-	0·02.	-	0·16½.	0·23.	0·02.	-	-	0·75.	0·27.	0·23.		22
23	0·18.	0·06.	-	-	-	-	-	-	-	0·09.	0·05.	-		23
24	0·15.	0·61.	0·11.	-	-	-	-	-	0·11.	0·24.	-	-		24
25	0·14.	0·47.	0·10.	-	0·80.	-	-	-	0·04	0·35.	-	-		25
26	0·01.	0·30.	-	-	0·22½	-	-	-	-	0·10	-	-		26
27	-	0·12.	-	0·18.	-	-	-	-	-	0·67.	-	-		27
28	-	0·07.	-	-	-	-	-	-	-	0·35.	-	0·02.		28
29	0·02.	—	-	-	-	0·5½	-	-	-	-	0·10.	-		29
30	0·35.	✕	-	-	-	-	-	-	-	0·06½	0·28	-		30
31	0·31.	✕	-	✕	-	✕	-	-	✕	0·06.	✕	0·04.		31 d"
TOTAL	4·26½	4·27.	3·20½	3·00	2·57.	1·96½	1·11½.	1·33.	2·65½	2·45½.	1·25.	3·63.	Year's Total 31·71	✓
* Days with .01 in. or more.	22.	21.	13.	12.	9.	8.	8.	5.	13.	10.	7.	13.	~~141~~	✓
* Days with .04 in. or more.	18.	19.	12.	12.	9.	8.	6.	5.	13.	9.	7.	11.	129.	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. J. Moffatt [P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~37

Kept at GREENLANDS GARDENS

COPY

in the County of BUCKS

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11	32							36			125		1
2				49								62		2
3		13										06		3
4	08	37										37		4
5	18		15											5
6	04		53		23		35			03	04			6
7		17		32					05					7
8		06										32		8
9		07		38	08		09		37		34	12		9
10			64	25		26		32				30		10
11			14		17		05							11
12	18	30	09		27	45		04	04			07		12
13	17	07	44			03		36	26					13
14	01	03	34	11				33	05			21		14
15	27	15		16			24		30			03		15
16	02		43	53		04		33	56					16
17	41	10	17	11					20					17
18	37	03				76	25	28	14		17			18
19	13	11		10		14			18					19
20	45	08		30			11							20
21	33		05	07	07		01							21
22	35		02		187	23	02			75	27	23		22
23	18									09	05			23
24	15		11						11	29				24
25	14		10		80				04	35				25
26	01				23					10				26
27				18						67				27
28										05		02		28
29	02	X				05					10			29
30	35	X								07	28			30
31	31	X		X		X			X	06	X	04		31
TOTAL	4·26	199 4·27	3·21	3·00	202 2·58	1·96	1·12	166 1·33	2·66	2·46	1·25	3·64	Year's Total 31·74 2923	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section A **for the entry of Daily Observations** — **Station No.** 997

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at GREENLANDS GARDENS

in the County of BUCKINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	0·0½	–	–	–	–	–	–	0·13.	–	0·01.		1
2	–	–	–	0·05½	0·06.	–	–	–	0·05	0·25	–	0·02.		2
3	–	–	–	–	0·27.	–	–	–	–	0·18.	–	–		3
4	0·05½	–	–	–	–	–	0·19.	–	–	0·07.	–	–		4
5	–	–	–	–	–	–	0·14.	–	–	0·15.	–	–		5
6	0·05.	–	–	–	–	–	0·05	–	0·13.	0·13.	0·03.	–		6
7	–	–	–	–	–	–	0·35.	1·80.	–	0·33	–	0·06.		7
8	0·07.	–	–	–	–	–	–	–	0·08	0·31.	–	–		8
9	0·09.	–	–	–	–	–	0·27.	0·18.	–	–	–	0·75.		9
10	0·18.	0·05.	–	–	–	–	0·06.	0·15.	–	–	0·17.	0·13½		10
11	0·23.	–	–	–	–	–	Trace	1·54.	–	–	–	0·06.		11
12	0·30.	–	–	–	0·02.	–	–	–	–	0·16.	–	–		12
13	0·09.	–	–	–	–	–	–	–	–	0·01.	0·14.	0·09.		13
14	0·20.	–	–	–	0·06.	–	–	–	0·03.	–	–	0·03.		14
15	0·15½	–	–	–	–	0·03.	0·27½	–	–	0·17.	0·02.	0·14.		15
16	0·42.	–	0·02	–	–	–	0·01.	0·03.	–	0·15.	0·04.	0·14.		16
17	–	–	–	–	–	–	–	–	0·04.	0·13.	–	–		17
18	0·09.	–	–	–	0·05	–	–	0·15	–	–	0·59.	–		18
19	–	–	–	–	–	–	–	–	0·09.	0·18	0·56	–		19
20	–	–	–	–	–	0·21.	–	0·01½	–	0·04	0·48.	1·29		20
21	0·04	–	–	–	–	0·06.	0·13.	0·15.	0·04.	–	0·03.			21
22	–	–	–	–	–	–	–	0·03.	–	–	0·22.	0·17.		22
23	–	–	–	Trace	–	–	–	–	–	–	0·10.	–		23
24	–	–	0·2½	–	–	–	–	–	0·23.	–	0·02½	–		24
25	0·10.	0·10.	0·10.	–	0·25	–	–	0·13.	–	–	0·63.	0·18.		25
26	0·28	0·29.	0·04.	–	0·01.	–	–	–	0·32.	0·20.	–	0·16.		26
27	0·13.	0·04.	–	–	0·11.	–	0·31.	0·02.	0·36.	–	0·40.	–		27
28	0·11.	–	–	–	0·63.	–	–	0·62.	0·03.	–	0·01.	0·11½		28
29	0·21.	–	–	–	0·25.	0·07.	–	–	–	0·1½.	0·38.	0·26.		29
30	0·03.	✕	–	–	0·10	–	–	0·14.	0·05½	0·07.	0·18½	0·02.		30
31	0·19.	✕	–	✕	0·21.	✕	–	–	✕	0·10.	✕	0·28		31 25·23
TOTAL	3·02.	0·48.	0·39.	0·05½	2·02.	0·37.	1·78½	4·95½	1·45½	2·77½	4·01.	3·91.	Year's Total 25·22½	✓
* Days with .01 in. or more.	20.	4.	5.	1.	12.	4.	10.	13.	12.	19.	17.	~~18~~ 19	~~135~~ 136	✓
* Days with .04 in. or more.	19.	4.	3.	1.	10.	3.	9.	9.	9.	17.	12.	14. ✓	110 ✓	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1938

Kept at GREENLANDS GARDENS

in the County of BUCKS

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			01							13		01		1
2				05	06				05	25		02		2
3					27					18				3
4	05						19			07				4
5							14			15				5
6	05						05		13	13	03			6
7							35	180		33		06		7
8	07								08	31				8
9	09						27	18				75		9
10	18	05					06	15			17	13		10
11	23							154				06		11
12	30				02					16				12
13	09									01	14	09		13
14	20				06				03			03		14
15	15					03	27			17	02	14		15
16	42		02				01	03		15	04	14		16
17									04	13				17
18	09				05			15			59			18
19									09	18	56			19
20						21		01		04	48	·26		20
21	04					06	13	15	04		03	1·03		21
22								03			22	17		22
23											10			23
24			21						23		03			24
25	10	10	10		25			13			63	18		25
26	28	29	04		01				32	20		16		26
27	13	04			11		31	02	36		40			27
28	11				63			62	03		01	11		28
29	21	X			25	07				01	38	26		29
30	03	X			10			14	05	07	19	02		30
31	19	X		X	21	X			X	10	X	28		31
TOTAL	3·01	0·48	0·38	0·05	2·02	0·37	1·78	4·95	1·45	2·77	4·02	3·90	Year's Total 25·18	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

FILE NO. 814892/27.

Section **A** for the entry of Daily Observations

Station No. 997.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at GREENLANDS GDNS

in the County of Buckinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·03	–		0·56	0·36	–	–	0·10	0·07.	–	–	–		1
2	0·04.	–		–	–	–	–	0·56.	0·60	–	–	0·03		2
3	0·37	–		0·06.	–	–	–	0·19.	–	–	0·35.	0·21.		3
4	0·05½	0·23	0·23	0·37.	–	–	0·03	0·11.	–	–	0·05.	–		4
5	–	–	0·02.	–	0·23	0·01.	0·11.	0·41.	–	0·13	0·25.	0·52.		5
6	0·47.	–	–	–	0·25.	–	0·28	0·01.	–	0·11	0·30	–		6
7	0·02.	0·10	–	–	–	–	Trace	0·03.	–	–	0·16.	0·20.		7
8	–	0·13.	0·26	–	–	–	0·05.	0·21.	–	0·63.	0·13.	0·35.		8
9	0·04½	0·05.	–	–	–	–	–	0·04	–	0·14.	–	0·16.		9
10	0·33.	–	–	–	–	0·24.	–	0·15.	–	0·11.	–	–		10
11	–	–	0·23	–	–	–	–	–	0·04	0·15.	–	–		11
12	–	–	–	–	–	0·01.	–	–	–	–	–	–		12
13	–	–	–	–	–	–	0·17	–	–	0·35.	–	–		13
14	0·54	–	–	0·05.	0·07.	–	0·15	–	–	0·12.	–	–		14
15	0·32.	–	0·05	–	0·40	0·47.	0·17.	–	0·08	0·72.	0·20.	–		15
16	0·29.		0·14.	–	0·04.	0·15	0·01.	–	–	0·03	0·48	–		16
17	0·26.	0·01½	–	–	0·20	–	–	–	–	0·13.	0·04.	–		17
18	0·25.	0·02.	–	–	–	0·15½	0·31.	–	–	0·04½	0·01.	–		18
19	0·20	–	–	–	–	–	0·37.	–	–	–	0·24	–		19
20	0·34.	–	–	–	–	–	0·65.	0·05.	–	0·13	–	–		20
21	0·05½	0·17.	0·27.	–	–	0·01.	0·03.	0·05.	–	–	–	–		21
22	0·14.	0·31.	–	0·04½	–	–	0·04.	–	–	–	0·11.	–		22
23	0·02.	–	–	–	–	0·01½.	0·13.	–	–	0·05.	0·72.	–		23
24	0·45.	–	0·03	0·04.	–	–	0·18.	–	–	–	0·09.	–		24
25	0·90.	0·11.	0·04	–	–	–	0·45.	–	–	0·31.	0·34	–		25
26	0·19.	–	0·01.	–	–	0·33.	–	0·06.	–	–	0·18	–		26
27	0·01.	0·04	0·09	0·07.	–	–	–	–	–	–	0·13.	–		27
28	–	0·14		0·28	–	0·03.	0·06.	–	–	–	0·32.	–		28
29	–	–	–	0·48.	–	–	0·40	–	–	0·16.	0·13	0·13.		29
30	–	✕	–	0·85.	–	–	Trace.	–	–	–	0·17	–		30
31	–	✕	–	✕	–	✕	0·05.	–	✕	–	✕	–		31
TOTAL	5·32½	1·08½	1·37.	2·80½	1·55.	1·42.	3·64	1·97.	0·79.	3·31.	4·40	1·60.	Year's Total 29·26½ ✓	
* Days with .01 in. or more.	~~22.~~	~~10.~~	~~11.~~	~~10.~~	~~7.~~	~~10.~~	~~19.~~	~~13.~~	~~4.~~	~~16.~~	~~20.~~	~~7.~~	~~149.~~ ✓	
* Days with .04 in. or more.	18.	8.	8.	10.	7.	5.	16.	11.	4	15.	19.	6.	127. ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Moffatt

[P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~39

Kept at GREENLANDS GARDENS

in the County of BUCKS.

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03			56	36			10	07					1
2	04							56	60			0·03		2
3	37			06				19			35	21		3
4	05	23	23	37			03	11			05			4
5			02		23	01	11	41		13	25	52		5
6	47				25		28	01		11	30			6
7	02	10						03			16	20		7
8		13	26				05	21		63	13	35		8
9	05	05						04		14		16		9
10	33					24		15		11				10
11			23						04	15				11
12						01								12
13							17			35				13
14	54			05	07		15			12				14
15	32		05		40	47	17		08	72	20			15
16	29		14		04	15	01			03	48			16
17	26	01			20					13	04			17
18	25	02				15	31			05	01			18
19	20						37				24			19
20	34						65	05		13				20
21	05	17	27			01	03	05						21
22	14	31		05			04				11			22
23	02					01	13			05	72			23
24	45		03	04			18				09			24
25	90	11	04				45			31	34			25
26	19		01			33		06			18			26
27	01	04	·01	07							13			27
28		14	·08	28		03	06				32			28
29				48			40			16	13	13		29
30		X		85							17			30
31		X		X		X	05		X		X			31
TOTAL	5·32	1·31	1·37	2·81	1·55	1·41	3·64	1·97	0·79	3·32	4·40	1·60	Year's Total 29·49	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

FILE. NO. 814892/27.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 997.

AIR MINISTRY,—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at GREENLANDS GARDENS.
In the County of BUCKINGHASHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—		—	—	—		—	—	—	0·12	—		1
2	—	0·05	—	0·19.	—	—	—	—	—	0·01.	0·52	—		2
3	—	0·45	—	0·04.	—	—	—	—	—	0·19.	1·10.	0·09.		3
4	—	0·15½	—	0·05.	—	—	—	—	—	0·32.	0·48	—		4
5	—	— *	—	—	0·02.	—	—	—	—	0·09.	0·15	—		5
6	0·23	0·16.	—	—	—	—	0·34	—	—	0·23.	—	0·16.		6
7	0·18.	0·14	—	—	0·05.	—	0·32	—	—	0·02.	—	—		7
8	—	—	—	—	—	—	—	—	—	0·23.	—	0·35		8
9	—	0·20	—	—	—	—	—	—	0·07.	0·56.	0·23.	0·04½		9
10	—	—	0·04	—	—	—	0·40.	—	—	—	— *	0·04		10
11	—	—	—	0·04.	—	—	—	—	—	—	0·92	0·01		11
12	—	—	0·05½	—	—	0·10.	—	—	—	—	0·01	—		12
13	—	—	0·60	—	—	—	—	—	0·11.	—	1·35	—		13
14	—	—	0·10.	0·14.	—	—	—	—	0·02.	0·32.	—	0·38		14
15	—	—	—	—	—	0·32	0·16.	—	—	0·03.	0·43	0·01½		15
16	—	0·21.	0·61.	—	—	0·01.	0·38	—	0·42.	0·56.	0·59.	TRACE		16
17	—	—	0·25.	—	—	—	—	—	—	—	—	—		17
18	—	0·44.	—	— *	—	—	0·22½	—	—	0·15	0·13	0·17.		18
19	—	0·16.	0·22.	0·64 *	—	—	0·21.	—	4	—	0·25	—		19
20	—	0·02	0·05.	0·02.	—	—	—	—	—	0·26	0·02½	—		20
21	—	—	—	—	0·37.	—	0·18	—	—	0·02	0·47.	—		21
22	—	—	0·04	—	0·41.	0·35	TRACE	—	0·74	—	—	—		22
23	—	0·01.	0·16.	0·11.	0·03.	0·30.	TRACE	—	—	—	—	·		23
24	—	—	—	0·14.	—	—	0·32.	—	—	—	—	0·01.		24
25	—	—	0·39.	—	—	0·11.	0·29.	—	—	—	—	—		25
26	— x	0·03.	—	0·04	0·16.	—	—	—	—	—	—	—		26
27	1·13	0·27.	—	0·04½	—	0·01.	0·10.	—	—	—	—			27
28	0·65	0·13.	—	0·02.	0·11.	0·05	—	—	—	—	0·01.			28
29	—	—	0·16.	—	0·14.	—	—	—	—	—	—	0·38½		29
30	—	×	—	0·16.	—	—	—	—	—	0·23	—	0·01½		30
31	—	×	—	×	—	×	—	—	×	0·38	×	trace		31
Total	2·19	2·42½	2·67½	1·65	1·29	1·25	2·92½	·00	1·36	3·60	6·78½	1·67.	Year's Total ~~27·20½~~	27·82
*Days with ·01 in. or more	~~4.~~	~~14~~	~~12.~~	~~14~~	~~8~~	~~8~~	~~11~~		~~3~~	~~16~~	~~16~~	~~12~~	~~49~~	~~127~~
*Days with ·04 in. or more	4	14	12.	14	6	6	11		~~4~~ 5	12	15	8.	[illegible]	105

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

Section **A** for the entry of Daily Observations

Station No.........................

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~40

Kept at GREENLANDS GARDENS

in the County of BUCKS.

Diameter of funnel of gauge..................in.

Height of top of gauge above ground...............ft...............in.

Height of ground above sea level..............................ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											12			1
2		05		19						01	52			2
3		45		04						19	110	09		3
4		15		05						32	48			4
5		·06			02					09	15			5
6	23	·10					34			23		16		6
7	18	14			05		32			02				7
8		20								23		35		8
9								[illegible]	07	56	23	05		9
10			04				40				·11	04		10
11				04							·81	01		11
12			05			10					01			12
13			60					~~44~~	11		135			13
14			10	14				[illegible]	02	32		38		14
15						32	16			03	43	01		15
16		21	61			01	38	~~42~~	42	56	59			16
17		~~44~~	25											17
18		4~~8~~4		·29			23			15	13	17		18
19		16	22	·35			21		·33		25			19
20		02	05	02						26	03			20
21					37		18			02	47			21
22			04		41	35			·41					22
23		01	16	11	03	30								23
24				14			32					01		24
25			39			11	29							25
26	·70	03		04	16									26
27	·46	27		05		01	10							27
28	·49	13		02	11	05					01			28
29	·12		16		14							39		29
30		X		18						23		01		30
31		X		X		X			X	38	X			31
TOTAL	218 2·91	2·42	2·67	1·66	1·29	1·25	2·93	0·0	1·36	3·60	6·79	1·67	Year's Total 2782 28·55	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

998

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—ME

ALL ORGANIZATION.

FORM 1090.

REGISTER

1 .

998

BOURNE END.

1931- 1940

780206

Kept at BOURNE EN

in the County of BUCKS

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 2

,, Ground ,, Sea Level 9

THE MORNING MEASUREME

Y.

An observer who does not conform to this rul *January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

·18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	Snow ·01	·10	–	·08	–	–	·05	–	–	–	1
2	·10	·07	–	·31	–	–	–	–	·46	–	–	·05	2
3	·07	·01	·06	·15	·43	–	–	·25	·76	–	·12	·21	3
4	–	–	–	–	–	–	·12	·99	·06	·01	·06	–	4
5	–	·04	–	·17	·04	·47	·10	–	·05	–	–	·26	5
6	·01	·14	–	·14	–	–	·06	–	–	·29	·36	–	6
7	–	–	–	–	·09	·03	–	·63	–	·08	·14	·08	7
8	Trace Snow	·06	Trace Snow	·05	–	·16	–	·17	–	·02	·15	·04	8
9	–	·11	Trace Snow	·04	–	–	–	–	–	–	·34	·01	9
10	·01	·08	·01	–	–	·04	·08	·16	–	·02	·37	–	10
11	·08	·24	–	–	–	–	–	–	·04	–	–	–	11
12	–	–	–	–	–	–	–	·03	·38	–	–	–	12
13	–	–	–	–	–	–	·24	·09	–	–	–	–	13
14	·02	·10	–	–	·02	–	1·17	·85	–	–	–	–	14
15	–	–	–	·14	·11	–	·20	·52	–	–	–	·02	15
16	–	·06	–	·12	·25	·08	–	·09	·11	–	–	–	16
17	·11	·02	–	·58	·08	·34	·21	–	·12	–	–	–	17
18	·07	·05	·06	·19	–	–	·01	·74	–	–	·54	–	18
19	·04	–	–	·39	–	·50	·11	·06	·17	–	–	–	19
20	–	·03	–	·10	–	–	–	·30	–	–	·02	–	20
21	·03	–	–	–	·40	–	–	–	–	–	–	–	21
22	·16	–	–	–	–	–	–	–	·01	–	–	–	22
23	·22	–	–	·02	·39	·02	–	–	–	–	·27	·03	23
24	·07	–	–	·23	·15	·19	·10	–	–	–	–	–	24
25	–	–	–	·39	·09	–	·40	–	–	–	·08	–	25
26	·20	·03	–	·14	·02	–	·63	–	–	–	·38	–	26
27	·08	·42	–	·11	·40	–	·05	–	–	–	·20	–	27
28	·17	Snow ·16	–	·03	·04	–	–	–	–	·06	·01	·08	28
29	·11	×	–	–	·13	–	·13	–	–	·31	·01	Trace Snow	29
30	–	×	–	–	–	–	·05	·04	·01	–	–	Trace Snow	30
31	·25	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	1·81	1·70	·14	3·40	2·70	1·91	3·66	4·92	2·22	0·79	3·05	·78	YEAR'S TOTAL 27·08
*Days with ·01 in. or more.	19	16	4	19	15	10	16	14	12	7	15	9	156
*Days with ·04 in. or more.	14	12	2	17	13	8	15	13	10	4	12	6	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Dhu: Clementi RE
pro Major Holland.

[P.T.O.

098

Section **A** for the entry of Daily — COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BOURNE END

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft — in.

,, Ground ,, Sea Level 91 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	Snow ·01	·10	—	·08	—	—	·05	—	—	—	1
2	·10	·07	—	·31	—	—	—	—	·46	—	—	·05	2
3	·07	·01	·06	·15	·43	—	—	·25	·76	—	·12	·21	3
4	—	—	—	—	—	—	·12	·99	·06	·01	·06	—	4
5	—	·04	—	·17	·04	·47	·10	—	·05	—	—	·26	5
6	·01	·14	—	·14	—	—	·06	—	—	·29	·36	—	6
7	—	—	—	—	·09	·03	—	·63	—	·08	·14	·08	7
8	Trace Snow	·06	Trace Snow	·05	—	·16	—	·17	—	·02	·15	·04	8
9	—	·11	Trace Snow	·04	—	—	—	—	—	—	·34	·01	9
10	·01	·08	·01	—	—	·04	·08	·16	—	·02	·37	—	10
11	·08	·24	—	—	—	—	—	—	·04	—	—	—	11
12	—	—	—	—	—	—	—	·03	·38	—	—	—	12
13	—	—	—	—	—	—	·24	·09	—	—	—	—	13
14	·02	·10	—	—	·02	—	1·17	·85	—	—	—	—	14
15	—	—	—	·14	·11	—	·20	·52	—	—	—	·02	15
16	—	·06	—	·12	·25	·08	—	·09	·11	—	—	—	16
17	·11	·02	—	·58	·08	·34	·21	—	·12	—	—	—	17
18	·07	·05	·06	·19	—	—	·01	·74	—	—	·54	—	18
19	·04	—	—	·39	—	·50	·11	·06	·17	—	—	—	19
20	—	·03	—	·10	—	—	—	·30	—	—	·02	—	20
21	·03	—	—	—	·40	—	—	—	—	—	—	—	21
22	·16	—	—	—	—	—	—	—	·01	—	—	—	22
23	·22	—	—	·02	·39	·02	—	—	—	—	·27	·03	23
24	·07	—	—	·23	·15	·19	·10	—	—	—	—	—	24
25	—	—	—	·39	·09	—	·40	—	—	—	·08	—	25
26	·20	·03	—	·14	·02	—	·63	—	—	—	·38	—	26
27	·08	·42	—	·11	·40	—	·05	—	—	—	·20	—	27
28	·17	Snow ·16	—	·03	·04	—	—	—	—	·06	·01	·08	28
29	·11	×	—	—	·13	—	·13	—	—	·31	·01	Trace Snow	29
30	—	×	—	—	—	—	·05	·04	·01	—	—	Trace Snow	30
31	·25	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·81	1·70	·14	3·40	2·70	1·91	3·66	4·92	2·22	0·79	3·05	·78	YEAR'S TOTAL 27·08
*Days with ·01 in. or more.	19	16	4	19	15	10	16	14	12	7	15	9	156
*Days with ·04 in. or more.	14	12	2	17	13	8	15	13	10	4	12	6	126

40-9999

(*Signed*) Wm: Clements. RE
pro Major Holland. [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

Station No 998 998

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
Register of Rainfall in 1932

Kept at BOURNE END
in the County of BUCKS
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
„ Ground „ Sea Level 91 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	—	—	—	80	02	13	23	—	17	02	—	1
2	02	—	—	17	03	—	—	01	27	10	01	16	2
3	—	—	—	19	07	—	—	01	57	14	—	01	3
4	—	—	—	—	—	18	—	—	—	—	13	—	4
5	24	—	—	—	03	Trace	23	—	10	—	—	—	5
6	27	—	—	14	Trace	—	—	—	17	—	—	—	6
7	—	—	14	13	—	—	—	—	10	02	—	03	7
8	—	—	09	15	07	—	—	—	46	19	—	—	8
9	16	—	—	07	39	—	—	—	—	—	—	—	9
10	26	Snow	—	18	09	04	—	—	01	15	11	—	10
11	—	Snow	03	11	02	07	28	21	02	44	05	02	11
12	06	—	—	—	08	—	—	02	01	24	01	—	12
13	—	01	—	17	—	—	—	—	03	21	12	02	13
14	17	—	—	03	—	—	—	31	—	01	07	—	14
15	10	01	—	02	25	—	—	—	—	09	01	—	15
16	—	—	—	18	05	—	—	—	—	—	—	—	16
17	—	—	—	02	—	—	—	—	—	06	—	—	17
18	—	—	—	—	Trace	—	—	—	24	—	13	—	18
19	—	—	—	—	—	—	—	—	03	34	—	01	19
20	—	—	—	16	15	—	—	1·28	06	75	10	01	20
21	04	—	05	28	1·44	—	—	46	—	29	—	05	21
22	—	—	24	—	—	—	07	02	27	14	35	—	22
23	—	05	—	01	02	—	—	—	06	76	10	10	23
24	—	—	—	—	—	—	41	—	05	04	06	01	24
25	—	07	—	02	—	—	24	—	05	20	02	—	25
26	—	—	09	14	04	—	02	—	—	09	02	—	26
27	—	—	27	23	37	Trace	13	—	—	19	14	01	27
28	—	—	13	04	06	09	11	—	—	18	01	—	28
29	—	—	27	09	17	05	—	01	10	34	05	03	29
30	—	X	12	04	—	45	—	—	13	02	26	15	30
31	—	X	16	X	—	X	10	—	X	—	X	08	31
TOTAL	1·50	0·14	1·59	2·57	4·13	0·90	1·72	2·55	2·73	5·16	1·77	0·69	YEAR'S TOTAL 25·45
Days with ·01 in. or more.	10 X	4 ~~2~~	11 X	22 ~~34~~	18 ~~4~~	7 X	10	10 ~~5~~	19 ~~5~~	24 ~~3~~	20 ~~7~~	14 ~~5~~	169 ~~44~~
Days with ·04 in. or more.	9	2	10	17	14	6	9	5	14	21	13	5	125

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.

998

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1923.

Kept at BOURNE END.

in the County of BUCKS.

Diameter of Funnel of Gauge 3 in.

Height of top of Gauge above Ground 2 ft. - in.

" Ground " Sea Level 91 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	14	16	–	01	–	–	–	–	–	–	–	1
2	28	–	37	–	39	–	–	–	–	–	05	–	2
3	–	21	16	–	05	–	–	–	–	–	–	–	3
4	21	–	–	–	45	–	–	–	–	–	–	–	4
5	–	–	28	–	03	–	–	–	–	–	–	–	5
6	–	10	10	–	27	–	–	–	–	09	06	–	6
7	18	09	09	–	–	–	–	–	–	12	01	02	7
8	05	–	–	–	10	–	25	–	–	05	–	–	8
9	–	–	–	–	03	–	15	–	–	10	08	–	9
10	–	22	–	–	–	–	31	–	–	17	01	–	10
11	22	–	–	–	03	–	06	06	22	–	–	–	11
12	–	–	–	–	–	17	–	–	53	–	–	–	12
13	–	–	–	–	04	–	27	–	08	–	10	–	13
14	03	–	–	–	–	–	–	01	–	10	48	02	14
15	31	–	16	–	–	48	67	08	–	02	–	–	15
16	–	–	62	–	–	37	09	–	–	03	06	–	16
17	–	–	33	–	–	01	–	–	06	–	03	–	17
18	15	–	14	–	–	13	–	–	–	–	–	–	18
19	–	–	41	–	–	26	–	–	60	–	–	03	19
20	–	10	–	05	–	29	–	–	01	–	–	–	20
21	–	–	–	–	–	02	–	03	13	07	–	–	21
22	–	–	–	–	–	92	–	21	–	38	02	–	22
23	–	–	–	27	–	–	–	–	33	01	–	–	23
24	–	80	–	18	–	71	–	–	30	–	06	–	24
25	–	96	–	25	–	–	–	–	08	01	03	10	25
26	–	38	–	10	–	09	–	–	~~08~~ 19	12	–	07	26
27	–	–	–	–	01	–	–	–	~~19~~	14	–	05	27
28	–	–	–	02	10	–	–	–	–	30	–	05	28
29	15	X	02	26	–	–	12	–	–	24	–	–	29
30	13	X	04	–	–	–	01	–	02	–	–	21	30
31	19	X	05	X	–	X	–	11	X	03	X	–	31
TOTAL	2·05	3·00	2·93	1·13	1·56	3·45	1·93	·50	2·55	1·98	·99	·55	YEAR'S TOTAL 22·62
Days with ·01 in. or more.	12 8	9	14 X	7 X	12 5	8 21	X 9	6 X	X 12	17 5	12 1	8 B	79 139 +09
Days with ·04 in. or more.	11	9	13	6	7	18	8	4	10	12	7	5	110

(Signed) Robert Holland [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 998

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BOURNE END

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft ...... in.

,, Ground ,, Sea Level 91 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	–	–	–	–	–	–	32	–	04	–	58		1
2	15	–	–	–	06	–	–	–	69	11	01	25		2
3	02	02	–	03	–	–	–	–	–	42	–	–		3
4	07	–	15	10	02	–	–	–	–	15	08	42		4
5	–	–	03	–	01	–	–	15	–	–	01	40		5
6	05	–	18	01	19	07	–	05	–	18	–	68		6
7	02	–	06	–	–	–	–	23	–	10	–	31		7
8	–	–	–	–	08	–	–	05	21	–	28	–		8
9	01	–	07	–	–	–	–	–	–	–	1·25	57		9
10	09	01	23	18	–	–	–	07	–	–	11	02		10
11	36	–	38	08	–	–	02	01	–	–	–	21		11
12	01	01	–	–	–	–	07	38	–	–	–	08		12
13	27	–	36	01	–	–	30	09	–	01	05	55		13
14	10	–	33	–	–	–	–	–	–	01	12	38		14
15	15	–	04	–	09	–	–	–	28	17	05	38		15
16	21	–	15	–	–	–	–	–	01	12	02	–		16
17	01	–	–	04	–	–	–	–	02	08	01	20		17
18	09	–	03	12	–	–	22	–	04	–	01	10		18
19	–	–	21	–	–	–	–	–	10	02	01	16		19
20	–	–	16	07	–	–	18	–	04	–	01	–		20
21	–	–	01	09	–	12	03	08	–	07	–	03		21
22	–	–	–	–	–	–	–	23	21	–	01	05		22
23	–	–	–	28	–	29	–	–	–	–	–	05		23
24	–	06	10	12	–	06	28	–	20	–	–	–		24
25	23	06	–	15	–	60	–	–	–	05	–	43		25
26	03	–	–	13	–	01	–	–	04	04	–	18		26
27	–	02	–	–	–	11	–	–	–	05	–	36		27
28	02	–	–	–	–	02	03	1·03	–	–	04	34		28
29	–	×	–	–	–	–	–	–	18	–	–	02		29
30	02	×	–	–	–	–	–	05	01	01	–	10		30
31	03	×	–	×	–	×	02	–	×	10	×	06		31
TOTAL	1·93	0·18	2·49	1·41	0·45	1·28	1·15	2·74	2·03	1·73	2·07	6·91	Year's Total 24·37	
*Days with ·01 in. or more.	21 ~~9~~	6 ~~1~~	16 ~~3~~	14 ~~3~~	6 ~~2~~	8 ~~2~~	9 ~~4~~	14 ~~4~~	13 ~~3~~	18 ~~14~~	16 ~~8~~	26 ~~3~~	~~56~~	167
*Days with .04 in. or more.	12	2	13	11	4	6	5	13	10	14	8	23	121	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 998

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BOURNE END.

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level 91 ft.

Dup
GR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	20	–	–	07	04	04	41	–	04	01	37	02		1
2	–	–	01	01	–	02	–	–	10	20	13	–		2
3	–	01	04	04	–	16	–	–	16	67	20	01		3
4	–	–	–	16	–	–	–	–	47	09	05	–		4
5	–	25	03	06	–	05	–	–	37	–	02	–		5
6	01	01	01	35	–	71	–	–	–	–	01	08		6
7	–	–	–	65	–	09	–	–	–	03	1·03	11		7
8	–	–	–	28	–	–	–	–	–	36	33	09		8
9	–	–	–	37	–	70	–	–	–	58	09	02		9
10	–	–	–	03	–	03	–	–	–	–	09	02		10
11	30	–	–	–	–	07	11	–	–	–	26	01		11
12	–	01	–	–	–	30	–	Trace	03	–	20	–		12
13	11	18	–	27	12	06	–	–	–	–	01	–		13
14	–	–	–	–	13	–	–	–	–	–	35	14		14
15	–	28	–	45	–	20	–	–	22	–	28	13		15
16	–	04	06	04	–	11	–	–	20	01	56	03		16
17	–	–	05	04	–	27	04	–	05	–	28	–		17
18	–	–	–	30	02	06	11	–	39	03	01	02		18
19	–	–	–	02	27	06	11	–	04	01	10	16		19
20	–	14	–	16	42	06	20	–	14	–	37	–		20
21	–	20	02	01	–	–	–	–	01	04	02	–		21
22	–	07	16	29	–	–	–	08	30	–	–	–		22
23	–	03	25	04	–	–	–	45	06	18	–	15		23
24	03	35	–	–	–	–	–	24	72	–	–	27		24
25	24	21	–	26	–	76	–	–	–	–	–	13		25
26	–	16	–	–	–	02	–	31	11	01	–	31		26
27	–	28	–	–	01	–	–	–	17	–	20	41		27
28	–	26	–	–	03	–	–	–	17	05	01	05		28
29	–	×	–	–	–	–	–	–	74	–	–	28		29 2·44
30	03	×	–	04	–	–	–	63	05	16	44	30		30
31	–	×	–	×	01	×	–	01	×	57	×	24		31 ins.
													Year's Total	
TOTAL	·92	2·48	·63	3·94	1·05	3·77	·98	1·73	4·48	3·00	5·41	2·98	~~28·62~~	31·37
*Days with ·01 in. or more.	~~3~~ 7	~~4~~ 16	~~4~~ 9	22 ~~4~~	9 ~~4~~	~~8~~ 19	6	~~8~~ 7	21 ~~8~~	16 ~~8~~	26 ~~8~~	22 ~~7~~	~~141~~	180
*Days with ·04 in. or more.	4	12	5	18	5	16	6	5	19	10	18	15	~~123~~ 133	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

B-lac

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

~~Total Days~~

Kept at BOURNE END.
in the County of Buckingham.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft — in.
" Ground " Sea Level 91 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	15	05	31	—	10	23	43	—	—	06	04	1
2	02	—	—	01	—	46	20	08	—	—	05	—	2
3	—	—	—	23	—	01	10	—	19	—	31	—	3
4	01	—	20	—	—	17	—	—	50	—	09	03	4
5	12	—	03	—	—	—	—	03	17	—	—	16	5
6	28	—	—	—	—	09	—	16	11	02	20	—	6
7	30	—	06	—	—	07	03	—	02	—	18	—	7
8	30	—	07	—	—	—	14	—	—	—	39	25	8
9	31	—	09	—	—	—	23	—	28	01	—	—	9
10	32	—	—	—	—	—	23	—	04	02	—	—	10
11	06	—	—	09	—	—	06	—	—	—	95	—	11
12	—	—	—	11	—	38	25	—	45	—	55	21	12
13	—	—	—	02	—	24	—	—	—	02	05	25	13
14	—	12	—	01	—	03	46	—	13	06	09	42	14
15	—	—	—	—	—	—	02	—	14	—	—	09	15
16	18	18	—	02	—	—	05	—	06	—	45	—	16
17	21	48	—	—	05	—	—	[illegible]	—	02	09	25	17
18	—	27	—	—	—	76	12	0	—	02	01	14	18
19	28	06	07	03	—	15	01	12	—	03	—	—	19
20	05	07	12	31	—	47	—	—	1·04	—	—	—	20
21	—	—	—	35	03	28	06	—	03	—	—	—	21
22	10	45	05	—	25	—	18	—	01	—	—	12	22
23	05	—	07	11	01	—	16	—	—	11	—	—	23
24	13	10	—	—	—	—	15	—	23	39	—	—	24
25	02	—	12	17	—	—	09	—	36	10	06	—	25
26	01	14	20	—	—	04	—	—	02	24	—	—	26
27	15	—	01	—	—	—	—	—	13	14	—	—	27
28	71	03	09	—	—	—	26	—	—	—	—	10	28
29	38	09	13	—	—	67	10	—	—	05	21	09	29
43·1 30	14	×	08	—	09	22	01	—	—	27	—	01	30
31	37	×	25	×	—	×	14	—	×	44	×	30	31
TOTAL	4·68	2·14	1·69	1·77	·43	4·14	3·28	·83	3·91	1·94	3·74	2·49	YEAR'S TOTAL 31·04
*Days with ·01 in. or more.	24 ~~4~~	12	17 ~~2~~	13 ~~5~~	5 ~~2~~	16 ~~2~~	23 ~~4~~	6 ~~2~~	18 ~~4~~	15 ~~7~~	16	15 ~~2~~	180 ✓
*Days with .04 in. or more.	20	11	15	8	3	14	19	4	14	8	15	13	144 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BOURNE END

in the County of BUCKS

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 96' ft.

Days 8.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	20	–	–	23	–	–	–	–	01	–	36	64		1
2	–	25	01	49	–	–	–	–	23	–	–	75		2
3	–	16	03	–	–	–	–	–	–	–	–	07		3
4	08	35	–	–	–	–	–	–	–	–	–	46		4
5	24	01	16	–	–	–	05	–	–	–	–	–		5
6	05	–	Snow 57	–	28	–	30	–	–	–	02	–		6
7	–	79	01	28	~~20~~	–	–	–	06	08	–	–		7
8	–	06	–	01	04	02	–	–	–	–	19	25		8
9	–	07	–	–	17	–	11	–	33	–	–	19		9
10	–	–	58	26	–	24	08	12	–	–	–	19		10
11	–	–	31	12	20	–	05	–	–	–	–	04		11
12	19	31	15	–	40	22	01	–	09	–	–	09		12
13	79	11	49	–	–	18	–	09	43	–	–	57		13
14	01	04	39	08	–	–	–	92	09	–	–	–		14
15	22	16	–	–	–	–	37	–	16	–	–	01		15
16	05	10	55	36	–	05	–	29	–	–	–	–		16
17	30	–	25	31	–	–	–	–	1·02	–	–	–		17
18	28	10	–	15	–	43	–	–	11	–	15	07		18 Snow
19	–	07	04	02	–	15	1·02	–	18	–	–	–		19
20	56	–	–	15	60	–	–	–	04	–	–	05		20
21	34	65	04	42	05	–	08	–	–	–	01	04		21
22	40	–	–	07	10	14	07	–	–	43	37	02		22
23	22	05	04	–	55	–	04	–	–	46	–	01		23
24	23	52	05	–	01	–	–	–	–	24	–	–		24
25	11	42	08	–	93	–	–	–	16	22	–	–		25
26	–	31	02	–	44	–	–	–	04	04	01	–		26
27	02	Snow 08	–	–	–	–	–	–	–	65	–	–		27
28	–	Snow 14	–	10	–	–	–	–	–	08	–	01		28
Snow 29	09	X	–	–	–	05	–	–	–	01	10	03		29
30	38	X	–	–	–	–	–	–	–	01	29	–		30
31	31	X	–	X	–	X	–	–	X	13	X	06		31
TOTAL	4·47	4·75	3·77	2·86	3·77	1·48	2·18	1·42	2·95	1·23	1·50	3·53	Year's Total 33·93	
* Days with .01 in. or more.	21	21	18	15	12	9	11	4	14	11	9	19	~~24~~	164
* Days with .04 in. or more.	19	20	14	12	11	8	10	4	13	9	6	14	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 998

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BOURNE END

in the County of BUCKS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 96 ft.

Days

WP

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	[illegible]	–	–	10	–	–	06	02	–	–		1
2	05	–	–	05	05	–	–	–	·	30	01	03		2
3	–	–	–	–	26	–	–	–	02	75	–	–		3
4	05	–	–	–	–	–	12	15	–	07	–	11		4
5	–	–	–	–	–	–	13	–	01	18	–	–		5
6	04	–	–	–	–	–	06	–	28	02	–	01		6
7	–	–	–	–	–	–	47	~~8~~48	02	46	–	02		7
8	09	–	–	–	–	–	06	10	04	32	–	–		8
9	11	03	–	–	–	–	–	39	–	–	–	65		9
10	10	04	–	–	–	–	02	22	–	44	–	06		10
11	44	–	–	–	–	–	–	–	–	–	13	03		11
12	39	02	–	–	03	–	–	18	–	–	02	03		12
13	10	–	–	–	06	–	–	–	–	22	16	14		13
14	24	01	–	–	04	–	05	–	02	01	01	02		14
15	03	~~03~~	–	–	–	–	27	–	–	–	01	12		15
16	61	–	02	–	–	–	–	05	–	25	–	14		16
17	–	02	–	–	–	–	–	–	03	07	–	–		17
18	09	05	–	–	08	–	–	–	05	09	26	–		18
19	–	–	–	–	–	–	–	11	09	02	21	–		19
20	–	–	[illegible]	–	–	–	–	02	02	–	40	02	Snow	20
21	04	–	–	–	–	02	–	10	03	–	03	41	"	21
22	–	–	–	01	–	–	–	–	–	–	25	–		22
23	–	–	–	–	–	–	–	–	–	–	08	–		23
24	–	–	20	–	03	–	–	–	27	–	04	–		24
25	08	06	07	–	13	–	–	01	03	–	84	05	Snow	25
26	18	22	07	–	–	–	–	–	33	03	–	47		26
27	19	05	–	06	10	21	34	01	25	15	30	–		27
28	19	01	–	–	70	04	–	70	–	05	–	16		28
29	32	✕	–	–	18	–	–	10	07	01	10	22		29
30	01	✕	–	01	06	08	–	–	13	05	32	02		30
31	18	✕	–	✕	19	✕	–	–	✕	09	✕	26		31
													Year's Total	
TOTAL	3.53	·51	·36	·13	1·91	·45	1·52	2·61	1·75	3·60	3·16	2·97	22·50	✓
* Days with .01 in. or more.	21	10	4	4	13	5	9	14	18	21	17	22	~~16~~	158 ✓
* Days with .04 in. or more.	19	5	3	2	11	4	8	11	10	16	12	12	112	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robert Holland

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 998

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BOURNE END

in the County of BUCKS

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 96 ft.

Days ✓ W.E.R. 505

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	–	01	60	37	–	–	20	16	–	–	04		1
2	05	–	–	03	01	–	–	40	29	–	04	02		2
Snow & Rain 3	44	–	–	21	–	–	–	29	–	–	36	22		3
4	04	–	25	21	–	–	02	05	–	23	03	–		4
5	–	–	01	31	16	–	03	25	–	17	27	30		5
6	46	–	–	–	25	–	26	02	–	1	52	–		6
7	08	18	–	–	–	–	–	05	–	01	21	16		7
8	04	14	26	–	–	–	05	28	–	45	08	38		8
9	28	09	–	–	–	–	–	02	–	25	03	16		9
10	–	–	–	–	–	40	–	14	03	25	01	–		10
11	–	–	19	–	–	–	–	–	01	08	03	–		11
12	–	–	–	01	03	–	–	–	–	–	–	–		12
13	–	–	–	01	–	–	04	–	03	93	–	–		13
14	62	–	–	06	08	05	24	–	–	18	31	–		14
15	13	–	04	–	40	39	09	–	05	72	02	–		15
16	32	–	13	01	08	30	12	–	–	04	53	–		16
17	25	01	04	03	25	–	10	–	–	07	08	–		17
18	23	–	06	–	–	30	25	–	–	1	28	–		18
19	25	–	–	–	–	–	20	–	–	18	01	–		19
20	20	–	–	–	–	–	56	20	–	–	–	01		20
21	08	05	27	–	–	01	–	02	–	–	–	–		21
22	16	27	02	05	–	02	04	–	–	–	10	–		22
23	03	–	–	10	–	01	01	–	–	–	88	01		23
Snow & Rain 24	28	–	–	03	–	–	17	–	–	18	–	–		24
25	1·27	12	02	–	–	–	56	–	–	–	53	–		25
26	30	–	–	–	–	–	–	~~04~~	–	20	23	–	130	26
27	–	01	05	04	–	–	–	–	–	04	16	–		27
28	03	21	07	15	–	02	10	–	–	01	24	11		28 Snow
29	–	✕	–	17	–	–	16	–	–	13	06	–		29
30	–	✕	–	1·13	–	14	–	–	–	–	18	05		30 Snow
31	–	✕	–	✕	–	✕	17	23	✕	–	✕	–		31
TOTAL	~~5·26~~ 5·56	1·08	1·42	3·15	1·63	1·64	3·19	2·19	·57	4·12	5·19	1·46	Year's Total ~~30·80~~	31·20
* Days with .01 in. or more.	~~13~~ 22	~~8~~ 9	14 ~~4~~	~~6~~ 17	9 ~~7~~	~~6~~ 10	~~13~~ 19	14 ~~3~~	~~3~~ 6	~~2~~ 18	24 ~~6~~	~~3~~ 11	173 ~~45~~	✓
* Days with .04 in. or more.	19	7	10	11	2	4	15	11	3	16	18	8	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 998

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at BOURNE END

in the County of BUCKS

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 96 ft.

Dasf.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	02	—	—	04	—	—	—	—	—	15	—		1
2	—	09	—	09	—	—	13	—	—	02	48	—		2
3	—	23	—	09	—	—	—	—	—	24	1·09	05		3
4	04	16	—	05	—	—	—	—	—	31	12	01		4
5	—	02	—	—	—	—	—	—	—	06	40	09		5
6	25	19	—	—	06	—	50	—	—	25	07	—		6
7	28	30	—	—	05	—	02	—	—	—	—	—		7
8	—	—	—	02	—	—	—	—	01	22	01	26		8
9	[illegible]	—	—	—	—	—	—	—	08	08	08	03		9
10	—	—	—	—	—	—	13	—	—	07	13	—		10
11	—	—	—	04	—	—	—	—	—	—	1·90	—		11
12	—	Snow 01	09	—	—	05	07	—	02	—	01	02		12
13	—	Snow 01	55	—	—	—	—	—	10	—	1·35	—		13
14	—	—	—	14	—	—	—	—	03	09	—	48		14
15	—	—	01	01	05	—	19	—	—	07	41	—		15
Snow 16	02	Snow 17	63	—	—	01	53	—	41	71	76	—		16
17	—	—	50	—	—	—	—	—	—	—	30	—		17
18	—	43	31	36	—	—	16	—	—	15	25	13		18
19	—	24	—	21	—	—	05	—	31	—	14	—		19
20	—	01	—	03	—	—	—	—	04	13	14	—		20
Snow 21	07	—	01	—	30	—	14	—	—	15	48	—		21
22	—	—	02	—	70	34	—	—	33	—	—	—		22
23	—	—	05	12	14	27	—	—	—	—	02	—		23
24	—	—	—	16	—	—	29	—	—	—	—	—		24
25	—	—	29	—	—	—	12	—	—	—	—	—		25
Snow & Rain 26	1·11	16	20	38	20	04	02	—	—	—	—	—		26
Snow 27	32	—	—	08	15	—	05	—	—	02	—	01		27
1 88 28	20	01	—	—	15	—	—	—	—	—	—	—		28
" 29	04	12	13	01	25	01	—	—	—	—	—	28		29
30	—	✕	—	22	—	—	—	—	—	16	—	—	136	30
31	21	✕	—	✕	—	✕	—	—	✕	59	✕	01		31
TOTAL	2·49	2·17	2·07	2·01	2·09	·68	2·46	—	1·13	3·32	7·29	1·37	Year's Total 27·08	
* Days with .01 in. or more.	10 ~~1~~	16 ~~6~~	12 ~~3~~	16 ~~34~~	11	6 ~~2~~	14 ~~2~~	—	9 ~~3~~	17 ~~2~~	20 ~~3~~	11 ~~5~~	~~31~~	142
* Days with .04 in. or more.	9 ✓	10 ✓	~~10~~ 9	~~14~~ 12	11	4	12 ✓	—	6	~~14~~ 15	17 ✓	6 ✓	~~43~~	111

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Robert Holland

[P.T.O.

Hambleden (Hatch…
Prof. G. E. G…

998/7

HAMBLEDEN
HATCHMANS

1936.

273780

Section **A** for the entry o…
AIR MINIST… …SH RAINFALL ORGANIZATION

Station No. 998/7.

FORM 1090

REG… …N 1936

57/37

Print LR.

Kept at (HATCHMANS)

in the County of ……

Diameter of Funnel of Gauge……

Height of top of Gauge above Gr…

,, Ground ,, Se…

THE MORNING MEASUR… PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·14	·07	·50	—	·10	·11	·38	tr	—	·09	·06		1
2	·09	·03	—	—	—	·50	·59	·05	—	—	·03	—		2
3	tr	—	—	·12	—	·43	·06	—	·18	—	·27	·01		3
4	tr	—	·25	—	—	·04	—	—	·36	—	·14	·03		4
5	·12	—	·03	—	—	—	—	·03	·29	—	·01	·16		5
6	·38	—	·07	—	—	·16	—	·15	·15	—	·23	—		6
7	·38	—	·08	—	—	·01	tr	—	·01	—	·23	·03		7
8	·28	—	·09	—	—	—	—	—	tr	—	·44	·17		8
9	·39	—	·07	—	—	—	·21	—	·25	tr	tr	—		9
10	·03		—	—	—	—	·08	tr	·05	—	—	—		10
11	—	—	—	·09	—	—	·09	—	—	—	1·18	—		11
12	—	—	—	·09	—	·39	·33	tr	·43	—	·45	·20		12
13	—	—	—	·03	—	·21	·01	·01	—	·01	·08	·32		13
14	·08	·04	—	—	—	·04	·56	—	·15	·04	·06	·38		14
15	—	·03	—	—	—	—	·01	—	·02	—	—	·10		15
16	·03	·15	—	—	—	—	·05	—	·03	—	·60	·01		16
17	snow	·58	—	—	·11	—	·01	—	—	—	·12	·25		17
18	snow	·20	—	—	—	·70	·13	—	—	·02	·03	·13		18
19	·68	·09	·12	·01	—	·33	tr	·12	—	·03	—	—		19
20	·05	·12	·03	·32	—	·02	·01	—	·65	—	—	—		20
21	—	—	—	·36	·03	·34	·10	—	·02	—	—	—		21
22	·07	·42	·05	·01	·37	—	·16	—	—	—	—	·07		22
23	·07	—	·29	—	·02	—	·22	—	—	·11	—	—		23
24	·10	·09	—	·13	—	—	·30	—	·13	·44	—	—		24
25	·03	—	·21	·03	—	—	·21	—	·26	·06	·04	·01		25
26	—	·10	·08	—	—	·02	tr	—	·01	·23	—	—		26
27	·16	—	·07	—	—	—	—	—	·10	·10	—	—		27
28	·87	—	·22	—	—	—	·30	—	·05	—	—	·15		28
29	·27	·16	·03	—	—	·13	·07	—	—	·06	·22	·08		29
30	·14	✕	—	—	·21	·40	·01	—	—	·23	—	—		30
31	·55	✕	·15	✕	·01	✕	·18	—	✕	·45	✕	·34		31
TOTAL	5·07	2·15	1·91	1·79	·75	3·82	3·80	·74	3·14	1·78	4·22	2·50	Year's Total 31·67	
* Days with .01 in. or more.	23	13	17	12	6	16	23	6	18	12	17	18	186	
* Days with .04 in. or more.	20	11	14	8	3	13	18	4	13	9	14	13	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. E. Gask [P.T.O.

X Prof. G. E. Gask. C.M.G, D.S.O. X

Section **A** for the entry of Daily Observations

Station No. 998/7

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

61065 7/37

Print LR.

Kept at (HATCHMANS) HAMBLEDEN

in the County of Bucks 3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 5 in.

,, Ground ,, Sea Level 185 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·14	·07	·50	—	·10	·11	·38	tr	—	·09	·06		1
2	·09	·03	—	—	—	·50	·59	·05	—	—	·03	—		2
3	tr	—	—	·12	—	·43	·06	—	·18	—	·27	·01		3
4	tr	—	·25	—	—	·04	—	—	·36	—	·14	·03		4
5	·12	—	·03	—	—	—	—	·03	·29	—	·01	·16		5
6	·38	—	·07	—	—	·16	—	·15	·15	—	·23	—		6
7	·38	—	·08	—	—	·01	tr	—	·01	—	·23	·03		7
8	·28	—	·09	—	—	—	—	—	tr	—	·44	·17		8
9	·39	—	·07	—	—	—	·21	—	·25	tr	tr	—		9
10	·03		—	—	—	—	·08	tr	·05	—	—	—		10
11	—	—	—	·09	—	—	·09	—	—	—	1·18	—		11
12	—	—	—	·09	—	·39	·33	tr	·43	—	·45	·20		12
13	—	—	—	·03	—	·21	·01	·01	—	·01	·08	·32		13
14	·08	·04	—	—	—	·04	·56	—	·15	·04	·06	·38		14
15	—	·03	—	—	—	—	·01	—	·02	—	—	·10		15
16	·03	·15	—	—	—	—	·05	—	·03	—	·60	·01		16
17	snow	·58	—	—	·11	—	·01	—	—	—	·12	·25		17
18	snow	·20	—	—	—	·70	·13	—	—	·02	·03	·13		18
19	·68	·09	·12	·01	—	·33	tr	·12	—	·03	—	—		19
20	·05	·12	·03	·32	—	·02	·01	—	·65	—	—	—		20
21	—	—	—	·36	·03	·34	·10	—	·02	—	—	—		21
22	·07	·42	·05	·01	·37	—	·16	—	—	—	—	·07		22
23	·07	—	·29	—	·02	—	·22	—	—	·11	—	—		23
24	·10	·09	—	·13	—	—	·30	—	·13	·44	—	—		24
25	·03	—	·21	·03	—	—	·21	—	·26	·06	·04	·01		25
26	—	·10	·08	—	—	·02	tr	—	·01	·23	—	—		26
27	·16	—	·07	—	—	—	—	—	·10	·10	—	—		27
28	·87	—	·22	—	—	—	·30	—	·05	—	—	·15		28
29	·27	·16	·03	—	—	·13	·07	—	—	·06	·22	·08		29
30	·14	✗	—	—	·21	·40	·01	—	—	·23	—	—		30
31	·55	✗	·15	✗	·01	✗	·18	—	✗	·45	✗	·34		31
													Year's Total	
TOTAL	5·07	2·15	1·91	1·79	·75	3·82	3·80	·74	3·14	1·78	4·22	2·50	31·67	
* Days with .01 in. or more.	23	13	17	12	6	16	23	6	18	12	17	18	186	
* Days with .04 in. or more.	20	11	14	8	3	13	18	4	13	9	14	13	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. E. Gask [P.T.O.

X Prof. G.E. Gask. C.M.G, D.S.O. X

Section **A** **for the entry of Daily Observations** Station No. 998/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hatchmans. Hambleden

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 5 in.

,, Ground ,, Sea Level 185 ft.

Acc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	—	—	·02	—	—	—	—	·01	—	·33	1·09		1
2	—	·34	—	·50	—	—	—	—	·31	—	—	·80		2
3	·01	·14	—	—	·07	—	tr	—	—	—	—	·11		3
4	·09	·42	·17	—	·01	—	—	tr	—	—	—	·43		4
5	·19	—	·43	—	—	—	·08	tr	—	—	—	—		5
6	·12	·02	·24	·02	·20	—	·39	—	—	·02	·03	—		6
7	—	·83	—	·24	—	—	—	—	·06	—	—	—		7
8	—	·06	—	—	·03	·01	—	—	—	—	·27	·22		8
9	—	·04	·68	·19	·19	tr	·10	—	·26	—	—	·20		9
10	—	—	·19	·32	—	·24	·02	·15	—	—	—	·14		10
11	tr	—	·10	tr	·4	·01	·03	—	—	—	—	—		11
12	·21	·27	·59	·02	·49	·28	·02	·02	·06	—	—	·05		12
13	·15	·10	·33	·01	—	·38	—	·02	·61	—	—	·21		13
14	·02	·04	—	·15	—	·05	·34	·78	·08	—	—	·01		14
15	·23	·17	·43	·18	—	—	—	—	·35	—	—	·04		15
16	·04	·11	·27	·60	—	·11	tr	·31	·70	—	—	·01		16
17	·40	—	tr	·15	—	—	—	—	·37	—	—	—		17
18	·33	·17	—	·11	—	·51	—	—	·09	—	·17			18
19	·15	·05	·03	·14	—	·13	·14	—	·20	—	—	·14		19 Snow
20	·48	—	—	·38	·54	tr	—	tr	·02	—	—	tr		20
21	·40	·65	·03	·03	·06	—	·10	—	—	—	—	·05		21
22	·35	·10	·03	—	·18	·13	·08	—	—	·80	·30	·06		22
23	·18	·61	·03	—	·20	—	·06	—	—	·38	·04	tr		23
24	·16	·55	·05	—	—	—	—	—	—	·29	—	·01		24
25	·12	·39	·10	—	·94	—	—	—	·18	·33	—	·01		25
26	—	·20	tr	·22	·24	—	—	—	—	·09	—	—		26
27	·02	·05	—	—	—	—	—	—	—	·72	—	—		27
28	—	—	—	—	—	—	—	—	—	·05	—	·01		28
29	·02	×	—	—	—	·18	—	—	—	·03	·09	·01		29
30	·35	✕	—	—	—	tr	—	—	—	·02	·35	—		30
31	·30	✕	—	✕	—	✕	—	—	✕	·05	✕	·07		31
TOTAL	4·54	5·31	3·70	3·18	3·15	2·03	1·36	1·28	3·30	2·78	1·58	3·64	Year's Total 35·85	✓
* Days with .01 in. or more.	23	21	16	17	13 ✓	11	11	5	14	11	8	21 ✓	171	✓ ✓
* Days with .04 in. or more.	19	20	12	12	11 ✓	9	8	3	12	8	7	15 ✓	136	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. E. Gask [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 998/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hatchmans : Hambleden

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 5 in.

,, Ground ,, Sea Level 185 ft.

ayn

wesr

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·16	tr	—	·04	·02	·01	·01		1
2	·07	—	—	·05	·05	—	—	—	—	·35	—	·03		2
3	—	—	—	—	·25	—	—	—	·02	·81	·03	—		3
4	·08	—	—	—	—	—	—	·02	—	·07	—	·14		4
5	tr	—	—	tr	—	tr	·24	—	·01	·18	—	—		5
6	·04	—	—	—	—	—	·07	—	·87	·04	·01	—		6
7	tr	—	—	—	—	—	·35	·85	tr	·38	—	·05		7
8	·08	—	—	—	—	—	·18	·01	·10	·28	tr	·01		8
9	·09	·02	—	—	—	—	·04	·17	—	·02	—	·77		9
10	·22	·06	—	—	—	—	·05	·22	—	—	—	·14		10
11	·25	—	—	—	—	—	·02	·70	—	—	·12	·06		11
12	·39	tr	—	—	—	—	—	·02	—	·24	·01	—		12
13	·07	·05	—	—	·02	—	—	—	—	·02	·19	·12		13
14	·20	—	—	—	·03	—	·17	—	·05	·18	—	—		14
15	·06	—	—	—	·06	—	·28	—	—	·13	·01	·15		15
16	·60	·02	·02	—	—	—	·03	·07	—	·18	·04	·17		16
17	—	·07	—	—	·01	—	—	—	·07	·02	—	—		17
18	·10	—	—	—	tr	tr	—	—	·01	—	·60	—		18
19	·01	—	—	—	·04	—	—	·15	·10	—	·47	—		19
20	·02	—	—	·01	—	—	—	tr	·02	—	·52	snow ✓		20
21	—	—	—	—	—	—	—	·26	·02	—	·03	snow ✓	·79	21
22	—	—	—	—	—	·02	—	·03	—	—	·23	·79 ✕		22
23	—	·05	—	—	—	—	tr	—	—	—	·08	—		23
24	—	·30	·21	—	·07	—	—	—	·25	—	·04	snow		24
25	·11	tr	·10	·01	·23	—	—	·28	—	—	·65	·13 ✕	·13	25
26	·28	—	·09	—	—	tr	tr	—	·29	·18	—	·10		26
27	·17	—	—	·01	·06	·23	·34	·02	·50	·04	·43	—		27
28	·20	—	—	—	·75	·09	—	·72	·02	—	—	·16		28
29	·27	—	—	—	·25	—	—	·10	·04	·02	·08	·15		29
30	·02	✕	—	·02	·10	·02	—	—	·05	·04	·25	·03		30
31	·20	✕	—	✕	·20	✕	—	—	✕	·10	✕	·34		31
TOTAL	3·73	·57	·43	·10	2·12	·51	1·77	3·62	2·46	3·30	3·80	3·35	Year's Total 25·76	✓
* Days with .01 in. or more.	22	7	4	5	14	5	11	14	17	20	19	20 ~~18~~	158 ~~156~~	✓
* Days with .04 in. or more.	19	5	3	1	11	3	9	10	12	15	13	15 ~~16~~	116 ~~117~~	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. E. Gask

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 998/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hatchmans : Hambleden

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 5 in.

,, Ground ,, Sea Level 185 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	·04	·60	·43	—	—	·05	·11	—	—	·10		1
2	·04	—	—	·03	tr	—	—	·46	·54	—	·01	·03		2
3	·21	—	—	·15	—	—	—	·38	—	·02	·34	·26		3
4	·28	—	·27	·38	tr	—	·03	·18	—	·47	·07	—		4
5	—	—	·02	·40	·29	—	·09	·46	—	·18	·38	·59		5
6	·45	—	—	·02	·25	—	·39	·02	—	·03	·29	·02		6
7	·04	·16	—	—	—	—	—	·05	—	—	·18	·19		7
8	—	·18	·24	—	—	—	·05	·18	—	·43	·15	·44		8
9	·05	·05	—	—	—	—	—	·09	—	·29	—	·16		9
10	·30	—	—	—	—	·25	—	·27	·03	—	·01	—		10
11	—	—	·26	—	—	—	—	tr	·05	·18	—	·01		11
12	—	·01	—	—	·02	·03	—	—	—	—	·01	—		12
13	—	—	—	tr	—	·01	·02	—	·05	·75	·01	—		13
14	·58	—	·01	·01	·10	·12	·25	—	—	·06	·29	—		14
15	·14	—	·04	—	·55	·36	·15	—	·12	·92	·05	—		15
16	·28	—	·12	—	·11	·36	·17	—	—	·04	·61	—		16
17	·28	·03	·01	·04	·20	tr	·06	—	—	1·63	·09	·01		17
18	·25	·01	·04	—	—	·21	·33	—	—	·01	·36	—		18
19	·20	—	—	—	—	—	·46	—	—	·18	—	—		19
20	·24	—	·02	—	—	—	·43	·78	·01	—	—	·02		20
21	·14	·10	·33	—	tr	·01	·05	·03	—	—	—	—		21
22	·18	·36	·05	·07	—	·01	·09	—	—	—	·13	—		22
23	·05	—	—	·15	—	·01	·14	—	—	—	·75	—		23
24	·31	—	—	·06	—	tr	·20	—	—	·13	—	—		24
25	·96	·18	·07	—	—	—	·42	—	—	—	·44	·01		25
26	·26	tr	·02	·04	—	—	—	·06	—	·14	·18	·01		26
27	—	·02	·14	·07	—	—	·01	·01	—	·06	·18	—		27
28	·02	·17	—	·09	—	·04	·05	—	—	·03	·28	·09		28
29	—	—	—	·21	—	—	·48	—	—	·17	·12	—		29
30	—		—	1·17	—	·06	·01	—	—	—	·20	·06		30
31	—		—		—		·15	·06		·01		—		31
													Year's Total	
TOTAL	5·30	1·27	1·68	3·49	1·95	1·47	4·03	3·08	·91	5·73	5·13	2·00	36·04	✓
* Days with .01 in. or more.	22	11	16	16	8	12	22	15	7	20	23	15	187	✓
* Days with .04 in. or more.	21	7	11	13	7	7	18	12	5	14	19	8	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. E. Gask

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 998/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Hatchmans, Hambleden

in the County of Bucks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 5 in.

,, Ground ,, Sea Level 185 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02	—	·03	—	—	—	—	—	—	·13	—		1
2	—	·01	—	·18	—	—	·13	—	—	·02	·52	—		2
3	—	·09	—	·10	—	—	—	—	—	·20	1·10	·10		3
4	—	·08	—	·04	—	—	—	—	—	·39	·11	·03		4
5	tr	·04	—	—	—	—	—	—	—	·09	·57	·17		5
6	·24	·12	—	—	·04	—	·32	—	—	·28	·27	—		6
7	·19	·35	—	—	·04	—	·29	—	—	·29	—	·02		7
8	—	—	—	·01	—	—	—	—	·03	·02	·02	·35		8
9	—	—	—	—	—	—	—	·06	—	—	·15	·05		9
10	—	—	·02	—	—	—	·59	—	·05	—	—	·05		10
11	—	—	·01	·10	—	—	—	—	·06	—	·88	—		11
12	—	—	·05	·01	—	·06	·05	—	—	—	·01	—		12
13	—	·05	·52	·01	—	—	·01	—	·14	—	1·45	—		13
14	—	—	·15	·22	—	—	—	—	·04	·31	—	·40		14
15	—	—	·02	·04	·02	·20	·16	—	—	·03	·40	·01		15
16	—	·20	·41	—	—	·01	·55	—	·40	·57	·65	·01		16
17	—	—	·36	—	—	—	·01	—	—	—	·04	—		17
18	—	·43	·28	·50	—	—	·05	—	—	·18	·16	·03		18
19	—	·18	·03	·26	—	—	·25	—	·26	—	·21	·02		19
20	—	·01	·03	·03	—	—	·01	·13	·04	·19	·09	—		20
21	·17	—	·02	—	·40	—	·05	—	—	·11	·48	—		21
22	—	—	·08	·01	·60	·33	—	—	·38	—	—	—		22
23	—	·04	·06	·14	·20	·33	—	—	—	—	·01	·01		23
24	—	—	—	·08	—	—	·28	—	—	—	—	—		24
25	—	—	·18	—	—	—	·19	—	—	—	·01	—		25
26	1·05	·14	·13	·45	·14	—	·02	—	—	—	—	—		26
27	·50	·19	—	·04	·08	—	·20	—	—	·01	—	·01		27
28	·42	·06	—	·10	·11	—	—	—	—	—	—	—		28
29	·07	·12	·13	·02	·51	·02	—	—	—	—	—	·43		29
30	—	✗		·20	—	—	—	—	—	·24	—	·03		30
31	—	✗		✗	—	✗	—	—	✗	·70	✗	—		31
													Year's Total	
2/- TOTAL	2·64 [illegible]·64	2·13	2·48	2·57	2·14	·95	3·16	·19	1·40	3·68	7·16	1·72	30·22	
* Days with .01 in. or more.	7	16	17	21	10	6	17	2	9	16	20	16	157	
* Days with .04 in. or more.	7	14	11	15	9	4	13	2	8	12	16	7	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Geo. E. Gask

95

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO

FORM 1090.

REGISTER OI

998/5

BOURNE END

HEDSON

1931 - 1940

780206

FOR OFFICIAL USE.

ORGANIZATION.

998/5

Bucks/3

up 1920.

Kept at Hedson, Bourne End

in the County of Buckinghamshir

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0

,, Ground ,, Sea Level 70

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08	·02	·09		·32			·04				1
2	·03	·09		·42					·44			·07	2
3	·16		·09	·14	·49			·33	·73		·15	·25	3
4							·10	·21	·05	·02	·06		4
5		·02		·20	·14	·43	·11		·04			·29	5
6		·20		·17						·27	·34		6
7					·18			·42		·07	·19	·10	7
8		·09				·04		·26		·02	·15		8
9		·18	·01	·08		·16					·35	·04	9
10			·03					·15			·41		10
11	·13	·29							·04		·15		11
12								·04	·34				12
13								·13					13
14		·09					1·01	·69					14
15		·02		·14	·18		·15	·58				·02	15
16				·15	·32			·18					16
17	·12			·58	·12	·08	·22		·20				17
18	·08	·05	·08	·12		·17	·02	·75			·55		18
19	·04			·38		·72	·33	·03	·14				19
20		·05		·11				·23					20
21					·42								21
22	·22				·38								22
23	·20			·02	·15						·21		23
24				·34	·11	·20							24
25	·07			·36			·58				·09		25
26		·04		·22	·53		·57				·33		26
27	·26	·44		·21			·05				·10		27
28	·12	·11		·03						·07		·10	28
29	·11				·08		·13	·11		·27			29
30	·10	×					·04		·02				30
31	·15	×		×		×	·01		×		×		31
TOTAL	1·79	1·75	·23	3·76	3·10	2·12	3·32	4·11	2·04	·72	3·08	~~·97~~ ·87	YEAR'S TOTAL 26·89
*Days with ·01 in. or more.	14	14	5	18	12	8	13	14	10	6	13	7	134
*Days with ·04 in. or more.	13	12	2	16	12	8	11	13	9	4	13	6	119

40-9999 M

*See Instruction 2 (f) on other side.

O

(Signed) X J. Wood Esq X [P.T.O.

95

Section **A** for the entry of Daily Observations. 39/32/30 FOR OFFICIAL USE. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Bucks/3

Kept at Hedsor, Bourne End

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 170 ft.

Gauge repaired May 1931.

leak up 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		08	02	09		32			04				1
2	03	09		42					44			07	2
3	16		09	14	49			33	73		15	25	3
4							10	21	05	02	06		4
5		02		20	14	43	11		04			29	5
6		20		17						27	34		6
7					18			42		07	19	10	7
8		09				04		26		02	15		8
9		18	01	08		16					35	04	9
10			03					15			41		10
11	13	29							04		15		11
12								04	34				12
13								13					13
14		09					1·01	69					14
15		02		14	18		15	58				02	15
16				15	32			18					16
17	12			58	12	08	22		20				17
18	08	05	08	12		17	02	75			155		18
19	04			38		72	33	03	14				19
20		05		11				23					20
21					42								21
22	22				38								22
23	20			02	15						21		23
24				34	11	20							24
25	07			36			58				09		25
26		04		22	53		57				33		26
27	26	44		21			05				10		27
28	12	11		03						07		10	28
29	11				08		13	11		27			29
30	10	✕					04		02				30
31	15	✕		✕		✕	01		✕		✕		31
TOTAL	1·79	1·75	23	3·76	3·10	2·12	3·32	4·11	2·04	·72	3·08	~~·97~~ ·87	YEAR'S TOTAL 26·89
*Days with ·01 in. or more.	14	14	5	18	12	8	13	14	10	6	13	7	134
*Days with ·04 in. or more.	13	12	2	16	12	8	11	13	9	4	13	6	119

40-9999 M O

(*Signed*) X G. Wood Esq X [P.T.O.

*See Instruction 2 (*f*) on other side.

998/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hedsor, Bourne End

in the County of Bucks

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·11	·85	·03	·24	·09	·02	·14	·02		1
2	·04			·15	·03			·23	·28	·08	·04	·15	2
3				·04	·07				·45	·10			3
4						·18					·15		4
5	·29				·13		·23		·10				5
6	·40		·03	·17	·03				·14				6
7			·08	·12	·05		·07		·10				7
8			·06	·15	·14				·38	·21			8
9	·15			·07	·35								9
10	·35	·01	·05	·20	·09	·05			·03	·07	·15		10
11				·09	·04	·12	·24	·45	·04	·40	·05		11
12	19				·08			·03		·18	·03		12
13				·17					·04	·21	·15	·05	13
14	·21			·06				·41			·08		14
15				·05	·24		·01			·10			15
16	·14			·18	·04								16
17				·02			·02			·08			17
18									·18		·14		18
19									·02	·38			19
20				·12	·31			1·44	·07	·71	·11		20
21			·06	·18	1·68			·24		·28		·06	21
22	·04		·27				·08	·05	·24	·13	·38		22
23					·33				·05	·71	·05	·09	23
24		·06					·44		·06	·05	·07		24
25		·06					·20		·09	·20	·05		25
26			·11	·13	·05		·02			·14			26
27			·28	·19	·36		·07			·18	·12		27
28			·18	·03	·07	·06	·14			·12			28
29			·36	·08	·20	·05			·11	·32			29
30		X	·16	·03		·43	·02	·02	·16	·02	·35	·21	30
31		X	·16	X		X	·05		X		X	·09	31
TOTAL	1·96	·13	1·80	2·34	5·14	·92	1·83	2·96	2·56	4·81	1·94	·65	YEAR'S TOTAL 27·04
*Days with ·01 in. or more.	10	3	12	21	20	7	14	9	19	22	16	6	159
*Days with ·04 in. or more.	10	2	11	18	18	6	10	7	16	21	14	6	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J Wood

[P.T.O.

998/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hedsor, Bourne End

in the County of Bucks

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·12	-	·03								1
2	·24		·37		·44						·06		2
3		·36	·15		·03								3
4	·22				·41								4
5	·03	·03	·24		·06								5
6		·08	·05		·17					·06	·08		6
7	·18	·08	·08							·10			7
8	·05		·03		·09								8
9					·02		·20			·09	·08		9
10		·15					·20			·15			10
11	·23				·03		·32	·05	·09				11
12						·11	·06		·60				12
13					·09		·34		·06		·09		13
14	·48									·09	·47		14
15			·18			·37	·26	·08			·05		15
16	·03		·61			·27	·11			·05			16
17	·13		·40			·04			·05				17
18		·05	·12			·12							18
19			·26			·25			·56		·06		19
20			·08	·05		·24							20
21		·04				·10		·03	·14	·04			21
22						·24		·21		·45	·02		22
23				27					·44				23
24		·71		·19		·82			·28				24
25		·91		·25					·06		·02	·13	25
26		·40		·15		·11			·05	·09		·07	26
27										·15		·04	27
28					·05					·23		·03	28
29	·14			·24			·14			·16			29
30	·15	×	·02				·02					·15	30
31	22	×	·07	×		×		·12	×		×		31 Small d
													YEAR'S TOTAL
TOTAL	2.23	2.81	2.78	1.75	1.42	2.67	1.65	·49	2.3~~5~~3	1.66	·93	·42	20.54
*Days with ·01 in. or more.	~~13~~	~~10~~	~~15~~	~~6~~	~~11~~	~~11~~	~~9~~	~~5~~	~~10~~	~~12~~	~~9~~	~~5~~	~~116~~
*Days with ·04 in. or more.	11	9	13	6	7	11	8	4	10	12	7	4	102

40-9999

(*Signed*) G. Wood [P.T.O.

*See Instruction 2 (*f*) on other side.

Cure D. 1.
Good. by Obs.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hedsor, Bourne End

in the County of Bucks

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·29	·01	·02		·63		1
2	·13		07		·07				·66	·11		·25		2
3	·02	·05								69				3
4	09		08	·13						·22	·08	·45		4
5								·13		·01		·40		5
6	·03		28		·25	·06		·10		·20		·55		6
7	·03							·16		·10		·32		7
8					·08			·05	14		34			8
9	04		06								1·05	·47		9
10	·08		·16	·12				·03			11			10
11	·26		·38	·06				01				·21		11
12								·40				·05		12
13	·28		41				·05	·05				·40		13
14	·10		24				47			·01	18	·38		14
15	·07		03		·14				·02	·12	·07	·38		15
16	20		·12							·12				16
17	·02								·03	·08		·22		17
18	·11			·15								·23		18
19			·21				·17		·13	·02		·15		19
20			·10	·05								·02		20
21				·11		·13	·19	·05		·06				21
22								·25	·21			·06		22
23				23		·34					·03	·05		23
24		·07	·09	·18		·06	33	·03	·21			·42		24
25	·17	·03		·11		47				·07		·22		25
26	·03			·14		·03			·03	·05		·34		26
27				·12		·10				·03		·30		27
28		·01				·08	·02	·93			·04	·03		28
29									·17					29
30	·03	×						·03	·03			·14		30
31		×		×		×			×	·08	×	·08		31
TOTAL	1·73	·16	2·23	1·40	·54	1·27	1·23	2·51	1·64	1·99	1·90	6·75	Year's Total 23·35	
*Days with ·01 in. or more.	18	4	13	11	4	8	6	14	11	17	8	25	139	
*Days with ·04 in. or more.	12	2	12	11	4	7	5	10	6	12	7	23	111	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) James Wood

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hedsor Bourne End

in the County of Bucks

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18			·05	·04	·06	·26		·05	·02	·40			1
2	·02								·10	·15	·10			2
3		·01	·04	·02		·18			·21	·71	·21			3
4				·11					·37	·16		·08		4
5		·22	·04	·04		·15			·34		·03			5
6				·32		·68								6
7				·60		·05					·90	·18		7
8				·30						·35	·33	·03		8
9				·26		·62				·65	·10			9
10				·04		·03					·08	·03		10
11	·33					·10	·09				·24			11
12						·24		·01	·02		·23			12
13		·19		·27	·11	·05								13
14					·14						·29	·15		14
15		·25		~~44~~		·36			·27		·34			15
16		·06	·05			·11			·20		·59			16
17				·06		·24			·06		·28			17
18				·32		·05	·11		·28		·03			18
19				·02	·26	·06	·12		·09		·12	·27		19
20		·15		·17	·30	·06	·05		·06		·36			20
21		·19		·02						·06	·02			21
22		·05	·16						·37					22
23			·26					·55		·18				23
24	·14	·43						·22	·78			·40		24
25	·17	·20		·23		·60								25
26								·20	·11			·45		26
27		·45			·03				·18			·43		27
28		·32			·01				·14			·05		28
29									·65			·28		29
30	·03	×		·05				·62	·05	·19	·40	·35		30
31		×		×		×			×	·49	×	·23	Year's Total	31
TOTAL	·87	2·52	·55	3·32	·89	3·64	·63	1·60	4·33	2·96	5·05	2·93	29·29	
*Days with ·01 in. or more.	6	12	5	18	7	17	5	5	19	10	19	13	136	
*Days with .04 in. or more.	4	11	5	15	5	16	5	4	18	9	15	11	118	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) G. Wood

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hedsor, Bourne End

in the County of Bucks.

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·11	·04	·31			·23	·34	—	-	·04	·04		1
2	·03			·02		·56	·16	·06	—	-	·06	-		2
3	·01			·24		·02	·06		·15	-	·30	-		3
4			·18			·16			·36	-	—	·04		4
5	·13		·03					·03	·08	-	·10	·12		5
6	·24					·10		·09	·11	-	·20	·06		6
7	·32		·05				·03		·02	-	·18	-		7
8	·31		·08				·12		—	-	·40	·17		8
9	·40		·07				·27		·28	·02	—	-		9
10	·10						·17	·01	—	·02	-	-		10
11				·09			·09		—	-	·99	-		11
12				·10		·48	·27		·49	-	·78	-		12
13				·03		·22			—	-	-	·44		13
14						·02	·44		·09	·05	·11	·42		14
15		·14							·06	-	—	·08		15
16	·15	·11					·08		·08	-	·44	-		16
17	·13	·46			·04				—	-	·11	·14		17
18		·24				·68	·13		—	-	-	·10		18
19	·35	·05	·05			·14	·03	·11	—	-	-	-		19
20	·05		·13	·35		·08			1·05	-	-	-		20
21				·29		·24	·07		·05	-	-	-		21
22	·09	·48			·28	·01	·19		—	-	-	·15		22
23			·11	·11			·14		—	·04	-	-		23
24	·15	·05					·03		·13	·34	-	-		24
25	·03	·02		·17		·03	·21		·24	·13	-	-		25
26		·18	·28	·02		·04			·03	·21	·06	-		26
27	·16	·04							·08	·10	-	-		27
28	·65		·11				·33		—	—	-	·14		28
29	·30	·05	·09			·42	·21		—	·05	·17	·05		29
30	·15	✕	·06		·07	·19	·03		—	·26	-	-		30
31	·30	✕	·24	✕		✕	·12		✕	·45	✕	·35		31 d
TOTAL	4·28	1·93	1·52	1·73	·39	3·39	3·41	·64	3·30	1·67	3·94	2·30	Year's Total. 28·50	
* Days with .01 in. or more.	21	12	14	11	3	16	22	6	16	11	14	14	160	
* Days with .04 in. or more.	18	11	13	8	3	12	18	4	14	9	14	14	138	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. Wood

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bourne End, Hedsor

in the County of Buckinghamshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

„ Ground „ Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	–		·05	–	–	–	–	·02	–	·30	·60		1
2	–	·25	·04	·53	–	–	–	–	·13	–		·61		2
3	–	·17	·02		–	–	–	–	–	–		·06		3
4	·07	·34			–	–	–	–	–	–		·30		4
5	·23	·04	·16		–	–	·06	–	–	–		–		5
6	·06	–	·38		·24	–	·29	–	–	·05		–		6
7	–	·75		·29	–	–	–	–	·05	–		–		7
8	–	·06			·05	·02	–	–	–	–	·20	·29		8
9	–	·06		·20	·20	·02	·14	–	·29	–		·10		9
10	–	–	·54	·13	–	·25	·05	·11	–	–		·18		10
11		–	·22	·02	·22	·02	–	–	–	–		–		11
12	·19	·32	·14		·31	·25	·08	–	·09	–		·10		12
13	·17	·08	·44		–	·16	–	·08	·47	–		·55		13
14	–	·05	·27	·07	–	–	–	1·27	·10	–		–		14
15	·22	·18		·20	–	–	·42	–	·08	–		–		15
16	–	·13	·40	·40	–	·05	–	·25	·29	–		–		16
17	·28	–	·13	·17	–	–	–	–	·79	–		–		17
18	·26	·10			·03	·45	–	–	·33	–	·12	–		18
19	·05	·08	·04	·17	–	·16	·98	–	·14	–		–		19
20	·40	–		·52	·68	–	–	–	·05	–		·18		20
21	·30	·64	·05	·08	·05	–	·19	–	–	–		–		21
22	·41	–			·10	·15	·07	–	–	·58	·40	·02		22
23	·21	·05	·03		·55	–	·05	–	–	·39		·03		23
24	·24	·54	·04		·03	–	–	–	·16	·67		–		24
25	·10	·42	·08		·95	–	–	–	·07	·11		–		25
26	–	·28	·02		·32	–	–	–	–	·06		–		26
27	·03	·10		·10	–	–	–	–	–	·60		–		27
28	–	·18			–	–	–	–	–	·08		·05		28
29	·09	–			–	·06	–	–	–	·03	·10	–		29
30	·35	✕			–	–	–	–	–	–	·22	–		30
31	·28	✕		✕	–	✕	–	–	✕	·15	✕	–		31
TOTAL	4·12	4·82	3·00	2·93	3·73	1·59	2·33	1·71	3·06	2·72	1·34	3·07	Year's Total 34·43	
* Days with .01 in. or more.	20	21	17	14	13	11	10	4	15	10	6	13	154	
* Days with .04 in. or more.	19	21	14	13	11	8	10	4	14	9	6	11	140	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Copy by B.R.O.

Kept at Bourne End, Hedsor

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–				·12	·02	–	·06	·02	–	–		1
2	–	–			·10		–	–	–	·31	–	·04		2
3	–	–			·20		–	–	·02	·60	·02	–		3
4	·12	–					·06	·23	–	·20	–	·11		4
5	–	–					·19	–	·02	·18	–	–		5
6	·05	–					·10	–	·25	– ✓	–	– ✓		6
7	–	–					·40	·58	·04	·46 ×	–	– ✓		7
8	·09	–					·05	·05	·07	·30	–	–		8
9	·09	·03					–	·47	–	–	–	·65 ×		9
10	·25	–					·05	·19	–	– ×	–	·06		10
11	·30	–					·01	·03	–	–	·15	– ✓		11
12	·37	–			·03		–	·16	–	·32	– ✓	– ✓		12
13	·11	–					–	–	–	·01 ×	·19 ×	·19 ×		13
14	·38	·02			·04		·08	–	·03	–	–	– ✓		14
15	·07	–					·24	–	–	·21	–	·11 ×		15
16	·48	–					·02	·04	–	·06	–	·13		16
17	–	·06					–	–	·03	–	–	–		17
18	·07	–			·07		–	–	·03	·02	·31	–		18
19	–	–					–	·10	·10	–	·17	–		19
20	–	–					–	·02	·02	–	·35	– ✓		20
21	–	–					–	·06	·03	–	·03	·65 ×		21
22	–	–				·03	–	·03	–	–	·32	–		22
23	–	–					–	–	–	–	·02	–		23
24	–	–	·17		·03		–	–	·32	–	·03	·08		24
25	·15	·03	·05		·14		–	–	–	·03	·98	–		25
26	·24	·19	·06				–	–	·34	·11	–	·40		26
27	·15	·05		·04	·12	·19	·29	·02	·28	– ×	·31	–		27
28	·17	·03			·78	·04	–	·64	–	– ×	–	– ×		28
29	·28	X			·18		–	·06	·09	– ✓	·11	·28 ×		29
30	·03	×		·03	·11	·19	–	–	·11	·06	·31	– ✓		30
31	·20	×		×	·17	×	–	–	×	·12	×	·27 ×		31
TOTAL	3·60	·41	·28	·07	1·97	·57	1·51	2·68	1·84	3·01	3·30	2·97	Year's Total 22·21	✓
* Days with .01 in. or more.	19	7	3	2	12	5	12	15	17	19 ~~16~~	15 ~~14~~	20 ~~12~~	146 ~~134~~	✓
* Days with .04 in. or more.	18	3	3	1	10	4	9	11	10	13 ~~12~~	10	13 ~~12~~	105 ~~103~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Wood [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bourne End, Hedsor

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 170 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·02	48	·36	–	–	·15	·13	–	–	·04		1
2	–	–	–	–	–	–	–	·44	·33	–	·05	·02		2
3	·54	–	–	·21	–	–	–	·29	–	–	·37	·22		3
4	–✗	–	·26	36	–	–	–	·19✓	–	·32	·04	–		4
5	–	–	–	32	·16	–	·05	·31✓	–	·17	·30	·15		5
6	·~~4~~5	–	–	–	·18	–	·29	·02	–	–	·50	–		6
7	·03	·20	–	–	–	–	–	·05	–	·02	·15	·24		7
8	–	·12	·21	–	–	–	·05	·14	–	·49	·19	·32		8
9	–✓	·07	–	–	–	–	–	·03	–	·22	–	·15		9
10	·26	–	–	–	–	·38	–	·18	·04	·17	–	–		10
11	–	–	·15	–	–	–	–	–	–	·07	–	–		11
12	–	–	–	–	–	–	–	–	–	–	–	–		12
13	–	–	–	–✓	–	–	–	–	–	1·03	–	–		13
14	·42	–	–	·05✓	·10	·03	·20		–	·12	·36	–		14
15	·10	–	·05	–	·36	·41	–	–	·08	·62	·09	–		15
16	·36	–	·08	–✓	·04	·22	·23	–	–	·02	·52	–		16
17	·21	·02	·02	–✓	·19	–	·02	–	–	·03	·06	–		17
18	·24	–	·05	–	–	·23	·25	–	–	–	·26	–		18
19	·24	–	–	–	–	–	·18	–	–	·13	–	–		19
20	·21	–	–	–	–	·01	·70	–	–	–	–	–		20
21	·03	·06	·17	–	–	–	–	·16	·02	–	–	–		21
22	·18	·22	·03	·05	–	–	·05	–	–	–	–	–		22
23	·01	–	–	·12	–	–	·01	–	–	–	·85	–		23
24	·20	–	–	·01	–	·06	·06	–	–	·17	·48	–		24
25	1·20	·14	·02	–	–	–	·36	–	–	–	·23	–		25
26	·20	·02	–	–✗	–	–	–	·07	–	·15	·15	–		26
27	–	✓	·05	·07✓	–	–	–	–	–	·08	·23	–		27
28	–	·16✗	·06	·16	–	–	·14	–	–	–	·12	·20		28
29	–		–	·15	–	–	·14	–	–	·13	·20	–		29
30	–		–	·91	–	·07	–	–	–	–	–	·02		30
31	–		–		–		·16	·03		–		–		31
TOTAL	4·88	1·01	1·17	2·89	1·39	1·41	2·89	2·06	·60	3·94	5·15	1·36	Year's Total 28·75	✓
* Days with .01 in. or more.	1~~7~~9	~~9~~10	13	1~~2~~6	7	8	16	13	5	17	19	9	152	✓
* Days with .04 in. or more.	1~~4~~5	7	9	~~1~~9	7	6	14	10	4	14	19	7	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 998/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Bourne End (Hedsor)

in the County of Buckingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 170 ft.

Nov. Total corr. for arith. by comp. to nearby stns.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	·04	-	-	-	-	-	·17	·07		1
2	-	-	-	·10	-	-	·10	-	-	·03	·47	·03		2
3	-	·34	-	·10	-	-	-	-	-	·27	·96	·10		3
4	-	·08	-	·05	-	-	-	-	-	·29	·11	-		4
5	-		-	-	-	-	-	-	-	·07	·30	-		5
6	·26	·20	-	-	·04	-	·38	-	-	·21	·07	-		6
7	·22	·25	-	-	·06	-		-	-	-	-	-		7
8	-	-	-	03	-	-	-	-		·24	-	·30		8
9	-	-	-	-	-	-	-	-	·11	·14	·10	·04		9
10	-	-	-	-	-	-	·15	-	-	·03	·12	-		10
11	-	-	-	05	-	-	-	-	-	-	·89	-		11
12	-		·10	-	-	·15	·11	-	·03	-	-	-		12
13	-		·50	-	-	-	-	-	·10	-	1·15	-		13
14	-	-	·14	19	·02	-	-	-	·03	·09	-	·38		14
15	-	-	·07	03	·05	-	·29	-	-	·11	·38	-		15
16	·06	20	·42	·01	-	-	·55	-	·35	·69	·69	·03		16
17	-	-	·45	-	-	-	-	-	-	-	·37	-		17
18	-	·40	·25	·32	-	-	·22	-	-	·18	·21			18
19	-	22	-	15	-	-	·11	-	·35	-	·18	-		19
20	-	-	-	-	-	-	-	-	·05	·14	·06	-		20
21	·05	-		-	·36	-	·06	-	-	·09	·48	-		21
22	-	-	05	-	·56	·40	-	-	·20	-	-	-		22
23	-	·07	·08	·15	·11	·12	-	-	-	-	-	-		23
24	-	-	-	·17	-	-	·34	-	-	-	-	-		24
25	-	-	·35	-	-	-	·11	-	-	-	-	-		25
26	1·21	-	·12	·54	·18	·05	-	-	-	-	-	-		26
27	·63	·28	-	·17	·09	-	-	-	-	-	-			27
28	·38		-	·01	·25	-	-	-	-	-	-	-		28
29	·05	12	·09	-	·15	-	-	-	-	-	-	·33		29
30	·08	✕	-	20	-	-	-	-	-	·14	-	-		30 a
31	·08	✕	-	✕	-	✕	-	-	✕	·57	✕	-		31
TOTAL	3·02	2·36	2·62	2·27	1·91	·72	2·42	·00	1·22	3·29	6·71 ~~6·81~~	1·28	Year's Total ~~27·82~~	✓
* Days with .01 in. or more.	10 ✓	16	13	16	12	4	12	-	~~8~~ 9	16	19 ~~17~~	~~8~~ 10	~~124~~	137
* Days with .04 in. or more.	10	10 ✓	12 ✓	12 ✓	11 ✓	4 ✓	11 ✓	-	6 ✓	14	17	6	113	

2·43

24

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Wood Esq.

P.T.O.

95A

999

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGISTER

1 .

999

HIGH WYCOMBE

FLACKWELL HEATH

1931- 1940

780206

Kept at High Wycombe. Flackwe

in the County of Buckingham

Diameter of Funnel of Gauge in

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMEN AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·10		·02			·05				1
2	·09	·08		·28					·45			·03	2
3	·04	·01	·05	·12	·42			·24	·66		·13	·24	3
4							·16	1·60	·08	·01	·05	·01	4
5		·04		·16	·02	·43	·03	·01	·05			·30	5
6		·13		·12			·06			·28	·37		6
7		·01			·12	·04		·54		·11	·14	·07	7
8	·02	·06		·04		·13		·10		·02	·12	·04	8
9		·11		·06		·01					·33	·01	9
10	·01	·07				·04	·10	·15		·01	·38		10
11	·10	·27							·04		·07		11
12							·02	·04	·38	·01			12
13							·12	·12					13
14	·03	·07			·02		1·14	·69					14
15		·06		·08	·10		·20	·49				·02	15
16		·05		·13	·24	·08		·16	·11				16
17	·11	·01		·56	·11		·22		·12				17
18	·08	·04	·07	·16		·29	·04	·65			·53		18
19	·03			·34		·29	·21	·05	·13		·01	·01	19
20	·01	·05		·12				·32			·02		20
21	·04		·02		·35								21
22	·16												22
23	·22			·02	·34						·23	·04	23
24				·21	·18	·18	·10						24
25	·10			·36	·09		·44				·10	·01	25
26		·03		·13	·02		·61				·35		26
27	·19	·43		·08	·47		·12				·20		27
28	·08	·11		·05	·03					·08	·01	·02	28
29	·12				·14		·12			·29	·01	·04	29
30	·04	X					·02	·03	·01				30
31	·21	X		X		X			X		X		31
TOTAL	1·68	1·71	·14	3·12	2·65	1·51	3·71	5·19	2·08	·81	3·05	·84	YEAR'S TOTAL 26·49
*Days with ·01 in. or more.	19	19	3	19	15	10	17	15	11	8	17	13	166
*Days with ·04 in. or more.	14	15	2	18	11	8	14	13	10	4	13	6	128

40-9999

M

(*Signed*) E. Dickson Park [P.T.O.

*See Instruction 2 (A) on other side.

95A

999

Section **A** for the entry of Daily Ob COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at High Wycombe Flackwell Heath

in the County of Buckinghamshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·10		·02			·05				1
2	·09	·08		·28					·45			·03	2
3	·04	·01	·05	·12	·42			·24	·66		·13	·24	3
4							·16	1·60	·08	·01	·05	·01	4
5		·04		·16	·02	·43	·03	·01	·05			·30	5
6		·13		·12			·06			·28	·37		6
7		·01			·12	·04		·54		·11	·14	·07	7
8	·02	·06		·04		·13		·10		·02	·12	·04	8
9		·11		·06		·01					·33	·01	9
10	·01	·07				·04	·10	·15		·01	·38		10
11	·10	·27							·04		·07		11
12							·02	·04	·38	·01			12
13							·12	·12					13
14	·03	·07			·02		1·14	·69					14
15		·06		·08	·10		·20	·49				·02	15
16		·05		·13	·24	·08		·16	·11				16
17	·11	·01		·56	·11		·22		·12				17
18	·08	·04	·07	·16		·29	·04	·65			·53		18
19	·03			·34		·29	·21	·05	·13		·01	·01	19
20	·01	·05		·12				·32			·02		20
21	·04		·02		·35								21
22	·16												22
23	·22			·02	·34						·23	·04	23
24				·21	·18	·18	·10						24
25	·10			·36	·09		·44				·10	·01	25
26		·03		·13	·02		·61				·35		26
27	·19	·43		·08	·47		·12				·20		27
28	·08	·11		·05	·03					·08	·01	·02	28
29	·12				·14		·12			·29	·01	·04	29
30	·04	X					·02	·03	·01				30
31	·21	X		X		X			X		X		31
TOTAL	1·68	1·71	·14	3·12	2·65	1·51	3·71	5·19	2·08	·81	3·05	·84	YEAR'S TOTAL 26·49
*Days with ·01 in. or more.	19	19	3	19	15	10	17	15	11	8	17	13	166
*Days with ·04 in. or more.	14	15	2	18	11	8	14	13	10	4	13	6	128

40-9999

M

*See Instruction 2 (1) on other side.

(Signed) E. Dickson Park

[P.T.O.

999

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at High Wycombe Flackwell Heath

in the County of Buckinghamshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·01		·10	·74	·03	·08	·07	·01	·07	·02		1
2	·02			·18	·04			·01	·33	·08	·01	·17	2
3				·26	·07			·02	·53	·11			3
4		01				·14					·16		4
5	·30		·02		·03		21		·09				5
6	·33		·02	·10					·17				6
7			·10	·10					·05	·02			7
8			·10	·10	·07				·47	·15			8
9	·19	·03		·05	·30								9
10	·18	·04	·05	·18	·11	·04				·14	·10		10
11				·09	·02	·10	·18	·16		·34	·05	·02	11
12	·09				·08			·02	·02	·29	·02	·01	12
13	·02			·18					·02	·18	·13	·02	13
14	·19			·04				·23		·02	·07		14
15		·01		·04	·22		·01			·09			15
16	·11			·19	·10								16
17				·01						·10	·01		17
18									·23		·14		18
19		·01							·01	·30			19
20				·13	·18			1·70	·06	·74	·10		20
21	·03		·08	·25	1·47			·18		·29	·01	·04	21
22	·02		·22				·06	·01	·23	·12	·40		22
23		·05							·03	·68	·02	·11	23
24		·04					·32		·05	·04	·08		24
25		·01		·01			·22		·02	·24	·06	·01	25
26			·08	·19	·03		·04			·07			26
27			·28	·22	·33		·13			·19	·12		27
28			·18	·06	·10	·06	·15			·15	·01		28
29			·32	·10	·22	·03			·09	·34	·08	·02	29
30		×	·18	·04	·50	·40			·13	·01	·27	·16	30
31		×	·04	×		×	·05		×		×	·09	31
TOTAL	1·60	·21	1·67	2·62	4·63	·80	1·45	2·40	2·54	4·76	1·86	·65	YEAR'S TOTAL 25·19
*Days with ·01 in. or more.	12	9	13	22	18	7	11	9	18	24	20	10	173
*Days with ·04 in. or more.	8	3	11	20	15	5	10	5	12	21	13	5	128

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) E. Dickson Park

P.T.O.

Exc. for T.V.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at High Wycombe, Flackwell Heath

in the County of Bucks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TV

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·17	·12								·01			1
2	·34		·41		·34						·03			2
3		·23	·13		·02									3
4	17		05		·40									4
5	·02	·01	·25		·07									5
6		08	07		·16					·08	·06			6
7	·20	·12	·15							·10	·01			7
8	·03		·02		·08		·23			·13				8
9							·16			·06	·09			9
10		·18				·02	·24			·15	·01			10
11	·18				·08		·10	·07	·10					11
12						·20			·44					12
13	·03				12		·24		05		·10			13
14								·04		08	·44	·02		14
15	·34		·15			·60	87	·08			·06			15
16			·65			·26	·15			·01				16
17	·02		·33			·02			·04		·02			17
18	·11	·04	·17			·08								18
19	·01	·02	·47			·15			·63		·02	·01		19
20		·02	·08	·03		·35	·02							20
21		·01				·02		·03	·13	·05				21
22						·53		·16		·34	·01			22
23				·27					·27	·01				23
24		·48		·19		·67			·30		·05			24
25		·84		·21					·08	·01	·01	·10		25
26		·40		·08		·06			·29	·08		·06		26
27					·01				·02	·20		·04		27
28		·01		·01	·03					·25		·04		28
29	·15		·01	·28			·09			·16		·02		29
30	·15	×	·02				·02		·02			·20		30
31	·19	×	·02	×		×		·11	×	·02	×			31
TOTAL	2·09	2·61	3·10	1·07	1·31	2·96	2·12	·49	2·37	1·73	·92	·49	Year's Total 21·26	✓
*Days with ·01 in. or more.	15	14	17	7	10	12	10	6	12	16	14	8	141	
*Days with .04 in. or more.	10	9	13	5	7	9	8	5	10	12	6	5	99	

40-9999

*See Instruction 2 (*f*) on other side.

M D

† Spare column, no entries required.

(*Signed*) E. Dickson Park

[P.T.O.

Ex DL

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at High Wycombe Flackwell Heath

in the County of Buckinghamshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	-						.32		.02		.66	1
2	.13		.08		.04				.65	.11		20	2
3	.02			.02						.47		.02	3
4	.10		.06	.10	.02					.09	.07	.40	4
5			.02		.01			.13		.01		.44	5
6	.01		24		.17	.05		.07		.17		.63	6
7	.02							.20		.09		.31	7
8					.10			.03	.18		.28	.01	8
9	.02		.04								1.11	.54	9
10	.08		.21	.18				.10			.10	.02	10
11	.31		.29	.08			.02	.02				.19	11
12			.05	.01			.06	.30				.08	12
13	.26		.28				.17	.05		.02	.05	.50	13
14	.10		.33								.11	.34	14
15	.08		.05		.08				.29	17	.06	.41	15
16	.20		.14							.12	.01		16
17	.01			.02					.01	.09	.01	.26	17
18	.12		.01	.10			.08		.04			.09	18
19			.18						.11	.02		.13	19
20			.14	.07			.19		.03			.02	20
21			.01	.09		.09	.01	.07		.07	.02		21
22								.20	.24			.06	22
23				.26		27						.04	23
24		.08	.09	.05		.07	.29		.22				24
25	.26	.04		.13		.41				.06		.44	25
26	.08			.12		.02			.03	.01		.22	26
27	.01			.06		.10				.07		.35	27
28		.01				.02	.03	.99			.03	.32	28
29		×							.17			.04	29
30	.02	×						.03	.02			.11	30
31	.01	×		×		×	.02		×	.08	×	.08	31
TOTAL	1.86	.13	2.22	1.29	.42	1.03	.87	2.51	1.99	1.67	1.85	6.91	YEAR'S TOTAL 22.75
*Days with .01 in. or more.	20	3	17	14	6	8	9	13	12	17	11	28	158
*Days with .04 in. or more.	11	2	14	11	4	6	5	10	8	12	7	24	114

40-9999

*See Instruction 2 (*f*) on other side.

M

(Signed) E. Dickson Park Esq. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at High Wycombe, Flackwell Heath

in the County of Bucks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TV

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19			·05	·03	·05	·12	–	·02	·02	·26	·05		1
2	·01		·01			·03			·10	·20	·12			2
3		·02	·03	·02		·13			·26	67	21	·02		3
4				·15					·51	·08	·03	·05		4
5		·23	·04	·10		13			·35		·02	·01		5
6	01		·01	·34		·70					·03	·02		6
7				·62		09				11	·87	·16		7
8				·24						29	·34	·05		8
9				·39		·70				70	·05	·02		9
10	·01			·04		·04					·09	·02		10
11	·26					·06	·09				26	·01		11
12		·01				·52			·02		·18			12
13	·11	·18		·26	·10	·07								13
14				·05	·10						·32	·16		14
15		·30		·47	·01	·11			·20		·30	·09		15
16		·08	·05	·02		·10			·20	·01	·57	·06		16
17			·12	·05		·26			·05		·27			17
18				·26		·09	·15		·38	·03	·02	·02		18
19					·23	·06	·09		·10		·11	·14		19
20		·11		·15	·29	·08	·15		·07		·31			20
21		·23	02	·02					·01	·03	·02			21
22		·06	·14	·25				·09	·18					22
23		·05	·24					·52	·08	·18		·16		23
24	02	·36						·13	·64			·21		24
25	·17	·15		·25		·93					·01	·15		25
26		·16				01		27	·10			·32		26
27		·25							·13		·17	·38		27
28		·25							·29	·05	·02	·04		28
29									·62		·01	·24		29
30	·04	×		·04				·59	·04	·10	·43	·40		30
31		×		×	·03	×			×	·60	×	·13		31
TOTAL	·82	2·44	·66	3·77	·79	4·16	·60	1·60	4·35	3·07	5·02	2·91	Year's Total 30·19	
*Days with ·01 in. or more.	9	15	9	20	7	19	5	5	21	14	25	24	173	
*Days with .04 in. or more.	5	13	5	17	4	17	5	5	18	10	17	17	133	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) E. Dickson Park

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at High Wycombe, Flackwell Heath

in the County of Bucks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft 1 in.

,, Ground ,, Sea Level 365 ft.

TL. TV.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·16	·05	·27		·10	·23	27		–	·06	·04		1
2	·02			·01		·45	·13	·09		–	·05	–		2
3				·17		·06	·19		·21	–	·28	–		3
4	·01		·17			13			·33	–	·09	·04		4
5	·12		·04					·02	·20	–	01	·19		5
6	·26					·15		17	·13	TR	·18	–		6
7	·26		·05			·01	·06		·02	–	·13	·04		7
8	·28		·07				·05			–	·41	·12		8
9	·28		·11				·20		·30	·02	–	·02		9
10	·05						·22		·02	·01	–	–		10
11				·07			·05		·04	–	·41	·01		11
12				·10		·39	·30		·34	–	·31	·20		12
13				·02		·25				·02	·12	·22		13
14		·11				·02	·48		·18	·04	·01	·38		14
15		·04							·15	–	TR	·08		15
16	·15	·12					·05		·04	–	·46	·01		16
17	·22	·49			·04					·01	·11	·13		17
18		·26				·86	·13			·06	TR	·17		18
19	·24	·06	·07	·09		·20		·13		–	–	–		19
20	·06	·06	·10	·21		·08			1·40	–	–	–		20
21				·23	·03	·22	·05		·02	–	–	–		21
22	·08	·41	·08		·27		·17			–	–	·08		22
23	·04		·05	·09			·14			·12	–	–		23
24	·13	·06					·26		·20	·34	–	·02		24
25	·02	·01	·15	·16		·05	·12		·25	·10	·05	·01		25
26	·01	·11	·17	·02		·05			·02	·22	TR	·01		26
27	·12	·03							·11	·08	–	–		27
28	·86		·18				·28			–	TR	·12		28
29	·26	·08	·05			·97	·08			·04	·21	·08		29
30	·14	×	·01		·14	·20	·05			·31	–	·01		30
31	·41	×	·27	×		×	·10		×	·38	×	·32		31
TOTAL	4·22	2·00	1·62	1·44	·48	4·19	3·34	·68	3·96	1·75	3·39	2·30	Year's Total. 29·37	✓
* Days with .01 in. or more.	23	14	16	12	4	17	21	5	18	14	16	22	182	✓
* Days with .04 in. or more.	19	12	15	9	3	15	21	4	14	10	14	15	151	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. Dickson Park

[P.T.O.

COPY FOR OFFICIAL USE

File No. 715715/26

Section **A** for the entry of Daily Observations

Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Sedgmoor, Flackwell Heath, Nr. High Wycombe

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 365 ft.

715715/26

Annual total cond. for Auth.

C.R. 10/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1938. ~~0.15~~

Please read the Notes and Instructions Overleaf

Copy Monthly to The Director, Meteorological Office, Air Ministry, South Kensington, London, S.W. 7. British Rainfall Organization.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	Thunder 4.30 W in.	N. W. †	
1	S.W 0.15	W nil	N.W nil	S.E 0.03	N.E nil	N.W nil	W nil	N.E nil	S 0.01	S nil	S.E. 0.35	S.W. 0.70		1
2	S.W nil	S.W 0.21	N.W 0.01	E 0.50	N.E nil	N.W nil	S.W nil	N.E nil	S.W 0.29	S.E nil	Fog N.E. 0.01	S.E. 0.62		2
3	W nil	S.W 0.12	W 0.03	E nil	E nil	W nil	S.E nil	N.E nil	W nil	N nil	Fog N.E. 0.01	N. 0.08		3
4	S.W 0.08	S.W 0.42	E nil	E nil	S.E nil	S.W nil	S.W nil	N.E nil	W nil	N.W nil	E. nil	N. Snow 0.44		4
5	N.W 0.27	S nil	Snow N.E 0.15	E nil	N.W nil	S.W nil	W 0.05	S.W nil	S.W nil	N nil	N.E. nil	N.W nil		5
6	W 0.06	W 0.02	Snow N.N.E 0.49	S.E Trace	W 0.22	S.W nil	S.W 0.26	W nil	S.W nil	N.E 0.05	N.E. 0.02	N.W. nil		6
7	W nil	S.E 0.75	Snow N.E 0.02	Thunder S S.W 5 P.M. 0.18	W nil	S.W nil	S.W nil	N nil	W 0.08	N.E nil	N.E. nil	N.E. nil		7
8	W nil	E 0.09	N.E nil	S.W nil	N 0.07	S.W 0.02	W nil	N nil	N nil	N.E. nil	N.E. 0.18	N.E. Snow 0.32		8
9	S.E nil	Snow N.W 0.01	N.N.E nil	S 0.20	E 0.15	S.W nil	S.W 0.12	N nil	N.W 0.28	N.E. nil	N. nil	N.E. Snow 0.11		9
10	S nil	W nil	N 0.52	S 0.15	S 0.02	Storm 9 P.M. S.E N.E 0.28	W 0.03	W 0.07	N nil	N.E. nil	N.W. nil	S.W. 0.17		10
11	S nil	W nil	E.S.E 0.25	W nil	N 0.22	Thunder S.W 11 P.M. Lightning 0.01	W 0.04	W nil	N nil	N. nil	N nil	S.W. nil		11
12	S 0.17	N.W 0.29	S 0.13	N nil	N.E 0.31	N.W 0.35	S.W 0.02	W nil	N 0.07	N. nil	N. nil	N.W. 0.08		12
13	S.S.W 0.18	N.W 0.09	Snow S.W Bar. 28.5 0.43	N.E nil	N nil	S.E 0.02	S.W nil	E 0.07	Thunder N.W 3 P.M. 0.37	N.E. nil	N.W. nil	S. 0.46		13
14	S.W 0.01	S.E 0.05	Snow N.E 0.34	N.E 0.12	N nil	W Trace	W nil	Storm E 12 noon S.E 1.08	N 0.06	W.N.W. nil	N.W. nil	W. Snow 0.01		14
15	N 0.25	S 0.14	W nil	N 0.17	N nil	N.W nil	Thunder E all aft. 0.32	W nil	S.W	N.W nil	N.W. nil	N.N.W. Snow 0.02		15
16	S.W 0.02	S.W 0.12	E 0.46	Thunder S.W 0.39	N nil	N.W 0.05	N.W nil	W 0.23		N.W nil	N.W. nil	N. Trace		16
17	S.E 0.31	W nil	Thunder S 2 P.M. E 0.26	N.W 0.19	E nil	N.N.W nil	W nil	S.W nil	1.61	W. nil	E. nil	N. nil		17
18	Thunder S.E noon 0.38	N 0.10	S.W nil	0.02	N.E 0.01	Thunder 7 P.M. N.W 0.36	S.W nil	W nil	S.W 0.06	Fog S.W. 0.01	E. 0.17	N. Snow 0.09		18
19	W 0.15	W 0.06	S. 0.02	N 0.13	N nil	S.E 0.14	Thunder S.W storm 5 P.M. 0.80	N.W nil	N.E 0.19	Fog S.W. 0.01	S. 0.01	N. Snow 0.03	14.48	19 1921
20	W.S.W 0.42	W nil	S nil	Thunder S.W 0.36	S 0.61	N.N.W nil	N. nil	N.W nil	N 0.03	Fog S.E. Trace	W. nil	N. 0.01	27.20	20 1922
21	S 0.33	W 0.60	Snow N.E 0.03	N.W 0.06	W 0.04	N nil	N 0.07	N nil	N nil	S.E. 0.01	Fog N.W. 0.01	S.E. 0.04	29.69	21 1923
22	Floods S 0.42	N nil	N.N.E nil	W nil	S 0.08	Thunder N.W 5 & 11 P.M. S.E. 0.13	N.W 0.07	N nil	S.W nil	S.E. 0.57	N.E. 0.35	S.W. 0.03	36.61	22 1924
23	Floods S.E 0.17	N.W 0.03	Snow N 0.02	N.W nil	Storm S 11 P.M. N.W 0.54	N.W nil	S 0.05	N nil	S nil	S.E. 0.34	E. nil	S.W. Fog 0.01	29.80	23 1925
24	Floods S.E 0.19	E 0.48	N 0.06	N nil	S Trace	N nil	W nil	N nil	S 0.14	W. 0.38	N.E. nil	S.W. 0.01	27.33	24 1926
25	Floods S 0.11	E 0.42	Snow N.W 0.08	N nil	Storm W 0.88	E nil	W nil	W nil	N.N.E 0.05	Thunder S. all day 0.04	N.E. nil	Fog S.E. 0.01	36.16	25 1927
26	Floods S.E 0.01	S.S.W 0.28	Snow N.W 0.01	N.W nil	N.E 0.42	S.W nil	N.W nil	N nil	E. nil	S.W. 0.08	Fog N.E. 0.02	S.W. nil	28.34	26 1928
27	E 0.02	Bar. 28.5 S.W Snow 0.17	N.W nil	Thunder N.W S.E. all afternoon 0.09	S.S.W nil	N.W nil	N.W nil	N.E nil	S.E Trace	N.E. 0.51	N.E. nil	N.E. nil	25.84	27 1929
28	Snow N.E 0.01	Snow S.W 0.03	N nil	N nil	S. nil	N nil	N nil	N.E nil	N.W nil	S. 0.05	N.E. nil	N. 0.01	28.11	28 1930
29	Snow N.E 0.05	X	N nil	N nil	S.W nil	N.W 0.13	N nil	N.E nil	N.W. nil	N.E. 0.02	N.E. 0.07	N. 0.02	26.49	29 1931
30	E 0.38		N.E nil	E nil	S. nil	W nil	N.E nil	Thunder N.E 6 P.M. S.W nil	S.W. nil	S.E. 0.01	S.W. 0.29	N. nil	25.19	30 1932
31	S.S.W 0.29		S.E nil		N.N.W nil		N.E nil	N.E nil		S.W. 0.16		N. 0.04	21.26	31 1933
1934	1.86	0.13	2.22	1.29	0.42	1.93	0.87	2.51	1.99	1.67	1.55	6.91	Year's Total	22.75 1934
1935	0.82	0.44	0.66	3.77	0.79	4.16	0.60	1.60	4.35	3.07	5.02	2.91	30.19	1935
1936	4.22	2.00	1.62	1.44	0.18	4.19	3.34	0.68	3.96	1.75	3.39	2.30	29.37	1936
1937 TOTAL	4.43	4.48	3.31	2.59	3.57	1.49	1.83	1.45	3.24	2.24	1.49	3.32	~~33.47~~	1937 33.44
* Days with .01 in. or more.	24	21	18	14	13	10	11	4	13	14	12	22		
* Days with .04 in. or more.	19	17	11	12	11	7	9	4	11	10	6	12		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. D. P.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Mp 37. f715715/26

Copy by B.R.O.

Kept at High Wycombe, Flackwell Heath.
in the County of Buckinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	–				.10	–	–	.04	.01	–	tr		1
2	.05	–		.04	.08		–	–	–	.28	TR	.03		2
3	–	–			.24		–	–	.02	.75	.01	–		3
4	.05	–					.10	.19	–	.09	–	.10		4
5	–	–					.18	–	TR	.13	–	tr		5
6	.06	–					.08	–	.15	.10	TR	–		6
7	.01	–					.55	.57	.02	.36	–	.02		7
8	.10	–					.05	.01	.03	.30	–	–		8
9	.09	.02					–	.28	–	.02	–	.65		9
10	.20	.05					.03	.23	–	–	–	.07		10
11	.32	–					–	–	–	–	.13	.03		11
12	.32	–			.02		–	.11	–	.26	–	.05		12
13	.09	.01					–	.01	–	.01	.10	.14		13
14	.22	–			.03		.07	–	.02	–	.01	.02		14
15	.12	–					.22	–	–	.21	.03	.13		15
16	.45	–	.03		.01		tr	.04	–	.08	.01	.12		16
17	–	.06					–	–	.02	.08	–	–		17
18	.07	–			.08		–	tr	.08	.03	.28	–		18
19	–	–					–	.08	.09	–	.21	–		19
20	–	–					–	–	.01	tr	.40	.02		20
21	.03	–					–	.21	.03	–	.04	.60		21
22	–	–				.03	–	.02	–	–	.25	.15		22
23	–	–					–	–	–	–	.10	–		23
24	–	–	.19		.03		–	–	.28	.01	.04	–		24
25	.09	.06	.06		.22		tr	.02	.02	.02	.77	.18		25
26	.25	.23	.08				–	–	.29	.13	–	.15	✓	26
27	.12	.07		.01	.11	.18	.31	.01	.21	.04	.34	–		27
28	.14	.02			.84	.04	–	.67	.01	–	–	.10		28
29	.30	×			.18		–	.07	.07	.01	.19	.23		29
30	.02	×		.01	.06	.11	–	–	.11	.04	.23	–		30
31	.16	×		×	.18	×	–	–	×	.11	×	.27		31
TOTAL	3.28	.52	.36	.06	2.05	.46	1.59	2.52	1.50	3.07	3.14	3.06	Year's Total 21.61	
* Days with .01 in. or more.	23	8	4	3	13	5	9	15	18	22	17	19	156	GB
* Days with .04 in. or more.	19	5	3	1	9	4	8	10	9	15	14	14	111	3/4/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. C. F. Fairley. [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 999

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Copy by B.R.O.

Kept at High Wycombe, Flackwell Heath
in the County of Bucks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·02	·57	·34	–	–	·12	·13	–	Tr.	·08		1
2	·05	–	–	·02	·01	–	–	·44	·28	·01	·04	·02		2
3	·47	–	–	·19	–	–	–	·18	–	·31	·33	·24		3
4	–	–	·24	·26	·01	–	·02	·04	–	·12	·04	–		4
5	–	–	·01	29	17	–	·03	·30	–	–	·29	·27		5
6	·45	–	–	TR	27	–	·24	·03	–	–	·46	·02		6
7	·07	·16	–	–	–	–	–	·05	–	·01	·18	·22		7
8	–	·15	·21	–	–	–	·05	·20	–	·47	·12	·31		8
9	·06	·10	–	–	–	–	–	·02	–	·22	tr	·15		9
10	·25	–	–	–	–	·29	–	·11	·03	·17	·03	tr		10
11	–	–	·16	–	–	–	–	–	tr	·03	·02	·01		11
12	TR	·03	tr	–	·02	tr	–	–	–	–	–	–		12
13	–	–	–	TR	–	–	·06	–	·02	·96	–	–		13
14	·54	–	–	·05	·05	05	·18	–	–	·14	·30	–		14
15	·10	–	·05	–	·39	·46	·16	–	·04	·52	·08	–		15
16	·29	–	·11	TR	·10	·17	·05	–	–	·05	·56	–		16
17	·23	·03	·03	·03	·16	–	·05	–	–	·07	·07	–		17
18	·19	·01	·06	–	–	·25	·19	–	–	·07	·32	–		18
19	·23	–	–	–	–	–	20	–	–	·12	·02	–		19
20	·22	–	–	–	–	tr	·42	·19	–	–	–	·02		20
21	·04	·07	·32	–	–	–	tr	·02	tr	·01	–	–		21
22	·14	·26	·03	·01	–	–	·02	–	·01	–	·11	–		22
23	·02	–	–	·10	–	·01	·01	–	–	·02	·76	–		23
24	36	–	–	·06	–	–	·09	–	–	·10	–	·02		24
25	·92	·12	·02	–	–	–	·69	–	–	·03	·60	·01		25
26	·19	·01	tr	–	–	–	–	·06	–	·14	·25	·01		26
27	·01	·03	·05	·02	–	–	tr	·04	–	·04	·11	–		27
28	·03	·21	·05	·12	–	·01	·10	–	–	·02	·25	·10		28
29	–		–	17	–	–	·23	–	–	·12	·13	–		29
30	–	✕	–	1·12	–	·11	–	–	–	tr	·18	·05		30
31	–	✕	–	✕	–	✕	·13	·14	✕	·01	✕	·02		31
TOTAL	4·89	1·18	1·36	3·01	1·52	1·35	2·92	1·94	·51	3·76	5·25	1·55	Year's Total 29·24	✓
* Days with .01 in. or more.	22	12	14	14	10	8	19	15	6	24	23	16	183	✓
* Days with .04 in. or more.	19	7	9	10	7	6	15	12	3	16	21	8	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 999 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at High Wycombe, (Flackwell Hth)
in the County of Buckingham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level 365 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·03	-	·01	·02	-	-	-	-	-	·12	-		1
2	-	·08	-	·13	-	-	·13	-	-	·02	·45	-		2
3	-	·27	-	·13	-	-	-	-	-	·19	1·09	·05		3
4	tr	·11	-	·05	-	-	-	-	-	·30	·08	·04		4
5	-	·02	-	-	-	-	-	-	-	·07	·33	·13		5
6	·22	·19	-	-	·04	-	·48	-	-	·22	·07	tr		6
7	·21	·28	-	-	·08	-	·01	-	tr	-	-	-		7
8	tr	-	-	·01	-	-	-	-	-	·20	·01	·34		8
9	-	-	-	tr	-	-	-	tr	·07	·08	·08	·04		9
10	-	-	·01	-	-	-	·12	-	-	·01	·12	·01		10
11	-	-	-	·06	-	-	-	-	-	-	·70	·02		11
12	-	·02	·07	-	-	·02	·06	-	·19	-	-	-		12
13	-	·02	·48	-	-	-	·02	-	·13	-	1·31	·01		13
14	-	-	·09	·15	-	-	-	-	·03	·09	-	·36		14
15	-	-	·07	·01	·05	-	·12	-	·13	·07	·36	·01		15
16	·01	·14	·48	·02	-	tr	·37	-	·18	·66	·74	-		16
17	-	-	·41	-	-	-	·01	-	-	·01	·30	-		17
18	-	·40	·24	·34	-	-	·11	tr	-	·14	·25	·16		18
19	-	·23	·01	·20	-	-	·04	-	·27	-	·18	·01		19
20	-	·02	·02	·03	-	-	·02	-	·02	·17	·04	-		20
21	·06	·01	·01	-	·42	-	·11	tr	-	·07	·44	-		21
22	·02	-	·09	tr	·58	·40	-	-	·41	-	-	-		22
23	-	tr	·08	·11	·11	·07	-	-	-	·02	·01	tr		23
24	-	-	-	·14	-	-	·26	-	-	-	·01	-		24
25	-	-	·30	-	TR	-	·16	-	-	-	-	-		25
26	1·00	·15	·10	·23	·17	·03	·02	-	-	-	-	·01		26
27	·47	·16	-	·38	·15	-	·06	-	-	·03	-	-		27
28	·35	·03	-	·02	·17	-	-	-	-	-	-	·01		28
29	·04	·09	·12	·01	·06	·01	-	-	-	-	-	·34		29
30	·09	✕	-	·20	-	-		-	-	·16	-	tr		30
31	·04	✕	-	✕	-	✕	-	-	✕	·57	✕	·01		31
TOTAL	2·51	2·25	2·58	2·23	1·85	·53	2·10	-	1·43	$3{\cdot}\overset{0}{\cancel{2}}8$	6·69	1·45	Year's Total 26·70	✓ ✓
* Days with .01 in. or more.	11	18	16	19	11	5	17	-	9	19	20	16	161	✓
* Days with .04 in. or more.	9 ✓	11 ✓	12 ✓	12 ✓	10 ✓	2 ✓	12 ✓	- ✓	7 ✓	14 ✓	17	8	114	✓

19·9
20

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

W. C. F. Fairley, Esq.

PANMILL P.S.

Section A for the entry of D

AIR MINISTRY

Station No. 999/5

RAINFALL ORGANIZATION

999/5
HIGH WYCOMBE
PANMILL P.S.
1935 - 40

780206

FORM 1090

REGIST

1935

Kept at Pann Mill : Easto

in the County of Bucks

Diameter of Funnel of Gauge 8"

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASUREM **REVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.22	-	-	.055	.025	.055	.065	-	.005	.06	.25	-		1
2	.005	-	.01	-	-	.11	-	-	.235	.17	.06	-		2
3	-	.05	.02	.15	-	.085	-	-	.325	.645	.16	.02		3
4	-	-	-	.03	-	.01	-	-	.27	.12	-	.05		4
5	-	.35	.05	.13	-	.23	-	-	.38	-	-	-		5
6	-	-	-	.32	-	.725	-	-	-	-	.01	-		6
7	-	-	-	.64	-	.09	-	-	.005	.09	.78	.125		7
8	-	-	-	.275	-	-	-	.56	-	.25	.32	.085		8
9	-	-	-	.31	-	.825	-	-	.005	.78	.025	.04		9
10	-	-	-	.145	-	.03	-	-	-	-	.09	.02		10
11	.31	-	-	-	-	.07	.215	-	-	-	.27	-		11
12	-	.01	-	-	-	.28	-	-	.05	-	.10	-		12
13	.10	.17	-	.23	.13	.07	-	-	-	.005	-	-		13
14	-	-	-	.10	.13	-	-	-	-	.005	.34	.13		14
15	-	.27	-	.54	.04	.145	-	-	.155	-	.255	.14		15
16	-	.19	.08	.07	-	.16	-	-	.43	.01	.54	.06		16
17	-	-	-	.07	-	.195	.02	-	.04	-	.31	.04		17
18	-	-	-	.31	.03	.135	.17	-	.49	.025	.01	.02		18
19	-	-	-	.025	.31	.07	.13	-	.10	.01	.10	.12		19
20	005	.11	-	.14.	.33	.075	.01	-	.12	-	.26	-		20
21	-	.22	.025	.005	-	-	-	-	.015	.025	.01	-		21
22	-	.055	.18	.06	-	-	-	.08	.175.	-	-	-		22
23	-	.065	.24	-	-	-	-	.505	.07	.17	-	.06		23
24	.02	.45	.005	-	-	-	-	.12	.71	-	-	.29		24
25	.24	.09	-	.24	-	.585	-	-	0	-	-	.115		25
26	-	.14	-	-	-	.015	-	.23	.11	-	-	.40		26
27	-	.24	-	-	.01	-	-	-	.19	-		.49		27
28	-	.08	-	-	.01	-	-	-	.24	.05	.11	.04		28
29	-		-	-	-	-	-	-	.80	-	.025	.33		29
30	.06	✕	-	.04.	-	-	-	.67	.04	.06	.425.	.37		30
31	-	✕	-	✕	05.	✕	-	-	✕	.68	✕	.235.		31
TOTAL	.96	2.49.	.61	3.75.	1.065,	3.96	.61	2.165	4.96	3.133	4.45	3.18	Year's Total 31.353	
* Days with .01 in. or more.	8	15	7	19.	10	20.	6	6	20	15.	20.	21.	167.	
* Days with .04 in. or more.	5.	14.	4.	17.	6	17.	4	6	19.	11	15.	18.	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. YOUNG, A.Inst. W.E.; [P.T.O.
BOROUGH WATER ENGINEER;
71, EASTON STREET

COPY FOR

ANMILL P.S.

Section A **for the entry of Daily Observations**

Station No. 999/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1935

Kept at Pann Mill · Easton Street · High Wycombe.

in the County of Bucks

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 218·9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	–	–	·055	·025	·055	·065	–	·005	·06	·25	–		1
2	·005	–	·01	–	–	·11	–	–	·235	·17	·06	–		2
3	–	·05	·02	·15	–	·085	–	–	·325	·645	·16	·02		3
4	–	–	–	·03	–	·01	–	–	·27	·12	–	·05		4
5	–	·35	·05	·13	–	·23	–	–	·38	–	–	–		5
6	–	–	–	·32	–	·725	–	–	–	–	·01	–		6
7	–	–	–	·64	–	·09	–	–	·005	·09	·78	·125		7
8	–	–	–	·275	–	–	–	·56	–	·25	·32	·085		8
9	–	–	–	·31	–	·825	–	–	005	·78	·025	·04		9
10	–	–	–	·145	–	·03	–	–	–	–	·09	·02		10
11	·31	–	–	–	–	·07	·215	–	–	–	·27	–		11
12	–	·01	–	–	–	·28	–	–	·05	–	·10	–		12
13	·10	·17	–	·23	·13	·07	–	–	–	·005	–	–		13
14	–	–	–	·10	·13	–	–	–	–	·005	·34	·13		14
15	–	·27	–	·54	·04	·145	–	–	·155	–	·255	·14		15
16	–	·19	·08	·07	–	·16	–	–	·43	·01	·54	·06		16
17	–	–	–	·07	–	·195	·02	–	·04	–	·31	·04		17
18	–	–	–	·31	·03	·135	·17	–	·49	·025	·01	·02		18
19	–	–	–	·025	·31	·07	·13	–	·10	·01	·10	·12		19
20	005	·11	–	·14	·33	·075	·01	–	·12	–	·26	–		20
21	–	·22	·025	·005	–	–	–	–	·015	·025	·01	–		21
22	–	·055	·18	·06	–	–	–	·08	·175	–	–	–		22
23	–	·065	·24	–	–	–	–	·505	·07	·17	–	·06		23
24	·02	·45	·005	–	–	–	–	·12	·71	–	–	·29		24
25	·24	·09	–	·24	–	585	–	–	0	–	–	·115		25
26	–	·14	–	–	–	·015	–	·23	·11	–	–	·140		26
27	–	·24	–	–	·01	–	–	–	·19	–		·49		27
28	–	·08	–	–	·01	–	–	–	·24	·05	·11	·04		28
29	–		–	–	–	–	–	–	·80	–	·025	·33		29
30	·06	✕	–	·04	–	–	–	·67	·04	·06	·425	·37		30
31	–	✕	–	✕	05	✕	–	–	✕	·68	✕	·235		31
TOTAL	·96	2·49	·61	3·75	1·065	3·96	·61	2·165	4·96	3·155	4·45	3·18	Year's Total 31·355	
* Days with .01 in. or more.	8	15	7	19	10	20	6	6	20	15	20	21	167	
* Days with .04 in. or more.	5	14	4	17	6	17	4	6	19	11	15	18	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. YOUNG, A.Inst.W.E.;

BOROUGH WATER ENGINEER;

71, EASTON STREET

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** — **Station No.** 999/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Waterworks Easton Street High Wycombe.
in the County of Buckinghamshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 218·9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·18	·08	·36	–	·245	·21	·06	–	–	·065	·03		1
2	·04	·005	–	–	–	·36	·49	·09	–	–	·04	–		2
3	–	·005	–	·12	–	·105	·09	–	·195	–	·26	·05		3
4	–	–	·24	–	–	·10	–	–	·335	–	·105	·07		4
5	·10	–	·04	–	–	–	–	·025	·19	–	·005	·135		5
6	·435	–	–	–	–	·165	–	·11	·16	–	·235	·08		6
7	·265	–	·07	–	–	–	–	–	·025	–	·115	·045		7
8	·26	–	·10	–	–	–	·02	–	–	–	·53	·12		8
9	·37	–	·08	–	–	–	·23	–	·255	–	–	·01		9
10	·045	–	–	–	–	–	·23	–	·015	–	–	–		10
11	–	–	–	·055	–	–	·07	–	·005	–	·89	–		11
12	–	–	–	·115	–	·37	·49	–	·31	–	·39	·20		12
13	–	–	–	·045	–	·205	–	–	–	·02	·125	·30		13
14	–	·08	–	·005	–	·07	·52	–	·21	·07	–	·44		14
15	–	·03	–	–	–	–	–	–	·08	–	·005	·12		15
16	·125	·12	–	·02	–	–	·025	–	·04	–	·44	·01		16
17	·26	·56	–	–	·10	–	·005	–	–	·015	·14	·25		17
18	–	·21	–	–	–	·55	·175	·005	–	·105	·03	·12		18
19	·235	·07	·05	·04	–	·255	–	·16	–	–	–	–		19
20	·045	·07	·125	·27	–	·065	–	–	2·015	–	–	–		20
21	–	–	–	·24	·025	·18	·04	–	·06	–	–	–		21
22	·105	·38	·04	–	·28	–	·16	–	–	–	–	·14		22
23	·03	–	·085	·09	–	–	·21	–	–	·13	–	–		23
24	·12	·09	–	–	–	–	·21	–	·14	·43	–	–		24
25	·03	–	·13	·145	–	–	·30	–	·17	·20	·025	·03		25
26	·005	·16	·16	·015	–	·02	–	–	·015	·13	–	·01		26
27	·13	·005	·015	–	–	–	–	–	·12	·09	–	–		27
28	·82	–	·165	–	–	–	·65	–	·01	–	–	·15		28
29	·42	·145	·105	–	–	·44	·11	–	–	·04	·21	·06		29
30	·17	✕	–	–	·18	·27	·045	–	–	·25	–	–		30
31	·605	✕	·23	✕	–	✕	·10	–	✕	·375	✕	·38		31
TOTAL	4·825	2·11	1·715	1·52	·585	3·40	4·38	·45	4·35	1·865	3·61	2·75	Year's Total 31·56	
* Days with .01 in. or more.	21	15	16	12	4	15	20	5	18	12	15	21	174	
* Days with .04 in. or more.	18	14	15	11	3	14	18	4	14	10	14	16	151	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. YOUNG, A.Inst.W.E.
BOROUGH WATER ENGINEER,
71, EASTON STREET,

[P.T.O.

HIGH WYCOMBE (PANMILL P.S.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 999/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pann Mill Pumping Station : High Wycombe ~~Letter~~

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 218·9 ft.

~~Observer informs~~

~~original readings~~ 4/38

Letter sent about missing values 8/4/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·18	–	TR	·01	–	–	TR	–	·02	–	·35	–		1
2	–	·31	TR	·56	–	–	–	–	·28	–	–	{·69}		2
3	–	·14	·03	–	·01	–	–	–	–	–	–	{·53}		3
4	·08	·41	–	–	·01	–	–	–	–	–	–	{·13}		4
5	·25	TR	·19	–	–	–	·06	–	–	–	TR	–		5
6	·06	TR	·49	TR	·19	–	·23	–	–	·03	·01	–		6
7	–	·73	·06	·17	–	–	–	–	·05	–	–	–		7
8	–	·06	–	–	·07	·02	–	–	–	–	·33	·35		8
9	–	·06	–	·20	·15	TR	·12	–	·26	–	–	·13		9
10	–	–	·43	·21		·18	·02	·05	–	–	–	·17		10
11	–	–	·24	TR	·10	–	·02	–	–	–	–	–		11
12	·21	·35	·09	TR	·11	·34	·01	TR	·06	–	–	·08		12
13	·18	·09	·45	–	·28	·18	–	·09	·38	–	–	·29		13
14	·01	·03	·44	·11	–	–	–	·91	·11	–	–	·01		14
15	·26	·16	–	·20	–	–	·28	–	·59	–	–	·03		15
16	TR	·09	·44	·40	–	·08	–	·14	·41	–	–	·02		16
17	·34	TR	·16	·20	–	–	TR	–	·80	–	–	–		17
18	·51	·10	·01	·02	TR	·44	–	–	·13	–	·18	·07		18
19	·15	·06	·04	·18	–	·14	·05	–	·24	–	–	·03		19
20	·49	·01	TR	·37	·58	TR	–	–	·06	–	–	–		20
21	·41	·60	·03	·05	·06	–	·03	–	–	–	TR	·06		21
22	·41	·01	·01	–	·11	·16	~~·40~~ ·10	–	–	·56	·37	·04		22
23	·15	·03	·03	–	·40	–	~~·29~~ ·09	–	–	·38	–	·01		23
24	·18	·53	·06	–	–	–	–	–	·12	·28	–	–		24
25	·09	·44	·07	–	1·01	–	–	–	·04	·06?	–	–		25
26	TR	·37	·02	–	·18	–	–	–	–	·07	–	–		26
27	·02	·19	–	·13	–	–	–	–	–	·55	–	–		27
28	TR	·10	–	TR	–	TR	–	–	–	·09	–	·01		28
29	·03		–	–	–	·12	–	–	–	·02	·06	·02		29
30	·35	✕	–	–	–	–	–	–	–	·02	32.	–		30
31	·27	✕	–	✕	–	✕	–	–	✕	·13	✕	04.		31
TOTAL	4·6~~4~~3	4·87	3·29	2·81	3·26	1·66	1·01	1·19	3·55	2·19	1·62	2·69	Year's Total 32·77	
* Days with .01 in. or more.	21	22	19	14	14	9	11	4	15	11	7	19	166	
* Days with .04 in. or more.	18	18	13	12	12	8	7	4	14	8	6	12	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. YOUNG, A.Inst. W.E.;
BOROUGH WATER ENGINEER;
71, EASTON STREET,

[P.T.O.

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 999/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

np1937/7

f603597/37

Kept at Pann Mill Pumping Station, High Wycombe.
in the County of Buckinghamshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 218.90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr.	-	Tr.	-	-	0.05	Tr.	-	0.04	0.05	-	-		1
2	0.06	-	-	0.02	0.11	-	-	-	-	0.29	0.01	0.03		2
3	-	Tr.	-	-	0.21	-	-	-	0.05	0.80	0.02	-		3
4	0.07	-	-	-	-	-	0.02	0.23	-	0.06	-	0.12		4
5	-	-	-	-	-	-	0.14	-	0.01	0.13	-	-		5
6	0.06	-	-	-	-	-	0.05	-	0.08	0.07	Tr.	Tr.		6
7	0.01	-	-	-	-	-	0.47	0.50	Tr.	0.43	-	0.01		7
8	0.09	-	-	-	-	-	0.08	0.02	0.08	0.36	-	0.01		8
9	0.10	0.02	-	-	-	Tr.	0.02	0.16	-	0.01	-	0.79		9
10	0.19	0.06	-	-	-	-	0.04	0.46	-	-	-	0.07		10
11	0.31	Tr.	-	-	-	-	0.02	-	-	-	0.13	0.03		11
12	0.39	0.02	-	-	0.02	-	0.02	0.16	-	0.39	Tr.	-		12
13	0.08	0.01	-	-	Tr.	-	-	0.02	-	0.01	0.18	0.15		13
14	0.22	Tr.	-	-	0.05	-	0.09	-	0.03	-	Tr.	0.04		14
15	0.07	Tr.	-	-	0.02	-	0.16	0.02	-	0.18	0.01	0.19		15
16	0.56	0.01	0.03	-	-	-	Tr.	0.07	-	0.09	Tr.	0.10		16
17	-	0.07	-	-	0.01	-	-	-	0.04	0.09	-	-		17
18	0.11	-	-	Tr.	0.06	-	-	0.03	0.05	0.02	0.50	-		18
19	Tr.	-	-	-	-	-	-	0.10	0.08	-	0.25	-		19
20	Tr.	-	-	-	-	-	-	0.19	0.01	-	0.63	0.04		20
21	0.02	-	-	-	-	-	-	0.05	0.02	-	0.03	0.60		21
22	-	-	-	0.01	-	0.02	-	0.03	-	-	0.27	0.21		22
23	-	-	-	-	Tr.	-	-	-	-	-	0.06	-		23
24	-	-	0.16	-	0.07	-	-	-	0.29	-	0.04	-		24
25	0.10	0.08	0.11	-	0.08	-	Tr.	0.07	Tr.	0.01	0.72	0.10		25
26	0.27	0.30	0.08	-	-	-	-	-	0.23	0.14	-	0.22		26
27	0.11	0.06	-	-	0.16	0.31	0.32	0.01	0.41	0.07	0.40	-		27
28	0.19	0.02	-	-	0.85	0.07	-	0.73	0.01	-	-	0.11		28
29	0.36	x	-	Tr.	0.23	-	-	0.01	0.05	0.01	0.13	0.20		29
30	0.02	x	-	0.03	0.04	0.05	-	-	0.10	0.03	0.27	0.02		30
31	0.20	x	-	x	0.16	x	-	-	x	0.17	x	0.35		31
TOTAL	3.59	0.65	0.38	0.06	2.07	0.50	1.43	2.86	1.58	3.41	3.65	3.39	Year's Total 23.57	
* Days with .01 in. or more.	22	10	4	3	14	5	12	18	17	21	16	20	162	
* Days with .04 in. or more.	19	5	3	0	11	4	8	11	12	15	12	16	116	

Print
✓ GB
23/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 999/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pann Mill Pumping Station High Wycombe.

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

„ Ground „ Sea Level 218·9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	1·03	-	0·02	0·62	0·34	-	-	0·01	0·11	-	-	0·01		1
2	0·05	-	-	0·02	-	-	-	0·48	0·31	-	0·21	0·01		2
3	0·49	-	-	0·18	-	-	-	0·24	-	0·01	0·32	0·23		3
4	0·04	-	0·28	0·19	0·01	-	0·03	0·13	-	0·27	0·06	0·01		4
5	-	-	0·01	0·44	0·22	-	0·06	0·42	-	0·01	0·38	0·48		5
6	0·44	-	-	TR.	0·21	-	0·32	0·02	-	-	0·27	0·01		6
7	0·08	0·14	-	-	-	-	TR	0·02	-	-	0·20	0·27		7
8	0·01	0·16	0·27	-	-	-	0·07	0·16	-	0·49	0·32	0·39		8
9	0·05	0·11	-	-	-	-	-	0·09	-	0·27	TR	0·16		9
10	0·30	-	-	-	-	0·24	-	0·19	0·01	0·09	TR	0·01		10
11	-	-	0·20	-	0·01	0·01	-	0·03	TR	0·21	0·01	0·01		11
12	TR.	0·14	-	-	0·01	-	-	-	-	-	-	-		12
13	-	-	-	TR	-	0.02	0·17	-	0·02	0·91	0·01	-		13
14	0·53	-	0·01	0·01	0·10	0·09	0·06	-	TR	0·10	0·35	-		14
15	0·13	-	0·04	TR	0·54	0·53	0·07	-	0·11	0·59	0·21	-		15
16	0·27	-	0·11	0·01	0·09	0·15	0·03	-	-	0·02	0·41	-		16
17	0·25	0·04	0·02	0·03	0·26	0·02	0·05	-	-	0·43	0·04	-		17
18	0·24	0·01	0·04	-	-	0·24	0·21	-	-	0·08	0·34	-		18
19	0·24	-	-	-	-	-	0·31	-	-	0·09	0·01	-		19
20	0·26	-	TR.	-	-	0·03	0·42	0·26	-	-	-	0·01		20
21	0·07	0·10	0·34	-	-	TR	0·02	0·01	0·01	-	-	-		21
22	0·17	0·38	0·05	0·01	-	TR	0·03	-	0·01	-	0·15	-		22
23	0·01	-	0·01	0·08	-	0·01	0·06	-	-	0·02	0·89	TR		23
24	0·34	-	-	0·10	-	-	0·18	-	-	0·12	-	-		24
25	1·11	0·12	0·04	-	-	-	0·23	-	-	0·05	0·59	TR		25
26	0·28	0·02	0·01	0·02	-	-	-	0·42	-	0·13	0·22	-		26
27	-	0·02	0·08	0·03	-	-	TR	-	-	0·04	0·11	-		27
28	0·02	0·23	0·07	0·10	-	0·05	0·07	-	-	0·03	0·24	0·08		28
29	-	X	-	0·24	-	-	0·31	-	-	0·22	0·14	-		29
30	-		-	1·25	-	0·07	TR	-	-	TR	0·17	0·04		30
31	-		-		-		0·11	-		0·01		-		31
TOTAL	5·41	1·47	1·62	3·33	1·79	1·46	2·91	2·56	0·58	4·19	5·65	1·81	Year's Total 22·72	✓
* Days with .01 in. or more.	23	12	17	16	10	12	20	14	7	22	23	14	190	✓
* Days with .04 in. or more.	19	9	11	9	7	7	16	9	3	16	20	6	132.	✓

† Spare column, no entries required.

(*Signed*) S. Young. HS.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 999/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Pann Mill Pumping Station High Wycombe.

in the County of Buckinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 218.9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.02	–	.01	TR	–	–	–	–	–	.12	–		1
2	–	.06	–	.16	–	–	.11	–	–	.04	.73	TR		2
3	–	.23	–	.16	–	–	–	–	–	.06	1.09	.04		3
4	–	.15	–	.02	–	–	–	–	–	.44	.07	.04		4
5	TR	.01	–	–	TR	–	–	–	–	.18	.42	.18		5
6	.19	.16	–	–	.06	–	.40	–	–	.35	.07	–		6
7	.18	.42	–	–	.05	–	.08	–	.05	–	–	–		7
8	TR	–	–	.02	–	–	–	–	.01	.22	.01	.32		8
9	–	–	–	.01	–	–	–	.08	.04	.01	.11	.05		9
10	–	–	.01	–	–	–	.17	TR	–	–	.18	.01		10
11	–	–	–	.06	–	–	–	–	–	–	.88	.01		11
12	–	.02	.10	–	–	TR	.07	–	.10	–	.02	–		12
13	–	.02	.56	.01	–	–	–	TR	.03	–	1.46	–		13
14	–	–	.12	.10	–	–	–	–	.04	.13	–	.44		14
15	–	–	.08	TR	.01	TR	.20	–	.06	.05	.39	TR		15
16	.02	.13	.42	–	–	.01	.39	–	.38	.58	.71	–		16
17	–	–	.32	–	–	–	.01	–	–	–	.27	TR		17
18	TR	.44	.19	.38	–	–	–	–	TR	.14	.24	.17		18
19	–	.25	.01	.25	–	–	.11	–	.34	–	.26	.01		19
20	–	.02	.02	.02	–	TR	–	TR	–	.23	.04	–		20
21	.12	.01	–	–	.46	–	.08	TR	–	.05	.52	–		21
22	.02	–	.04	TR	.41	.32	–	–	.50	–	–	–		22
23	–	.02	.07	.09	.08	.03	–	–	–	–	.01	.01		23
24	.02	–	–	.10	–	–	.17	–	–	–	–	–		24
25	–	–	.30	–	TR	TR	.15	–	–	–	–	–		25
26	1.08	.15	.02	.22	.18	.03	.09	–	–	–	TR	.04		26
27	.46	.21	–	.14	.05	–	.02	–	–	.02	–	–		27
28	.28	.53	–	.02	.10	–	–	–	–	–	–	–		28
29	.04	.09	.14	TR	.09	TR	–	–	–	–	–	.34		29
30	.08	✕	–	.17	–	–	–	–	–	.24	–	–		30
31	.05	✕	TR	✕	–	✕	–	–	✕	.69	✕	10		31
TOTAL	2.54	2.44	2.40	1.94	1.49	.38	2.05	.08	1.45	3.31	7.60	1.76	Year's Total 27.44	
* Days with .01 in. or more.	12	19	15	18	10	4	14	1	10	16	20	14	153.	
* Days with .04 in. or more.	9	11	11	11	9	1	12	1	9	14	17	10	115.	

* See Instruction 3 (f) on other side.

Snow

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1000

1000 —

HIGH WYCOMBE
ROYAL GRAMMER SCHOOL

1931 - 1933

780206

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METE ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER 1.

Kept at Royal Grammar Scho
in the County of High Wycombe Bucks
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground 1" f
„ Ground „ Sea Level 5

THE MORNING MEASUREMEN CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·015	·16	·04	·06	~~0~~	·16	·02	—	—	—	—	—	1
2	·09	·09	—	·41	·07	—	tr.	tr.	2·0	—	—	·03	2
3	—	·01	—	·025	·45	—	—	·125	—	—	·13	·19	3
4	·035	·01	—	—	·02	·025	·20	·625	—	·01	·076	—	4
5	·01	·02	—	·14	·02	·15	·04	—	·12	·005	—	·42	5
6	—	·13	—	·125	—	·05	·04	·78	·02	·28	—	—	6
7	—	—	—	tr.	·09	·16	·03	tr.	—	·075	·15	·065	7
8	tr.	·07	—	·04	—	·13	—	tr.	—	·04	·48	·025	8
9	tr.	·12	—	·03	tr.	·01	·01	·29	—	—	·465	·02	9
10	—	·05	—	—	tr.	·03	·06	—	—	—	·365	—	10
11	—	·21	—	—	—	·01	—	·105	—	—	·07	—	11
12	·195	·01	—	tr.	—	—	·10	·15	—	—	—	—	12
13	—	—	—	—	—	—	·36	·44	·42	·005	—	—	13
14	—	·09	—	—	·01	—	1·31	·30	—	—	—	—	14
15	·03	·03	—	·13	·185	—	·27	·585	—	—	·006	·04	15
16	·03	·08	—	·11	·17	·10	·02	·01	—	—	—	—	16
17	·13	·07	·04		·115	—	·18	·4	—	·01	—	—	17
18	·08	·05	·04		—	—	·03	·03	—	—	·575	·005	18
19	·03	·01	—		—	·105	·35	·49	—	—	·01	—	19
20	—	·04	—		—	—	—	Tr.	—	—	·025	—	20
21	·04	—	—		·34	—	—	—	·31 –	—	·01	—	21
22	·23	—	—		—	—	—	—	·025 –	—	—	·105	22
23	·28	—	—		·295	·03	—	—	·4 –	—	·385	+ —	23
24	—	—	—		·175	·10	·03	—	—	—	·01		24
25	·09	—	—		·08	-	1·25	—	tr	—	·1		25
26	—	·01	—		tr.	—	·325	—	—	—	·58		26
27	·20	·04	—	2·0	·49	—	·11	—	—	—	·235		27
28	·11	·46	—	·13	·03	—	—	—	—	·07	—		28
29	·07	·15	—	—	·11	—	·165	—	—	·345	·015	+	29
30	·08	X	—	—	—	—	·02	·1	·01	—	—		30
31	·20	X	—	X	·115	X	—	—	X	—	X	·22	31 29·596
													YEAR'S TOTAL
TOTAL	1·95	1·95	·12	3·24	2·78	1·275	4·95	4·43	3·305	·830	3·676	1·13"	~~29·401~~
Days with ·01 in. or more.	19	22	3	19 11	17	13	21	14	12 8	7	17	9 12	~~167~~ 176
Days with ·04 in. or more.	12	16	3	16 9	13	8	13	12	10 5	5	12	6 7	~~114~~ 127

40-9999

(Signed) S. Morgan.
The Headmaster

P.T.O.

1000

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Royal Grammar School,
in the County of High Wycombe, Bucks
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground 1' ft. 4" in.
„ Ground „ Sea Level 545' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·015	·16	·04	·06	~~·0~~	·16	·02	—	x —	—	—	—	1
2	·09	·09	—	·41	·07	—	tr.	tr.	x 2·0	—	—	·03	2
3	—	·01	—	·025	·45	—	—	·125	x —	—	·13	·19	3
4	·035	·01	—	—	·02	·025	·20	·625	x —	·01	·076	—	4
5	·01	·02	—	·14	·02	·15	·04	—	x ·12	·005	—	·42	5
6	—	·13	—	·125	—	·05	·04	·78	·02	·28	—	—	6
7	—	—	—	tr.	·09	·16	·03	tr.	—	·076	·15	·065	7
8	tr.	·07	—	·04	—	·13	—	Tr.	—	·04	·48	·025	8
9	tr.	·12	—	·03	Tr.	·01	·01	·29	—	—	·465	·02	9
10	—	·05	—	—	tr.	·03	·06	—	—	—	·365	—	10
11	—	·21	—	—	—	·01	—	·105	x —	—	·07	—	11
12	·195	·01	—	tr.	—	—	·10	·15	x —	—	—	—	12
13	—	—	—	—	—	—	·36	·44	·42	·005	—	—	13
14	—	·09	—	—	·01	—	1·31	·30	—	—	—	—	14
15	·03	·03	—	·13	·185	—	·27	·585	—	—	·005	·04	15
16	·03	·08	—	·11	·17	·10	·02	·01	x —	—	—	—	16
17	·13	·07	·04	x	·115	—	·18	·4	x —	·01	—	—	17
18	·08	·05	·04	x	—	—	·03	·03	—	—	·575	·005	18
19	·03	·01	—	x	—	·105	·35	·49	x —	—	·01	—	19
20	—	·04	—	x	—	—	—	Tr.	—	—	·025	—	20
21	·04	—	—		·34	—	—	—	·31 —	—	·01	—	21
22	·23	—	—		—	—	—	—	·025 —	—	—	·105	22
23	·28	—	—		·295	·03	—	—	·4 —	—	·385	+ —	23
24	—	—	—	x	·175	·10	·03	—	—	—	·01		24
25	·09	—	—	x	·08	—	1·25	—	tr	—	·1		25
26	—	·01	—	x	tr.	—	·325	—	—	—	·58		26
27	·20	·04	—	x 2·0	·49	—	·11	—	—	—	·225		27
28	·11	·46	—	·13	·03	—	—	—	—	·07	—		28
29	·07	·15	—	—	·11	—	·165	—	—	·345	·015	+	29
30	·08	X	—	—	—	—	·02	·1	·01	—	—		30
31	·20	X	—	X	·115	X	—	—	X	—	X	·22	31 29·596
TOTAL	1·95	1·95	·12	3·24	2·78	1·275	4·95	4·43	3·305	·830	3·676	1·13"	YEAR'S TOTAL ~~29·401~~
Days with ·01 in. or more.	19	22	3	19 11	17	13	21	14	12 ~~8~~	7	17	~~9~~ 12	~~161~~ 176
Days with ·04 in. or more.	12	16	3	16 9	13	8	13	12	10 ~~5~~	5	12	~~6~~ 7	~~114~~ 127

40-9999

(Signed) S. Morgan
The Headmaster.

~~(P.T.O.)~~ OK

1000

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 1000.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193[illegible].

Kept at Royal Grammar School High Wycombe
in the County of Bucks.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 545 ft.

Sept. 1" that
Days [illegible] Yes.

9th sent suggestion pencil figures
Obsr. agrees to amendment

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01			·73	·045	·11	·16	·02	·05	·025	tr	1
2	tr			·185	·075	tr		·025	·35	·15	·02	·24	2
3				·24	·09			·01	·59	·08	tr	tr	3
4	·01	·01				·10	tr	tr	tr		·33	tr	4
5	·4	tr			·06	tr	·23		~~·01~~ ·1				5
6	tr	·1	·035	·085	tr			tr	~~·45~~ ·15				6
7	·49		·1	·035			·16		~~·85~~ ·05		tr	tr	7
8			·12	·1	·035			tr	·47	·03			8
9	x ·35 x			·055	·315				·02	·14			9
10			·07	·185	·085	·03			·02	tr	·055		10
11				·09	·03		·17	·04	·01	·1	·055	·03	11
12	1·45			tr	·105			·01	·015		·03	·01	12
13				·265	·1		tr		·04	·3	·08	·03	13
14	·15	·01						·51	tr	·03	·03	tr	14
15	tr	tr		·06						·07	tr	tr	15
16					·03				tr		tr	tr	16
17	tr			tr			·03		tr	·08	tr	tr	17
18	tr			tr	·02		·01		·2		·15	tr.	18
19							·03		tr	·03	·01	tr	19
20	tr			·33	·07		tr	1·5	·06	·68	·07	·03	20
21	·025		·04	·27	1·4		·02	·935		·38	tr	·05	21
22	·025	tr	·25		·01		tr	·01	·27	·13	·46		22
23	·01	·08	tr		·035		·07		·03	·67	·1	·09	23
24	tr	·03				tr		tr		·03	·09		24
25	tr	·01	·235.	tr			·4	tr	tr	·5	·02		25
26	tr		·08	·145	·04			·01		·03			26
27			·375	·25	·35		·365	tr	·075	·11	·11		27
28			·355	·045	·16	·02	·23	tr	·2	·18	tr		28
29	tr		·335	·105	·08	·5	·025	·1		·43	·08	·01	29
30		✕	·125	·08			tr	·02		·03	·44	x ·25 x	30 26·01
31		✕	·08	✕		✕	·12	tr	✕		✕		31
TOTAL	1·61 ~~1·26~~	·15	2·20	2·525	3·80 ~~3·45~~	·695	1·97	3·265	2·67 ~~3·97~~	4·23	2·155	·74 ~~·49~~	YEAR'S TOTAL ~~26·460~~
*Days with ·01 in. or more.	~~8~~ 10	6	13	17	20 ~~19~~	5	14	12	18	22	18	10 ~~8~~	~~160~~ 165
*Days with ·04 in. or more.	~~4~~ 6	1	12.	16	14 ~~13~~	3	9	6	12	16	11	5 ~~3~~	~~106~~ 111

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) S. Morgan.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1000

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at High Wycombe, Royal Grammar Sch.

in the County of Buckinghamshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Oct. 22nd & 23rd may have been slightly higher than recorded, as a slight leak was afterwards discovered in the receiver.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·19	·21							·02	·06		1
2	·38		·40		·28						·04		2
3		·19	·25		·05								3
4	19				·46								4
5	·03	·04	30		·04						·01		5
6		14	·10		·02					·07	·02		6
7		16	·14		·06					·05	·01		7
8	·24		·04		·02		·30			·01			8
9							·25			·10	·10		9
10	·02	·28			·05	·02	·50			·19	·02		10
11	·18				·02	·01	·05	·11					11
12	·03				·16	·16	·02		·15				12
13	·03					·02	·36		·45		·09		13
14								·03		06	·24	✓	14
15	·45		·15			·50	·12	·09		·01	·16		15
16		·02	·68			·24	·14			·05			16
17			·18			·05	·02		·085		·03		17
18			·30			·09							18
19	·20		·17			·04			·62		·03	✓	19
20		·06	·08	·04		·18		·01			·01		20
21								·12	·19	·08			21
22					·02	·38				·22	·03		22
23				·28					·	·03			23
24				18	·01	·42			·53	·01	·05		24
25		1·25		·26					·09	·01		+	25
26		·36		·12		·04			·19	·08	·02	+	26
27		·01			·08				·01	·18		+	27
28				·03						·32		+	28
29		X	·02	·18			·11			·20		✓	29
30	·15	X	·05				·04					+	30
31	·21	X	·01	X		X		·12	X	·04	X		31
TOTAL	2·59	2·70	3·08	1·09	1·27	2·15	1·91	·48	2·315	1·73	·9~~5~~2	·43	YEAR'S TOTAL 20·66~~5~~
*Days with ·01 in. or more.	13	11	16	7	13	13	11	6	10	19	16	8	143
*Days with .04 in. or more.	9	9	14	6	8	10	9	4	9	13	8	5	104

40-9999

*See Instruction 2 (*f*) on other side.

D M

(*Signed*) L. W. Summers

P.T.O.

1000

FORM 1090. **B** **Monthly Summary.**

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At High Wycombe

In the County of Bucks.

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... ft .... in.
Height of Ground above Sea Level .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·59			13	9
FEB.	2·40			11	9
MAR.	3·08			16	14
APRIL	1·09			7	6
MAY	1·27			13	8
JUNE	2·15			13	10
JULY	1·91			11	9
AUG.	·48			6	4
SEPT.	2·315			9	8
OCT.	1·73			19	12
NOV.	·95			16	8
DEC.	·43			—	—
Total	20·695"				

Signature Fdk W Summers

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station High Wycombe Distance 1 mile Direction from gauge S.W.

Nearest Parish Church at " Distance 1 mile Direction from gauge S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1000/5

1000/5
HIGH WYCOMBE
LANE END RES.
1935-40

480207

FORM 1090. **B** Mont
Sum ation.

*** The following register of monthly
&c., is NOT required if daily o
values are given on the other s

section and also the space for

to this register should be sent :—

RAINFALL IN 1935

At High Wycombe (Lane

In the County of Bucks.

in Summer

istance gauge Direction from gauge

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 659 *ft.*

Nearest Parish Church at Distance Direction from gauge

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·01				
FEB.	2·56				
MAR.	·60				
APRIL	4·40				
MAY	·82				
JUNE	4·07				
JULY	·41				
AUG.	2·09				
SEPT.	4·99				
OCT.	3·34				
NOV.	4·56				
DEC.	3·68				
TOTAL	32·53				

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from observer's record.
19/10/37

Signature S. Young Esq.

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1000/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At High Wycombe (Lane End Res)

In the County of Bucks.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 659 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·01				
FEB.	2·56				
MAR.	·60				
APRIL	4·40				
MAY	·82				
JUNE	4·07				
JULY	·41				
AUG.	2·09				
SEPT.	4·99				
OCT.	3·34				
NOV.	4·56				
DEC.	3·68				
TOTAL	32·53				

Signature S. Young Esq.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from observer's record.
19/10/37

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1000/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.6

At High Wycombe (Lane End Rd)

In the County of Bucks.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 659 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·98				
FEB.	2·37				
MAR.	1·75				
APRIL	1·49				
MAY	2·75				
JUNE	3·73				
JULY	4·75				
AUG.	·51				
SEPT.	3·87				
OCT.	1·89				
NOV.	4·28				
DEC.	2·77				
TOTAL	35·14				

Signature S. Young Esq.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from observer's record.
19/10/37

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

HIGH WYCOMBE (LANE END RES) (1000/5)

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Widdenton Pk. Wd. Reservoir Park Lane, Lane End. Nr. H. Wycombe Bucks.

In the County of ....

Rain Gauge

Diameter of Funnel 5" in.

Height of Top above Ground 1 *ft.* – *in.*

Height of Ground above Sea Level 658·81 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·89				
FEB.	5·20				
MAR.	3·29				
APRIL	3·23				
MAY	3·58				
JUNE	1·90				
JULY	1·59				
AUG.	1·0				
SEPT.	3·23				
OCT.	2·98				
NOV.	·94				
DEC.	3·56				
TOTAL	35·39	Rank A ✓			

S. YOUNG, A.Inst. W.E.;

Signature ....BOROUGH WATER ENGINEER.;

71, EASTON STREET,

HIGH WYCOMBE,

BUCKS.

* See Instruction 3 *(f)* below

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

S. Young Borough Water Engineer

70-74 Easton Street High Wycombe Bucks

Hour of observation by the clock—in Winter 9 am in Summer 10 am

Nearest Railway Station West Wycombe Distance 2 1/8 miles Direction from gauge N.E.

Nearest Parish Church at Lane End Distance 3/4 mile Direction from gauge W

Nature of objects nearest to gauge	No objects within distance			
Height of objects	of twice their height			
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move No Distance – Direction –

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

monthly readings taken only. Figures for 1935 & 1936 are attached.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1000/5

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Ann. Total. Corr. for Ard. 23.2.39. EMT.

RAINFALL IN 193.8

At Widdenton Pk.Wd.Reservoir Park Lane, Lane End.

In the County of Bucks.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 658.81 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.45				
FEB.	0.61				
MAR.	0.36				
APRIL	0.06				
MAY	2.04				
JUNE	0.50				
JULY	1.64				
AUG.	3.11				
SEPT.	1.76				
OCT.	3.47				
NOV.	3.81				
DEC.	3.42				
TOTAL	24.2~~5~~3	* ✓			

Signature S. Young

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— S. Young, A. Inst. W. E., Borough Water Engineer, 70-71, Easton Street, High Wycombe, Bucks.

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station West Wycombe Distance 2 mls. Direction from gauge NE

Nearest Parish Church at Lane End Distance 3 mls Direction from gauge W

Nature of objects nearest to gauge	No object within distance of twice their height.			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Not moved. Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Monthly readings taken only

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}{\cdot}14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 666/91
S.O. Code No. 40-9999

100075

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Wittenton Park Wood Reservoir Park Lane, Lane End Nr. High Wycombe,
In the County of Buckinghamshire

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 658·81 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·09				
FEB.	1·35				
MAR.	1·41				
APRIL	3·14				
MAY	2·04				
JUNE	1·48				
JULY	3·03				
AUG.	3·33				
SEPT.	0·85				
OCT.	5·03				
NOV.	5·45				
DEC.	1·94				
TOTAL	34·14 ✓				

Signature S. Young

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
S. Young A.Inst W.E. Borough Water Engineer
70–71 Easton Street, High Wycombe, Bucks.

Hour of observation by the clock—in Winter 9 am in Summer 10 am

Nearest Railway Station West Wycombe Distance 2½ miles Direction from gauge NE

Nearest Parish Church at Lane End. Distance ¾ mile Direction from gauge W.

Nature of objects nearest to gauge				
Height of objects	no objects within		distance of	
Distances	twice	their	height	
Directions from gauge				

If gauge has been moved during the year state—

Date of move not moved. Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

monthly reading taken only.

M.O. 7
-5 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91 S.O. Code No. 40-9999

FORM 1090.

1000/5

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940.

At Widdenton Park Wood Reservoir
Park Lane, Lane End, Nr. High Wycombe
In the County of Buckinghamshire

Rain Gauge
Diameter of Funnel 5" in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 658·81 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·02				
FEB.	2·56				
MAR.	2·54				
APRIL	2·40				
MAY	2·09				
JUNE	0·59				
JULY	2·59				
AUG.	0·07				
SEPT.	1·44				
OCT.	4·06				
NOV.	7·30				
DEC.	1·84				
TOTAL	30·50				

Signature S. Young

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
S. Young A.Inst.W.E. Borough Water Engineer
70-71 Easton St. High Wycombe, Bucks.

Hour of observation by the clock—in Winter 9 am in Summer 10 am.

Nearest Railway Station H. Wycombe Distance 2½ mls Direction from gauge NE

Nearest Parish Church at Lane End. Distance 3/4 ml. Direction from gauge W.

Nature of objects nearest to gauge				
Height of objects	No	objects within	distance of	
Distances ...	twice	their	height.	
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
20 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999